









Mode	72																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.28</td><td>64.06</td><td>112.55</td><td>-48.49</td><td>50.84</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>191</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5873.00</td><td>62.45</td><td>105.86</td><td>-43.41</td><td>49.10</td><td>35.04</td><td>10.47</td><td>32.16</td><td>0.00</td><td>191</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>53.48</td><td>68.22</td><td>-14.74</td><td>39.92</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>191</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5933.73</td><td>55.51</td><td>68.20</td><td>-12.69</td><td>41.95</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>191</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.28	64.06	112.55	-48.49	50.84	34.93	10.45	32.16	0.00	191	360	PEAK	2	5873.00	62.45	105.86	-43.41	49.10	35.04	10.47	32.16	0.00	191	360	PEAK	3	5924.98	53.48	68.22	-14.74	39.92	35.20	10.52	32.16	0.00	191	360	PEAK	4	5933.73	55.51	68.20	-12.69	41.95	35.20	10.52	32.16	0.00	191	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.28	64.06	112.55	-48.49	50.84	34.93	10.45	32.16	0.00	191	360	PEAK																																																																																				
2	5873.00	62.45	105.86	-43.41	49.10	35.04	10.47	32.16	0.00	191	360	PEAK																																																																																				
3	5924.98	53.48	68.22	-14.74	39.92	35.20	10.52	32.16	0.00	191	360	PEAK																																																																																				
4	5933.73	55.51	68.20	-12.69	41.95	35.20	10.52	32.16	0.00	191	360	PEAK																																																																																				




Mode	72																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																								
ANT	CDD 1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>52.26</td><td>38.15</td><td>14.95</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	44.20	74.00	-29.80	52.26	38.15	14.95	61.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>43.42</td><td>74.00</td><td>-30.58</td><td>51.48</td><td>38.15</td><td>14.95</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.42	74.00	-30.58	51.48	38.15	14.95	61.16	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	44.20	74.00	-29.80	52.26	38.15	14.95	61.16	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11550.00	43.42	74.00	-30.58	51.48	38.15	14.95	61.16	0.00	---	---	PEAK																																																																																													






Mode	73																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5646.38</td><td>62.73</td><td>68.20</td><td>-5.47</td><td>49.51</td><td>34.59</td><td>10.28</td><td>31.65</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>2 5653.90</td><td>65.54</td><td>71.11</td><td>-5.57</td><td>52.31</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>3 5713.40</td><td>79.41</td><td>109.05</td><td>-29.64</td><td>66.25</td><td>34.63</td><td>10.34</td><td>31.81</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>4 5728.58</td><td>76.13</td><td>112.21</td><td>-36.08</td><td>62.98</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5646.38	62.73	68.20	-5.47	49.51	34.59	10.28	31.65	0.00	300	105 PEAK	2 5653.90	65.54	71.11	-5.57	52.31	34.60	10.29	31.66	0.00	300	105 PEAK	3 5713.40	79.41	109.05	-29.64	66.25	34.63	10.34	31.81	0.00	300	105 PEAK	4 5728.58	76.13	112.21	-36.08	62.98	34.64	10.34	31.83	0.00	300	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>109.86</td><td>-----</td><td>-----</td><td>96.70</td><td>34.68</td><td>10.36</td><td>31.88</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	109.86	-----	-----	96.70	34.68	10.36	31.88	0.00	300	105 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5646.38	62.73	68.20	-5.47	49.51	34.59	10.28	31.65	0.00	300	105 PEAK																																																																																																																										
2 5653.90	65.54	71.11	-5.57	52.31	34.60	10.29	31.66	0.00	300	105 PEAK																																																																																																																										
3 5713.40	79.41	109.05	-29.64	66.25	34.63	10.34	31.81	0.00	300	105 PEAK																																																																																																																										
4 5728.58	76.13	112.21	-36.08	62.98	34.64	10.34	31.83	0.00	300	105 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	109.86	-----	-----	96.70	34.68	10.36	31.88	0.00	300	105 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>100.24</td><td>-----</td><td>-----</td><td>87.08</td><td>34.67</td><td>10.35</td><td>31.86</td><td>0.00</td><td>300</td><td>105 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	100.24	-----	-----	87.08	34.67	10.35	31.86	0.00	300	105 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	100.24	-----	-----	87.08	34.67	10.35	31.86	0.00	300	105 AVERAGE																																																																																																																										




Mode	73																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>66.36</td><td>111.75</td><td>-45.39</td><td>53.14</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5870.90</td><td>69.20</td><td>106.45</td><td>-37.25</td><td>55.06</td><td>35.03</td><td>10.47</td><td>32.16</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>58.81</td><td>68.35</td><td>-9.54</td><td>45.25</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5929.18</td><td>59.23</td><td>68.20</td><td>-8.97</td><td>45.67</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	66.36	111.75	-45.39	53.14	34.93	10.45	32.16	0.00	300	105	PEAK	2	5870.90	69.20	106.45	-37.25	55.06	35.03	10.47	32.16	0.00	300	105	PEAK	3	5924.80	58.81	68.35	-9.54	45.25	35.20	10.52	32.16	0.00	300	105	PEAK	4	5929.18	59.23	68.20	-8.97	45.67	35.20	10.52	32.16	0.00	300	105	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.63	66.36	111.75	-45.39	53.14	34.93	10.45	32.16	0.00	300	105	PEAK																																																																																				
2	5870.90	69.20	106.45	-37.25	55.06	35.03	10.47	32.16	0.00	300	105	PEAK																																																																																				
3	5924.80	58.81	68.35	-9.54	45.25	35.20	10.52	32.16	0.00	300	105	PEAK																																																																																				
4	5929.18	59.23	68.20	-8.97	45.67	35.20	10.52	32.16	0.00	300	105	PEAK																																																																																				






Mode	73																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																																								
ANT	CDD 1+2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.20</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>44.59</td><td>34.59</td><td>10.28</td><td>31.65</td><td>0.00</td><td>300</td><td>106 PEAK</td></tr><tr><td>2</td><td>5650.05</td><td>55.90</td><td>68.24</td><td>-12.34</td><td>42.67</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>300</td><td>106 PEAK</td></tr><tr><td>3</td><td>5705.70</td><td>73.71</td><td>106.90</td><td>-33.19</td><td>60.56</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>300</td><td>106 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>66.70</td><td>111.81</td><td>-45.11</td><td>53.55</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>300</td><td>106 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.20	57.81	68.20	-10.39	44.59	34.59	10.28	31.65	0.00	300	106 PEAK	2	5650.05	55.90	68.24	-12.34	42.67	34.60	10.28	31.65	0.00	300	106 PEAK	3	5705.70	73.71	106.90	-33.19	60.56	34.61	10.33	31.79	0.00	300	106 PEAK	4	5720.40	66.70	111.81	-45.11	53.55	34.64	10.34	31.83	0.00	300	106 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.84</td><td>-----</td><td>-----</td><td>90.68</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>300</td><td>106 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.84	-----	-----	90.68	34.69	10.36	31.89	0.00	300	106 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5646.20	57.81	68.20	-10.39	44.59	34.59	10.28	31.65	0.00	300	106 PEAK																																																																																																																														
2	5650.05	55.90	68.24	-12.34	42.67	34.60	10.28	31.65	0.00	300	106 PEAK																																																																																																																														
3	5705.70	73.71	106.90	-33.19	60.56	34.61	10.33	31.79	0.00	300	106 PEAK																																																																																																																														
4	5720.40	66.70	111.81	-45.11	53.55	34.64	10.34	31.83	0.00	300	106 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	103.84	-----	-----	90.68	34.69	10.36	31.89	0.00	300	106 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.28</td><td>-----</td><td>-----</td><td>80.12</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>300</td><td>106 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.28	-----	-----	80.12	34.69	10.36	31.89	0.00	300	106 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	93.28	-----	-----	80.12	34.69	10.36	31.89	0.00	300	106 AVERAGE																																																																																																																														




Mode	73																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.05</td><td>64.45</td><td>115.35</td><td>-50.90</td><td>51.24</td><td>34.92</td><td>10.45</td><td>32.16</td><td>0.00</td><td>300</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>5869.68</td><td>62.71</td><td>106.79</td><td>-44.08</td><td>49.38</td><td>35.02</td><td>10.47</td><td>32.16</td><td>0.00</td><td>300</td><td>106</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>54.97</td><td>68.22</td><td>-13.25</td><td>41.41</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>300</td><td>106</td><td>PEAK</td></tr><tr><td>4</td><td>5937.23</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>43.24</td><td>35.20</td><td>10.53</td><td>32.16</td><td>0.00</td><td>300</td><td>106</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.05	64.45	115.35	-50.90	51.24	34.92	10.45	32.16	0.00	300	106	PEAK	2	5869.68	62.71	106.79	-44.08	49.38	35.02	10.47	32.16	0.00	300	106	PEAK	3	5924.98	54.97	68.22	-13.25	41.41	35.20	10.52	32.16	0.00	300	106	PEAK	4	5937.23	56.81	68.20	-11.39	43.24	35.20	10.53	32.16	0.00	300	106	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5853.05	64.45	115.35	-50.90	51.24	34.92	10.45	32.16	0.00	300	106	PEAK																																																																																					
2	5869.68	62.71	106.79	-44.08	49.38	35.02	10.47	32.16	0.00	300	106	PEAK																																																																																					
3	5924.98	54.97	68.22	-13.25	41.41	35.20	10.52	32.16	0.00	300	106	PEAK																																																																																					
4	5937.23	56.81	68.20	-11.39	43.24	35.20	10.53	32.16	0.00	300	106	PEAK																																																																																					





Mode	74																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5647.95</td><td>61.46</td><td>68.20</td><td>-6.74</td><td>48.23</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr><tr><td>2 5652.50</td><td>62.87</td><td>70.06</td><td>-7.19</td><td>49.64</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr><tr><td>3 5701.50</td><td>70.24</td><td>105.72</td><td>-35.48</td><td>57.09</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr><tr><td>4 5720.75</td><td>70.33</td><td>112.61</td><td>-42.28</td><td>57.18</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5647.95	61.46	68.20	-6.74	48.23	34.60	10.28	31.65	0.00	300	80 PEAK	2 5652.50	62.87	70.06	-7.19	49.64	34.60	10.29	31.66	0.00	300	80 PEAK	3 5701.50	70.24	105.72	-35.48	57.09	34.60	10.33	31.78	0.00	300	80 PEAK	4 5720.75	70.33	112.61	-42.28	57.18	34.64	10.34	31.83	0.00	300	80 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>109.15</td><td>-----</td><td>-----</td><td>96.02</td><td>34.70</td><td>10.38</td><td>31.95</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	109.15	-----	-----	96.02	34.70	10.38	31.95	0.00	300	80 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5647.95	61.46	68.20	-6.74	48.23	34.60	10.28	31.65	0.00	300	80 PEAK																																																																																																																										
2 5652.50	62.87	70.06	-7.19	49.64	34.60	10.29	31.66	0.00	300	80 PEAK																																																																																																																										
3 5701.50	70.24	105.72	-35.48	57.09	34.60	10.33	31.78	0.00	300	80 PEAK																																																																																																																										
4 5720.75	70.33	112.61	-42.28	57.18	34.64	10.34	31.83	0.00	300	80 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	109.15	-----	-----	96.02	34.70	10.38	31.95	0.00	300	80 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>99.47</td><td>-----</td><td>-----</td><td>86.35</td><td>34.75</td><td>10.42</td><td>32.05</td><td>0.00</td><td>300</td><td>80 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	99.47	-----	-----	86.35	34.75	10.42	32.05	0.00	300	80 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	99.47	-----	-----	86.35	34.75	10.42	32.05	0.00	300	80 AVERAGE																																																																																																																										




Mode	74																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																											
ANT	CDD 1+2																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>71.73</td><td>111.36</td><td>-39.63</td><td>58.51</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr><tr><td>2</td><td>5871.88</td><td>71.21</td><td>106.40</td><td>-35.19</td><td>57.87</td><td>35.03</td><td>10.47</td><td>32.16</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr><tr><td>3</td><td>5924.28</td><td>59.87</td><td>68.74</td><td>-8.87</td><td>46.32</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr><tr><td>4</td><td>5944.93</td><td>64.13</td><td>68.20</td><td>-4.07</td><td>50.57</td><td>35.20</td><td>10.53</td><td>32.17</td><td>0.00</td><td>300</td><td>80 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	71.73	111.36	-39.63	58.51	34.93	10.45	32.16	0.00	300	80 PEAK	2	5871.88	71.21	106.40	-35.19	57.87	35.03	10.47	32.16	0.00	300	80 PEAK	3	5924.28	59.87	68.74	-8.87	46.32	35.20	10.51	32.16	0.00	300	80 PEAK	4	5944.93	64.13	68.20	-4.07	50.57	35.20	10.53	32.17	0.00	300	80 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	71.73	111.36	-39.63	58.51	34.93	10.45	32.16	0.00	300	80 PEAK																																																																																	
2	5871.88	71.21	106.40	-35.19	57.87	35.03	10.47	32.16	0.00	300	80 PEAK																																																																																	
3	5924.28	59.87	68.74	-8.87	46.32	35.20	10.51	32.16	0.00	300	80 PEAK																																																																																	
4	5944.93	64.13	68.20	-4.07	50.57	35.20	10.53	32.17	0.00	300	80 PEAK																																																																																	






		74																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																														
ANT	CDD 1+2																																																																																																														
Pol.	Fundamental																																																																																																														
Peak	Vertical																																																																																																														
																																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr></thead><tbody><tr><td>1</td><td>5623.80</td><td>54.77</td><td>68.20</td><td>-13.43</td><td>41.60</td><td>34.55</td><td>10.26</td><td>31.64</td><td>0.00</td><td>246</td><td>262</td><td colspan="2">PEAK</td></tr><tr><td>2</td><td>5651.45</td><td>53.34</td><td>69.28</td><td>-15.94</td><td>40.11</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>246</td><td>262</td><td colspan="2">PEAK</td></tr><tr><td>3</td><td>5705.70</td><td>66.07</td><td>106.90</td><td>-40.83</td><td>52.92</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>246</td><td>262</td><td colspan="2">PEAK</td></tr><tr><td>4</td><td>5720.93</td><td>64.09</td><td>113.01</td><td>-48.92</td><td>50.94</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>246</td><td>262</td><td colspan="2">PEAK</td></tr></tbody></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	5623.80	54.77	68.20	-13.43	41.60	34.55	10.26	31.64	0.00	246	262	PEAK		2	5651.45	53.34	69.28	-15.94	40.11	34.60	10.29	31.66	0.00	246	262	PEAK		3	5705.70	66.07	106.90	-40.83	52.92	34.61	10.33	31.79	0.00	246	262	PEAK		4	5720.93	64.09	113.01	-48.92	50.94	34.64	10.34	31.83	0.00	246	262	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5623.80	54.77	68.20	-13.43	41.60	34.55	10.26	31.64	0.00	246	262	PEAK																																																																																																			
2	5651.45	53.34	69.28	-15.94	40.11	34.60	10.29	31.66	0.00	246	262	PEAK																																																																																																			
3	5705.70	66.07	106.90	-40.83	52.92	34.61	10.33	31.79	0.00	246	262	PEAK																																																																																																			
4	5720.93	64.09	113.01	-48.92	50.94	34.64	10.34	31.83	0.00	246	262	PEAK																																																																																																			
Avg	Blank																																																																																																														
																																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.27</td><td>-----</td><td>-----</td><td>79.18</td><td>34.72</td><td>10.41</td><td>32.04</td><td>0.00</td><td>246</td><td>262</td><td colspan="2">AVERAGE</td></tr></tbody></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	5775.00	92.27	-----	-----	79.18	34.72	10.41	32.04	0.00	246	262	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5775.00	92.27	-----	-----	79.18	34.72	10.41	32.04	0.00	246	262	AVERAGE																																																																																																			




Mode	74																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																											
ANT	CDD 1+2																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.75</td><td>61.42</td><td>113.75</td><td>-52.33</td><td>48.21</td><td>34.92</td><td>10.45</td><td>32.16</td><td>0.00</td><td>246</td><td>262 PEAK</td></tr><tr><td>2</td><td>5868.45</td><td>62.09</td><td>107.13</td><td>-45.04</td><td>48.77</td><td>35.01</td><td>10.47</td><td>32.16</td><td>0.00</td><td>246</td><td>262 PEAK</td></tr><tr><td>3</td><td>5922.70</td><td>55.84</td><td>69.90</td><td>-14.06</td><td>42.29</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>246</td><td>262 PEAK</td></tr><tr><td>4</td><td>5931.28</td><td>55.69</td><td>68.20</td><td>-12.51</td><td>42.13</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>246</td><td>262 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.75	61.42	113.75	-52.33	48.21	34.92	10.45	32.16	0.00	246	262 PEAK	2	5868.45	62.09	107.13	-45.04	48.77	35.01	10.47	32.16	0.00	246	262 PEAK	3	5922.70	55.84	69.90	-14.06	42.29	35.20	10.51	32.16	0.00	246	262 PEAK	4	5931.28	55.69	68.20	-12.51	42.13	35.20	10.52	32.16	0.00	246	262 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5853.75	61.42	113.75	-52.33	48.21	34.92	10.45	32.16	0.00	246	262 PEAK																																																																																	
2	5868.45	62.09	107.13	-45.04	48.77	35.01	10.47	32.16	0.00	246	262 PEAK																																																																																	
3	5922.70	55.84	69.90	-14.06	42.29	35.20	10.51	32.16	0.00	246	262 PEAK																																																																																	
4	5931.28	55.69	68.20	-12.51	42.13	35.20	10.52	32.16	0.00	246	262 PEAK																																																																																	






Mode	75																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 4_5775MHz																																																																																																																												
ANT	CDD 1+2																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.00</td><td>62.31</td><td>68.20</td><td>-5.89</td><td>49.10</td><td>34.57</td><td>10.27</td><td>31.63</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5658.45</td><td>69.24</td><td>74.49</td><td>-5.25</td><td>56.03</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr><tr><td>3</td><td>5716.90</td><td>78.64</td><td>110.03</td><td>-31.39</td><td>65.49</td><td>34.63</td><td>10.34</td><td>31.82</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>75.95</td><td>111.01</td><td>-35.06</td><td>62.80</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5635.00	62.31	68.20	-5.89	49.10	34.57	10.27	31.63	0.00	304	102	PEAK	2	5658.45	69.24	74.49	-5.25	56.03	34.60	10.29	31.68	0.00	304	102	PEAK	3	5716.90	78.64	110.03	-31.39	65.49	34.63	10.34	31.82	0.00	304	102	PEAK	4	5720.05	75.95	111.01	-35.06	62.80	34.64	10.34	31.83	0.00	304	102	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>109.83</td><td>-----</td><td>-----</td><td>96.68</td><td>34.70</td><td>10.37</td><td>31.92</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	109.83	-----	-----	96.68	34.70	10.37	31.92	0.00	304	102	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5635.00	62.31	68.20	-5.89	49.10	34.57	10.27	31.63	0.00	304	102	PEAK																																																																																																																	
2	5658.45	69.24	74.49	-5.25	56.03	34.60	10.29	31.68	0.00	304	102	PEAK																																																																																																																	
3	5716.90	78.64	110.03	-31.39	65.49	34.63	10.34	31.82	0.00	304	102	PEAK																																																																																																																	
4	5720.05	75.95	111.01	-35.06	62.80	34.64	10.34	31.83	0.00	304	102	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5775.00	109.83	-----	-----	96.68	34.70	10.37	31.92	0.00	304	102	PEAK																																																																																																																	
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.20</td><td>-----</td><td>-----</td><td>87.04</td><td>34.67</td><td>10.35</td><td>31.86</td><td>0.00</td><td>304</td><td>102</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	100.20	-----	-----	87.04	34.67	10.35	31.86	0.00	304	102	AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																		
1	5775.00	100.20	-----	-----	87.04	34.67	10.35	31.86	0.00	304	102	AVERAGE																																																																																																																	




Mode	75																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 4_5775MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>69.04</td><td>111.75</td><td>-42.71</td><td>55.82</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5861.98</td><td>69.14</td><td>108.94</td><td>-39.80</td><td>55.87</td><td>34.97</td><td>10.46</td><td>32.16</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>56.47</td><td>68.22</td><td>-11.75</td><td>42.91</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr><tr><td>4</td><td>5927.08</td><td>59.38</td><td>68.20</td><td>-8.82</td><td>45.82</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>304</td><td>102</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	69.04	111.75	-42.71	55.82	34.93	10.45	32.16	0.00	304	102	PEAK	2	5861.98	69.14	108.94	-39.80	55.87	34.97	10.46	32.16	0.00	304	102	PEAK	3	5924.98	56.47	68.22	-11.75	42.91	35.20	10.52	32.16	0.00	304	102	PEAK	4	5927.08	59.38	68.20	-8.82	45.82	35.20	10.52	32.16	0.00	304	102	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.63	69.04	111.75	-42.71	55.82	34.93	10.45	32.16	0.00	304	102	PEAK																																																																																					
2	5861.98	69.14	108.94	-39.80	55.87	34.97	10.46	32.16	0.00	304	102	PEAK																																																																																					
3	5924.98	56.47	68.22	-11.75	42.91	35.20	10.52	32.16	0.00	304	102	PEAK																																																																																					
4	5927.08	59.38	68.20	-8.82	45.82	35.20	10.52	32.16	0.00	304	102	PEAK																																																																																					






	75																																																																																																																		
Mode	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 4_5775MHz																																																																																																																		
ANT	CDD 1+2																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5649.18</td><td>58.20</td><td>68.20</td><td>-10.00</td><td>44.97</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>330</td><td>104 PEAK</td></tr><tr><td>2</td><td>5652.33</td><td>56.57</td><td>69.93</td><td>-13.36</td><td>43.34</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>330</td><td>104 PEAK</td></tr><tr><td>3</td><td>5706.05</td><td>70.69</td><td>107.00</td><td>-36.31</td><td>57.54</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>330</td><td>104 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>68.98</td><td>111.01</td><td>-42.03</td><td>55.83</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>330</td><td>104 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5649.18	58.20	68.20	-10.00	44.97	34.60	10.28	31.65	0.00	330	104 PEAK	2	5652.33	56.57	69.93	-13.36	43.34	34.60	10.29	31.66	0.00	330	104 PEAK	3	5706.05	70.69	107.00	-36.31	57.54	34.61	10.33	31.79	0.00	330	104 PEAK	4	5720.05	68.98	111.01	-42.03	55.83	34.64	10.34	31.83	0.00	330	104 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.59</td><td>-----</td><td>-----</td><td>90.49</td><td>34.70</td><td>10.40</td><td>32.00</td><td>0.00</td><td>330</td><td>104 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	103.59	-----	-----	90.49	34.70	10.40	32.00	0.00	330	104 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5649.18	58.20	68.20	-10.00	44.97	34.60	10.28	31.65	0.00	330	104 PEAK																																																																																																								
2	5652.33	56.57	69.93	-13.36	43.34	34.60	10.29	31.66	0.00	330	104 PEAK																																																																																																								
3	5706.05	70.69	107.00	-36.31	57.54	34.61	10.33	31.79	0.00	330	104 PEAK																																																																																																								
4	5720.05	68.98	111.01	-42.03	55.83	34.64	10.34	31.83	0.00	330	104 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5775.00	103.59	-----	-----	90.49	34.70	10.40	32.00	0.00	330	104 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.81</td><td>-----</td><td>-----</td><td>80.71</td><td>34.70</td><td>10.40</td><td>32.00</td><td>0.00</td><td>330</td><td>104 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	93.81	-----	-----	80.71	34.70	10.40	32.00	0.00	330	104 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5775.00	93.81	-----	-----	80.71	34.70	10.40	32.00	0.00	330	104 AVERAGE																																																																																																								




	75																																																																																																
Mode	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 4_5775MHz																																																																																																
ANT	CDD 1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.53</td><td>111.36</td><td>-55.83</td><td>42.31</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>330</td><td>104</td><td>PEAK</td></tr><tr><td>2</td><td>5864.60</td><td>64.23</td><td>108.21</td><td>-43.98</td><td>50.94</td><td>34.99</td><td>10.46</td><td>32.16</td><td>0.00</td><td>330</td><td>104</td><td>PEAK</td></tr><tr><td>3</td><td>5921.65</td><td>57.83</td><td>70.68</td><td>-12.85</td><td>44.28</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>330</td><td>104</td><td>PEAK</td></tr><tr><td>4</td><td>5933.73</td><td>56.06</td><td>68.20</td><td>-12.14</td><td>42.50</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>330</td><td>104</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.53	111.36	-55.83	42.31	34.93	10.45	32.16	0.00	330	104	PEAK	2	5864.60	64.23	108.21	-43.98	50.94	34.99	10.46	32.16	0.00	330	104	PEAK	3	5921.65	57.83	70.68	-12.85	44.28	35.20	10.51	32.16	0.00	330	104	PEAK	4	5933.73	56.06	68.20	-12.14	42.50	35.20	10.52	32.16	0.00	330	104	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.80	55.53	111.36	-55.83	42.31	34.93	10.45	32.16	0.00	330	104	PEAK																																																																																					
2	5864.60	64.23	108.21	-43.98	50.94	34.99	10.46	32.16	0.00	330	104	PEAK																																																																																					
3	5921.65	57.83	70.68	-12.85	44.28	35.20	10.51	32.16	0.00	330	104	PEAK																																																																																					
4	5933.73	56.06	68.20	-12.14	42.50	35.20	10.52	32.16	0.00	330	104	PEAK																																																																																					






Mode	76																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 1_5775MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5638.68</td><td>60.29</td><td>68.20</td><td>-7.91</td><td>47.06</td><td>34.58</td><td>10.28</td><td>31.63</td><td>0.00</td><td>304</td><td>115 PEAK</td></tr><tr><td>2 5650.93</td><td>61.96</td><td>68.89</td><td>-6.93</td><td>48.73</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>304</td><td>115 PEAK</td></tr><tr><td>3 5711.13</td><td>73.39</td><td>108.42</td><td>-35.03</td><td>60.25</td><td>34.62</td><td>10.33</td><td>31.81</td><td>0.00</td><td>304</td><td>115 PEAK</td></tr><tr><td>4 5728.58</td><td>69.16</td><td>112.21</td><td>-43.05</td><td>56.01</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>304</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5638.68	60.29	68.20	-7.91	47.06	34.58	10.28	31.63	0.00	304	115 PEAK	2 5650.93	61.96	68.89	-6.93	48.73	34.60	10.29	31.66	0.00	304	115 PEAK	3 5711.13	73.39	108.42	-35.03	60.25	34.62	10.33	31.81	0.00	304	115 PEAK	4 5728.58	69.16	112.21	-43.05	56.01	34.64	10.34	31.83	0.00	304	115 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>108.85</td><td>-----</td><td>-----</td><td>95.73</td><td>34.75</td><td>10.42</td><td>32.05</td><td>0.00</td><td>304</td><td>115 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	108.85	-----	-----	95.73	34.75	10.42	32.05	0.00	304	115 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5638.68	60.29	68.20	-7.91	47.06	34.58	10.28	31.63	0.00	304	115 PEAK																																																																																																																										
2 5650.93	61.96	68.89	-6.93	48.73	34.60	10.29	31.66	0.00	304	115 PEAK																																																																																																																										
3 5711.13	73.39	108.42	-35.03	60.25	34.62	10.33	31.81	0.00	304	115 PEAK																																																																																																																										
4 5728.58	69.16	112.21	-43.05	56.01	34.64	10.34	31.83	0.00	304	115 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	108.85	-----	-----	95.73	34.75	10.42	32.05	0.00	304	115 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>99.48</td><td>-----</td><td>-----</td><td>86.36</td><td>34.75</td><td>10.42</td><td>32.05</td><td>0.00</td><td>304</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	99.48	-----	-----	86.36	34.75	10.42	32.05	0.00	304	115 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	99.48	-----	-----	86.36	34.75	10.42	32.05	0.00	304	115 AVERAGE																																																																																																																										




Mode	76																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 1_5775MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>72.90</td><td>110.96</td><td>-38.06</td><td>59.68</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>304</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5874.05</td><td>72.10</td><td>105.57</td><td>-33.47</td><td>58.75</td><td>35.04</td><td>10.47</td><td>32.16</td><td>0.00</td><td>304</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5923.23</td><td>62.53</td><td>69.51</td><td>-6.98</td><td>48.98</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>304</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5931.98</td><td>64.25</td><td>68.20</td><td>-3.95</td><td>50.69</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>304</td><td>115</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	72.90	110.96	-38.06	59.68	34.93	10.45	32.16	0.00	304	115	PEAK	2	5874.05	72.10	105.57	-33.47	58.75	35.04	10.47	32.16	0.00	304	115	PEAK	3	5923.23	62.53	69.51	-6.98	48.98	35.20	10.51	32.16	0.00	304	115	PEAK	4	5931.98	64.25	68.20	-3.95	50.69	35.20	10.52	32.16	0.00	304	115	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.98	72.90	110.96	-38.06	59.68	34.93	10.45	32.16	0.00	304	115	PEAK																																																																																				
2	5874.05	72.10	105.57	-33.47	58.75	35.04	10.47	32.16	0.00	304	115	PEAK																																																																																				
3	5923.23	62.53	69.51	-6.98	48.98	35.20	10.51	32.16	0.00	304	115	PEAK																																																																																				
4	5931.98	64.25	68.20	-3.95	50.69	35.20	10.52	32.16	0.00	304	115	PEAK																																																																																				





	76																																																																																																																	
Mode	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 1_5775MHz																																																																																																																	
ANT	CDD 1+2																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5641.48</td><td>57.25</td><td>68.20</td><td>-10.95</td><td>44.02</td><td>34.58</td><td>10.28</td><td>31.63</td><td>0.00</td><td>305</td><td>125 PEAK</td></tr><tr><td>2</td><td>5652.68</td><td>59.23</td><td>70.19</td><td>-10.96</td><td>46.00</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>305</td><td>125 PEAK</td></tr><tr><td>3</td><td>5711.13</td><td>68.93</td><td>108.42</td><td>-39.49</td><td>55.79</td><td>34.62</td><td>10.33</td><td>31.81</td><td>0.00</td><td>305</td><td>125 PEAK</td></tr><tr><td>4</td><td>5728.40</td><td>63.71</td><td>111.81</td><td>-48.10</td><td>50.56</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>305</td><td>125 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5641.48	57.25	68.20	-10.95	44.02	34.58	10.28	31.63	0.00	305	125 PEAK	2	5652.68	59.23	70.19	-10.96	46.00	34.60	10.29	31.66	0.00	305	125 PEAK	3	5711.13	68.93	108.42	-39.49	55.79	34.62	10.33	31.81	0.00	305	125 PEAK	4	5728.40	63.71	111.81	-48.10	50.56	34.64	10.34	31.83	0.00	305	125 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.06</td><td>-----</td><td>-----</td><td>91.94</td><td>34.75</td><td>10.42</td><td>32.05</td><td>0.00</td><td>305</td><td>125 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	105.06	-----	-----	91.94	34.75	10.42	32.05	0.00	305
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5641.48	57.25	68.20	-10.95	44.02	34.58	10.28	31.63	0.00	305	125 PEAK																																																																																																							
2	5652.68	59.23	70.19	-10.96	46.00	34.60	10.29	31.66	0.00	305	125 PEAK																																																																																																							
3	5711.13	68.93	108.42	-39.49	55.79	34.62	10.33	31.81	0.00	305	125 PEAK																																																																																																							
4	5728.40	63.71	111.81	-48.10	50.56	34.64	10.34	31.83	0.00	305	125 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5775.00	105.06	-----	-----	91.94	34.75	10.42	32.05	0.00	305	125 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.44</td><td>-----</td><td>-----</td><td>81.32</td><td>34.75</td><td>10.42</td><td>32.05</td><td>0.00</td><td>305</td><td>125 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5775.00	94.44	-----	-----	81.32	34.75	10.42	32.05	0.00	305	125 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5775.00	94.44	-----	-----	81.32	34.75	10.42	32.05	0.00	305	125 AVERAGE																																																																																																							





Mode	76																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 1_5775MHz																																																																																						
ANT	CDD 1+2																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>67.46</td><td>111.75</td><td>-44.29</td><td>54.24</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>305</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>5874.58</td><td>65.40</td><td>105.42</td><td>-40.02</td><td>52.04</td><td>35.05</td><td>10.47</td><td>32.16</td><td>0.00</td><td>305</td><td>125</td><td>PEAK</td></tr><tr><td>3</td><td>5918.15</td><td>60.41</td><td>73.26</td><td>-12.85</td><td>46.86</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>305</td><td>125</td><td>PEAK</td></tr><tr><td>4</td><td>5928.48</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>43.87</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>305</td><td>125</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	67.46	111.75	-44.29	54.24	34.93	10.45	32.16	0.00	305	125	PEAK	2	5874.58	65.40	105.42	-40.02	52.04	35.05	10.47	32.16	0.00	305	125	PEAK	3	5918.15	60.41	73.26	-12.85	46.86	35.20	10.51	32.16	0.00	305	125	PEAK	4	5928.48	57.43	68.20	-10.77	43.87	35.20	10.52	32.16	0.00	305	125	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.63	67.46	111.75	-44.29	54.24	34.93	10.45	32.16	0.00	305	125	PEAK																																																																											
2	5874.58	65.40	105.42	-40.02	52.04	35.05	10.47	32.16	0.00	305	125	PEAK																																																																											
3	5918.15	60.41	73.26	-12.85	46.86	35.20	10.51	32.16	0.00	305	125	PEAK																																																																											
4	5928.48	57.43	68.20	-10.77	43.87	35.20	10.52	32.16	0.00	305	125	PEAK																																																																											



Mode	76	
	18-40G	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 1_5775MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue noise floor and a red stepped line representing the 5G BAND 4-1M limit. The y-axis ranges from 0 to 117 dBuV/m, and the x-axis ranges from 18000 to 40000 MHz. The red line is labeled '5G BAND 4-1M' and '-5dB'. The blue line is labeled '5G BAND 4(AVG)-1M' and '-5dB'.	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue noise floor and a red stepped line representing the 5G BAND 4-1M limit. The y-axis ranges from 0 to 117 dBuV/m, and the x-axis ranges from 18000 to 40000 MHz. The red line is labeled '5G BAND 4-1M' and '-5dB'. The blue line is labeled '5G BAND 4(AVG)-1M' and '-5dB'.





Note: Only the worst case has assessed 18G ~40GHz to test.







Mode	76																																																																																																																																																																																										
	LF																																																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_LRU 484+242,Loc 1_5775MHz																																																																																																																																																																																										
ANT	CDD 1+2																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>21.79</td><td>-18.21</td><td>40.00</td><td>29.39</td><td>24.93</td><td>0.46</td><td>32.99</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>94.99</td><td>18.43</td><td>-25.07</td><td>43.50</td><td>34.59</td><td>15.43</td><td>1.28</td><td>32.87</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>175.50</td><td>27.25</td><td>-16.25</td><td>43.50</td><td>43.09</td><td>15.22</td><td>1.78</td><td>32.84</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>285.11</td><td>24.47</td><td>-21.53</td><td>46.00</td><td>35.90</td><td>19.08</td><td>2.28</td><td>32.79</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>404.42</td><td>20.74</td><td>-25.26</td><td>46.00</td><td>28.91</td><td>21.97</td><td>2.71</td><td>32.85</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>516.94</td><td>23.41</td><td>-22.59</td><td>46.00</td><td>28.71</td><td>24.61</td><td>3.07</td><td>32.98</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor		cm	deg		1	30.97	21.79	-18.21	40.00	29.39	24.93	0.46	32.99	---	Peak	2	94.99	18.43	-25.07	43.50	34.59	15.43	1.28	32.87	---	Peak	3	175.50	27.25	-16.25	43.50	43.09	15.22	1.78	32.84	---	Peak	4	285.11	24.47	-21.53	46.00	35.90	19.08	2.28	32.79	---	Peak	5	404.42	20.74	-25.26	46.00	28.91	21.97	2.71	32.85	---	Peak	6	516.94	23.41	-22.59	46.00	28.71	24.61	3.07	32.98	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>48.43</td><td>24.39</td><td>-15.61</td><td>40.00</td><td>41.23</td><td>15.39</td><td>0.70</td><td>32.93</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>174.53</td><td>25.05</td><td>-18.45</td><td>43.50</td><td>40.87</td><td>15.24</td><td>1.77</td><td>32.83</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>250.19</td><td>20.03</td><td>-25.97</td><td>46.00</td><td>32.15</td><td>18.52</td><td>2.13</td><td>32.77</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>323.91</td><td>20.34</td><td>-25.66</td><td>46.00</td><td>31.15</td><td>19.62</td><td>2.43</td><td>32.86</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>444.19</td><td>23.40</td><td>-22.60</td><td>46.00</td><td>30.61</td><td>22.98</td><td>2.84</td><td>33.03</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>959.26</td><td>30.99</td><td>-15.01</td><td>46.00</td><td>26.95</td><td>31.39</td><td>4.17</td><td>31.52</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor		cm	deg		1	48.43	24.39	-15.61	40.00	41.23	15.39	0.70	32.93	---	Peak	2	174.53	25.05	-18.45	43.50	40.87	15.24	1.77	32.83	---	Peak	3	250.19	20.03	-25.97	46.00	32.15	18.52	2.13	32.77	---	Peak	4	323.91	20.34	-25.66	46.00	31.15	19.62	2.43	32.86	---	Peak	5	444.19	23.40	-22.60	46.00	30.61	22.98	2.84	33.03	---	Peak	6	959.26	30.99	-15.01	46.00	26.95	31.39	4.17	31.52	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor		cm	deg																																																																																																																																																																																		
1	30.97	21.79	-18.21	40.00	29.39	24.93	0.46	32.99	---	Peak																																																																																																																																																																																	
2	94.99	18.43	-25.07	43.50	34.59	15.43	1.28	32.87	---	Peak																																																																																																																																																																																	
3	175.50	27.25	-16.25	43.50	43.09	15.22	1.78	32.84	---	Peak																																																																																																																																																																																	
4	285.11	24.47	-21.53	46.00	35.90	19.08	2.28	32.79	---	Peak																																																																																																																																																																																	
5	404.42	20.74	-25.26	46.00	28.91	21.97	2.71	32.85	---	Peak																																																																																																																																																																																	
6	516.94	23.41	-22.59	46.00	28.71	24.61	3.07	32.98	---	Peak																																																																																																																																																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor		cm	deg																																																																																																																																																																																		
1	48.43	24.39	-15.61	40.00	41.23	15.39	0.70	32.93	---	Peak																																																																																																																																																																																	
2	174.53	25.05	-18.45	43.50	40.87	15.24	1.77	32.83	---	Peak																																																																																																																																																																																	
3	250.19	20.03	-25.97	46.00	32.15	18.52	2.13	32.77	---	Peak																																																																																																																																																																																	
4	323.91	20.34	-25.66	46.00	31.15	19.62	2.43	32.86	---	Peak																																																																																																																																																																																	
5	444.19	23.40	-22.60	46.00	30.61	22.98	2.84	33.03	---	Peak																																																																																																																																																																																	
6	959.26	30.99	-15.01	46.00	26.95	31.39	4.17	31.52	---	Peak																																																																																																																																																																																	







Co-location

Mode	77																																																																																																														
Mode	Band Edge																																																																																																														
Mode	2400-2483.5_NRF_CH39_2480MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>60.46</td><td>74.00</td><td>-13.54</td><td>47.99</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>133</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	60.46	74.00	-13.54	47.99	31.97	6.73	32.23	6.00	133	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2408.00</td><td>112.18</td><td>-----</td><td>99.92</td><td>31.82</td><td>6.63</td><td>32.19</td><td>6.00</td><td>133</td><td>0 Peak</td></tr><tr><td>2</td><td>2482.00</td><td>101.72</td><td>-----</td><td>89.26</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>133</td><td>0 Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2408.00	112.18	-----	99.92	31.82	6.63	32.19	6.00	133	0 Peak	2	2482.00	101.72	-----	89.26	31.96	6.73	32.23	6.00	133	0 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.68	60.46	74.00	-13.54	47.99	31.97	6.73	32.23	6.00	133	0 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2408.00	112.18	-----	99.92	31.82	6.63	32.19	6.00	133	0 Peak																																																																																																					
2	2482.00	101.72	-----	89.26	31.96	6.73	32.23	6.00	133	0 Peak																																																																																																					
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.59</td><td>54.00</td><td>-4.41</td><td>37.12</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>133</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.59	54.00	-4.41	37.12	31.97	6.73	32.23	6.00	133	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2410.00</td><td>103.12</td><td>-----</td><td>90.86</td><td>31.82</td><td>6.63</td><td>32.19</td><td>6.00</td><td>133</td><td>0 Average</td></tr><tr><td>2</td><td>2480.00</td><td>99.54</td><td>-----</td><td>87.08</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>133</td><td>0 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2410.00	103.12	-----	90.86	31.82	6.63	32.19	6.00	133	0 Average	2	2480.00	99.54	-----	87.08	31.96	6.73	32.23	6.00	133	0 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.50	49.59	54.00	-4.41	37.12	31.97	6.73	32.23	6.00	133	0 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2410.00	103.12	-----	90.86	31.82	6.63	32.19	6.00	133	0 Average																																																																																																					
2	2480.00	99.54	-----	87.08	31.96	6.73	32.23	6.00	133	0 Average																																																																																																					







Mode	77																																																																																																																
	Band Edge																																																																																																																
	2400-2483.5_NRF_CH39_2480MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>57.94</td><td>74.00</td><td>-16.06</td><td>45.47</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>165</td><td>8 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	57.94	74.00	-16.06	45.47	31.97	6.73	32.23	6.00	165	8 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2420.00</td><td>109.71</td><td>-----</td><td>-----</td><td>97.41</td><td>31.84</td><td>6.65</td><td>32.19</td><td>6.00</td><td>165</td><td>8 Peak</td></tr><tr><td>2</td><td>2482.00</td><td>101.44</td><td>-----</td><td>-----</td><td>88.98</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>165</td><td>8 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2420.00	109.71	-----	-----	97.41	31.84	6.65	32.19	6.00	165	8 Peak	2	2482.00	101.44	-----	-----	88.98	31.96	6.73	32.23	6.00	165	8 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2483.62	57.94	74.00	-16.06	45.47	31.97	6.73	32.23	6.00	165	8 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2420.00	109.71	-----	-----	97.41	31.84	6.65	32.19	6.00	165	8 Peak																																																																																																						
2	2482.00	101.44	-----	-----	88.98	31.96	6.73	32.23	6.00	165	8 Peak																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>49.41</td><td>54.00</td><td>-4.59</td><td>36.94</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>165</td><td>8 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	49.41	54.00	-4.59	36.94	31.97	6.73	32.23	6.00	165	8 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2420.00</td><td>101.14</td><td>-----</td><td>-----</td><td>88.84</td><td>31.84</td><td>6.65</td><td>32.19</td><td>6.00</td><td>165</td><td>8 Average</td></tr><tr><td>2</td><td>2480.00</td><td>99.32</td><td>-----</td><td>-----</td><td>86.86</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>165</td><td>8 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2420.00	101.14	-----	-----	88.84	31.84	6.65	32.19	6.00	165	8 Average	2	2480.00	99.32	-----	-----	86.86	31.96	6.73	32.23	6.00	165	8 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2483.62	49.41	54.00	-4.59	36.94	31.97	6.73	32.23	6.00	165	8 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2420.00	101.14	-----	-----	88.84	31.84	6.65	32.19	6.00	165	8 Average																																																																																																						
2	2480.00	99.32	-----	-----	86.86	31.96	6.73	32.23	6.00	165	8 Average																																																																																																						







Mode	77																																																																																																											
	Band Edge																																																																																																											
	2400-2483.5_802.11BE EHT20_CH01_Full RU_2412MHz																																																																																																											
ANT	CDD 1+2																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																						
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.61</td><td>65.14</td><td>74.00</td><td>-8.86</td><td>52.94</td><td>31.78</td><td>6.00</td><td>32.18</td><td>6.00</td><td>133 22 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.61	65.14	74.00	-8.86	52.94	31.78	6.00	32.18	6.00	133 22 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.82</td><td>-----</td><td>-----</td><td>101.52</td><td>31.84</td><td>6.65</td><td>32.19</td><td>6.00</td><td>133 22 PEAK</td></tr><tr><td>2</td><td>2482.00</td><td>100.85</td><td>-----</td><td>-----</td><td>88.39</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>133 22 Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	113.82	-----	-----	101.52	31.84	6.65	32.19	6.00	133 22 PEAK	2	2482.00	100.85	-----	-----	88.39	31.96	6.73	32.23	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	2387.61	65.14	74.00	-8.86	52.94	31.78	6.00	32.18	6.00	133 22 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	2412.00	113.82	-----	-----	101.52	31.84	6.65	32.19	6.00	133 22 PEAK																																																																																																		
2	2482.00	100.85	-----	-----	88.39	31.96	6.73	32.23	6.00	133 22 Peak																																																																																																		
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.29</td><td>54.00</td><td>-3.71</td><td>38.09</td><td>31.78</td><td>6.00</td><td>32.18</td><td>6.00</td><td>133 22 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	50.29	54.00	-3.71	38.09	31.78	6.00	32.18	6.00	133 22 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.25</td><td>-----</td><td>-----</td><td>91.95</td><td>31.84</td><td>6.65</td><td>32.19</td><td>6.00</td><td>133 22 AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>96.57</td><td>-----</td><td>-----</td><td>84.11</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>133 22 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	104.25	-----	-----	91.95	31.84	6.65	32.19	6.00	133 22 AVERAGE	2	2480.00	96.57	-----	-----	84.11	31.96	6.73	32.23	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	2389.95	50.29	54.00	-3.71	38.09	31.78	6.00	32.18	6.00	133 22 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	2412.00	104.25	-----	-----	91.95	31.84	6.65	32.19	6.00	133 22 AVERAGE																																																																																																		
2	2480.00	96.57	-----	-----	84.11	31.96	6.73	32.23	6.00	133 22 Average																																																																																																		





		77																																																																																																	
Mode		Band Edge																																																																																																	
		2400-2483.5_802.11BE EHT20_CH01_Full RU_2412MHz																																																																																																	
ANT		CDD 1+2																																																																																																	
Pol.	Vertical										Fundamental																																																																																								
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	59.74	74.00	-14.26	47.55	31.77	6.60	32.18	6.00	157 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.13</td><td>-----</td><td>-----</td><td>98.83</td><td>31.84</td><td>6.65</td><td>32.19</td><td>6.00</td><td>157 360 PEAK</td></tr><tr><td>2</td><td>2482.00</td><td>98.52</td><td>-----</td><td>-----</td><td>86.06</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>157 360 Peak</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.13	-----	-----	98.83	31.84	6.65	32.19	6.00	157 360 PEAK	2	2482.00	98.52	-----	-----	86.06	31.96	6.73	32.23	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.35	59.74	74.00	-14.26	47.55	31.77	6.60	32.18	6.00	157 360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	111.13	-----	-----	98.83	31.84	6.65	32.19	6.00	157 360 PEAK																																																																																									
2	2482.00	98.52	-----	-----	86.06	31.96	6.73	32.23	6.00	157 360 Peak																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.60	54.00	-7.40	34.40	31.78	6.60	32.18	6.00	157 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.21</td><td>-----</td><td>-----</td><td>88.91</td><td>31.84</td><td>6.65</td><td>32.19</td><td>6.00</td><td>157 360 AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>94.30</td><td>-----</td><td>-----</td><td>81.84</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>157 360 Average</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.21	-----	-----	88.91	31.84	6.65	32.19	6.00	157 360 AVERAGE	2	2480.00	94.30	-----	-----	81.84	31.96	6.73	32.23	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	46.60	54.00	-7.40	34.40	31.78	6.60	32.18	6.00	157 360 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	101.21	-----	-----	88.91	31.84	6.65	32.19	6.00	157 360 AVERAGE																																																																																									
2	2480.00	94.30	-----	-----	81.84	31.96	6.73	32.23	6.00	157 360 Average																																																																																									







		77																																																																																																																								
Mode	Band Edge																																																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																																																																																									
ANT	CDD 1+2																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5088.35</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>42.80</td><td>34.90</td><td>9.73</td><td>31.92</td><td>0.00</td><td>300</td><td>336 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5088.35	55.51	74.00	-18.49	42.80	34.90	9.73	31.92	0.00	300	336 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2416.00</td><td>107.09</td><td>-----</td><td>100.81</td><td>31.83</td><td>6.64</td><td>32.19</td><td>0.00</td><td>300</td><td>336 Peak</td></tr><tr><td>2</td><td>2482.00</td><td>92.68</td><td>-----</td><td>86.22</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>300</td><td>336 Peak</td></tr><tr><td>3</td><td>5310.00</td><td>108.99</td><td>-----</td><td>96.40</td><td>34.50</td><td>9.89</td><td>31.80</td><td>0.00</td><td>300</td><td>336 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2416.00	107.09	-----	100.81	31.83	6.64	32.19	0.00	300	336 Peak	2	2482.00	92.68	-----	86.22	31.96	6.73	32.23	0.00	300	336 Peak	3	5310.00	108.99	-----	96.40	34.50	9.89	31.80	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5088.35	55.51	74.00	-18.49	42.80	34.90	9.73	31.92	0.00	300	336 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2416.00	107.09	-----	100.81	31.83	6.64	32.19	0.00	300	336 Peak																																																																																																																
2	2482.00	92.68	-----	86.22	31.96	6.73	32.23	0.00	300	336 Peak																																																																																																																
3	5310.00	108.99	-----	96.40	34.50	9.89	31.80	0.00	300	336 PEAK																																																																																																																
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.73</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>31.63</td><td>34.70</td><td>9.79</td><td>31.89</td><td>0.00</td><td>300</td><td>336 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.73	44.23	54.00	-9.77	31.63	34.70	9.79	31.89	0.00	300	336 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2416.00</td><td>97.51</td><td>-----</td><td>91.23</td><td>31.83</td><td>6.64</td><td>32.19</td><td>0.00</td><td>300</td><td>336 Average</td></tr><tr><td>2</td><td>2482.00</td><td>88.62</td><td>-----</td><td>82.16</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>300</td><td>336 Average</td></tr><tr><td>3</td><td>5310.00</td><td>99.91</td><td>-----</td><td>87.32</td><td>34.50</td><td>9.89</td><td>31.80</td><td>0.00</td><td>300</td><td>336 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2416.00	97.51	-----	91.23	31.83	6.64	32.19	0.00	300	336 Average	2	2482.00	88.62	-----	82.16	31.96	6.73	32.23	0.00	300	336 Average	3	5310.00	99.91	-----	87.32	34.50	9.89	31.80	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5149.73	44.23	54.00	-9.77	31.63	34.70	9.79	31.89	0.00	300	336 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2416.00	97.51	-----	91.23	31.83	6.64	32.19	0.00	300	336 Average																																																																																																																
2	2482.00	88.62	-----	82.16	31.96	6.73	32.23	0.00	300	336 Average																																																																																																																
3	5310.00	99.91	-----	87.32	34.50	9.89	31.80	0.00	300	336 AVERAGE																																																																																																																





Mode	77																																					
	Band Edge																																					
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																					
ANT	CDD 1+2																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5373.75</td><td>64.20</td><td>74.00</td><td>-9.80</td><td>51.55</td><td>34.50</td><td>9.92</td><td>31.77</td><td>0.00</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5373.75	64.20	74.00	-9.80	51.55	34.50	9.92	31.77	0.00	Blankf
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5373.75	64.20	74.00	-9.80	51.55	34.50	9.92	31.77	0.00																														
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 5354.85</td><td>49.95</td><td>54.00</td><td>-4.05</td><td>37.32</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5354.85	49.95	54.00	-4.05	37.32	34.50	9.91	31.78	0.00	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5354.85	49.95	54.00	-4.05	37.32	34.50	9.91	31.78	0.00																														







		77																																																																																																																							
Mode	Band Edge																																																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																																																																																								
ANT	CDD 1+2																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5068.51</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>43.28</td><td>34.90</td><td>9.71</td><td>31.93</td><td>0.00</td><td>100</td><td>191 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5068.51	55.96	74.00	-18.04	43.28	34.90	9.71	31.93	0.00	100	191 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2422.00</td><td>101.93</td><td>-----</td><td>-----</td><td>95.63</td><td>31.84</td><td>6.65</td><td>32.19</td><td>0.00</td><td>100</td><td>191 Peak</td></tr><tr><td>2 2482.00</td><td>87.99</td><td>-----</td><td>-----</td><td>81.53</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>100</td><td>191 Peak</td></tr><tr><td>3 5310.00</td><td>104.06</td><td>-----</td><td>-----</td><td>91.46</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>191 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2422.00	101.93	-----	-----	95.63	31.84	6.65	32.19	0.00	100	191 Peak	2 2482.00	87.99	-----	-----	81.53	31.96	6.73	32.23	0.00	100	191 Peak	3 5310.00	104.06	-----	-----	91.46	34.50	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5068.51	55.96	74.00	-18.04	43.28	34.90	9.71	31.93	0.00	100	191 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 2422.00	101.93	-----	-----	95.63	31.84	6.65	32.19	0.00	100	191 Peak																																																																																																															
2 2482.00	87.99	-----	-----	81.53	31.96	6.73	32.23	0.00	100	191 Peak																																																																																																															
3 5310.00	104.06	-----	-----	91.46	34.50	9.90	31.80	0.00	100	191 PEAK																																																																																																															
Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5099.51</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>31.27</td><td>34.90</td><td>9.74</td><td>31.92</td><td>0.00</td><td>100</td><td>191 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5099.51	43.99	54.00	-10.01	31.27	34.90	9.74	31.92	0.00	100	191 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2422.00</td><td>92.18</td><td>-----</td><td>-----</td><td>85.88</td><td>31.84</td><td>6.65</td><td>32.19</td><td>0.00</td><td>100</td><td>191 Average</td></tr><tr><td>2 2482.00</td><td>84.06</td><td>-----</td><td>-----</td><td>77.60</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>100</td><td>191 Average</td></tr><tr><td>3 5310.00</td><td>93.91</td><td>-----</td><td>-----</td><td>81.31</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>100</td><td>191 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2422.00	92.18	-----	-----	85.88	31.84	6.65	32.19	0.00	100	191 Average	2 2482.00	84.06	-----	-----	77.60	31.96	6.73	32.23	0.00	100	191 Average	3 5310.00	93.91	-----	-----	81.31	34.50	9.90	31.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5099.51	43.99	54.00	-10.01	31.27	34.90	9.74	31.92	0.00	100	191 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 2422.00	92.18	-----	-----	85.88	31.84	6.65	32.19	0.00	100	191 Average																																																																																																															
2 2482.00	84.06	-----	-----	77.60	31.96	6.73	32.23	0.00	100	191 Average																																																																																																															
3 5310.00	93.91	-----	-----	81.31	34.50	9.90	31.80	0.00	100	191 AVERAGE																																																																																																															







	77																																																					
Mode	Band Edge																																																					
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																					
ANT	CDD 1+2																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5356.35</td><td>62.04</td><td>74.00</td><td>-11.96</td><td>49.41</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>191</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5356.35	62.04	74.00	-11.96	49.41	34.50	9.91	31.78	0.00	100	191	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																													
1	5356.35	62.04	74.00	-11.96	49.41	34.50	9.91	31.78	0.00	100	191	PEAK																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5359.05</td><td>46.47</td><td>54.00</td><td>-7.53</td><td>33.83</td><td>34.50</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>191</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5359.05	46.47	54.00	-7.53	33.83	34.50	9.92	31.78	0.00	100	191	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																													
1	5359.05	46.47	54.00	-7.53	33.83	34.50	9.92	31.78	0.00	100	191	AVERAGE																																										







Mode	78																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_NRF_CH39_2480MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>60.26</td><td>74.00</td><td>-13.74</td><td>47.79</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>122 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	60.26	74.00	-13.74	47.79	31.97	6.73	32.23	6.00	100	122 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.58</td><td>-----</td><td>-----</td><td>92.12</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>122 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.58	-----	-----	92.12	31.96	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	60.26	74.00	-13.74	47.79	31.97	6.73	32.23	6.00	100	122 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	104.58	-----	-----	92.12	31.96	6.73	32.23	6.00	100	122 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>37.64</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>122 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.11	54.00	-3.89	37.64	31.97	6.73	32.23	6.00	100	122 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.42</td><td>-----</td><td>-----</td><td>89.96</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>122 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.42	-----	-----	89.96	31.96	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	50.11	54.00	-3.89	37.64	31.97	6.73	32.23	6.00	100	122 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	102.42	-----	-----	89.96	31.96	6.73	32.23	6.00	100	122 AVERAGE																																																																																										
Mode	78																																																																																																				







		Band Edge																																																																																																		
		2400-2483.5_NRF_CH39_2480MHz																																																																																																		
ANT	1																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>45.44</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>120 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	57.91	74.00	-16.09	45.44	31.97	6.73	32.23	6.00	100	120 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.53</td><td>-----</td><td>-----</td><td>89.07</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>120 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.53	-----	-----	89.07	31.96	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.28	57.91	74.00	-16.09	45.44	31.97	6.73	32.23	6.00	100	120 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	101.53	-----	-----	89.07	31.96	6.73	32.23	6.00	100	120 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.00</td><td>54.00</td><td>-5.92</td><td>35.61</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>120 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.00	54.00	-5.92	35.61	31.97	6.73	32.23	6.00	100	120 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.35</td><td>-----</td><td>-----</td><td>87.09</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>120 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.35	-----	-----	87.09	31.96	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	48.00	54.00	-5.92	35.61	31.97	6.73	32.23	6.00	100	120 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	100.35	-----	-----	87.09	31.96	6.73	32.23	6.00	100	120 AVERAGE																																																																																									







Mode	78																																																								
	Band Edge																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																								
ANT	4																																																								
Pol.	Horizontal						Fundamental																																																		
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>60.26</td><td>74.00</td><td>-13.74</td><td>47.79</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>122</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	60.26	74.00	-13.74	47.79	31.97	6.73	32.23	6.00	100	122
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2483.50	60.26	74.00	-13.74	47.79	31.97	6.73	32.23	6.00	100	122	PEAK																																													
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.58</td><td>-----</td><td>-----</td><td>92.12</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>122</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.58	-----	-----	92.12	31.96	6.73	32.23	6.00	100	122
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2480.00	104.58	-----	-----	92.12	31.96	6.73	32.23	6.00	100	122	PEAK																																													
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>37.64</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.11	54.00	-3.89	37.64	31.97	6.73	32.23	6.00	100	122
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2483.50	50.11	54.00	-3.89	37.64	31.97	6.73	32.23	6.00	100	122	AVERAGE																																													
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.42</td><td>-----</td><td>-----</td><td>89.96</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.42	-----	-----	89.96	31.96	6.73	32.23	6.00	100	122
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2480.00	102.42	-----	-----	89.96	31.96	6.73	32.23	6.00	100	122	AVERAGE																																													







Mode	78																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>45.44</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>120 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	57.91	74.00	-16.09	45.44	31.97	6.73	32.23	6.00	100	120 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.53</td><td>-----</td><td>-----</td><td>89.07</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>120 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.53	-----	-----	89.07	31.96	6.73	32.23	6.00	100	120 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2484.28	57.91	74.00	-16.09	45.44	31.97	6.73	32.23	6.00	100	120 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2480.00	101.53	-----	-----	89.07	31.96	6.73	32.23	6.00	100	120 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.00</td><td>54.00</td><td>-5.92</td><td>35.61</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>120 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.00	54.00	-5.92	35.61	31.97	6.73	32.23	6.00	100	120 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.35</td><td>-----</td><td>-----</td><td>87.09</td><td>31.96</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>120 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.35	-----	-----	87.09	31.96	6.73	32.23	6.00	100	120 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.50	48.00	54.00	-5.92	35.61	31.97	6.73	32.23	6.00	100	120 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2480.00	100.35	-----	-----	87.09	31.96	6.73	32.23	6.00	100	120 AVERAGE																																																																																																					



		78																																																																																																																											
Mode	Band Edge																																																																																																																												
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																																																																																												
ANT	CDD 1+2																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5098.58</td><td>56.06</td><td>74.00</td><td>-17.94</td><td>43.34</td><td>34.90</td><td>9.74</td><td>31.92</td><td>0.00</td><td>255</td><td>66 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5098.58	56.06	74.00	-17.94	43.34	34.90	9.74	31.92	0.00	255	66 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>95.68</td><td>-----</td><td>-----</td><td>89.22</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>255</td><td>66 Peak</td></tr><tr><td>2</td><td>5310.00</td><td>108.69</td><td>-----</td><td>-----</td><td>96.11</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>255</td><td>66 PEAK</td></tr><tr><td>3</td><td>5608.00</td><td>108.17</td><td>-----</td><td>-----</td><td>95.05</td><td>34.52</td><td>10.25</td><td>31.65</td><td>0.00</td><td>255</td><td>66 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	95.68	-----	-----	89.22	31.96	6.73	32.23	0.00	255	66 Peak	2	5310.00	108.69	-----	-----	96.11	34.50	9.89	31.81	0.00	255	66 PEAK	3	5608.00	108.17	-----	-----	95.05	34.52	10.25	31.65	0.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5098.58	56.06	74.00	-17.94	43.34	34.90	9.74	31.92	0.00	255	66 PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2482.00	95.68	-----	-----	89.22	31.96	6.73	32.23	0.00	255	66 Peak																																																																																																																		
2	5310.00	108.69	-----	-----	96.11	34.50	9.89	31.81	0.00	255	66 PEAK																																																																																																																		
3	5608.00	108.17	-----	-----	95.05	34.52	10.25	31.65	0.00	255	66 Peak																																																																																																																		
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.88</td><td>44.71</td><td>54.00</td><td>-9.29</td><td>32.09</td><td>34.74</td><td>9.78</td><td>31.90</td><td>0.00</td><td>255</td><td>66 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5138.88	44.71	54.00	-9.29	32.09	34.74	9.78	31.90	0.00	255	66 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>92.66</td><td>-----</td><td>-----</td><td>86.20</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>255</td><td>66 Average</td></tr><tr><td>2</td><td>5310.00</td><td>99.81</td><td>-----</td><td>-----</td><td>87.23</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>255</td><td>66 AVERAGE</td></tr><tr><td>3</td><td>5650.00</td><td>99.75</td><td>-----</td><td>-----</td><td>86.52</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>255</td><td>66 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	92.66	-----	-----	86.20	31.96	6.73	32.23	0.00	255	66 Average	2	5310.00	99.81	-----	-----	87.23	34.50	9.89	31.81	0.00	255	66 AVERAGE	3	5650.00	99.75	-----	-----	86.52	34.60	10.28	31.65	0.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5138.88	44.71	54.00	-9.29	32.09	34.74	9.78	31.90	0.00	255	66 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2482.00	92.66	-----	-----	86.20	31.96	6.73	32.23	0.00	255	66 Average																																																																																																																		
2	5310.00	99.81	-----	-----	87.23	34.50	9.89	31.81	0.00	255	66 AVERAGE																																																																																																																		
3	5650.00	99.75	-----	-----	86.52	34.60	10.28	31.65	0.00	255	66 Average																																																																																																																		







Mode	78																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																																																																																									
ANT	CDD 1+2																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5098.58</td><td>56.06</td><td>74.00</td><td>-17.94</td><td>43.34</td><td>34.90</td><td>9.74</td><td>31.92</td><td>0.00</td><td>255</td><td>66 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5098.58	56.06	74.00	-17.94	43.34	34.90	9.74	31.92	0.00	255	66 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>95.68</td><td>-----</td><td>89.22</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>255</td><td>66 Peak</td></tr><tr><td>2</td><td>5310.00</td><td>108.69</td><td>-----</td><td>96.11</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>255</td><td>66 PEAK</td></tr><tr><td>3</td><td>5608.00</td><td>108.17</td><td>-----</td><td>95.05</td><td>34.52</td><td>10.25</td><td>31.65</td><td>0.00</td><td>255</td><td>66 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	95.68	-----	89.22	31.96	6.73	32.23	0.00	255	66 Peak	2	5310.00	108.69	-----	96.11	34.50	9.89	31.81	0.00	255	66 PEAK	3	5608.00	108.17	-----	95.05	34.52	10.25	31.65	0.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5098.58	56.06	74.00	-17.94	43.34	34.90	9.74	31.92	0.00	255	66 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2482.00	95.68	-----	89.22	31.96	6.73	32.23	0.00	255	66 Peak																																																																																																																
2	5310.00	108.69	-----	96.11	34.50	9.89	31.81	0.00	255	66 PEAK																																																																																																																
3	5608.00	108.17	-----	95.05	34.52	10.25	31.65	0.00	255	66 Peak																																																																																																																
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.88</td><td>44.71</td><td>54.00</td><td>-9.29</td><td>32.09</td><td>34.74</td><td>9.78</td><td>31.90</td><td>0.00</td><td>255</td><td>66 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5138.88	44.71	54.00	-9.29	32.09	34.74	9.78	31.90	0.00	255	66 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>92.66</td><td>-----</td><td>86.20</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>255</td><td>66 Average</td></tr><tr><td>2</td><td>5310.00</td><td>99.81</td><td>-----</td><td>87.23</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>255</td><td>66 AVERAGE</td></tr><tr><td>3</td><td>5650.00</td><td>99.75</td><td>-----</td><td>86.52</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>255</td><td>66 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	92.66	-----	86.20	31.96	6.73	32.23	0.00	255	66 Average	2	5310.00	99.81	-----	87.23	34.50	9.89	31.81	0.00	255	66 AVERAGE	3	5650.00	99.75	-----	86.52	34.60	10.28	31.65	0.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5138.88	44.71	54.00	-9.29	32.09	34.74	9.78	31.90	0.00	255	66 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2482.00	92.66	-----	86.20	31.96	6.73	32.23	0.00	255	66 Average																																																																																																																
2	5310.00	99.81	-----	87.23	34.50	9.89	31.81	0.00	255	66 AVERAGE																																																																																																																
3	5650.00	99.75	-----	86.52	34.60	10.28	31.65	0.00	255	66 Average																																																																																																																





Mode	78																																														
Mode	Band Edge																																														
Mode	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																														
ANT	CDD 1+2																																														
Pol.	Horizontal						Fundamental																																								
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5352.15</td><td>57.15</td><td>74.00</td><td>-16.85</td><td>44.52</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>255</td><td>66 PEAK</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5352.15	57.15	74.00	-16.85	44.52	34.50	9.91	31.78	0.00	255	66 PEAK	Blank				
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	5352.15	57.15	74.00	-16.85	44.52	34.50	9.91	31.78	0.00	255	66 PEAK																																				
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.05</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>36.40</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>255</td><td>66 AVERAGE</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5350.05	49.03	54.00	-4.97	36.40	34.50	9.91	31.78	0.00	255	66 AVERAGE	Blank				
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1	5350.05	49.03	54.00	-4.97	36.40	34.50	9.91	31.78	0.00	255	66 AVERAGE																																				







		78																																																																																																																							
Mode	Band Edge																																																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																																																																																								
ANT	CDD 1+2																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5089.59</td><td>56.10</td><td>74.00</td><td>-17.90</td><td>43.39</td><td>34.90</td><td>9.73</td><td>31.92</td><td>0.00</td><td>216</td><td>360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5089.59	56.10	74.00	-17.90	43.39	34.90	9.73	31.92	0.00	216	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2482.00</td><td>94.42</td><td>-----</td><td>-----</td><td>87.96</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>216</td><td>360 Peak</td></tr><tr><td>2 5310.00</td><td>104.31</td><td>-----</td><td>-----</td><td>91.71</td><td>34.50</td><td>9.90</td><td>31.80</td><td>0.00</td><td>216</td><td>360 PEAK</td></tr><tr><td>3 5632.00</td><td>102.85</td><td>-----</td><td>-----</td><td>88.85</td><td>34.56</td><td>10.27</td><td>31.63</td><td>0.00</td><td>216</td><td>360 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2482.00	94.42	-----	-----	87.96	31.96	6.73	32.23	0.00	216	360 Peak	2 5310.00	104.31	-----	-----	91.71	34.50	9.90	31.80	0.00	216	360 PEAK	3 5632.00	102.85	-----	-----	88.85	34.56	10.27	31.63	0.00	216
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5089.59	56.10	74.00	-17.90	43.39	34.90	9.73	31.92	0.00	216	360 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 2482.00	94.42	-----	-----	87.96	31.96	6.73	32.23	0.00	216	360 Peak																																																																																																															
2 5310.00	104.31	-----	-----	91.71	34.50	9.90	31.80	0.00	216	360 PEAK																																																																																																															
3 5632.00	102.85	-----	-----	88.85	34.56	10.27	31.63	0.00	216	360 Peak																																																																																																															
Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5082.77</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>31.88</td><td>34.90</td><td>9.73</td><td>31.93</td><td>0.00</td><td>216</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5082.77	44.58	54.00	-9.42	31.88	34.90	9.73	31.93	0.00	216	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2482.00</td><td>87.40</td><td>-----</td><td>-----</td><td>80.94</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>216</td><td>360 Average</td></tr><tr><td>2 5310.00</td><td>95.01</td><td>-----</td><td>-----</td><td>82.43</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>216</td><td>360 AVERAGE</td></tr><tr><td>3 5614.00</td><td>92.59</td><td>-----</td><td>-----</td><td>79.44</td><td>34.53</td><td>10.26</td><td>31.64</td><td>0.00</td><td>216</td><td>360 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2482.00	87.40	-----	-----	80.94	31.96	6.73	32.23	0.00	216	360 Average	2 5310.00	95.01	-----	-----	82.43	34.50	9.89	31.81	0.00	216	360 AVERAGE	3 5614.00	92.59	-----	-----	79.44	34.53	10.26	31.64	0.00	216
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5082.77	44.58	54.00	-9.42	31.88	34.90	9.73	31.93	0.00	216	360 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 2482.00	87.40	-----	-----	80.94	31.96	6.73	32.23	0.00	216	360 Average																																																																																																															
2 5310.00	95.01	-----	-----	82.43	34.50	9.89	31.81	0.00	216	360 AVERAGE																																																																																																															
3 5614.00	92.59	-----	-----	79.44	34.53	10.26	31.64	0.00	216	360 Average																																																																																																															




Mode	78																																																							
	Band Edge																																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.80</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>44.44</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>216</td><td>360</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5350.80	57.07	74.00	-16.93	44.44	34.50	9.91	31.78	0.00	216	360	PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	5350.80	57.07	74.00	-16.93	44.44	34.50	9.91	31.78	0.00	216	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.70</td><td>45.17</td><td>54.00</td><td>-8.83</td><td>32.37</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>216</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5453.70	45.17	54.00	-8.83	32.37	34.51	10.02	31.73	0.00	216	360	AVERAGE	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	5453.70	45.17	54.00	-8.83	32.37	34.51	10.02	31.73	0.00	216	360	AVERAGE																																												







		78																																																																																																																																							
Mode	Band Edge																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																																																																																																								
ANT	CDD 1+2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.26</td><td>59.42</td><td>74.00</td><td>-14.58</td><td>46.78</td><td>34.50</td><td>9.92</td><td>31.78</td><td>0.00</td><td>319</td><td>71 PEAK</td></tr><tr><td>2</td><td>5463.40</td><td>60.92</td><td>68.20</td><td>-7.28</td><td>48.08</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>319</td><td>71 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5360.26	59.42	74.00	-14.58	46.78	34.50	9.92	31.78	0.00	319	71 PEAK	2	5463.40	60.92	68.20	-7.28	48.08	34.53	10.03	31.72	0.00	319	71 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>101.68</td><td>-----</td><td>-----</td><td>95.22</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>319</td><td>71 Peak</td></tr><tr><td>2</td><td>5308.00</td><td>108.20</td><td>-----</td><td>-----</td><td>95.62</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>319</td><td>71 Peak</td></tr><tr><td>3</td><td>5610.00</td><td>111.09</td><td>-----</td><td>-----</td><td>97.86</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>319</td><td>71 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	101.68	-----	-----	95.22	31.96	6.73	32.23	0.00	319	71 Peak	2	5308.00	108.20	-----	-----	95.62	34.50	9.89	31.81	0.00	319	71 Peak	3	5610.00	111.09	-----	-----	97.86	34.59	10.28	31.64	0.00	319
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5360.26	59.42	74.00	-14.58	46.78	34.50	9.92	31.78	0.00	319	71 PEAK																																																																																																																														
2	5463.40	60.92	68.20	-7.28	48.08	34.53	10.03	31.72	0.00	319	71 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	2482.00	101.68	-----	-----	95.22	31.96	6.73	32.23	0.00	319	71 Peak																																																																																																																														
2	5308.00	108.20	-----	-----	95.62	34.50	9.89	31.81	0.00	319	71 Peak																																																																																																																														
3	5610.00	111.09	-----	-----	97.86	34.59	10.28	31.64	0.00	319	71 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>34.12</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>319</td><td>71 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	46.75	54.00	-7.25	34.12	34.50	9.91	31.78	0.00	319	71 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>94.45</td><td>-----</td><td>-----</td><td>87.99</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>319</td><td>71 Average</td></tr><tr><td>2</td><td>5308.00</td><td>99.35</td><td>-----</td><td>-----</td><td>86.77</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>319</td><td>71 Average</td></tr><tr><td>3</td><td>5610.00</td><td>101.38</td><td>-----</td><td>-----</td><td>88.15</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>319</td><td>71 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	94.45	-----	-----	87.99	31.96	6.73	32.23	0.00	319	71 Average	2	5308.00	99.35	-----	-----	86.77	34.50	9.89	31.81	0.00	319	71 Average	3	5610.00	101.38	-----	-----	88.15	34.59	10.28	31.64	0.00	319	71 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5350.00	46.75	54.00	-7.25	34.12	34.50	9.91	31.78	0.00	319	71 AVERAGE																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	2482.00	94.45	-----	-----	87.99	31.96	6.73	32.23	0.00	319	71 Average																																																																																																																														
2	5308.00	99.35	-----	-----	86.77	34.50	9.89	31.81	0.00	319	71 Average																																																																																																																														
3	5610.00	101.38	-----	-----	88.15	34.59	10.28	31.64	0.00	319	71 AVERAGE																																																																																																																														



Mode	78																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																					
ANT	CDD 1+2																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.70</td><td>63.52</td><td>68.20</td><td>-4.68</td><td>50.36</td><td>34.65</td><td>10.35</td><td>31.84</td><td>0.00</td><td>319</td><td>71 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.70	63.52	68.20	-4.68	50.36	34.65	10.35	31.84	0.00	319	71 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5726.70	63.52	68.20	-4.68	50.36	34.65	10.35	31.84	0.00	319	71 PEAK																																											



Mode	78																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																																																																																																														
ANT	CDD 1+2																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.96</td><td>56.21</td><td>74.00</td><td>-17.79</td><td>43.41</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>198</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>57.31</td><td>68.20</td><td>-10.89</td><td>44.45</td><td>34.54</td><td>10.04</td><td>31.72</td><td>0.00</td><td>198</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.96	56.21	74.00	-17.79	43.41	34.51	10.02	31.73	0.00	198	360	PEAK	2	5468.08	57.31	68.20	-10.89	44.45	34.54	10.04	31.72	0.00	198	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>97.01</td><td>-----</td><td>-----</td><td>90.55</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>198</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5308.00</td><td>104.05</td><td>-----</td><td>-----</td><td>91.47</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>198</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5610.00</td><td>104.05</td><td>-----</td><td>-----</td><td>91.47</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>198</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	97.01	-----	-----	90.55	31.96	6.73	32.23	0.00	198	360	PEAK	2	5308.00	104.05	-----	-----	91.47	34.50	9.89	31.81	0.00	198	360	PEAK	3	5610.00	104.05	-----	-----	91.47	34.50	9.89	31.81	0.00	198	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5452.96	56.21	74.00	-17.79	43.41	34.51	10.02	31.73	0.00	198	360	PEAK																																																																																																																																			
2	5468.08	57.31	68.20	-10.89	44.45	34.54	10.04	31.72	0.00	198	360	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	2482.00	97.01	-----	-----	90.55	31.96	6.73	32.23	0.00	198	360	PEAK																																																																																																																																			
2	5308.00	104.05	-----	-----	91.47	34.50	9.89	31.81	0.00	198	360	PEAK																																																																																																																																			
3	5610.00	104.05	-----	-----	91.47	34.50	9.89	31.81	0.00	198	360	PEAK																																																																																																																																			
Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.68</td><td>45.03</td><td>54.00</td><td>-8.97</td><td>32.23</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>198</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5453.68	45.03	54.00	-8.97	32.23	34.51	10.02	31.73	0.00	198	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>90.15</td><td>-----</td><td>-----</td><td>83.69</td><td>31.96</td><td>6.73</td><td>32.23</td><td>0.00</td><td>198</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>5308.00</td><td>94.19</td><td>-----</td><td>-----</td><td>81.61</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>198</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>5610.00</td><td>94.19</td><td>-----</td><td>-----</td><td>81.61</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>198</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	90.15	-----	-----	83.69	31.96	6.73	32.23	0.00	198	360	Average	2	5308.00	94.19	-----	-----	81.61	34.50	9.89	31.81	0.00	198	360	Average	3	5610.00	94.19	-----	-----	81.61	34.50	9.89	31.81	0.00	198	360	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5453.68	45.03	54.00	-8.97	32.23	34.51	10.02	31.73	0.00	198	360	AVERAGE																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	2482.00	90.15	-----	-----	83.69	31.96	6.73	32.23	0.00	198	360	Average																																																																																																																																			
2	5308.00	94.19	-----	-----	81.61	34.50	9.89	31.81	0.00	198	360	Average																																																																																																																																			
3	5610.00	94.19	-----	-----	81.61	34.50	9.89	31.81	0.00	198	360	AVERAGE																																																																																																																																			



Mode	78																																									
	Band Edge																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																									
ANT	CDD 1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5725.05</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>42.55</td><td>34.65</td><td>10.34</td><td>31.84</td><td>0.00</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	1	5725.05	55.70	68.20	-12.50	42.55	34.65	10.34	31.84	0.00	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																		
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm																																	
1	5725.05	55.70	68.20	-12.50	42.55	34.65	10.34	31.84	0.00																																	


Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	98.81	-	-	10Hz
1+2	802.11be EHT20	100	-	-	10Hz
1+2	802.11be EHT40	100	-	-	10Hz
1+2	802.11be EHT80	100	-	-	10Hz
1+2	802.11be EHT160	100	-	-	10Hz
1+2	802.11be EHT20 RU 26	100	-	-	10Hz
1+2	802.11be EHT20 RU 52	100	-	-	10Hz
1+2	802.11be EHT20 RU 106	100	-	-	10Hz
1+2	802.11be EHT20 Small RU 52+26	100	-	-	10Hz
1+2	802.11be EHT20 Small RU 106+26	100	-	-	10Hz
1+2	802.11be EHT80 Large RU 484+242	98.32	-	-	10Hz
1+2	802.11be EHT160 Large RU 996+484	97.99	0.928	1.078	1.3KHz
1+2	802.11be EHT80 Puncturing 20M	98.37	-	-	10Hz
1+2	802.11be EHT160 Puncturing 20M	98.14	-	-	10Hz
1+2	802.11be EHT160 Puncturing 40M	98.25	-	-	10Hz



802.11a




802.11be EHT20






802.11be EHT40




Date: 6.APR.2024 08:17:41

802.11be EHT80






802.11be EHT160




802.11be EHT20 Single RU 26






802.11be EHT20 Single RU 52




Date: 11.APR.2024 19:32:29

802.11be EHT20 Single RU 106






802.11be EHT20 Small RU 52+26




802.11be EHT20 Small RU 106+26







802.11be EHT80 Large RU 484+242




802.11be EHT160 Large RU 996+484



802.11be EHT80 Puncturing 20M



802.11be EHT160 Puncturing 20M





802.11be EHT160 Puncturing 40M

