

Wireless Phone Tripod

RPT201

User's manual



Step 1. Pairing:

- A. Turn the remote on with the power switch located at the side, The blue LED light will flicker
- B. Turn on your phone's Bluetooth setting & connected to "AB Shutter3" in the available devices list, The blue LED light will stop flickering when connected

Step 2. Using:

Open your phone's camera app, Press the button associated with your phone's operating system (iOS for iPhone, Android for Android phones)

Note: if your camera does not respond it may not be compatible, in this case, download the free app "Camera 360" and use this camera app with the remote.

Step 3. Filming Videos:

Switch your phone's camera into Video mode first, Press the button to start/stop record videos, **Note for Samsung Cell Phones:**

1. Go to camera setting, Scroll down and tap "Volume keys function" and choose "record video".
2. Open the native camera, click the iOS button (Not android) to start the video, click again to stop the video.

Specification:

Communication: Bluetooth 4.2

Frequency: 2.4 GHz-2.4835 GHz

Max Range: 30ft(10m)

Battery Life: Approx 6 months using 10x/day

Dimensions: 48mm*30mm*10mm

Weight: 8g

Compatible with: Android 4.2.2 or newer iOS 6 or newer

FCC Information and Copyright

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates,

uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference

to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does

cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is

encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC RF warning statement: the device has been evaluated to meet general RF exposure requirement , The device can be used in portable exposure condition without restriction.

IC warning

This device complies with Industry Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

(1) l'appareil ne doit pas produire de brouillage, et

(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition without restriction.