




































ANT2































4 Annex D Frequency Stability


Band	Frequency (MHz)	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20MHz(IEEE 802.11a/n/ac/ax)						
1	5180	5179.98	-40000	-7.72	25	Pass
	5240	5240	-20000	-3.82	25	Pass
2	5260	5259.98	-40000	-7.6	25	Pass
	5320	5319.96	-40000	-7.52	25	Pass
3	5500	5499.94	-20000	-3.64	25	Pass
	5700	5699.96	-40000	-7.02	25	Pass
4	5745	5744.98	-40000	-6.96	25	Pass
	5825	5825	-40000	-6.87	25	Pass
400MHz(IEEE 802.11n/ac/ax)						
1	5190	5189.96	-40000	-7.71	25	Pass
	5230	5230	-80000	-15.3	25	Pass
2	5270	5269.96	-80000	-15.18	25	Pass
	5310	5309.96	0	0	25	Pass
3	5510	5510	-40000	-7.26	25	Pass
	5670	5669.96	0	0	25	Pass
4	5755	5755	-40000	-6.95	25	Pass
	5795	5795	-80000	-13.81	25	Pass
80MHz(IEEE 802.11ac/ax)						
1	5210	5210	0	0	25	Pass
2	5290	5289.92	0	0	25	Pass
3	5530	5529.92	0	0	25	Pass
	5610	5609.92	-80000	-14.26	25	Pass
4	5775	5775	0	0	25	Pass


































5 Annex E Band Edge and Fundamental Emissions


20MHz(IEEE 802.11a/n/ac/ax)
Channel Low (5180MHz)




Channel High (5320MHz)




Channel Low (5745MHz)




Channel High (5825MHz)




40MHzIEEE 802.11n/ac/ax
Channel Low (5190MHz)




Channel High (5310MHz)




Channel Low (5755MHz)




Channel High (5795MHz)




80MHzIEEE 802.11ac/ax
Channel Low (5210MHz)



Channel High (5290MHz)



Channel Low (5775MHz)



6 Annex F Dynamic Frequency Selection (DFS)



Test Items	Remark	Result
Channel Closing Transmission Time	Applicable	PASS
Channel Move Time	Applicable	PASS

Note: This phone can only be used as a slave without radar detection function.

Measurement Record (the worst case)

Measurement data below:

5320MHz			
Test Items	Value (s)	Limit (s)	Test Result
Channel Closing Transmission Time	0.0472	1	Pass
Channel Move Time	0.8421	10	Pass



Measurement data below:

5500MHz			
Test Items	Value (s)	Limit (s)	Test Result
Channel Closing Transmission Time	0.0412	1	Pass
Channel Move Time	0.9165	10	Pass

