



21.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	6.75	13	Pass




21.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	7.45	13	Pass




21.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	6.94	13	Pass




21.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	4.36	13	Pass




21.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	4.45	13	Pass



21.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




21.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




21.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	6.75	13	Pass




21.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	6.23	13	Pass




21.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	7.12	13	Pass




21.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	6.42	13	Pass




21.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	7.41	13	Pass




21.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	6.7	13	Pass




22. n66 15kHz

22.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




22.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




22.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.87	13	Pass




22.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




22.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.75	13	Pass




22.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.61	13	Pass




22.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	7.27	13	Pass




22.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.89	13	Pass




22.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




22.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	7.03	13	Pass




22.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.36	13	Pass




22.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




22.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.25	13	Pass




22.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.91	13	Pass




22.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.7	13	Pass




22.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.19	13	Pass




22.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	7.73	13	Pass




22.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.47	13	Pass




22.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	7.59	13	Pass




22.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.66	13	Pass




22.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	3.7	13	Pass




22.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	4.64	13	Pass




22.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	5.06	13	Pass




22.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	5.67	13	Pass




22.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	6.37	13	Pass




22.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	6.09	13	Pass




22.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	6.98	13	Pass




22.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	6.61	13	Pass




22.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	7.17	13	Pass




22.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	6.98	13	Pass




23. n71 15kHz

23.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




23.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	4.87	13	Pass



23.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




23.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




23.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	6.8	13	Pass




23.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	6.75	13	Pass




23.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	7.64	13	Pass




23.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	7.03	13	Pass




23.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	7.45	13	Pass




23.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	7.08	13	Pass




23.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	3.98	13	Pass




23.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	4.5	13	Pass



23.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




23.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




23.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	6.89	13	Pass




23.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	6.37	13	Pass




23.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	7.87	13	Pass




23.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	6.61	13	Pass




23.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	7.08	13	Pass




23.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	4.31	13	Pass




23.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	4.5	13	Pass




23.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	5.44	13	Pass




23.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	5.72	13	Pass




23.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	7.08	13	Pass




23.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	6.28	13	Pass




23.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	7.59	13	Pass




23.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	6.94	13	Pass




23.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	7.73	13	Pass




23.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	6.61	13	Pass




24. n41

24.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




24.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	4.87	13	Pass




24.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	5.02	13	Pass




24.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)



24.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




24.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




24.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	6.14	13	Pass




24.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	6.94	13	Pass




24.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2506.005	0.1	6.42	13	Pass




24.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	3.98	13	Pass




24.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	4.03	13	Pass




24.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




24.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	5.02	13	Pass




24.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	6.42	13	Pass



24.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)



24.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2593.005	0.1	6.75	13	Pass

