



27. n71 15kHz

27.1. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



27.2. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	4.95	5	Pass




27.3. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	4.94	5	Pass




27.4. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.27	9.68	10	Pass




27.5. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.28	9.65	10	Pass




27.6. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.27	9.65	10	Pass




27.7. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.08	14.53	15	Pass




27.8. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.09	14.51	15	Pass




27.9. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.08	14.53	15	Pass




27.10. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.89	19.42	20	Pass




27.11. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.91	19.43	20	Pass




27.12. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.91	19.41	20	Pass




27.13. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detect or	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.49	4.9	5	Pass



27.14. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.49	4.89	5	Pass



27.15. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	4.88	5	Pass



27.16. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.27	9.67	10	Pass



27.17. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.28	9.65	10	Pass



27.18. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.28	9.67	10	Pass




27.19. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.1	14.61	15	Pass




27.20. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.1	14.55	15	Pass




27.21. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.11	14.6	15	Pass




27.22. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.92	19.47	20	Pass




27.23. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.95	19.49	20	Pass




27.24. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.94	19.46	20	Pass




27.25. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detect or	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.49	4.92	5	Pass




27.26. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.49	4.93	5	Pass



27.27. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	4.93	5	Pass




27.28. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.27	9.66	10	Pass




27.29. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.28	9.68	10	Pass




27.30. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.27	9.65	10	Pass



27.31. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.11	14.52	15	Pass




27.32. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.13	14.59	15	Pass




27.33. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.11	14.53	15	Pass




27.34. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.9	19.39	20	Pass




27.35. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.92	19.43	20	Pass




27.36. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.92	19.41	20	Pass



27.37. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detect or	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.48	4.93	5	Pass



27.38. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.48	4.9	5	Pass




27.39. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	4.95	5	Pass



27.40. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.03	Peak	9.26	9.65	10	Pass




27.41. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.26	9.66	10	Pass




27.42. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.25	9.68	10	Pass




27.43. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.08	14.52	15	Pass




27.44. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.09	14.54	15	Pass




27.45. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.09	14.52	15	Pass




27.46. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.9	19.43	20	Pass




27.47. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.93	19.44	20	Pass




27.48. Occupied Bandwidth for SA_Part22-24-27 256QAM(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.92	19.44	20	Pass




28. n41

28.1. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)




28.2. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	9.27	9.63	10	Pass




28.3. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	9.27	9.58	10	Pass




28.4. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:500700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	14.09	14.55	15	Pass




28.5. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518601, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	14.11	14.5	15	Pass




28.6. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:536499, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.495	99	26	0.03	Peak	14.1	14.52	15	Pass




28.7. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.005	99	26	0.03	Peak	18.92	19.39	20	Pass




28.8. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	18.93	19.39	20	Pass




28.9. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.92	19.39	20	Pass




28.10. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:503202, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.76	41.12	40	Pass




28.11. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518601, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	1	Peak	38.78	41.09	40	Pass




28.12. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:534000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.77	41.04	40	Pass




28.13. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:504201, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.005	99	26	1	Peak	48.27	50.79	50	Pass




28.14. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518601, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	1	Peak	48.3	50.8	50	Pass




28.15. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:532998, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	48.26	50.78	50	Pass




28.16. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	57.75	60.57	60	Pass




28.17. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.82	60.58	60	Pass




28.18. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	57.74	60.59	60	Pass




28.19. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.4	80.41	80	Pass




28.20. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.47	80.42	80	Pass




28.21. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.42	80.5	80	Pass




28.22. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.34	90.58	90	Pass




28.23. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.37	90.51	90	Pass




28.24. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.34	90.59	90	Pass




28.25. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2546.01	99	26	1	Peak	97.37	100.75	100	Pass




28.26. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	97.4	100.73	100	Pass




28.27. Occupied Bandwidth for SA_Part22-24-27 QPSK(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2640	99	26	1	Peak	97.3	100.59	100	Pass




28.28. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detect or	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501.01	99	26	0.03	Peak	9.27	9.59	10	Pass




28.29. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	9.27	9.63	10	Pass




28.30. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	9.28	9.64	10	Pass




28.31. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:500700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	14.09	14.51	15	Pass




28.32. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518601, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	14.1	14.52	15	Pass




28.33. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:536499, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.495	99	26	0.03	Peak	14.1	14.5	15	Pass




28.34. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.005	99	26	0.03	Peak	18.91	19.38	20	Pass




28.35. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	18.92	19.41	20	Pass




28.36. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.91	19.41	20	Pass




28.37. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:503202, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.68	41.04	40	Pass




28.38. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518601, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	1	Peak	38.69	41.07	40	Pass




28.39. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:534000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.68	41.02	40	Pass




28.40. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:504201, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.005	99	26	1	Peak	48.35	50.83	50	Pass




28.41. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518601, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	1	Peak	48.39	50.83	50	Pass




28.42. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:532998, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2664.99	99	26	1	Peak	48.34	50.82	50	Pass




28.43. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2526	99	26	1	Peak	57.78	60.44	60	Pass




28.44. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	57.83	60.46	60	Pass




28.45. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detect or	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2659.98	99	26	1	Peak	57.76	60.45	60	Pass




28.46. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:507204, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2536.02	99	26	1	Peak	77.36	80.39	80	Pass




28.47. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518598, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	77.43	80.5	80	Pass




28.48. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:529998, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2649.99	99	26	1	Peak	77.34	80.41	80	Pass




28.49. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:508200, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2541	99	26	1	Peak	87.34	90.58	90	Pass




28.50. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518598, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	87.38	90.5	90	Pass




28.51. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:528996, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2644.98	99	26	1	Peak	87.3	90.45	90	Pass




28.52. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2546.01	99	26	1	Peak	97.25	100.58	100	Pass




28.53. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2592.99	99	26	1	Peak	97.29	100.64	100	Pass




28.54. Occupied Bandwidth for SA_Part22-24-27 16QAM(NTNV)(Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2640	99	26	1	Peak	97.16	100.57	100	Pass




28.55. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detect or	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501.01	99	26	0.03	Peak	9.26	9.63	10	Pass




28.56. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:518601, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	9.25	9.57	10	Pass




28.57. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.03	Peak	9.25	9.55	10	Pass




28.58. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:500700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.03	Peak	14.11	14.52	15	Pass




28.59. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:518601, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	14.14	14.52	15	Pass




28.60. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:536499, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.495	99	26	0.03	Peak	14.11	14.53	15	Pass




28.61. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:501201, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506.005	99	26	0.03	Peak	18.91	19.42	20	Pass




28.62. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:518601, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	0.03	Peak	18.92	19.35	20	Pass




28.63. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:535998, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2679.99	99	26	0.03	Peak	18.92	19.41	20	Pass




28.64. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:503202, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2516.01	99	26	1	Peak	38.69	41.1	40	Pass




28.65. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:518601, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593.005	99	26	1	Peak	38.71	41.16	40	Pass



28.66. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:534000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2670	99	26	1	Peak	38.7	41.09	40	Pass



28.67. Occupied Bandwidth for SA_Part22-24-27 64QAM(NTNV)(Channel:504201, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2521.005	99	26	1	Peak	48.24	50.8	50	Pass

