


18. LTE_Band71


18.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.93	-13	Pass	2986
30	653	0.1	RMS	465.6	-63.37	-13	Pass	6231
653	709	0.1	RMS	663.3	19.94	60	Pass	561
709	1000	0.1	RMS	965.8	-62.14	-13	Pass	2911
1000	3000	1	RMS	2650	-46.47	-13	Pass	2001
3000	10000	1	RMS	7733	-41.65	-13	Pass	7001




18.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.06	-13	Pass	2986
30	653	0.1	RMS	421.4	-63.43	-13	Pass	6231
653	709	0.1	RMS	663.3	18.93	60	Pass	561
709	1000	0.1	RMS	944.7	-62	-13	Pass	2911
1000	3000	1	RMS	2656	-46.42	-13	Pass	2001
3000	10000	1	RMS	7735	-41.7	-13	Pass	7001




18.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.57	-13	Pass	2986
30	653	0.1	RMS	508.6	-63.51	-13	Pass	6231
653	709	0.1	RMS	678.3	20.18	60	Pass	561
709	1000	0.1	RMS	917.6	-61.95	-13	Pass	2911
1000	3000	1	RMS	2658	-46.45	-13	Pass	2001
3000	10000	1	RMS	7727	-41.67	-13	Pass	7001




18.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.08	-13	Pass	2986
30	653	0.1	RMS	626.4	-63.43	-13	Pass	6231
653	709	0.1	RMS	678.3	19.25	60	Pass	561
709	1000	0.1	RMS	962.8	-62.17	-13	Pass	2911
1000	3000	1	RMS	2651	-46.43	-13	Pass	2001
3000	10000	1	RMS	7748	-41.65	-13	Pass	7001




18.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.61	-13	Pass	2986
30	653	0.1	RMS	518.1	-63.46	-13	Pass	6231
653	709	0.1	RMS	693.3	20.14	60	Pass	561
709	1000	0.1	RMS	934.3	-62.02	-13	Pass	2911
1000	3000	1	RMS	2650	-46.43	-13	Pass	2001
3000	10000	1	RMS	7733	-41.71	-13	Pass	7001




18.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.75	-13	Pass	2986
30	653	0.1	RMS	512.7	-63.31	-13	Pass	6231
653	709	0.1	RMS	693.3	19.14	60	Pass	561
709	1000	0.1	RMS	928.4	-62.07	-13	Pass	2911
1000	3000	1	RMS	2650	-46.43	-13	Pass	2001
3000	10000	1	RMS	7734	-41.68	-13	Pass	7001




18.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.89	-13	Pass	2986
30	653	0.1	RMS	651.2	-63.51	-13	Pass	6231
653	709	0.1	RMS	663.6	20.46	60	Pass	561
709	1000	0.1	RMS	883.7	-61.97	-13	Pass	2911
1000	3000	1	RMS	2649	-46.37	-13	Pass	2001
3000	10000	1	RMS	7735	-41.69	-13	Pass	7001




18.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.35	-13	Pass	2986
30	653	0.1	RMS	652.6	-63.45	-13	Pass	6231
653	709	0.1	RMS	663.6	19.6	60	Pass	561
709	1000	0.1	RMS	926	-62.11	-13	Pass	2911
1000	3000	1	RMS	2646	-46.42	-13	Pass	2001
3000	10000	1	RMS	7732	-41.66	-13	Pass	7001



18.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.62	-13	Pass	2986
30	653	0.1	RMS	528.6	-63.45	-13	Pass	6231
653	709	0.1	RMS	676.1	20.55	60	Pass	561
709	1000	0.1	RMS	928.4	-61.9	-13	Pass	2911
1000	3000	1	RMS	2652	-46.41	-13	Pass	2001
3000	10000	1	RMS	7740	-41.64	-13	Pass	7001



18.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.54	-13	Pass	2986
30	653	0.1	RMS	486	-63.55	-13	Pass	6231
653	709	0.1	RMS	676.1	19.56	60	Pass	561
709	1000	0.1	RMS	949.5	-62.05	-13	Pass	2911
1000	3000	1	RMS	2653	-46.46	-13	Pass	2001
3000	10000	1	RMS	7750	-41.61	-13	Pass	7001



18.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.14	-13	Pass	2986
30	653	0.1	RMS	496.2	-63.4	-13	Pass	6231
653	709	0.1	RMS	688.6	20.6	60	Pass	561
709	1000	0.1	RMS	920.5	-62.15	-13	Pass	2911
1000	3000	1	RMS	2655	-46.41	-13	Pass	2001
3000	10000	1	RMS	7753	-41.65	-13	Pass	7001



18.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.11	-13	Pass	2986
30	653	0.1	RMS	504.6	-63.27	-13	Pass	6231
653	709	0.1	RMS	688.6	19.68	60	Pass	561
709	1000	0.1	RMS	933	-62.24	-13	Pass	2911
1000	3000	1	RMS	2657	-46.43	-13	Pass	2001
3000	10000	1	RMS	7739	-41.65	-13	Pass	7001



18.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-13	Pass	2986
30	653	0.1	RMS	651.6	-63.51	-13	Pass	6231
653	709	0.1	RMS	663.8	20.11	60	Pass	561
709	1000	0.1	RMS	925.5	-62.05	-13	Pass	2911
1000	3000	1	RMS	2654	-46.45	-13	Pass	2001
3000	10000	1	RMS	7733	-41.72	-13	Pass	7001



18.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.41	-13	Pass	2986
30	653	0.1	RMS	504.7	-63.48	-13	Pass	6231
653	709	0.1	RMS	663.8	19.1	60	Pass	561
709	1000	0.1	RMS	896.8	-62.08	-13	Pass	2911
1000	3000	1	RMS	2650	-46.41	-13	Pass	2001
3000	10000	1	RMS	7728	-41.64	-13	Pass	7001



18.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.98	-13	Pass	2986
30	653	0.1	RMS	524.4	-63.51	-13	Pass	6231
653	709	0.1	RMS	673.8	20.06	60	Pass	561
709	1000	0.1	RMS	921.4	-62.07	-13	Pass	2911
1000	3000	1	RMS	2651	-46.43	-13	Pass	2001
3000	10000	1	RMS	7754	-41.67	-13	Pass	7001



18.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.48	-13	Pass	2986
30	653	0.1	RMS	645.3	-63.51	-13	Pass	6231
653	709	0.1	RMS	673.8	19.1	60	Pass	561
709	1000	0.1	RMS	936.9	-62.07	-13	Pass	2911
1000	3000	1	RMS	2652	-46.46	-13	Pass	2001
3000	10000	1	RMS	7745	-41.69	-13	Pass	7001



18.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.99	-13	Pass	2986
30	653	0.1	RMS	506.1	-63.32	-13	Pass	6231
653	709	0.1	RMS	683.8	19.75	60	Pass	561
709	1000	0.1	RMS	709	-58.21	-13	Pass	2911
1000	3000	1	RMS	2651	-46.42	-13	Pass	2001
3000	10000	1	RMS	7748	-41.72	-13	Pass	7001



18.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.76	-13	Pass	2986
30	653	0.1	RMS	520.1	-63.5	-13	Pass	6231
653	709	0.1	RMS	683.8	19.08	60	Pass	561
709	1000	0.1	RMS	710.5	-57.41	-13	Pass	2911
1000	3000	1	RMS	2653	-46.46	-13	Pass	2001
3000	10000	1	RMS	7734	-41.63	-13	Pass	7001



18.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.55	-13	Pass	2986
30	653	0.1	RMS	652.8	-63.39	-13	Pass	6231
653	709	0.1	RMS	664.1	20.56	60	Pass	561
709	1000	0.1	RMS	911.7	-62.13	-13	Pass	2911
1000	3000	1	RMS	2648	-46.4	-13	Pass	2001
3000	10000	1	RMS	7744	-41.71	-13	Pass	7001



18.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.99	-13	Pass	2986
30	653	0.1	RMS	645.5	-63.6	-13	Pass	6231
653	709	0.1	RMS	664.1	19.65	60	Pass	561
709	1000	0.1	RMS	952.6	-62.13	-13	Pass	2911
1000	3000	1	RMS	2654	-46.44	-13	Pass	2001
3000	10000	1	RMS	7736	-41.67	-13	Pass	7001



18.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.84	-13	Pass	2986
30	653	0.1	RMS	519.6	-63.43	-13	Pass	6231
653	709	0.1	RMS	674.1	20.35	60	Pass	561
709	1000	0.1	RMS	709.7	-58.04	-13	Pass	2911
1000	3000	1	RMS	2653	-46.43	-13	Pass	2001
3000	10000	1	RMS	7735	-41.68	-13	Pass	7001



18.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.17	-13	Pass	2986
30	653	0.1	RMS	496.8	-63.53	-13	Pass	6231
653	709	0.1	RMS	674.1	19.53	60	Pass	561
709	1000	0.1	RMS	709.7	-57.78	-13	Pass	2911
1000	3000	1	RMS	2645	-46.46	-13	Pass	2001
3000	10000	1	RMS	7730	-41.61	-13	Pass	7001



18.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.48	-13	Pass	2986
30	653	0.1	RMS	506.6	-63.41	-13	Pass	6231
653	709	0.1	RMS	679.1	20.56	60	Pass	561
709	1000	0.1	RMS	709.5	-60.32	-13	Pass	2911
1000	3000	1	RMS	2647	-46.44	-13	Pass	2001
3000	10000	1	RMS	7727	-41.69	-13	Pass	7001



18.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.75	-13	Pass	2986
30	653	0.1	RMS	643.3	-63.35	-13	Pass	6231
653	709	0.1	RMS	679.1	19.6	60	Pass	561
709	1000	0.1	RMS	709.2	-60.3	-13	Pass	2911
1000	3000	1	RMS	2649	-46.43	-13	Pass	2001
3000	10000	1	RMS	7733	-41.65	-13	Pass	7001




19. CA_5B

19.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.49	-13	Pass	2986
30	814	0.1	RMS	810.8	-40.7	-13	Pass	7841
814	859	0.1	RMS	824.6	6.76	60	Pass	451
859	1000	0.1	RMS	898.9	-60.06	-13	Pass	1411
1000	3000	1	RMS	2973	-45.51	-13	Pass	2001
3000	10000	1	RMS	7109	-49.73	-13	Pass	7001



19.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20450|20522, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.085	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.22	-13	Pass	2986
30	814	0.1	RMS	813.9	-49.06	-13	Pass	7841
814	859	0.1	RMS	835.7	2.02	60	Pass	451
859	1000	0.1	RMS	895.1	-60.21	-13	Pass	1411
1000	3000	1	RMS	2979	-45.55	-13	Pass	2001
3000	10000	1	RMS	7101	-56.81	-13	Pass	7001



19.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	Pass	401
0.15	30	0.01	RMS	14.87	-69.05	-13	Pass	2986
30	814	0.1	RMS	810.8	-41.55	-13	Pass	7841
814	859	0.1	RMS	824.6	6.83	60	Pass	451
859	1000	0.1	RMS	867.4	-60.22	-13	Pass	1411
1000	3000	1	RMS	2975	-45.44	-13	Pass	2001
3000	10000	1	RMS	7102	-56.93	-13	Pass	7001



19.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20450|20522, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-72.2	-13	Pass	401
0.15	30	0.01	RMS	23.72	-68.77	-13	Pass	2986
30	814	0.1	RMS	814	-50.3	-13	Pass	7841
814	859	0.1	RMS	834.6	1.01	60	Pass	451
859	1000	0.1	RMS	906.3	-60.1	-13	Pass	1411
1000	3000	1	RMS	2970	-45.54	-13	Pass	2001
3000	10000	1	RMS	7102	-57.01	-13	Pass	7001



19.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-72.94	-13	Pass	401
0.15	30	0.01	RMS	19.24	-68.99	-13	Pass	2986
30	814	0.1	RMS	720	-59.7	-13	Pass	7841
814	859	0.1	RMS	829.6	6.92	60	Pass	451
859	1000	0.1	RMS	914.7	-60.18	-13	Pass	1411
1000	3000	1	RMS	2962	-45.54	-13	Pass	2001
3000	10000	1	RMS	7102	-57	-13	Pass	7001



19.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20500|20572, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.67	-13	Pass	401
0.15	30	0.01	RMS	23.55	-68.55	-13	Pass	2986
30	814	0.1	RMS	813.9	-51.89	-13	Pass	7841
814	859	0.1	RMS	842.1	1.84	60	Pass	451
859	1000	0.1	RMS	918.1	-60.24	-13	Pass	1411
1000	3000	1	RMS	2955	-45.48	-13	Pass	2001
3000	10000	1	RMS	7099	-56.88	-13	Pass	7001



19.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.77	-13	Pass	401
0.15	30	0.01	RMS	0.84	-68	-13	Pass	2986
30	814	0.1	RMS	479.5	-59.86	-13	Pass	7841
814	859	0.1	RMS	829.6	6.76	60	Pass	451
859	1000	0.1	RMS	900	-60.08	-13	Pass	1411
1000	3000	1	RMS	2980	-45.56	-13	Pass	2001
3000	10000	1	RMS	7125	-49.19	-13	Pass	7001



19.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20500|20572, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.17	-13	Pass	401
0.15	30	0.01	RMS	25.04	-68.89	-13	Pass	2986
30	814	0.1	RMS	814	-52.68	-13	Pass	7841
814	859	0.1	RMS	840.2	0.94	60	Pass	451
859	1000	0.1	RMS	911.3	-60.12	-13	Pass	1411
1000	3000	1	RMS	2977	-45.58	-13	Pass	2001
3000	10000	1	RMS	7100	-56.75	-13	Pass	7001



19.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-72.32	-13	Pass	401
0.15	30	0.01	RMS	20.6	-68.3	-13	Pass	2986
30	814	0.1	RMS	490	-59.92	-13	Pass	7841
814	859	0.1	RMS	834.6	7.22	60	Pass	451
859	1000	0.1	RMS	917.5	-60.05	-13	Pass	1411
1000	3000	1	RMS	2937	-45.54	-13	Pass	2001
3000	10000	1	RMS	7102	-57.09	-13	Pass	7001



19.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20550|20622, Bandwidth:10|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.99	-13	Pass	401
0.15	30	0.01	RMS	3.41	-69.02	-13	Pass	2986
30	814	0.1	RMS	814	-53.12	-13	Pass	7841
814	859	0.1	RMS	845.3	2.01	60	Pass	451
859	1000	0.1	RMS	989.2	-60.18	-13	Pass	1411
1000	3000	1	RMS	2958	-45.45	-13	Pass	2001
3000	10000	1	RMS	7095	-57.03	-13	Pass	7001



19.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.87	-13	Pass	401
0.15	30	0.01	RMS	26.83	-69.21	-13	Pass	2986
30	814	0.1	RMS	645.2	-60	-13	Pass	7841
814	859	0.1	RMS	834.6	7.12	60	Pass	451
859	1000	0.1	RMS	903	-60.09	-13	Pass	1411
1000	3000	1	RMS	2968	-45.48	-13	Pass	2001
3000	10000	1	RMS	7091	-57.01	-13	Pass	7001



19.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20550|20622, Bandwidth:10|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.13	-13	Pass	401
0.15	30	0.01	RMS	0.27	-68.91	-13	Pass	2986
30	814	0.1	RMS	813.3	-54.23	-13	Pass	7841
814	859	0.1	RMS	844.2	1	60	Pass	451
859	1000	0.1	RMS	899.7	-60.24	-13	Pass	1411
1000	3000	1	RMS	2768	-45.32	-13	Pass	2001
3000	10000	1	RMS	7100	-56.74	-13	Pass	7001



19.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-72.61	-13	Pass	401
0.15	30	0.01	RMS	20.89	-69.01	-13	Pass	2986
30	814	0.1	RMS	486.3	-59.85	-13	Pass	7841
814	859	0.1	RMS	843.3	6.88	60	Pass	451
859	1000	0.1	RMS	875.7	-60.19	-13	Pass	1411
1000	3000	1	RMS	2939	-45.48	-13	Pass	2001
3000	10000	1	RMS	7128	-50.04	-13	Pass	7001



19.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20450|20549, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-13	Pass	401
0.15	30	0.01	RMS	1.32	-69	-13	Pass	2986
30	814	0.1	RMS	813.2	-47.9	-13	Pass	7841
814	859	0.1	RMS	834.7	-0.69	60	Pass	451
859	1000	0.1	RMS	919.1	-60.16	-13	Pass	1411
1000	3000	1	RMS	2937	-45.36	-13	Pass	2001
3000	10000	1	RMS	7105	-56.95	-13	Pass	7001



19.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.93	-13	Pass	401
0.15	30	0.01	RMS	8.39	-68.84	-13	Pass	2986
30	814	0.1	RMS	812.5	-59.96	-13	Pass	7841
814	859	0.1	RMS	843.3	6.89	60	Pass	451
859	1000	0.1	RMS	882.8	-60.04	-13	Pass	1411
1000	3000	1	RMS	2974	-45.4	-13	Pass	2001
3000	10000	1	RMS	7100	-56.87	-13	Pass	7001



19.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20450|20549, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-72.53	-13	Pass	401
0.15	30	0.01	RMS	15.84	-69.02	-13	Pass	2986
30	814	0.1	RMS	813.5	-49.48	-13	Pass	7841
814	859	0.1	RMS	834.6	-1.6	60	Pass	451
859	1000	0.1	RMS	917.5	-60.14	-13	Pass	1411
1000	3000	1	RMS	2963	-45.31	-13	Pass	2001
3000	10000	1	RMS	7099	-56.92	-13	Pass	7001



19.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	Pass	401
0.15	30	0.01	RMS	23.71	-68.92	-13	Pass	2986
30	814	0.1	RMS	808.5	-53.99	-13	Pass	7841
814	859	0.1	RMS	827.2	6.95	60	Pass	451
859	1000	0.1	RMS	917.8	-60.1	-13	Pass	1411
1000	3000	1	RMS	2956	-45.49	-13	Pass	2001
3000	10000	1	RMS	7104	-56.85	-13	Pass	7001



19.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20476|20575, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.01	-13	Pass	401
0.15	30	0.01	RMS	29.33	-68.23	-13	Pass	2986
30	814	0.1	RMS	814	-49.05	-13	Pass	7841
814	859	0.1	RMS	838	-0.69	60	Pass	451
859	1000	0.1	RMS	897.6	-60.04	-13	Pass	1411
1000	3000	1	RMS	2761	-45.53	-13	Pass	2001
3000	10000	1	RMS	7100	-57.12	-13	Pass	7001



19.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.68	-13	Pass	2986
30	814	0.1	RMS	808.5	-54.65	-13	Pass	7841
814	859	0.1	RMS	827.2	6.85	60	Pass	451
859	1000	0.1	RMS	884.7	-60.15	-13	Pass	1411
1000	3000	1	RMS	2966	-45.45	-13	Pass	2001
3000	10000	1	RMS	7129	-49.58	-13	Pass	7001



19.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20476|20575, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-72.76	-13	Pass	401
0.15	30	0.01	RMS	28.34	-68.96	-13	Pass	2986
30	814	0.1	RMS	813.8	-50.69	-13	Pass	7841
814	859	0.1	RMS	835.4	-1.77	60	Pass	451
859	1000	0.1	RMS	905.8	-60.12	-13	Pass	1411
1000	3000	1	RMS	2760	-45.63	-13	Pass	2001
3000	10000	1	RMS	7096	-57.06	-13	Pass	7001



19.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.47	-68.76	-13	Pass	2986
30	814	0.1	RMS	811	-39.79	-13	Pass	7841
814	859	0.1	RMS	829.7	7.21	60	Pass	451
859	1000	0.1	RMS	916.2	-60.07	-13	Pass	1411
1000	3000	1	RMS	2965	-45.47	-13	Pass	2001
3000	10000	1	RMS	7106	-56.98	-13	Pass	7001



19.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20501|20600, Bandwidth:10|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-72.57	-13	Pass	401
0.15	30	0.01	RMS	25.51	-68.7	-13	Pass	2986
30	814	0.1	RMS	814	-50.77	-13	Pass	7841
814	859	0.1	RMS	834.6	-0.86	60	Pass	451
859	1000	0.1	RMS	899.2	-60.04	-13	Pass	1411
1000	3000	1	RMS	2947	-45.46	-13	Pass	2001
3000	10000	1	RMS	7098	-56.82	-13	Pass	7001



19.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-13	Pass	2986
30	814	0.1	RMS	811	-40.34	-13	Pass	7841
814	859	0.1	RMS	829.7	7.06	60	Pass	451
859	1000	0.1	RMS	886.2	-60.12	-13	Pass	1411
1000	3000	1	RMS	2948	-45.5	-13	Pass	2001
3000	10000	1	RMS	7097	-57.04	-13	Pass	7001



19.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20501|20600, Bandwidth:10|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-13	Pass	401
0.15	30	0.01	RMS	1.19	-68.58	-13	Pass	2986
30	814	0.1	RMS	814	-51.71	-13	Pass	7841
814	859	0.1	RMS	838.2	-1.76	60	Pass	451
859	1000	0.1	RMS	911.6	-60.07	-13	Pass	1411
1000	3000	1	RMS	2763	-45.43	-13	Pass	2001
3000	10000	1	RMS	7112	-57.01	-13	Pass	7001




20. CA_41C_full

20.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.21	-25	Pass	401
0.15	30	0.01	RMS	13.68	-63.82	-25	Pass	2986
30	1000	0.1	RMS	894.93	-54.61	-25	Pass	9701
1000	2475	1	RMS	2475	-42.61	-25	Pass	1476
2475	2735	1	RMS	2519.2	10.33	60	Pass	401
2735	3000	1	RMS	2951.638	-41.44	-25	Pass	401
3000	12000	1	RMS	11462	-45.88	-25	Pass	9002
12000	27000	1	RMS	25105	-34.09	-25	Pass	15002



20.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-66.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-63.57	-25	Pass	2986
30	1000	0.1	RMS	898.032	-54.68	-25	Pass	9701
1000	2475	1	RMS	2461	-42.93	-25	Pass	1476
2475	2735	1	RMS	2517.25	11.46	60	Pass	401
2735	3000	1	RMS	2974.163	-41.39	-25	Pass	401
3000	12000	1	RMS	11850	-45.72	-25	Pass	9002
12000	27000	1	RMS	25097	-34.02	-25	Pass	15002



20.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-66.62	-25	Pass	401
0.15	30	0.01	RMS	27.31	-63.87	-25	Pass	2986
30	1000	0.1	RMS	850.501	-54.7	-25	Pass	9701
1000	2475	1	RMS	2474	-42.82	-25	Pass	1476
2475	2735	1	RMS	2519.85	10.08	60	Pass	401
2735	3000	1	RMS	2962.238	-41.44	-25	Pass	401
3000	12000	1	RMS	11855	-45.8	-25	Pass	9002
12000	27000	1	RMS	25804	-33.88	-25	Pass	15002



20.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.92	-25	Pass	401
0.15	30	0.01	RMS	15.97	-64.19	-25	Pass	2986
30	1000	0.1	RMS	908.539	-54.38	-25	Pass	9701
1000	2475	1	RMS	2182	-42.96	-25	Pass	1476
2475	2735	1	RMS	2517.25	10.42	60	Pass	401
2735	3000	1	RMS	2960.913	-41.32	-25	Pass	401
3000	12000	1	RMS	11850	-45.72	-25	Pass	9002
12000	27000	1	RMS	25105	-34.12	-25	Pass	15002



20.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.03	-25	Pass	401
0.15	30	0.01	RMS	0.27	-64.62	-25	Pass	2986
30	1000	0.1	RMS	878.92	-55.24	-25	Pass	9701
1000	2475	1	RMS	2472	-43.41	-25	Pass	1476
2475	2735	1	RMS	2580.95	9.57	60	Pass	401
2735	3000	1	RMS	2985.425	-41.8	-25	Pass	401
3000	12000	1	RMS	11849	-46.2	-25	Pass	9002
12000	27000	1	RMS	25094	-34.33	-25	Pass	15002



20.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.35	-25	Pass	401
0.15	30	0.01	RMS	0.46	-64.41	-25	Pass	2986
30	1000	0.1	RMS	906.838	-55.43	-25	Pass	9701
1000	2475	1	RMS	2470	-43.31	-25	Pass	1476
2475	2735	1	RMS	2602.4	11.51	60	Pass	401
2735	3000	1	RMS	2974.163	-41.76	-25	Pass	401
3000	12000	1	RMS	11861	-46.29	-25	Pass	9002
12000	27000	1	RMS	25101	-34.41	-25	Pass	15002



20.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.85	-25	Pass	401
0.15	30	0.01	RMS	27.59	-64.55	-25	Pass	2986
30	1000	0.1	RMS	899.133	-55.33	-25	Pass	9701
1000	2475	1	RMS	2458	-43.3	-25	Pass	1476
2475	2735	1	RMS	2580.95	9.27	60	Pass	401
2735	3000	1	RMS	2960.25	-41.79	-25	Pass	401
3000	12000	1	RMS	11854	-46.29	-25	Pass	9002
12000	27000	1	RMS	25099	-34.45	-25	Pass	15002



20.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.76	-25	Pass	401
0.15	30	0.01	RMS	29.67	-64.61	-25	Pass	2986
30	1000	0.1	RMS	899.433	-55.3	-25	Pass	9701
1000	2475	1	RMS	2472	-43.15	-25	Pass	1476
2475	2735	1	RMS	2601.75	9.97	60	Pass	401
2735	3000	1	RMS	2962.238	-41.71	-25	Pass	401
3000	12000	1	RMS	11848	-46.16	-25	Pass	9002
12000	27000	1	RMS	25097	-34.29	-25	Pass	15002



20.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.52	-25	Pass	401
0.15	30	0.01	RMS	11.3	-64.97	-25	Pass	2986
30	1000	0.1	RMS	901.535	-54.81	-25	Pass	9701
1000	2475	1	RMS	2466	-43.27	-25	Pass	1476
2475	2735	1	RMS	2666.1	10.16	60	Pass	401
2735	3000	1	RMS	2964.225	-41.69	-25	Pass	401
3000	12000	1	RMS	11851	-46.11	-25	Pass	9002
12000	27000	1	RMS	25093	-34.21	-25	Pass	15002



20.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.31	-25	Pass	401
0.15	30	0.01	RMS	10.27	-64.41	-25	Pass	2986
30	1000	0.1	RMS	876.318	-55.39	-25	Pass	9701
1000	2475	1	RMS	2464	-43.2	-25	Pass	1476
2475	2735	1	RMS	2685.6	10.92	60	Pass	401
2735	3000	1	RMS	2976.15	-41.74	-25	Pass	401
3000	12000	1	RMS	11472	-46.22	-25	Pass	9002
12000	27000	1	RMS	25796	-34.28	-25	Pass	15002



20.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.34	-25	Pass	401
0.15	30	0.01	RMS	0.36	-63.9	-25	Pass	2986
30	1000	0.1	RMS	864.91	-55.34	-25	Pass	9701
1000	2475	1	RMS	2456	-43.19	-25	Pass	1476
2475	2735	1	RMS	2666.1	10.29	60	Pass	401
2735	3000	1	RMS	2981.45	-41.73	-25	Pass	401
3000	12000	1	RMS	11847	-46.11	-25	Pass	9002
12000	27000	1	RMS	25100	-34.27	-25	Pass	15002



20.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.142	-68.26	-25	Pass	401
0.15	30	0.01	RMS	17.22	-64.72	-25	Pass	2986
30	1000	0.1	RMS	919.547	-55.1	-25	Pass	9701
1000	2475	1	RMS	2475	-43.11	-25	Pass	1476
2475	2735	1	RMS	2685.6	9.61	60	Pass	401
2735	3000	1	RMS	2960.913	-41.62	-25	Pass	401
3000	12000	1	RMS	11872	-46.21	-25	Pass	9002
12000	27000	1	RMS	25094	-34.39	-25	Pass	15002



20.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.95	-25	Pass	401
0.15	30	0.01	RMS	14.63	-64.14	-25	Pass	2986
30	1000	0.1	RMS	901.335	-55.08	-25	Pass	9701
1000	2475	1	RMS	2458	-43.29	-25	Pass	1476
2475	2735	1	RMS	2534.15	10.65	60	Pass	401
2735	3000	1	RMS	2961.575	-41.64	-25	Pass	401
3000	12000	1	RMS	11868	-46.18	-25	Pass	9002
12000	27000	1	RMS	25093	-34.32	-25	Pass	15002



20.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.15	-25	Pass	401
0.15	30	0.01	RMS	1.11	-64.51	-25	Pass	2986
30	1000	0.1	RMS	908.339	-55.13	-25	Pass	9701
1000	2475	1	RMS	2475	-42.64	-25	Pass	1476
2475	2735	1	RMS	2518.55	5.23	60	Pass	401
2735	3000	1	RMS	2964.225	-41.71	-25	Pass	401
3000	12000	1	RMS	11854	-46.14	-25	Pass	9002
12000	27000	1	RMS	25103	-34.28	-25	Pass	15002



20.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-67.66	-25	Pass	401
0.15	30	0.01	RMS	5.74	-64.62	-25	Pass	2986
30	1000	0.1	RMS	870.714	-55.29	-25	Pass	9701
1000	2475	1	RMS	2474	-43.32	-25	Pass	1476
2475	2735	1	RMS	2534.8	9.53	60	Pass	401
2735	3000	1	RMS	2958.263	-41.71	-25	Pass	401
3000	12000	1	RMS	11485	-46.21	-25	Pass	9002
12000	27000	1	RMS	25756	-34.37	-25	Pass	15002



20.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-67.81	-25	Pass	401
0.15	30	0.01	RMS	24.2	-64.68	-25	Pass	2986
30	1000	0.1	RMS	991.194	-55.16	-25	Pass	9701
1000	2475	1	RMS	2474	-43.12	-25	Pass	1476
2475	2735	1	RMS	2519.2	4.56	60	Pass	401
2735	3000	1	RMS	2956.938	-41.67	-25	Pass	401
3000	12000	1	RMS	11864	-46.27	-25	Pass	9002
12000	27000	1	RMS	25108	-34.45	-25	Pass	15002



20.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.92	-25	Pass	401
0.15	30	0.01	RMS	0.26	-64.65	-25	Pass	2986
30	1000	0.1	RMS	969.18	-55.22	-25	Pass	9701
1000	2475	1	RMS	2475	-43.4	-25	Pass	1476
2475	2735	1	RMS	2573.8	10.43	60	Pass	401
2735	3000	1	RMS	2978.8	-41.71	-25	Pass	401
3000	12000	1	RMS	11461	-46.27	-25	Pass	9002
12000	27000	1	RMS	25117	-34.41	-25	Pass	15002



20.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-67.83	-25	Pass	401
0.15	30	0.01	RMS	7.9	-64.51	-25	Pass	2986
30	1000	0.1	RMS	910.641	-55.22	-25	Pass	9701
1000	2475	1	RMS	2432	-43.43	-25	Pass	1476
2475	2735	1	RMS	2580.95	4.96	60	Pass	401
2735	3000	1	RMS	2960.25	-41.73	-25	Pass	401
3000	12000	1	RMS	11456	-46.16	-25	Pass	9002
12000	27000	1	RMS	25094	-34.46	-25	Pass	15002



20.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-67.45	-25	Pass	401
0.15	30	0.01	RMS	1.37	-64.93	-25	Pass	2986
30	1000	0.1	RMS	902.235	-55.38	-25	Pass	9701
1000	2475	1	RMS	2475	-43.25	-25	Pass	1476
2475	2735	1	RMS	2573.8	10.65	60	Pass	401
2735	3000	1	RMS	2971.513	-41.76	-25	Pass	401
3000	12000	1	RMS	11855	-46.25	-25	Pass	9002
12000	27000	1	RMS	25089	-34.25	-25	Pass	15002



20.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-67.97	-25	Pass	401
0.15	30	0.01	RMS	27.32	-64.32	-25	Pass	2986
30	1000	0.1	RMS	906.138	-55.42	-25	Pass	9701
1000	2475	1	RMS	2469	-43.27	-25	Pass	1476
2475	2735	1	RMS	2582.25	4.06	60	Pass	401
2735	3000	1	RMS	2960.913	-41.8	-25	Pass	401
3000	12000	1	RMS	11866	-46.17	-25	Pass	9002
12000	27000	1	RMS	25097	-34.37	-25	Pass	15002



20.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.3	-25	Pass	401
0.15	30	0.01	RMS	0.24	-64.39	-25	Pass	2986
30	1000	0.1	RMS	914.443	-55.34	-25	Pass	9701
1000	2475	1	RMS	2436	-43.28	-25	Pass	1476
2475	2735	1	RMS	2651.15	9.64	60	Pass	401
2735	3000	1	RMS	2969.525	-41.79	-25	Pass	401
3000	12000	1	RMS	11871	-46.18	-25	Pass	9002
12000	27000	1	RMS	25807	-34.35	-25	Pass	15002



20.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.83	-25	Pass	401
0.15	30	0.01	RMS	13.86	-64.97	-25	Pass	2986
30	1000	0.1	RMS	883.823	-55.28	-25	Pass	9701
1000	2475	1	RMS	2475	-43.37	-25	Pass	1476
2475	2735	1	RMS	2665.45	5.41	60	Pass	401
2735	3000	1	RMS	2964.888	-41.76	-25	Pass	401
3000	12000	1	RMS	11857	-46.11	-25	Pass	9002
12000	27000	1	RMS	26073	-34.43	-25	Pass	15002



20.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.76	-64.57	-25	Pass	2986
30	1000	0.1	RMS	822.2	-55.11	-25	Pass	9701
1000	2475	1	RMS	2471	-43.25	-25	Pass	1476
2475	2735	1	RMS	2651.15	9.76	60	Pass	401
2735	3000	1	RMS	2944.35	-41.82	-25	Pass	401
3000	12000	1	RMS	11858	-46.18	-25	Pass	9002
12000	27000	1	RMS	25088	-34.36	-25	Pass	15002



20.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.17	-64.72	-25	Pass	2986
30	1000	0.1	RMS	907.939	-55.17	-25	Pass	9701
1000	2475	1	RMS	2470	-43.22	-25	Pass	1476
2475	2735	1	RMS	2657.65	4.6	60	Pass	401
2735	3000	1	RMS	2956.275	-41.78	-25	Pass	401
3000	12000	1	RMS	11847	-46.23	-25	Pass	9002
12000	27000	1	RMS	25782	-34.43	-25	Pass	15002




21. CA_66C

21.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2986
30	1000	0.1	RMS	911.1	-62.19	-13	Pass	9701
1000	1670	1	RMS	1587	-51.28	-13	Pass	671
1670	1820	1	RMS	1733.75	12.03	60	Pass	401
1820	3000	1	RMS	2648	-46.78	-13	Pass	1181
3000	20000	1	RMS	19998	-50.78	-13	Pass	17001



21.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132189, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.65	-13	Pass	2986
30	1000	0.1	RMS	931.3	-62.07	-13	Pass	9701
1000	1670	1	RMS	1613	-51.22	-13	Pass	671
1670	1820	1	RMS	1730.375	12.14	60	Pass	401
1820	3000	1	RMS	2650	-46.7	-13	Pass	1181
3000	20000	1	RMS	20000	-50.8	-13	Pass	17001



21.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.92	-13	Pass	2986
30	1000	0.1	RMS	944.9	-62.17	-13	Pass	9701
1000	1670	1	RMS	1617	-51.29	-13	Pass	671
1670	1820	1	RMS	1733.75	11.84	60	Pass	401
1820	3000	1	RMS	2648	-46.77	-13	Pass	1181
3000	20000	1	RMS	19999	-50.63	-13	Pass	17001



21.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132189, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.18	-13	Pass	9701
1000	1670	1	RMS	1585	-51.26	-13	Pass	671
1670	1820	1	RMS	1730.375	11.14	60	Pass	401
1820	3000	1	RMS	2657	-46.7	-13	Pass	1181
3000	20000	1	RMS	20000	-50.7	-13	Pass	17001



21.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132397|132514, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	1000	0.1	RMS	909.2	-62.28	-13	Pass	9701
1000	1670	1	RMS	1592	-51.28	-13	Pass	671
1670	1820	1	RMS	1766.375	11.92	60	Pass	401
1820	3000	1	RMS	2656	-46.71	-13	Pass	1181
3000	20000	1	RMS	19999	-50.78	-13	Pass	17001



21.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132397|132514, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.35	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.3	-13	Pass	9701
1000	1670	1	RMS	1590	-51.23	-13	Pass	671
1670	1820	1	RMS	1763	11.73	60	Pass	401
1820	3000	1	RMS	2658	-46.76	-13	Pass	1181
3000	20000	1	RMS	19996	-50.78	-13	Pass	17001



21.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132397|132514, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.06	-13	Pass	2986
30	1000	0.1	RMS	938.3	-62.09	-13	Pass	9701
1000	1670	1	RMS	1598	-51.24	-13	Pass	671
1670	1820	1	RMS	1766.375	11.72	60	Pass	401
1820	3000	1	RMS	2658	-46.77	-13	Pass	1181
3000	20000	1	RMS	19998	-50.78	-13	Pass	17001



21.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132397|132514, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.98	-13	Pass	2986
30	1000	0.1	RMS	907.5	-62.18	-13	Pass	9701
1000	1670	1	RMS	1610	-51.24	-13	Pass	671
1670	1820	1	RMS	1763	10.74	60	Pass	401
1820	3000	1	RMS	2649	-46.71	-13	Pass	1181
3000	20000	1	RMS	19997	-50.8	-13	Pass	17001



21.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.02	-13	Pass	2986
30	1000	0.1	RMS	929.1	-62.19	-13	Pass	9701
1000	1670	1	RMS	1604	-51.28	-13	Pass	671
1670	1820	1	RMS	1756.25	11.54	60	Pass	401
1820	3000	1	RMS	2651	-46.74	-13	Pass	1181
3000	20000	1	RMS	19995	-50.74	-13	Pass	17001



21.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132522|132639, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.84	-13	Pass	2986
30	1000	0.1	RMS	896.5	-62.16	-13	Pass	9701
1000	1670	1	RMS	1585	-51.25	-13	Pass	671
1670	1820	1	RMS	1778	12.29	60	Pass	401
1820	3000	1	RMS	2653	-46.74	-13	Pass	1181
3000	20000	1	RMS	19999	-50.73	-13	Pass	17001



21.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.58	-13	Pass	2986
30	1000	0.1	RMS	924.5	-62.22	-13	Pass	9701
1000	1670	1	RMS	1586	-51.23	-13	Pass	671
1670	1820	1	RMS	1756.25	11.38	60	Pass	401
1820	3000	1	RMS	2650	-46.76	-13	Pass	1181
3000	20000	1	RMS	19999	-50.78	-13	Pass	17001



21.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132522|132639, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.05	-13	Pass	2986
30	1000	0.1	RMS	932.5	-62.09	-13	Pass	9701
1000	1670	1	RMS	1611	-51.24	-13	Pass	671
1670	1820	1	RMS	1778	11.4	60	Pass	401
1820	3000	1	RMS	2650	-46.74	-13	Pass	1181
3000	20000	1	RMS	20000	-50.7	-13	Pass	17001




21.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132072|132270,

Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.65	-13	Pass	2986
30	1000	0.1	RMS	941.8	-62.28	-13	Pass	9701
1000	1670	1	RMS	1589	-51.28	-13	Pass	671
1670	1820	1	RMS	1748.75	12.09	60	Pass	401
1820	3000	1	RMS	2654	-46.78	-13	Pass	1181
3000	20000	1	RMS	19997	-50.83	-13	Pass	17001




21.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132072|132270,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2986
30	1000	0.1	RMS	927	-62.09	-13	Pass	9701
1000	1670	1	RMS	1582	-51.21	-13	Pass	671
1670	1820	1	RMS	1725.5	7.39	60	Pass	401
1820	3000	1	RMS	2651	-46.74	-13	Pass	1181
3000	20000	1	RMS	19999	-50.8	-13	Pass	17001




21.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132072|132270,

Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.48	-13	Pass	2986
30	1000	0.1	RMS	904.1	-62.26	-13	Pass	9701
1000	1670	1	RMS	1591	-51.3	-13	Pass	671
1670	1820	1	RMS	1748.75	11.9	60	Pass	401
1820	3000	1	RMS	2658	-46.77	-13	Pass	1181
3000	20000	1	RMS	19996	-50.81	-13	Pass	17001




21.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132072|132270,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.52	-13	Pass	2986
30	1000	0.1	RMS	930.8	-62.15	-13	Pass	9701
1000	1670	1	RMS	1632	-51.22	-13	Pass	671
1670	1820	1	RMS	1725.125	6.43	60	Pass	401
1820	3000	1	RMS	2654	-46.7	-13	Pass	1181
3000	20000	1	RMS	19999	-50.72	-13	Pass	17001




21.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132323|132521,

Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.16	-13	Pass	2986
30	1000	0.1	RMS	888	-62.15	-13	Pass	9701
1000	1670	1	RMS	1602	-51.3	-13	Pass	671
1670	1820	1	RMS	1773.875	11.27	60	Pass	401
1820	3000	1	RMS	2646	-46.76	-13	Pass	1181
3000	20000	1	RMS	19999	-50.82	-13	Pass	17001




21.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132323|132521,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.56	-13	Pass	2986
30	1000	0.1	RMS	932.3	-62.11	-13	Pass	9701
1000	1670	1	RMS	1585	-51.27	-13	Pass	671
1670	1820	1	RMS	1757.375	7.52	60	Pass	401
1820	3000	1	RMS	2651	-46.72	-13	Pass	1181
3000	20000	1	RMS	20000	-50.84	-13	Pass	17001




21.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132323|132521,

Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.54	-13	Pass	2986
30	1000	0.1	RMS	924.9	-62.06	-13	Pass	9701
1000	1670	1	RMS	1590	-51.27	-13	Pass	671
1670	1820	1	RMS	1736	11.31	60	Pass	401
1820	3000	1	RMS	2656	-46.76	-13	Pass	1181
3000	20000	1	RMS	19995	-50.83	-13	Pass	17001




21.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132323|132521,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.56	-13	Pass	2986
30	1000	0.1	RMS	920.5	-62.07	-13	Pass	9701
1000	1670	1	RMS	1590	-51.26	-13	Pass	671
1670	1820	1	RMS	1757.375	6.5	60	Pass	401
1820	3000	1	RMS	2652	-46.72	-13	Pass	1181
3000	20000	1	RMS	19998	-50.83	-13	Pass	17001




21.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132374|132572,

Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	1000	0.1	RMS	927.6	-62.26	-13	Pass	9701
1000	1670	1	RMS	1589	-51.27	-13	Pass	671
1670	1820	1	RMS	1778.75	12.11	60	Pass	401
1820	3000	1	RMS	2651	-46.76	-13	Pass	1181
3000	20000	1	RMS	20000	-50.75	-13	Pass	17001




21.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132374|132572,

Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.32	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.08	-13	Pass	9701
1000	1670	1	RMS	1610	-51.24	-13	Pass	671
1670	1820	1	RMS	1756.625	7.44	60	Pass	401
1820	3000	1	RMS	2659	-46.76	-13	Pass	1181
3000	20000	1	RMS	19998	-50.76	-13	Pass	17001




21.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132374|132572,

Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.01	-13	Pass	2986
30	1000	0.1	RMS	932.5	-62.22	-13	Pass	9701
1000	1670	1	RMS	1613	-51.29	-13	Pass	671
1670	1820	1	RMS	1778.75	12.22	60	Pass	401
1820	3000	1	RMS	2657	-46.7	-13	Pass	1181
3000	20000	1	RMS	19996	-50.76	-13	Pass	17001




21.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132374|132572,

Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.23	-13	Pass	2986
30	1000	0.1	RMS	954.6	-62.03	-13	Pass	9701
1000	1670	1	RMS	1594	-51.26	-13	Pass	671
1670	1820	1	RMS	1757.375	6.46	60	Pass	401
1820	3000	1	RMS	2652	-46.75	-13	Pass	1181
3000	20000	1	RMS	20000	-50.79	-13	Pass	17001




22. CA_66B

22.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131997|132045, Bandwidth:5|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.46	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.11	-13	Pass	9701
1000	1670	1	RMS	1617	-51.26	-13	Pass	671
1670	1820	1	RMS	1719.5	12.84	60	Pass	401
1820	3000	1	RMS	2649	-46.76	-13	Pass	1181
3000	20000	1	RMS	20000	-50.81	-13	Pass	17001



22.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131997|132045, Bandwidth:5|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.73	-13	Pass	2986
30	1000	0.1	RMS	891.8	-62.17	-13	Pass	9701
1000	1670	1	RMS	1610	-51.18	-13	Pass	671
1670	1820	1	RMS	1718.375	12.38	60	Pass	401
1820	3000	1	RMS	2652	-46.66	-13	Pass	1181
3000	20000	1	RMS	19993	-50.78	-13	Pass	17001



22.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:131997|132045, Bandwidth:5|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.82	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.12	-13	Pass	9701
1000	1670	1	RMS	1603	-51.28	-13	Pass	671
1670	1820	1	RMS	1719.5	12.63	60	Pass	401
1820	3000	1	RMS	2651	-46.7	-13	Pass	1181
3000	20000	1	RMS	19997	-50.71	-13	Pass	17001



22.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:131997|132045, Bandwidth:5|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.12	-13	Pass	2986
30	1000	0.1	RMS	901	-62.11	-13	Pass	9701
1000	1670	1	RMS	1613	-51.22	-13	Pass	671
1670	1820	1	RMS	1718.375	11.56	60	Pass	401
1820	3000	1	RMS	2650	-46.68	-13	Pass	1181
3000	20000	1	RMS	20000	-50.73	-13	Pass	17001



22.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132398|132446, Bandwidth:5|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.39	-13	Pass	2986
30	1000	0.1	RMS	924.8	-62.14	-13	Pass	9701
1000	1670	1	RMS	1608	-51.24	-13	Pass	671
1670	1820	1	RMS	1759.625	12.56	60	Pass	401
1820	3000	1	RMS	2650	-46.66	-13	Pass	1181
3000	20000	1	RMS	19995	-50.71	-13	Pass	17001



22.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132398|132446, Bandwidth:5|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.78	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.26	-13	Pass	9701
1000	1670	1	RMS	1621	-51.21	-13	Pass	671
1670	1820	1	RMS	1757.375	12.33	60	Pass	401
1820	3000	1	RMS	2654	-46.69	-13	Pass	1181
3000	20000	1	RMS	19999	-50.82	-13	Pass	17001



22.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132398|132446, Bandwidth:5|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.68	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.08	-13	Pass	9701
1000	1670	1	RMS	1605	-51.14	-13	Pass	671
1670	1820	1	RMS	1759.625	12.52	60	Pass	401
1820	3000	1	RMS	2648	-46.71	-13	Pass	1181
3000	20000	1	RMS	20000	-50.79	-13	Pass	17001



22.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132398|132446, Bandwidth:5|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.64	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.17	-13	Pass	9701
1000	1670	1	RMS	1613	-51.21	-13	Pass	671
1670	1820	1	RMS	1757.75	11.51	60	Pass	401
1820	3000	1	RMS	2649	-46.71	-13	Pass	1181
3000	20000	1	RMS	19997	-50.77	-13	Pass	17001



22.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132599|132647, Bandwidth:5|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.8	-13	Pass	2986
30	1000	0.1	RMS	893.6	-62.13	-13	Pass	9701
1000	1670	1	RMS	1613	-51.25	-13	Pass	671
1670	1820	1	RMS	1779.5	12.84	60	Pass	401
1820	3000	1	RMS	2649	-46.75	-13	Pass	1181
3000	20000	1	RMS	20000	-50.78	-13	Pass	17001



22.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132599|132647, Bandwidth:5|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.24	-13	Pass	2986
30	1000	0.1	RMS	916.7	-62.18	-13	Pass	9701
1000	1670	1	RMS	1599	-51.22	-13	Pass	671
1670	1820	1	RMS	1778.75	13.06	60	Pass	401
1820	3000	1	RMS	2654	-46.69	-13	Pass	1181
3000	20000	1	RMS	20000	-50.82	-13	Pass	17001



22.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132599|132647, Bandwidth:5|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.09	-13	Pass	2986
30	1000	0.1	RMS	893.6	-62.21	-13	Pass	9701
1000	1670	1	RMS	1590	-51.25	-13	Pass	671
1670	1820	1	RMS	1779.5	12.77	60	Pass	401
1820	3000	1	RMS	2658	-46.74	-13	Pass	1181
3000	20000	1	RMS	19998	-50.69	-13	Pass	17001



22.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132599|132647, Bandwidth:5|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.46	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.12	-13	Pass	9701
1000	1670	1	RMS	1607	-51.21	-13	Pass	671
1670	1820	1	RMS	1778.75	12.02	60	Pass	401
1820	3000	1	RMS	2649	-46.72	-13	Pass	1181
3000	20000	1	RMS	19999	-50.76	-13	Pass	17001



22.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132047|132140, Bandwidth:15|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2986
30	1000	0.1	RMS	885.3	-62.17	-13	Pass	9701
1000	1670	1	RMS	1594	-51.28	-13	Pass	671
1670	1820	1	RMS	1728.875	12.68	60	Pass	401
1820	3000	1	RMS	2652	-46.78	-13	Pass	1181
3000	20000	1	RMS	19999	-50.78	-13	Pass	17001



22.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132047|132140, Bandwidth:15|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.46	-13	Pass	2986
30	1000	0.1	RMS	951.2	-62.1	-13	Pass	9701
1000	1670	1	RMS	1607	-51.22	-13	Pass	671
1670	1820	1	RMS	1726.625	12.72	60	Pass	401
1820	3000	1	RMS	2650	-46.73	-13	Pass	1181
3000	20000	1	RMS	19999	-50.74	-13	Pass	17001



22.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132047|132140, Bandwidth:15|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2986
30	1000	0.1	RMS	914.5	-62.19	-13	Pass	9701
1000	1670	1	RMS	1579	-51.24	-13	Pass	671
1670	1820	1	RMS	1728.875	12.59	60	Pass	401
1820	3000	1	RMS	2650	-46.68	-13	Pass	1181
3000	20000	1	RMS	19997	-50.8	-13	Pass	17001



22.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132047|132140, Bandwidth:15|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.7	-13	Pass	2986
30	1000	0.1	RMS	921	-62.02	-13	Pass	9701
1000	1670	1	RMS	1613	-51.22	-13	Pass	671
1670	1820	1	RMS	1725.875	11.75	60	Pass	401
1820	3000	1	RMS	2653	-46.74	-13	Pass	1181
3000	20000	1	RMS	20000	-50.78	-13	Pass	17001



22.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132398|132491, Bandwidth:15|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.41	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.21	-13	Pass	9701
1000	1670	1	RMS	1585	-51.25	-13	Pass	671
1670	1820	1	RMS	1764.125	12.06	60	Pass	401
1820	3000	1	RMS	2650	-46.77	-13	Pass	1181
3000	20000	1	RMS	19998	-50.79	-13	Pass	17001



22.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132398|132491, Bandwidth:15|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.22	-13	Pass	2986
30	1000	0.1	RMS	903.8	-62.08	-13	Pass	9701
1000	1670	1	RMS	1609	-51.23	-13	Pass	671
1670	1820	1	RMS	1760.75	12.16	60	Pass	401
1820	3000	1	RMS	2658	-46.74	-13	Pass	1181
3000	20000	1	RMS	19997	-50.83	-13	Pass	17001



22.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132398|132491, Bandwidth:15|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.22	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.16	-13	Pass	9701
1000	1670	1	RMS	1589	-51.33	-13	Pass	671
1670	1820	1	RMS	1764.125	11.93	60	Pass	401
1820	3000	1	RMS	2646	-46.79	-13	Pass	1181
3000	20000	1	RMS	20000	-50.71	-13	Pass	17001



22.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132398|132491, Bandwidth:15|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.15	-13	Pass	2986
30	1000	0.1	RMS	929.3	-62.2	-13	Pass	9701
1000	1670	1	RMS	1609	-51.28	-13	Pass	671
1670	1820	1	RMS	1760.75	11.17	60	Pass	401
1820	3000	1	RMS	2655	-46.75	-13	Pass	1181
3000	20000	1	RMS	19997	-50.73	-13	Pass	17001



22.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:132549|132642, Bandwidth:15|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.74	-13	Pass	2986
30	1000	0.1	RMS	922.8	-62.21	-13	Pass	9701
1000	1670	1	RMS	1616	-51.28	-13	Pass	671
1670	1820	1	RMS	1761.125	11.42	60	Pass	401
1820	3000	1	RMS	2654	-46.83	-13	Pass	1181
3000	20000	1	RMS	19998	-50.67	-13	Pass	17001



22.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:132549|132642, Bandwidth:15|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.82	-13	Pass	2986
30	1000	0.1	RMS	918.8	-62.15	-13	Pass	9701
1000	1670	1	RMS	1611	-51.25	-13	Pass	671
1670	1820	1	RMS	1778.375	12.64	60	Pass	401
1820	3000	1	RMS	2648	-46.73	-13	Pass	1181
3000	20000	1	RMS	19996	-50.74	-13	Pass	17001



22.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132549|132642, Bandwidth:15|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.08	-13	Pass	2986
30	1000	0.1	RMS	924.1	-61.99	-13	Pass	9701
1000	1670	1	RMS	1599	-51.3	-13	Pass	671
1670	1820	1	RMS	1761.125	11.64	60	Pass	401
1820	3000	1	RMS	2646	-46.82	-13	Pass	1181
3000	20000	1	RMS	19997	-50.77	-13	Pass	17001



22.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132549|132642, Bandwidth:15|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.91	-13	Pass	2986
30	1000	0.1	RMS	940.8	-62.21	-13	Pass	9701
1000	1670	1	RMS	1594	-51.3	-13	Pass	671
1670	1820	1	RMS	1778.375	11.6	60	Pass	401
1820	3000	1	RMS	2656	-46.82	-13	Pass	1181
3000	20000	1	RMS	19994	-50.73	-13	Pass	17001



23. n2 15kHz


**23.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	939.7	-61.03	-13	Pass	9701
1000	1840	1	RMS	1840	-45.83	-13	Pass	841
1840	1920	1	RMS	1851.4	12.67	60	Pass	401
1920	3000	1	RMS	2693	-47.39	-13	Pass	1081
3000	6500	1	RMS	6219	-64.94	-13	Pass	3501
6500	20000	1	RMS	6507	-49.15	-13	Pass	13501




**23.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	916.3	-61.14	-13	Pass	9701
1000	1840	1	RMS	1840	-50.8	-13	Pass	841
1840	1920	1	RMS	1850.4	18.68	60	Pass	401
1920	3000	1	RMS	2696	-47.35	-13	Pass	1081
3000	6500	1	RMS	3701	-60.15	-13	Pass	3501
6500	20000	1	RMS	6510	-49.2	-13	Pass	13501




**23.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.4	-13	Pass	2986
30	1000	0.1	RMS	995.4	-61.06	-13	Pass	9701
1000	1840	1	RMS	1836	-50.73	-13	Pass	841
1840	1920	1	RMS	1854.6	18.65	60	Pass	401
1920	3000	1	RMS	2691	-47.37	-13	Pass	1081
3000	6500	1	RMS	3709	-60.51	-13	Pass	3501
6500	20000	1	RMS	6512	-49.23	-13	Pass	13501




**23.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.18	-13	Pass	2986
30	1000	0.1	RMS	967.9	-61.02	-13	Pass	9701
1000	1840	1	RMS	1839	-50.9	-13	Pass	841
1840	1920	1	RMS	1878.8	12.78	60	Pass	401
1920	3000	1	RMS	2688	-47.41	-13	Pass	1081
3000	6500	1	RMS	6220	-64.9	-13	Pass	3501
6500	20000	1	RMS	6511	-49.27	-13	Pass	13501




**23.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	1000	0.1	RMS	960.4	-60.99	-13	Pass	9701
1000	1840	1	RMS	1812	-50.88	-13	Pass	841
1840	1920	1	RMS	1877.8	18.8	60	Pass	401
1920	3000	1	RMS	2680	-47.41	-13	Pass	1081
3000	6500	1	RMS	3756	-63.07	-13	Pass	3501
6500	20000	1	RMS	6505	-49.18	-13	Pass	13501




**23.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.8	-13	Pass	2986
30	1000	0.1	RMS	998.5	-61.18	-13	Pass	9701
1000	1840	1	RMS	1807	-50.89	-13	Pass	841
1840	1920	1	RMS	1882.2	18.79	60	Pass	401
1920	3000	1	RMS	2686	-47.39	-13	Pass	1081
3000	6500	1	RMS	3764	-62.85	-13	Pass	3501
6500	20000	1	RMS	6507	-49.25	-13	Pass	13501




**23.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2986
30	1000	0.1	RMS	958.7	-61.13	-13	Pass	9701
1000	1840	1	RMS	1838	-50.88	-13	Pass	841
1840	1920	1	RMS	1906.6	12.65	60	Pass	401
1920	3000	1	RMS	1920	-46.93	-13	Pass	1081
3000	6500	1	RMS	3815	-63.76	-13	Pass	3501
6500	20000	1	RMS	6506	-49.27	-13	Pass	13501




**23.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-13	Pass	2986
30	1000	0.1	RMS	961.2	-61.04	-13	Pass	9701
1000	1840	1	RMS	1799	-50.9	-13	Pass	841
1840	1920	1	RMS	1905.4	18.57	60	Pass	401
1920	3000	1	RMS	2693	-47.39	-13	Pass	1081
3000	6500	1	RMS	3811	-62.47	-13	Pass	3501
6500	20000	1	RMS	6510	-49.2	-13	Pass	13501




**23.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	944.8	-61.06	-13	Pass	9701
1000	1840	1	RMS	1838	-50.88	-13	Pass	841
1840	1920	1	RMS	1909.6	18.61	60	Pass	401
1920	3000	1	RMS	2700	-47.4	-13	Pass	1081
3000	6500	1	RMS	3819	-57.02	-13	Pass	3501
6500	20000	1	RMS	6509	-49.29	-13	Pass	13501




**23.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-13	Pass	2986
30	1000	0.1	RMS	962.1	-61.1	-13	Pass	9701
1000	1840	1	RMS	1840	-36.97	-13	Pass	841
1840	1920	1	RMS	1856.8	7.68	60	Pass	401
1920	3000	1	RMS	2693	-47.38	-13	Pass	1081
3000	6500	1	RMS	6221	-64.85	-13	Pass	3501
6500	20000	1	RMS	6507	-49.21	-13	Pass	13501




**23.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-13	Pass	2986
30	1000	0.1	RMS	999.8	-61.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1920	1	RMS	1850.4	18.74	60	Pass	401
1920	3000	1	RMS	2671	-47.4	-13	Pass	1081
3000	6500	1	RMS	5551	-64.56	-13	Pass	3501
6500	20000	1	RMS	6506	-49.25	-13	Pass	13501




**23.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	1000	0.1	RMS	991.8	-61.11	-13	Pass	9701
1000	1840	1	RMS	1837	-49.24	-13	Pass	841
1840	1920	1	RMS	1864.4	18.61	60	Pass	401
1920	3000	1	RMS	2691	-47.38	-13	Pass	1081
3000	6500	1	RMS	5593	-64.78	-13	Pass	3501
6500	20000	1	RMS	6509	-49.23	-13	Pass	13501




**23.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	1000	0.1	RMS	998	-61.1	-13	Pass	9701
1000	1840	1	RMS	1840	-49.25	-13	Pass	841
1840	1920	1	RMS	1875.6	7.87	60	Pass	401
1920	3000	1	RMS	2694	-47.39	-13	Pass	1081
3000	6500	1	RMS	6221	-64.88	-13	Pass	3501
6500	20000	1	RMS	6505	-49.22	-13	Pass	13501




**23.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-13	Pass	2986
30	1000	0.1	RMS	934.4	-61.17	-13	Pass	9701
1000	1840	1	RMS	1804	-50.88	-13	Pass	841
1840	1920	1	RMS	1873	18.72	60	Pass	401
1920	3000	1	RMS	2664	-47.38	-13	Pass	1081
3000	6500	1	RMS	3746	-61.62	-13	Pass	3501
6500	20000	1	RMS	6507	-49.15	-13	Pass	13501




**23.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	1000	0.1	RMS	958.9	-61.09	-13	Pass	9701
1000	1840	1	RMS	1839	-50.91	-13	Pass	841
1840	1920	1	RMS	1887	18.82	60	Pass	401
1920	3000	1	RMS	2678	-47.38	-13	Pass	1081
3000	6500	1	RMS	3774	-63.02	-13	Pass	3501
6500	20000	1	RMS	6509	-49.1	-13	Pass	13501




**23.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	1000	0.1	RMS	961.8	-61.16	-13	Pass	9701
1000	1840	1	RMS	1839	-50.85	-13	Pass	841
1840	1920	1	RMS	1897.2	7.87	60	Pass	401
1920	3000	1	RMS	1920	-37.05	-13	Pass	1081
3000	6500	1	RMS	6220	-64.87	-13	Pass	3501
6500	20000	1	RMS	6512	-49.27	-13	Pass	13501




**23.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-13	Pass	2986
30	1000	0.1	RMS	947.7	-61.17	-13	Pass	9701
1000	1840	1	RMS	1809	-50.88	-13	Pass	841
1840	1920	1	RMS	1895.4	18.64	60	Pass	401
1920	3000	1	RMS	2697	-47.42	-13	Pass	1081
3000	6500	1	RMS	3791	-61.87	-13	Pass	3501
6500	20000	1	RMS	6506	-49.19	-13	Pass	13501




**23.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-13	Pass	2986
30	1000	0.1	RMS	902.5	-58.55	-13	Pass	9701
1000	1840	1	RMS	1839	-50.9	-13	Pass	841
1840	1920	1	RMS	1909.4	18.57	60	Pass	401
1920	3000	1	RMS	2672	-47.43	-13	Pass	1081
3000	6500	1	RMS	3819	-57.08	-13	Pass	3501
6500	20000	1	RMS	6505	-49.2	-13	Pass	13501




**23.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.51	-13	Pass	2986
30	1000	0.1	RMS	991.2	-61.07	-13	Pass	9701
1000	1840	1	RMS	1840	-36.37	-13	Pass	841
1840	1920	1	RMS	1868.2	6.46	60	Pass	401
1920	3000	1	RMS	2700	-47.44	-13	Pass	1081
3000	6500	1	RMS	6219	-64.88	-13	Pass	3501
6500	20000	1	RMS	6507	-49.17	-13	Pass	13501




**23.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.62	-13	Pass	2986
30	1000	0.1	RMS	948.3	-61.08	-13	Pass	9701
1000	1840	1	RMS	1840	-49.46	-13	Pass	841
1840	1920	1	RMS	1850.6	18.68	60	Pass	401
1920	3000	1	RMS	2693	-47.4	-13	Pass	1081
3000	6500	1	RMS	5178	-58.36	-13	Pass	3501
6500	20000	1	RMS	6507	-49.22	-13	Pass	13501




**23.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.11	-13	Pass	2986
30	1000	0.1	RMS	998	-61.17	-13	Pass	9701
1000	1840	1	RMS	1840	-44.99	-13	Pass	841
1840	1920	1	RMS	1869.4	18.77	60	Pass	401
1920	3000	1	RMS	2689	-47.38	-13	Pass	1081
3000	6500	1	RMS	5608	-64.41	-13	Pass	3501
6500	20000	1	RMS	6509	-49.28	-13	Pass	13501




**23.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	965	-61.11	-13	Pass	9701
1000	1840	1	RMS	1840	-46.43	-13	Pass	841
1840	1920	1	RMS	1877	6.62	60	Pass	401
1920	3000	1	RMS	2691	-47.38	-13	Pass	1081
3000	6500	1	RMS	6219	-64.86	-13	Pass	3501
6500	20000	1	RMS	6507	-49.25	-13	Pass	13501




**23.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-13	Pass	2986
30	1000	0.1	RMS	923.1	-61.07	-13	Pass	9701
1000	1840	1	RMS	1810	-50.82	-13	Pass	841
1840	1920	1	RMS	1870.6	18.68	60	Pass	401
1920	3000	1	RMS	2694	-47.4	-13	Pass	1081
3000	6500	1	RMS	3741	-64.15	-13	Pass	3501
6500	20000	1	RMS	6510	-49.32	-13	Pass	13501




**23.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	1000	0.1	RMS	986.5	-61.15	-13	Pass	9701
1000	1840	1	RMS	1839	-50.88	-13	Pass	841
1840	1920	1	RMS	1889.4	18.74	60	Pass	401
1920	3000	1	RMS	2678	-47.41	-13	Pass	1081
3000	6500	1	RMS	3779	-60.54	-13	Pass	3501
6500	20000	1	RMS	6510	-49.21	-13	Pass	13501




**23.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	918.6	-61.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.08	-13	Pass	841
1840	1920	1	RMS	1892	6.63	60	Pass	401
1920	3000	1	RMS	1920	-36.19	-13	Pass	1081
3000	6500	1	RMS	6219	-64.87	-13	Pass	3501
6500	20000	1	RMS	6510	-49.22	-13	Pass	13501




**23.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54	-13	Pass	2986
30	1000	0.1	RMS	989.7	-61.23	-13	Pass	9701
1000	1840	1	RMS	1808	-50.89	-13	Pass	841
1840	1920	1	RMS	1890.6	18.64	60	Pass	401
1920	3000	1	RMS	1920	-46.68	-13	Pass	1081
3000	6500	1	RMS	3781	-60.4	-13	Pass	3501
6500	20000	1	RMS	6510	-49.3	-13	Pass	13501



**23.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-13	Pass	2986
30	1000	0.1	RMS	948.3	-61.16	-13	Pass	9701
1000	1840	1	RMS	1799	-50.88	-13	Pass	841
1840	1920	1	RMS	1909.4	18.65	60	Pass	401
1920	3000	1	RMS	2692	-47.4	-13	Pass	1081
3000	6500	1	RMS	3819	-56.26	-13	Pass	3501
6500	20000	1	RMS	6507	-49.28	-13	Pass	13501



24. n5


**24.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.1	-13	Pass	2986
30	814	0.1	RMS	814	-56.49	-13	Pass	7841
814	859	0.1	RMS	825.6	3.39	60	Pass	451
859	1000	0.1	RMS	998.6	-62.32	-13	Pass	1411
1000	3000	1	RMS	2673	-46.84	-13	Pass	2001
3000	10000	1	RMS	9529	-62.58	-13	Pass	7001




**24.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.79	-13	Pass	2986
30	814	0.1	RMS	802.4	-61.45	-13	Pass	7841
814	859	0.1	RMS	824.3	16.47	60	Pass	451
859	1000	0.1	RMS	947.6	-62.44	-13	Pass	1411
1000	3000	1	RMS	2687	-46.85	-13	Pass	2001
3000	10000	1	RMS	9529	-62.51	-13	Pass	7001




**24.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	814	0.1	RMS	802.8	-61.42	-13	Pass	7841
814	859	0.1	RMS	828.6	15.94	60	Pass	451
859	1000	0.1	RMS	961.4	-62.44	-13	Pass	1411
1000	3000	1	RMS	2696	-46.86	-13	Pass	2001
3000	10000	1	RMS	9530	-62.69	-13	Pass	7001




**24.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.36	-13	Pass	7841
814	859	0.1	RMS	834.6	3.5	60	Pass	451
859	1000	0.1	RMS	964.7	-62.35	-13	Pass	1411
1000	3000	1	RMS	2694	-46.85	-13	Pass	2001
3000	10000	1	RMS	9529	-62.68	-13	Pass	7001




**24.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.55	-13	Pass	2986
30	814	0.1	RMS	800.3	-61.34	-13	Pass	7841
814	859	0.1	RMS	834.3	16.49	60	Pass	451
859	1000	0.1	RMS	941.6	-62.36	-13	Pass	1411
1000	3000	1	RMS	2695	-46.84	-13	Pass	2001
3000	10000	1	RMS	9530	-62.67	-13	Pass	7001




**24.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.58	-13	Pass	2986
30	814	0.1	RMS	793.1	-61.45	-13	Pass	7841
814	859	0.1	RMS	838.6	16.05	60	Pass	451
859	1000	0.1	RMS	951.8	-62.41	-13	Pass	1411
1000	3000	1	RMS	2697	-46.82	-13	Pass	2001
3000	10000	1	RMS	9528	-62.57	-13	Pass	7001




**24.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-13	Pass	2986
30	814	0.1	RMS	810.8	-61.37	-13	Pass	7841
814	859	0.1	RMS	844.4	3.76	60	Pass	451
859	1000	0.1	RMS	971.2	-62.37	-13	Pass	1411
1000	3000	1	RMS	2688	-46.83	-13	Pass	2001
3000	10000	1	RMS	9530	-62.63	-13	Pass	7001




**24.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-13	Pass	2986
30	814	0.1	RMS	811.6	-61.42	-13	Pass	7841
814	859	0.1	RMS	844.3	16.49	60	Pass	451
859	1000	0.1	RMS	954.5	-62.37	-13	Pass	1411
1000	3000	1	RMS	2650	-46.86	-13	Pass	2001
3000	10000	1	RMS	9527	-62.59	-13	Pass	7001




**24.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.14	-13	Pass	2986
30	814	0.1	RMS	802.1	-61.47	-13	Pass	7841
814	859	0.1	RMS	848.6	16.06	60	Pass	451
859	1000	0.1	RMS	985.9	-62.37	-13	Pass	1411
1000	3000	1	RMS	2684	-46.84	-13	Pass	2001
3000	10000	1	RMS	9529	-62.66	-13	Pass	7001




**24.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-13	Pass	2986
30	814	0.1	RMS	814	-46.87	-13	Pass	7841
814	859	0.1	RMS	831.2	-1.55	60	Pass	451
859	1000	0.1	RMS	994.4	-62.22	-13	Pass	1411
1000	3000	1	RMS	2696	-46.86	-13	Pass	2001
3000	10000	1	RMS	9525	-62.6	-13	Pass	7001




**24.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	814	0.1	RMS	813	-60.3	-13	Pass	7841
814	859	0.1	RMS	824.5	16.47	60	Pass	451
859	1000	0.1	RMS	957.4	-62.31	-13	Pass	1411
1000	3000	1	RMS	2691	-46.87	-13	Pass	2001
3000	10000	1	RMS	9530	-62.59	-13	Pass	7001




**24.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	814	0.1	RMS	810.5	-59.11	-13	Pass	7841
814	859	0.1	RMS	838.5	16.71	60	Pass	451
859	1000	0.1	RMS	955.7	-62.43	-13	Pass	1411
1000	3000	1	RMS	2677	-46.86	-13	Pass	2001
3000	10000	1	RMS	9530	-62.7	-13	Pass	7001




**24.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-13	Pass	2986
30	814	0.1	RMS	813.9	-51.17	-13	Pass	7841
814	859	0.1	RMS	835.8	-1.54	60	Pass	451
859	1000	0.1	RMS	983.4	-62.38	-13	Pass	1411
1000	3000	1	RMS	2680	-46.84	-13	Pass	2001
3000	10000	1	RMS	9530	-62.64	-13	Pass	7001




**24.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	814	0.1	RMS	813.9	-61	-13	Pass	7841
814	859	0.1	RMS	829.5	16.39	60	Pass	451
859	1000	0.1	RMS	994	-62.29	-13	Pass	1411
1000	3000	1	RMS	2694	-46.8	-13	Pass	2001
3000	10000	1	RMS	9526	-62.53	-13	Pass	7001




**24.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-13	Pass	2986
30	814	0.1	RMS	813.4	-61.2	-13	Pass	7841
814	859	0.1	RMS	843.5	16.74	60	Pass	451
859	1000	0.1	RMS	925.4	-62.42	-13	Pass	1411
1000	3000	1	RMS	2676	-46.82	-13	Pass	2001
3000	10000	1	RMS	9529	-62.58	-13	Pass	7001




**24.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.83	-13	Pass	2986
30	814	0.1	RMS	814	-55.42	-13	Pass	7841
814	859	0.1	RMS	835	-1.43	60	Pass	451
859	1000	0.1	RMS	920.8	-62.33	-13	Pass	1411
1000	3000	1	RMS	2695	-46.83	-13	Pass	2001
3000	10000	1	RMS	9526	-62.59	-13	Pass	7001




**24.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.35	-13	Pass	7841
814	859	0.1	RMS	834.5	16.49	60	Pass	451
859	1000	0.1	RMS	933.6	-62.44	-13	Pass	1411
1000	3000	1	RMS	2702	-46.86	-13	Pass	2001
3000	10000	1	RMS	9527	-62.6	-13	Pass	7001




**24.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.37	-13	Pass	7841
814	859	0.1	RMS	848.5	16.74	60	Pass	451
859	1000	0.1	RMS	943.2	-62.37	-13	Pass	1411
1000	3000	1	RMS	2678	-46.86	-13	Pass	2001
3000	10000	1	RMS	9525	-62.62	-13	Pass	7001




**24.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.79	-13	Pass	2986
30	814	0.1	RMS	814	-46.39	-13	Pass	7841
814	859	0.1	RMS	832.5	-2.77	60	Pass	451
859	1000	0.1	RMS	914	-62.44	-13	Pass	1411
1000	3000	1	RMS	2694	-46.86	-13	Pass	2001
3000	10000	1	RMS	9530	-62.64	-13	Pass	7001




**24.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.01	-13	Pass	7841
814	859	0.1	RMS	824.5	16.31	60	Pass	451
859	1000	0.1	RMS	968.5	-62.34	-13	Pass	1411
1000	3000	1	RMS	2695	-46.86	-13	Pass	2001
3000	10000	1	RMS	9527	-62.67	-13	Pass	7001




**24.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.4	-13	Pass	2986
30	814	0.1	RMS	814	-57.14	-13	Pass	7841
814	859	0.1	RMS	843.4	16.37	60	Pass	451
859	1000	0.1	RMS	941.9	-62.4	-13	Pass	1411
1000	3000	1	RMS	2692	-46.82	-13	Pass	2001
3000	10000	1	RMS	9525	-62.67	-13	Pass	7001




**24.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.96	-13	Pass	2986
30	814	0.1	RMS	813.3	-47.99	-13	Pass	7841
814	859	0.1	RMS	835.4	-2.66	60	Pass	451
859	1000	0.1	RMS	982.9	-62.4	-13	Pass	1411
1000	3000	1	RMS	2679	-46.85	-13	Pass	2001
3000	10000	1	RMS	9531	-62.57	-13	Pass	7001




**24.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.41	-13	Pass	7841
814	859	0.1	RMS	827	16.28	60	Pass	451
859	1000	0.1	RMS	994.7	-62.5	-13	Pass	1411
1000	3000	1	RMS	2699	-46.84	-13	Pass	2001
3000	10000	1	RMS	9530	-62.56	-13	Pass	7001




**24.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	814	0.1	RMS	813.7	-59.94	-13	Pass	7841
814	859	0.1	RMS	845.9	16.39	60	Pass	451
859	1000	0.1	RMS	973.3	-62.44	-13	Pass	1411
1000	3000	1	RMS	2698	-46.84	-13	Pass	2001
3000	10000	1	RMS	9529	-62.53	-13	Pass	7001




**24.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.45	-13	Pass	2986
30	814	0.1	RMS	813.9	-50.04	-13	Pass	7841
814	859	0.1	RMS	836.1	-2.58	60	Pass	451
859	1000	0.1	RMS	986.3	-62.36	-13	Pass	1411
1000	3000	1	RMS	2696	-46.85	-13	Pass	2001
3000	10000	1	RMS	9532	-62.63	-13	Pass	7001




**24.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.92	-13	Pass	7841
814	859	0.1	RMS	829.5	16.24	60	Pass	451
859	1000	0.1	RMS	998.4	-62.38	-13	Pass	1411
1000	3000	1	RMS	2702	-46.86	-13	Pass	2001
3000	10000	1	RMS	9530	-62.69	-13	Pass	7001



**24.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.85	-13	Pass	2986
30	814	0.1	RMS	810.7	-59.2	-13	Pass	7841
814	859	0.1	RMS	848.4	16.37	60	Pass	451
859	1000	0.1	RMS	999.6	-62.34	-13	Pass	1411
1000	3000	1	RMS	2697	-46.84	-13	Pass	2001
3000	10000	1	RMS	9529	-62.64	-13	Pass	7001



25. n25 15kHz


**25.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	962	-61	-13	Pass	9701
1000	1840	1	RMS	1840	-45.64	-13	Pass	841
1840	1925	1	RMS	1851.475	12.68	60	Pass	401
1925	3000	1	RMS	2675	-47.38	-13	Pass	1076
3000	6500	1	RMS	6219	-64.87	-13	Pass	3501
6500	20000	1	RMS	6505	-49.28	-13	Pass	13501




**25.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	951.9	-61.09	-13	Pass	9701
1000	1840	1	RMS	1840	-50.79	-13	Pass	841
1840	1925	1	RMS	1850.413	18.67	60	Pass	401
1925	3000	1	RMS	2699	-47.38	-13	Pass	1076
3000	6500	1	RMS	5551	-64.62	-13	Pass	3501
6500	20000	1	RMS	6508	-49.27	-13	Pass	13501




**25.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	938.3	-61.09	-13	Pass	9701
1000	1840	1	RMS	1837	-50.83	-13	Pass	841
1840	1925	1	RMS	1854.663	18.71	60	Pass	401
1925	3000	1	RMS	2694	-47.37	-13	Pass	1076
3000	6500	1	RMS	5564	-64.3	-13	Pass	3501
6500	20000	1	RMS	6510	-49.31	-13	Pass	13501




**25.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-13	Pass	2986
30	1000	0.1	RMS	962	-61.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.89	-13	Pass	841
1840	1925	1	RMS	1881.438	12.77	60	Pass	401
1925	3000	1	RMS	2674	-47.41	-13	Pass	1076
3000	6500	1	RMS	6222	-64.87	-13	Pass	3501
6500	20000	1	RMS	6510	-49.25	-13	Pass	13501




**25.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.68	-13	Pass	2986
30	1000	0.1	RMS	959.4	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.88	-13	Pass	841
1840	1925	1	RMS	1880.375	18.73	60	Pass	401
1925	3000	1	RMS	2691	-47.45	-13	Pass	1076
3000	6500	1	RMS	3761	-62.72	-13	Pass	3501
6500	20000	1	RMS	6510	-49.16	-13	Pass	13501




**25.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	935	-61.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.91	-13	Pass	841
1840	1925	1	RMS	1884.625	18.79	60	Pass	401
1925	3000	1	RMS	2693	-47.38	-13	Pass	1076
3000	6500	1	RMS	3769	-61.74	-13	Pass	3501
6500	20000	1	RMS	6509	-49.25	-13	Pass	13501




**25.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2986
30	1000	0.1	RMS	945.1	-61.05	-13	Pass	9701
1000	1840	1	RMS	1801	-50.89	-13	Pass	841
1840	1925	1	RMS	1911.4	12.95	60	Pass	401
1925	3000	1	RMS	2695	-47.39	-13	Pass	1076
3000	6500	1	RMS	3824	-61.76	-13	Pass	3501
6500	20000	1	RMS	6509	-49.24	-13	Pass	13501




**25.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.43	-13	Pass	2986
30	1000	0.1	RMS	925.2	-61.14	-13	Pass	9701
1000	1840	1	RMS	1838	-50.9	-13	Pass	841
1840	1925	1	RMS	1910.338	18.71	60	Pass	401
1925	3000	1	RMS	2686	-47.42	-13	Pass	1076
3000	6500	1	RMS	3821	-56.9	-13	Pass	3501
6500	20000	1	RMS	6509	-49.23	-13	Pass	13501




**25.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-13	Pass	2986
30	1000	0.1	RMS	944.2	-61.09	-13	Pass	9701
1000	1840	1	RMS	1836	-50.88	-13	Pass	841
1840	1925	1	RMS	1914.588	18.78	60	Pass	401
1925	3000	1	RMS	2696	-47.44	-13	Pass	1076
3000	6500	1	RMS	5744	-59.11	-13	Pass	3501
6500	20000	1	RMS	6508	-49.22	-13	Pass	13501




**25.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	957.7	-61.07	-13	Pass	9701
1000	1840	1	RMS	1840	-36.59	-13	Pass	841
1840	1925	1	RMS	1860.188	7.72	60	Pass	401
1925	3000	1	RMS	2694	-47.4	-13	Pass	1076
3000	6500	1	RMS	6220	-64.83	-13	Pass	3501
6500	20000	1	RMS	6511	-49.2	-13	Pass	13501




**25.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	938.8	-61.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.17	-13	Pass	841
1840	1925	1	RMS	1850.413	18.72	60	Pass	401
1925	3000	1	RMS	2694	-47.37	-13	Pass	1076
3000	6500	1	RMS	6219	-64.82	-13	Pass	3501
6500	20000	1	RMS	6510	-49.28	-13	Pass	13501




**25.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	1000	0.1	RMS	929	-61.09	-13	Pass	9701
1000	1840	1	RMS	1836	-49.26	-13	Pass	841
1840	1925	1	RMS	1864.438	18.68	60	Pass	401
1925	3000	1	RMS	2690	-47.41	-13	Pass	1076
3000	6500	1	RMS	3729	-64.27	-13	Pass	3501
6500	20000	1	RMS	6509	-49.07	-13	Pass	13501




**25.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.42	-13	Pass	2986
30	1000	0.1	RMS	959.6	-61.08	-13	Pass	9701
1000	1840	1	RMS	1840	-49.64	-13	Pass	841
1840	1925	1	RMS	1878.25	7.85	60	Pass	401
1925	3000	1	RMS	2681	-47.43	-13	Pass	1076
3000	6500	1	RMS	6220	-64.9	-13	Pass	3501
6500	20000	1	RMS	6505	-49.25	-13	Pass	13501




**25.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.3	-13	Pass	2986
30	1000	0.1	RMS	955.7	-61.11	-13	Pass	9701
1000	1840	1	RMS	1800	-50.9	-13	Pass	841
1840	1925	1	RMS	1875.488	18.72	60	Pass	401
1925	3000	1	RMS	2694	-47.45	-13	Pass	1076
3000	6500	1	RMS	6215	-64.87	-13	Pass	3501
6500	20000	1	RMS	6510	-49.06	-13	Pass	13501




**25.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	911.8	-61.12	-13	Pass	9701
1000	1840	1	RMS	1802	-50.91	-13	Pass	841
1840	1925	1	RMS	1889.513	18.67	60	Pass	401
1925	3000	1	RMS	2672	-47.42	-13	Pass	1076
3000	6500	1	RMS	6219	-64.85	-13	Pass	3501
6500	20000	1	RMS	6509	-49.19	-13	Pass	13501




**25.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	964.2	-61.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.81	-13	Pass	841
1840	1925	1	RMS	1901.838	8.02	60	Pass	401
1925	3000	1	RMS	2690	-47.45	-13	Pass	1076
3000	6500	1	RMS	6221	-64.78	-13	Pass	3501
6500	20000	1	RMS	6507	-49.25	-13	Pass	13501




**25.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	990.2	-62.21	-13	Pass	9701
1000	1840	1	RMS	1839	-50.82	-13	Pass	841
1840	1925	1	RMS	1901.625	8.06	60	Pass	401
1925	3000	1	RMS	2672	-47.39	-13	Pass	1076
3000	6500	1	RMS	6219	-64.83	-13	Pass	3501
6500	20000	1	RMS	6508	-49.23	-13	Pass	13501




**25.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	Pass	2986
30	1000	0.1	RMS	917.2	-62.02	-13	Pass	9701
1000	1840	1	RMS	1809	-50.83	-13	Pass	841
1840	1925	1	RMS	1914.588	18.75	60	Pass	401
1925	3000	1	RMS	2699	-47.43	-13	Pass	1076
3000	6500	1	RMS	5744	-60.33	-13	Pass	3501
6500	20000	1	RMS	6505	-49.16	-13	Pass	13501




**25.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	1000	0.1	RMS	965.3	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-35.91	-13	Pass	841
1840	1925	1	RMS	1868.475	6.7	60	Pass	401
1925	3000	1	RMS	2695	-47.38	-13	Pass	1076
3000	6500	1	RMS	6221	-64.86	-13	Pass	3501
6500	20000	1	RMS	6510	-49.1	-13	Pass	13501




**25.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-13	Pass	2986
30	1000	0.1	RMS	973.7	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-49.44	-13	Pass	841
1840	1925	1	RMS	1850.625	18.64	60	Pass	401
1925	3000	1	RMS	2647	-47.41	-13	Pass	1076
3000	6500	1	RMS	3701	-58.81	-13	Pass	3501
6500	20000	1	RMS	6508	-49.23	-13	Pass	13501




**25.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	958.3	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-45.22	-13	Pass	841
1840	1925	1	RMS	1869.538	18.65	60	Pass	401
1925	3000	1	RMS	2692	-47.4	-13	Pass	1076
3000	6500	1	RMS	3739	-63.3	-13	Pass	3501
6500	20000	1	RMS	6510	-49.17	-13	Pass	13501




**25.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	1000	0.1	RMS	928.4	-61.75	-13	Pass	9701
1000	1840	1	RMS	1840	-47.16	-13	Pass	841
1840	1925	1	RMS	1875.7	6.53	60	Pass	401
1925	3000	1	RMS	2681	-47.42	-13	Pass	1076
3000	6500	1	RMS	6220	-64.9	-13	Pass	3501
6500	20000	1	RMS	6512	-49.34	-13	Pass	13501




**25.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.77	-13	Pass	2986
30	1000	0.1	RMS	986.9	-62.13	-13	Pass	9701
1000	1840	1	RMS	1810	-50.87	-13	Pass	841
1840	1925	1	RMS	1872.938	18.63	60	Pass	401
1925	3000	1	RMS	2696	-47.4	-13	Pass	1076
3000	6500	1	RMS	3746	-61.89	-13	Pass	3501
6500	20000	1	RMS	6507	-49.24	-13	Pass	13501




**25.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.27	-13	Pass	2986
30	1000	0.1	RMS	963.9	-62.07	-13	Pass	9701
1000	1840	1	RMS	1836	-50.9	-13	Pass	841
1840	1925	1	RMS	1891.85	18.59	60	Pass	401
1925	3000	1	RMS	2690	-47.42	-13	Pass	1076
3000	6500	1	RMS	5676	-63.83	-13	Pass	3501
6500	20000	1	RMS	6506	-49.33	-13	Pass	13501




**25.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:381000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-13	Pass	2986
30	1000	0.1	RMS	916.8	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1925	1	RMS	1897.375	6.74	60	Pass	401
1925	3000	1	RMS	2693	-47.38	-13	Pass	1076
3000	6500	1	RMS	6220	-64.89	-13	Pass	3501
6500	20000	1	RMS	6510	-49.1	-13	Pass	13501




**25.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:381000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-13	Pass	2986
30	1000	0.1	RMS	943.1	-62.16	-13	Pass	9701
1000	1840	1	RMS	1815	-50.89	-13	Pass	841
1840	1925	1	RMS	1895.463	18.59	60	Pass	401
1925	3000	1	RMS	2669	-47.36	-13	Pass	1076
3000	6500	1	RMS	3791	-59.79	-13	Pass	3501
6500	20000	1	RMS	6510	-49.27	-13	Pass	13501



**25.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-13	Pass	2986
30	1000	0.1	RMS	965.8	-62.1	-13	Pass	9701
1000	1840	1	RMS	1839	-50.41	-13	Pass	841
1840	1925	1	RMS	1914.375	18.78	60	Pass	401
1925	3000	1	RMS	2666	-47.4	-13	Pass	1076
3000	6500	1	RMS	5743	-59.43	-13	Pass	3501
6500	20000	1	RMS	6512	-49.33	-13	Pass	13501



26. n66 15kHz


**26.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	982	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-46.08	-13	Pass	701
1700	1790	1	RMS	1713.5	12.98	60	Pass	401
1790	3000	1	RMS	2680	-47.39	-13	Pass	1211
3000	6500	1	RMS	3425	-63.12	-13	Pass	3501
6500	20000	1	RMS	6510	-49.3	-13	Pass	13501




**26.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.73	-13	Pass	2986
30	1000	0.1	RMS	901	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1790	1	RMS	1710.35	18.93	60	Pass	401
1790	3000	1	RMS	2693	-47.4	-13	Pass	1211
3000	6500	1	RMS	3421	-59.37	-13	Pass	3501
6500	20000	1	RMS	6505	-49.3	-13	Pass	13501




**26.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.36	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.07	-13	Pass	9701
1000	1700	1	RMS	1696	-51.17	-13	Pass	701
1700	1790	1	RMS	1714.625	18.92	60	Pass	401
1790	3000	1	RMS	2684	-47.4	-13	Pass	1211
3000	6500	1	RMS	3429	-59.12	-13	Pass	3501
6500	20000	1	RMS	6508	-49.26	-13	Pass	13501




**26.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	914.9	-62.06	-13	Pass	9701
1000	1700	1	RMS	1660	-51.28	-13	Pass	701
1700	1790	1	RMS	1746.125	12.85	60	Pass	401
1790	3000	1	RMS	2678	-47.43	-13	Pass	1211
3000	6500	1	RMS	3490	-63.03	-13	Pass	3501
6500	20000	1	RMS	6510	-49.28	-13	Pass	13501




**26.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.29	-13	Pass	2986
30	1000	0.1	RMS	948.2	-62.16	-13	Pass	9701
1000	1700	1	RMS	1698	-51.26	-13	Pass	701
1700	1790	1	RMS	1742.75	18.9	60	Pass	401
1790	3000	1	RMS	2695	-47.37	-13	Pass	1211
3000	6500	1	RMS	3486	-58.91	-13	Pass	3501
6500	20000	1	RMS	6508	-49.23	-13	Pass	13501




**26.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-13	Pass	2986
30	1000	0.1	RMS	984.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.25	-13	Pass	701
1700	1790	1	RMS	1747.25	18.8	60	Pass	401
1790	3000	1	RMS	2684	-47.37	-13	Pass	1211
3000	6500	1	RMS	3494	-58.45	-13	Pass	3501
6500	20000	1	RMS	6509	-49.13	-13	Pass	13501




**26.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2986
30	1000	0.1	RMS	998.2	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-51.26	-13	Pass	701
1700	1790	1	RMS	1776.275	13.23	60	Pass	401
1790	3000	1	RMS	1790	-45.29	-13	Pass	1211
3000	6500	1	RMS	3555	-61.34	-13	Pass	3501
6500	20000	1	RMS	6507	-49.26	-13	Pass	13501




**26.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	928.1	-62.17	-13	Pass	9701
1000	1700	1	RMS	1645	-51.29	-13	Pass	701
1700	1790	1	RMS	1775.375	19.16	60	Pass	401
1790	3000	1	RMS	2685	-47.42	-13	Pass	1211
3000	6500	1	RMS	3551	-57.17	-13	Pass	3501
6500	20000	1	RMS	6508	-49.21	-13	Pass	13501




**26.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.79	-13	Pass	2986
30	1000	0.1	RMS	917.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1641	-51.27	-13	Pass	701
1700	1790	1	RMS	1779.65	19.19	60	Pass	401
1790	3000	1	RMS	2666	-47.44	-13	Pass	1211
3000	6500	1	RMS	3559	-56.6	-13	Pass	3501
6500	20000	1	RMS	6506	-49.28	-13	Pass	13501




**26.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-13	Pass	2986
30	1000	0.1	RMS	959.7	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-36.49	-13	Pass	701
1700	1790	1	RMS	1722.275	6.78	60	Pass	401
1790	3000	1	RMS	2697	-47.43	-13	Pass	1211
3000	6500	1	RMS	6220	-64.92	-13	Pass	3501
6500	20000	1	RMS	6510	-49.25	-13	Pass	13501




**26.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	518.5	-61.56	-13	Pass	9701
1000	1700	1	RMS	1700	-49.77	-13	Pass	701
1700	1790	1	RMS	1710.575	19	60	Pass	401
1790	3000	1	RMS	2675	-47.38	-13	Pass	1211
3000	6500	1	RMS	3421	-57.7	-13	Pass	3501
6500	20000	1	RMS	6507	-49.19	-13	Pass	13501




**26.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.46	-13	Pass	2986
30	1000	0.1	RMS	983.9	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-45.45	-13	Pass	701
1700	1790	1	RMS	1729.475	18.93	60	Pass	401
1790	3000	1	RMS	2683	-47.39	-13	Pass	1211
3000	6500	1	RMS	3459	-57.31	-13	Pass	3501
6500	20000	1	RMS	6508	-49.2	-13	Pass	13501




**26.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	974.8	-60.95	-13	Pass	9701
1000	1700	1	RMS	1700	-48.65	-13	Pass	701
1700	1790	1	RMS	1752.2	7.23	60	Pass	401
1790	3000	1	RMS	2674	-47.23	-13	Pass	1211
3000	6500	1	RMS	6217	-64.83	-13	Pass	3501
6500	20000	1	RMS	6509	-49.16	-13	Pass	13501




**26.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.49	-13	Pass	2986
30	1000	0.1	RMS	966.5	-61.03	-13	Pass	9701
1000	1700	1	RMS	1698	-51.12	-13	Pass	701
1700	1790	1	RMS	1735.55	19.24	60	Pass	401
1790	3000	1	RMS	2682	-47.26	-13	Pass	1211
3000	6500	1	RMS	3471	-62	-13	Pass	3501
6500	20000	1	RMS	6506	-49.09	-13	Pass	13501




**26.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.77	-13	Pass	2986
30	1000	0.1	RMS	956.4	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1754.45	18.87	60	Pass	401
1790	3000	1	RMS	2696	-47.3	-13	Pass	1211
3000	6500	1	RMS	3509	-64.07	-13	Pass	3501
6500	20000	1	RMS	6506	-49.25	-13	Pass	13501




**26.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.51	-13	Pass	2986
30	1000	0.1	RMS	962.9	-60.91	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1790	1	RMS	1767.05	7.4	60	Pass	401
1790	3000	1	RMS	1790	-33.37	-13	Pass	1211
3000	6500	1	RMS	6220	-64.81	-13	Pass	3501
6500	20000	1	RMS	6509	-49.18	-13	Pass	13501




**26.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.2	-13	Pass	2986
30	1000	0.1	RMS	981.7	-60.96	-13	Pass	9701
1000	1700	1	RMS	1696	-51.18	-13	Pass	701
1700	1790	1	RMS	1760.525	19.4	60	Pass	401
1790	3000	1	RMS	1790	-44.82	-13	Pass	1211
3000	6500	1	RMS	3521	-58.4	-13	Pass	3501
6500	20000	1	RMS	6506	-49.22	-13	Pass	13501




**26.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-13	Pass	2986
30	1000	0.1	RMS	946.3	-60.97	-13	Pass	9701
1000	1700	1	RMS	1653	-51.22	-13	Pass	701
1700	1790	1	RMS	1779.425	19.57	60	Pass	401
1790	3000	1	RMS	2684	-47.26	-13	Pass	1211
3000	6500	1	RMS	3559	-56.61	-13	Pass	3501
6500	20000	1	RMS	6512	-49.18	-13	Pass	13501




**26.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	974.6	-60.98	-13	Pass	9701
1000	1700	1	RMS	1699	-38	-13	Pass	701
1700	1790	1	RMS	1747.925	4.21	60	Pass	401
1790	3000	1	RMS	1790	-41.17	-13	Pass	1211
3000	6500	1	RMS	6221	-64.82	-13	Pass	3501
6500	20000	1	RMS	6511	-49.2	-13	Pass	13501




**26.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-13	Pass	2986
30	1000	0.1	RMS	965.9	-60.96	-13	Pass	9701
1000	1700	1	RMS	1699	-50.16	-13	Pass	701
1700	1790	1	RMS	1710.575	18.85	60	Pass	401
1790	3000	1	RMS	2676	-47.31	-13	Pass	1211
3000	6500	1	RMS	3421	-60.05	-13	Pass	3501
6500	20000	1	RMS	6508	-49.23	-13	Pass	13501




**26.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	Pass	2986
30	1000	0.1	RMS	925.8	-61.11	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1790	1	RMS	1749.5	18.97	60	Pass	401
1790	3000	1	RMS	2667	-47.28	-13	Pass	1211
3000	6500	1	RMS	3499	-60.03	-13	Pass	3501
6500	20000	1	RMS	6505	-49.23	-13	Pass	13501




**26.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	930.7	-61.13	-13	Pass	9701
1000	1700	1	RMS	1699	-42.61	-13	Pass	701
1700	1790	1	RMS	1754.675	4.24	60	Pass	401
1790	3000	1	RMS	1790	-37.07	-13	Pass	1211
3000	6500	1	RMS	6221	-64.82	-13	Pass	3501
6500	20000	1	RMS	6511	-49.18	-13	Pass	13501




**26.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.53	-13	Pass	2986
30	1000	0.1	RMS	926.3	-60.91	-13	Pass	9701
1000	1700	1	RMS	1699	-50.85	-13	Pass	701
1700	1790	1	RMS	1725.65	19.05	60	Pass	401
1790	3000	1	RMS	2697	-47.21	-13	Pass	1211
3000	6500	1	RMS	3451	-59.71	-13	Pass	3501
6500	20000	1	RMS	6511	-49.1	-13	Pass	13501




**26.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-13	Pass	2986
30	1000	0.1	RMS	961.5	-61.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.83	-13	Pass	701
1700	1790	1	RMS	1764.35	19.38	60	Pass	401
1790	3000	1	RMS	2691	-47.29	-13	Pass	1211
3000	6500	1	RMS	3529	-58.78	-13	Pass	3501
6500	20000	1	RMS	6507	-49.14	-13	Pass	13501




**26.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54	-13	Pass	2986
30	1000	0.1	RMS	953.2	-60.86	-13	Pass	9701
1000	1700	1	RMS	1700	-44.68	-13	Pass	701
1700	1790	1	RMS	1757.375	4.34	60	Pass	401
1790	3000	1	RMS	1791	-33.87	-13	Pass	1211
3000	6500	1	RMS	6220	-64.85	-13	Pass	3501
6500	20000	1	RMS	6507	-49.2	-13	Pass	13501




**26.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-13	Pass	2986
30	1000	0.1	RMS	942.9	-61.05	-13	Pass	9701
1000	1700	1	RMS	1699	-51.17	-13	Pass	701
1700	1790	1	RMS	1740.725	19.07	60	Pass	401
1790	3000	1	RMS	2669	-47.32	-13	Pass	1211
3000	6500	1	RMS	3481	-58.74	-13	Pass	3501
6500	20000	1	RMS	6507	-49.13	-13	Pass	13501



**26.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.86	-13	Pass	2986
30	1000	0.1	RMS	970.3	-61.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1790	1	RMS	1779.2	19.35	60	Pass	401
1790	3000	1	RMS	1799	-47.12	-13	Pass	1211
3000	6500	1	RMS	3559	-58.01	-13	Pass	3501
6500	20000	1	RMS	6510	-49.17	-13	Pass	13501



27. n71 15kHz


**27.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.98	-13	Pass	2986
30	653	0.1	RMS	638.9	-63.32	-13	Pass	6231
653	708	0.1	RMS	664.4	3.43	60	Pass	551
708	1000	0.1	RMS	970	-61.83	-13	Pass	2921
1000	3000	1	RMS	2673	-46.58	-13	Pass	2001
3000	10000	1	RMS	9529	-62.52	-13	Pass	7001




**27.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-13	Pass	2986
30	653	0.1	RMS	536.9	-63.28	-13	Pass	6231
653	708	0.1	RMS	663.3	16.56	60	Pass	551
708	1000	0.1	RMS	966.3	-61.86	-13	Pass	2921
1000	3000	1	RMS	2699	-46.58	-13	Pass	2001
3000	10000	1	RMS	9529	-62.48	-13	Pass	7001




**27.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	653	0.1	RMS	647.5	-63.31	-13	Pass	6231
653	708	0.1	RMS	667.7	16.15	60	Pass	551
708	1000	0.1	RMS	957.7	-61.94	-13	Pass	2921
1000	3000	1	RMS	2677	-46.55	-13	Pass	2001
3000	10000	1	RMS	9525	-62.47	-13	Pass	7001




**27.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2986
30	653	0.1	RMS	528.6	-63.28	-13	Pass	6231
653	708	0.1	RMS	678.6	3.69	60	Pass	551
708	1000	0.1	RMS	995.7	-61.83	-13	Pass	2921
1000	3000	1	RMS	2699	-46.56	-13	Pass	2001
3000	10000	1	RMS	9535	-62.49	-13	Pass	7001




**27.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.34	-13	Pass	2986
30	653	0.1	RMS	649.3	-63.26	-13	Pass	6231
653	708	0.1	RMS	678.3	16.65	60	Pass	551
708	1000	0.1	RMS	917.2	-61.93	-13	Pass	2921
1000	3000	1	RMS	2692	-46.56	-13	Pass	2001
3000	10000	1	RMS	9526	-62.56	-13	Pass	7001




**27.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	653	0.1	RMS	532.4	-63.19	-13	Pass	6231
653	708	0.1	RMS	682.7	16.2	60	Pass	551
708	1000	0.1	RMS	937.7	-61.95	-13	Pass	2921
1000	3000	1	RMS	2680	-46.57	-13	Pass	2001
3000	10000	1	RMS	9531	-62.42	-13	Pass	7001




**27.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.27	-13	Pass	2986
30	653	0.1	RMS	526.1	-63.26	-13	Pass	6231
653	708	0.1	RMS	693.6	3.76	60	Pass	551
708	1000	0.1	RMS	708	-59.24	-13	Pass	2921
1000	3000	1	RMS	2689	-46.56	-13	Pass	2001
3000	10000	1	RMS	9525	-62.54	-13	Pass	7001




**27.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-13	Pass	2986
30	653	0.1	RMS	539.3	-63.12	-13	Pass	6231
653	708	0.1	RMS	693.3	16.7	60	Pass	551
708	1000	0.1	RMS	996.1	-61.87	-13	Pass	2921
1000	3000	1	RMS	2694	-46.59	-13	Pass	2001
3000	10000	1	RMS	9528	-62.47	-13	Pass	7001




**27.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.07	-13	Pass	2986
30	653	0.1	RMS	526	-63.16	-13	Pass	6231
653	708	0.1	RMS	697.6	16.3	60	Pass	551
708	1000	0.1	RMS	941.9	-61.86	-13	Pass	2921
1000	3000	1	RMS	2690	-46.57	-13	Pass	2001
3000	10000	1	RMS	9533	-62.5	-13	Pass	7001




**27.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-13	Pass	2986
30	653	0.1	RMS	652.6	-63.04	-13	Pass	6231
653	708	0.1	RMS	672.3	-1.33	60	Pass	551
708	1000	0.1	RMS	709.5	-61.55	-13	Pass	2921
1000	3000	1	RMS	2685	-46.58	-13	Pass	2001
3000	10000	1	RMS	9534	-62.51	-13	Pass	7001




**27.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-13	Pass	2986
30	653	0.1	RMS	513.4	-63.34	-13	Pass	6231
653	708	0.1	RMS	663.5	16.58	60	Pass	551
708	1000	0.1	RMS	989.3	-61.81	-13	Pass	2921
1000	3000	1	RMS	2694	-46.58	-13	Pass	2001
3000	10000	1	RMS	9530	-62.5	-13	Pass	7001




**27.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2986
30	653	0.1	RMS	652.2	-63.27	-13	Pass	6231
653	708	0.1	RMS	677.5	17	60	Pass	551
708	1000	0.1	RMS	965.7	-61.97	-13	Pass	2921
1000	3000	1	RMS	2695	-46.61	-13	Pass	2001
3000	10000	1	RMS	9529	-62.56	-13	Pass	7001




**27.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.39	-13	Pass	2986
30	653	0.1	RMS	531	-63.29	-13	Pass	6231
653	708	0.1	RMS	675.1	-1.25	60	Pass	551
708	1000	0.1	RMS	708	-58.49	-13	Pass	2921
1000	3000	1	RMS	2690	-46.59	-13	Pass	2001
3000	10000	1	RMS	9526	-62.5	-13	Pass	7001




**27.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.44	-13	Pass	2986
30	653	0.1	RMS	524.6	-63.24	-13	Pass	6231
653	708	0.1	RMS	673.5	16.73	60	Pass	551
708	1000	0.1	RMS	967.6	-61.84	-13	Pass	2921
1000	3000	1	RMS	2700	-46.59	-13	Pass	2001
3000	10000	1	RMS	9527	-62.58	-13	Pass	7001




**27.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.82	-13	Pass	2986
30	653	0.1	RMS	522.6	-63.25	-13	Pass	6231
653	708	0.1	RMS	687.5	16.92	60	Pass	551
708	1000	0.1	RMS	919.6	-61.84	-13	Pass	2921
1000	3000	1	RMS	2695	-46.54	-13	Pass	2001
3000	10000	1	RMS	9530	-62.52	-13	Pass	7001




**27.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2986
30	653	0.1	RMS	537.1	-63.29	-13	Pass	6231
653	708	0.1	RMS	687.5	16.92	60	Pass	551
708	1000	0.1	RMS	921	-61.8	-13	Pass	2921
1000	3000	1	RMS	2683	-46.59	-13	Pass	2001
3000	10000	1	RMS	9529	-62.54	-13	Pass	7001




**27.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.96	-13	Pass	2986
30	653	0.1	RMS	533.3	-63.28	-13	Pass	6231
653	708	0.1	RMS	683.5	16.69	60	Pass	551
708	1000	0.1	RMS	711.5	-59.94	-13	Pass	2921
1000	3000	1	RMS	2683	-46.55	-13	Pass	2001
3000	10000	1	RMS	9524	-62.53	-13	Pass	7001




**27.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.01	-13	Pass	2986
30	653	0.1	RMS	537.9	-63.17	-13	Pass	6231
653	708	0.1	RMS	697.5	16.97	60	Pass	551
708	1000	0.1	RMS	708.5	-61.72	-13	Pass	2921
1000	3000	1	RMS	2688	-46.61	-13	Pass	2001
3000	10000	1	RMS	9532	-62.56	-13	Pass	7001




**27.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.19	-13	Pass	2986
30	653	0.1	RMS	652.9	-62.97	-13	Pass	6231
653	708	0.1	RMS	672.6	-2.53	60	Pass	551
708	1000	0.1	RMS	708.7	-57.27	-13	Pass	2921
1000	3000	1	RMS	2692	-46.55	-13	Pass	2001
3000	10000	1	RMS	9528	-62.57	-13	Pass	7001




**27.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.18	-13	Pass	2986
30	653	0.1	RMS	525.4	-63.13	-13	Pass	6231
653	708	0.1	RMS	663.5	16.38	60	Pass	551
708	1000	0.1	RMS	911.3	-61.93	-13	Pass	2921
1000	3000	1	RMS	2699	-46.58	-13	Pass	2001
3000	10000	1	RMS	9529	-62.45	-13	Pass	7001




**27.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.47	-13	Pass	2986
30	653	0.1	RMS	563.2	-63.3	-13	Pass	6231
653	708	0.1	RMS	682.4	16.53	60	Pass	551
708	1000	0.1	RMS	809.3	-61.95	-13	Pass	2921
1000	3000	1	RMS	2695	-46.59	-13	Pass	2001
3000	10000	1	RMS	9530	-62.47	-13	Pass	7001




**27.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.98	-13	Pass	2986
30	653	0.1	RMS	523.8	-63.27	-13	Pass	6231
653	708	0.1	RMS	689.7	-2.59	60	Pass	551
708	1000	0.1	RMS	708.1	-52.79	-13	Pass	2921
1000	3000	1	RMS	2698	-46.59	-13	Pass	2001
3000	10000	1	RMS	9528	-62.55	-13	Pass	7001




**27.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.15	-13	Pass	2986
30	653	0.1	RMS	521.4	-63.23	-13	Pass	6231
653	708	0.1	RMS	671	16.48	60	Pass	551
708	1000	0.1	RMS	708.8	-59.33	-13	Pass	2921
1000	3000	1	RMS	2677	-46.57	-13	Pass	2001
3000	10000	1	RMS	9527	-62.56	-13	Pass	7001




**27.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-13	Pass	2986
30	653	0.1	RMS	513.5	-63.3	-13	Pass	6231
653	708	0.1	RMS	689.9	16.54	60	Pass	551
708	1000	0.1	RMS	709.4	-59.59	-13	Pass	2921
1000	3000	1	RMS	2685	-46.57	-13	Pass	2001
3000	10000	1	RMS	9532	-62.59	-13	Pass	7001




**27.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.14	-13	Pass	2986
30	653	0.1	RMS	521.3	-63.26	-13	Pass	6231
653	708	0.1	RMS	689.7	-2.55	60	Pass	551
708	1000	0.1	RMS	708	-46.75	-13	Pass	2921
1000	3000	1	RMS	2689	-46.58	-13	Pass	2001
3000	10000	1	RMS	9527	-62.56	-13	Pass	7001




**27.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-13	Pass	2986
30	653	0.1	RMS	636.2	-63.18	-13	Pass	6231
653	708	0.1	RMS	678.5	16.41	60	Pass	551
708	1000	0.1	RMS	708	-60.38	-13	Pass	2921
1000	3000	1	RMS	2698	-46.6	-13	Pass	2001
3000	10000	1	RMS	9528	-62.54	-13	Pass	7001



**27.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.22	-13	Pass	2986
30	653	0.1	RMS	524.5	-63.1	-13	Pass	6231
653	708	0.1	RMS	697.4	16.51	60	Pass	551
708	1000	0.1	RMS	708.1	-61.54	-13	Pass	2921
1000	3000	1	RMS	2699	-46.59	-13	Pass	2001
3000	10000	1	RMS	9535	-62.46	-13	Pass	7001



28. n41


28.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-25	Pass	2986
30	1000	0.1	RMS	924.5	-61.75	-25	Pass	9701
1000	2486	1	RMS	2486	-34.59	-25	Pass	1487
2486	2700	1	RMS	2503.12	13.36	60	Pass	401
2700	3000	1	RMS	2703.75	-47.37	-25	Pass	401
3000	6500	1	RMS	5002	-60	-25	Pass	3501
6500	26500	1	RMS	26429	-44.43	-25	Pass	20001




**28.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.1	-25	Pass	2986
30	1000	0.1	RMS	966.5	-61.72	-25	Pass	9701
1000	2486	1	RMS	2486	-47.23	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.12	60	Pass	401
2700	3000	1	RMS	2700.75	-47.35	-25	Pass	401
3000	6500	1	RMS	4993	-52.89	-25	Pass	3501
6500	26500	1	RMS	26429	-44.36	-25	Pass	20001




**28.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.61	-25	Pass	2986
30	1000	0.1	RMS	952	-61.76	-25	Pass	9701
1000	2486	1	RMS	2486	-47.19	-25	Pass	1487
2486	2700	1	RMS	2505.795	21.23	60	Pass	401
2700	3000	1	RMS	2700	-47.36	-25	Pass	401
3000	6500	1	RMS	5011	-54.61	-25	Pass	3501
6500	26500	1	RMS	26431	-44.49	-25	Pass	20001




**28.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518601, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.55	-25	Pass	2986
30	1000	0.1	RMS	980.3	-61.81	-25	Pass	9701
1000	2486	1	RMS	2441	-48.08	-25	Pass	1487
2486	2700	1	RMS	2592.465	13.43	60	Pass	401
2700	3000	1	RMS	2700.75	-47.36	-25	Pass	401
3000	6500	1	RMS	5186	-61.19	-25	Pass	3501
6500	26500	1	RMS	26426	-44.44	-25	Pass	20001




**28.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518601, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-25	Pass	2986
30	1000	0.1	RMS	961.8	-61.8	-25	Pass	9701
1000	2486	1	RMS	2486	-48.05	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.38	60	Pass	401
2700	3000	1	RMS	2700.75	-47.38	-25	Pass	401
3000	6500	1	RMS	5177	-54.48	-25	Pass	3501
6500	26500	1	RMS	26430	-44.44	-25	Pass	20001




**28.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518601, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.98	-25	Pass	2986
30	1000	0.1	RMS	973	-61.77	-25	Pass	9701
1000	2486	1	RMS	2485	-48.1	-25	Pass	1487
2486	2700	1	RMS	2597.815	21.27	60	Pass	401
2700	3000	1	RMS	2700.75	-47.36	-25	Pass	401
3000	6500	1	RMS	5195	-54.09	-25	Pass	3501
6500	26500	1	RMS	26424	-44.5	-25	Pass	20001




**28.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-25	Pass	2986
30	1000	0.1	RMS	956.2	-61.79	-25	Pass	9701
1000	2486	1	RMS	2437	-48.09	-25	Pass	1487
2486	2700	1	RMS	2682.345	13.5	60	Pass	401
2700	3000	1	RMS	2700	-33.85	-25	Pass	401
3000	6500	1	RMS	5370	-61.08	-25	Pass	3501
6500	26500	1	RMS	26427	-44.39	-25	Pass	20001




**28.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.01	-25	Pass	2986
30	1000	0.1	RMS	985.3	-61.75	-25	Pass	9701
1000	2486	1	RMS	2486	-48.01	-25	Pass	1487
2486	2700	1	RMS	2680.205	21.44	60	Pass	401
2700	3000	1	RMS	2700	-46.46	-25	Pass	401
3000	6500	1	RMS	5361	-53.78	-25	Pass	3501
6500	26500	1	RMS	26426	-44.36	-25	Pass	20001




**28.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-25	Pass	2986
30	1000	0.1	RMS	963.9	-61.69	-25	Pass	9701
1000	2486	1	RMS	2484	-48.03	-25	Pass	1487
2486	2700	1	RMS	2689.835	21.19	60	Pass	401
2700	3000	1	RMS	2700	-46.6	-25	Pass	401
3000	6500	1	RMS	5379	-53.87	-25	Pass	3501
6500	26500	1	RMS	26429	-44.47	-25	Pass	20001




**28.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-25	Pass	2986
30	1000	0.1	RMS	947.6	-61.82	-25	Pass	9701
1000	2436	1	RMS	2418	-48.24	-25	Pass	1437
2436	2750	1	RMS	2506.65	5.6	60	Pass	401
2750	3000	1	RMS	2792.5	-47.59	-25	Pass	401
3000	6500	1	RMS	6220	-64.73	-25	Pass	3501
6500	26500	1	RMS	26422	-44.43	-25	Pass	20001




**28.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.8	-25	Pass	2986
30	1000	0.1	RMS	930.8	-61.62	-25	Pass	9701
1000	2436	1	RMS	2433	-48.27	-25	Pass	1437
2436	2750	1	RMS	2497.23	21.25	60	Pass	401
2750	3000	1	RMS	2789.375	-47.63	-25	Pass	401
3000	6500	1	RMS	4994	-53.17	-25	Pass	3501
6500	26500	1	RMS	26425	-44.43	-25	Pass	20001




**28.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-25	Pass	2986
30	1000	0.1	RMS	995.4	-61.69	-25	Pass	9701
1000	2436	1	RMS	2424	-48.24	-25	Pass	1437
2436	2750	1	RMS	2555.32	20.44	60	Pass	401
2750	3000	1	RMS	2789.375	-47.6	-25	Pass	401
3000	6500	1	RMS	5110	-55.25	-25	Pass	3501
6500	26500	1	RMS	26426	-44.41	-25	Pass	20001




**28.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.49	-25	Pass	2986
30	1000	0.1	RMS	949.6	-61.74	-25	Pass	9701
1000	2436	1	RMS	2421	-48.19	-25	Pass	1437
2436	2750	1	RMS	2586.72	5.77	60	Pass	401
2750	3000	1	RMS	2790	-47.55	-25	Pass	401
3000	6500	1	RMS	6219	-64.75	-25	Pass	3501
6500	26500	1	RMS	26428	-44.51	-25	Pass	20001




**28.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-25	Pass	2986
30	1000	0.1	RMS	962.6	-61.78	-25	Pass	9701
1000	2436	1	RMS	2436	-48.19	-25	Pass	1437
2436	2750	1	RMS	2563.955	21.49	60	Pass	401
2750	3000	1	RMS	2790	-47.61	-25	Pass	401
3000	6500	1	RMS	5128	-51.99	-25	Pass	3501
6500	26500	1	RMS	26429	-44.56	-25	Pass	20001




**28.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-25	Pass	2986
30	1000	0.1	RMS	962.2	-61.75	-25	Pass	9701
1000	2436	1	RMS	2434	-48.29	-25	Pass	1437
2436	2750	1	RMS	2622.045	21.37	60	Pass	401
2750	3000	1	RMS	2792.5	-47.7	-25	Pass	401
3000	6500	1	RMS	5244	-53.47	-25	Pass	3501
6500	26500	1	RMS	26429	-44.5	-25	Pass	20001




**28.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.16	-25	Pass	2986
30	1000	0.1	RMS	919	-61.76	-25	Pass	9701
1000	2436	1	RMS	2419	-48.2	-25	Pass	1437
2436	2750	1	RMS	2654.23	5.81	60	Pass	401
2750	3000	1	RMS	2791.25	-47.58	-25	Pass	401
3000	6500	1	RMS	6220	-64.71	-25	Pass	3501
6500	26500	1	RMS	26430	-44.51	-25	Pass	20001




**28.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-25	Pass	2986
30	1000	0.1	RMS	962.1	-61.68	-25	Pass	9701
1000	2436	1	RMS	2430	-48.21	-25	Pass	1437
2436	2750	1	RMS	2630.68	20.7	60	Pass	401
2750	3000	1	RMS	2789.375	-47.63	-25	Pass	401
3000	6500	1	RMS	5262	-54.03	-25	Pass	3501
6500	26500	1	RMS	26423	-44.53	-25	Pass	20001




**28.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-25	Pass	2986
30	1000	0.1	RMS	968.1	-61.69	-25	Pass	9701
1000	2436	1	RMS	2415	-48.23	-25	Pass	1437
2436	2750	1	RMS	2688.77	21.68	60	Pass	401
2750	3000	1	RMS	2790.625	-47.63	-25	Pass	401
3000	6500	1	RMS	5378	-53.93	-25	Pass	3501
6500	26500	1	RMS	26429	-44.49	-25	Pass	20001




**28.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.63	-25	Pass	2986
30	1000	0.1	RMS	948.7	-61.72	-25	Pass	9701
1000	2396	1	RMS	2393	-48.52	-25	Pass	1397
2396	2790	1	RMS	2688.545	20.44	60	Pass	401
2790	3000	1	RMS	2790	-47.64	-25	Pass	401
3000	6500	1	RMS	5378	-53.6	-25	Pass	3501
6500	26500	1	RMS	26429	-44.65	-25	Pass	20001




**28.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.3	-25	Pass	2986
30	1000	0.1	RMS	918.5	-61.79	-25	Pass	9701
1000	2396	1	RMS	2393	-48.42	-25	Pass	1397
2396	2790	1	RMS	2497.455	20.31	60	Pass	401
2790	3000	1	RMS	2793.15	-47.63	-25	Pass	401
3000	6500	1	RMS	4994	-48.14	-25	Pass	3501
6500	26500	1	RMS	26431	-44.44	-25	Pass	20001




**28.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.39	-25	Pass	2986
30	1000	0.1	RMS	961.2	-61.79	-25	Pass	9701
1000	2396	1	RMS	2396	-48.48	-25	Pass	1397
2396	2790	1	RMS	2594.97	21.65	60	Pass	401
2790	3000	1	RMS	2790.525	-47.62	-25	Pass	401
3000	6500	1	RMS	5190	-51.75	-25	Pass	3501
6500	26500	1	RMS	26429	-44.47	-25	Pass	20001




**28.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	Pass	2986
30	1000	0.1	RMS	960.3	-61.82	-25	Pass	9701
1000	2396	1	RMS	2394	-48.48	-25	Pass	1397
2396	2790	1	RMS	2586.105	3.38	60	Pass	401
2790	3000	1	RMS	2791.575	-47.63	-25	Pass	401
3000	6500	1	RMS	6218	-64.77	-25	Pass	3501
6500	26500	1	RMS	26428	-44.42	-25	Pass	20001




**28.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-25	Pass	2986
30	1000	0.1	RMS	939.3	-61.84	-25	Pass	9701
1000	2396	1	RMS	2395	-48.51	-25	Pass	1397
2396	2790	1	RMS	2543.75	20.79	60	Pass	401
2790	3000	1	RMS	2791.575	-47.63	-25	Pass	401
3000	6500	1	RMS	5088	-55.86	-25	Pass	3501
6500	26500	1	RMS	26430	-44.53	-25	Pass	20001




**28.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-25	Pass	2986
30	1000	0.1	RMS	945.7	-61.72	-25	Pass	9701
1000	2396	1	RMS	2390	-48.47	-25	Pass	1397
2396	2790	1	RMS	2642.25	20.66	60	Pass	401
2790	3000	1	RMS	2791.575	-47.63	-25	Pass	401
3000	6500	1	RMS	5284	-54.02	-25	Pass	3501
6500	26500	1	RMS	26429	-44.47	-25	Pass	20001




**28.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	Pass	2986
30	1000	0.1	RMS	932.9	-61.74	-25	Pass	9701
1000	2396	1	RMS	2394	-48.47	-25	Pass	1397
2396	2790	1	RMS	2613.685	3.48	60	Pass	401
2790	3000	1	RMS	2793.675	-47.56	-25	Pass	401
3000	6500	1	RMS	6220	-64.72	-25	Pass	3501
6500	26500	1	RMS	26432	-44.51	-25	Pass	20001




**28.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.94	-25	Pass	2986
30	1000	0.1	RMS	940.5	-61.71	-25	Pass	9701
1000	2396	1	RMS	2396	-48.5	-25	Pass	1397
2396	2790	1	RMS	2591.03	21.59	60	Pass	401
2790	3000	1	RMS	2792.1	-47.63	-25	Pass	401
3000	6500	1	RMS	5182	-53.66	-25	Pass	3501
6500	26500	1	RMS	26429	-44.47	-25	Pass	20001



**28.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-25	Pass	2986
30	1000	0.1	RMS	944.2	-61.79	-25	Pass	9701
1000	2396	1	RMS	2396	-48.49	-25	Pass	1397
2396	2790	1	RMS	2688.545	20.63	60	Pass	401
2790	3000	1	RMS	2790.525	-47.61	-25	Pass	401
3000	6500	1	RMS	5378	-53.64	-25	Pass	3501
6500	26500	1	RMS	26430	-44.57	-25	Pass	20001



29. n77 30kHz(3450-3550)


**29.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.91	-13	Pass	2986
30	1000	0.1	RMS	962.5	-59.11	-13	Pass	9701
1000	3000	1	RMS	2657	-46.43	-13	Pass	2001
3000	3440	1	RMS	3440	-43.48	-13	Pass	441
3440	3560	1	RMS	3453.5	12.64	60	Pass	401
3560	6500	1	RMS	6219	-64.46	-13	Pass	2941
6500	26500	1	RMS	25744	-43.66	-13	Pass	20001




**29.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.92	-13	Pass	2986
30	1000	0.1	RMS	831.6	-59.08	-13	Pass	9701
1000	3000	1	RMS	2694	-46.27	-13	Pass	2001
3000	3440	1	RMS	3440	-45.74	-13	Pass	441
3440	3560	1	RMS	3450.5	21.24	60	Pass	401
3560	6500	1	RMS	6244	-64.5	-13	Pass	2941
6500	26500	1	RMS	25332	-43.8	-13	Pass	20001




**29.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.18	-13	Pass	2986
30	1000	0.1	RMS	914.4	-59.37	-13	Pass	9701
1000	3000	1	RMS	2687	-46.18	-13	Pass	2001
3000	3440	1	RMS	3440	-45.32	-13	Pass	441
3440	3560	1	RMS	3459.5	21.23	60	Pass	401
3560	6500	1	RMS	6215	-64.49	-13	Pass	2941
6500	26500	1	RMS	26438	-43.65	-13	Pass	20001




**29.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.34	-13	Pass	2986
30	1000	0.1	RMS	889.3	-59.37	-13	Pass	9701
1000	3000	1	RMS	2696	-46.23	-13	Pass	2001
3000	3440	1	RMS	3317	-45.83	-13	Pass	441
3440	3560	1	RMS	3498.2	12.62	60	Pass	401
3560	6500	1	RMS	6212	-64.49	-13	Pass	2941
6500	26500	1	RMS	25344	-43.77	-13	Pass	20001




**29.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	920.4	-59.37	-13	Pass	9701
1000	3000	1	RMS	2690	-46.33	-13	Pass	2001
3000	3440	1	RMS	3192	-45.88	-13	Pass	441
3440	3560	1	RMS	3495.5	21.1	60	Pass	401
3560	6500	1	RMS	6220	-64.66	-13	Pass	2941
6500	26500	1	RMS	25298	-43.62	-13	Pass	20001




**29.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.05	-13	Pass	2986
30	1000	0.1	RMS	994.6	-59.29	-13	Pass	9701
1000	3000	1	RMS	2681	-46.41	-13	Pass	2001
3000	3440	1	RMS	3315	-45.83	-13	Pass	441
3440	3560	1	RMS	3504.5	21.15	60	Pass	401
3560	6500	1	RMS	6238	-64.54	-13	Pass	2941
6500	26500	1	RMS	25340	-43.56	-13	Pass	20001




**29.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.81	-13	Pass	2986
30	1000	0.1	RMS	830.5	-58.69	-13	Pass	9701
1000	3000	1	RMS	2694	-46.34	-13	Pass	2001
3000	3440	1	RMS	3322	-45.84	-13	Pass	441
3440	3560	1	RMS	3543.5	12.45	60	Pass	401
3560	6500	1	RMS	3561	-49.57	-13	Pass	2941
6500	26500	1	RMS	25324	-43.57	-13	Pass	20001




**29.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.61	-13	Pass	2986
30	1000	0.1	RMS	808.4	-59.4	-13	Pass	9701
1000	3000	1	RMS	2698	-46.35	-13	Pass	2001
3000	3440	1	RMS	3314	-45.75	-13	Pass	441
3440	3560	1	RMS	3540.5	20.87	60	Pass	401
3560	6500	1	RMS	3560	-52.17	-13	Pass	2941
6500	26500	1	RMS	25340	-43.66	-13	Pass	20001




**29.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.18	-13	Pass	2986
30	1000	0.1	RMS	866.3	-59.06	-13	Pass	9701
1000	3000	1	RMS	2705	-46.33	-13	Pass	2001
3000	3440	1	RMS	3315	-45.85	-13	Pass	441
3440	3560	1	RMS	3549.5	21.1	60	Pass	401
3560	6500	1	RMS	3560	-53.34	-13	Pass	2941
6500	26500	1	RMS	25752	-43.83	-13	Pass	20001




**29.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.91	-13	Pass	2986
30	1000	0.1	RMS	995.9	-59	-13	Pass	9701
1000	3000	1	RMS	2681	-46.18	-13	Pass	2001
3000	3440	1	RMS	3440	-35.53	-13	Pass	441
3440	3560	1	RMS	3459.5	5.68	60	Pass	401
3560	6500	1	RMS	3561	-56.81	-13	Pass	2941
6500	26500	1	RMS	25258	-43.6	-13	Pass	20001



**29.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.45	-13	Pass	2986
30	1000	0.1	RMS	998.4	-59.41	-13	Pass	9701
1000	3000	1	RMS	2703	-46.4	-13	Pass	2001
3000	3440	1	RMS	3427	-42.19	-13	Pass	441
3440	3560	1	RMS	3450.8	21.22	60	Pass	401
3560	6500	1	RMS	4075	-63.13	-13	Pass	2941
6500	26500	1	RMS	25818	-43.36	-13	Pass	20001



**29.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51.96	-13	Pass	2986
30	1000	0.1	RMS	970.4	-58.97	-13	Pass	9701
1000	3000	1	RMS	2676	-46.33	-13	Pass	2001
3000	3440	1	RMS	3440	-39.76	-13	Pass	441
3440	3560	1	RMS	3499.1	21.02	60	Pass	401
3560	6500	1	RMS	3560	-63.03	-13	Pass	2941
6500	26500	1	RMS	26425	-43.52	-13	Pass	20001

