






11N40SISO_Ant1_5795



11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240



11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5775

6. Band edge measurements


6.1. Test Result

TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-28.02	≤ -27	PASS
		High	5240	-42.69	≤ -27	PASS
11N20SISO	Ant1	Low	5180	-29.61	≤ -27	PASS
		High	5240	-41.3	≤ -27	PASS
11N40SISO	Ant1	Low	5190	-28.37	≤ -27	PASS
		High	5230	-38.08	≤ -27	PASS
11AC20SISO	Ant1	Low	5180	-40.43	≤ -27	PASS
		High	5240	-41.12	≤ -27	PASS
11AC40SISO	Ant1	Low	5190	-41.21	≤ -27	PASS
		High	5230	-41.59	≤ -27	PASS
11AC80SISO	Ant1	Low	5210	-35.11	≤ -27	PASS
		High	5210	-42.95	≤ -27	PASS


TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-29.73	≤ 6.55	PASS
				5700~5720	-12.25	≤ 15.41	PASS
				5720~5725	-5.97	≤ 25.48	PASS
				5760~5650	-46.66	≤ -27	PASS
		High	5825	5850~5855	-17.78	≤ 17.14	PASS
				5855~5875	-21.38	≤ 10.16	PASS
				5875~5925	-31.48	≤ 26.18	PASS
				5925~5935	-44.68	≤ -27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-30.94	≤ 10.00	PASS
				5700~5720	-18.05	≤ 14.90	PASS
				5720~5725	-16.32	≤ 25.86	PASS
				5760~5650	-42.7	≤ -27	PASS
		High	5825	5850~5855	-24.36	≤ 15.80	PASS
				5855~5875	-26.59	≤ 10.93	PASS
				5875~5925	-36.82	≤ 25.74	PASS
				5925~5935	-43.7	≤ -27	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-20.33	≤ 9.84	PASS
				5700~5720	-14.5	≤ 14.92	PASS
				5720~5725	-12.1	≤ 21.70	PASS
				5780~5650	-40.38	≤ -27	PASS
		High	5795	5850~5855	-26.41	≤ 15.85	PASS
				5855~5875	-33.9	≤ 10.10	PASS
				5875~5925	-37.55	≤ 25.95	PASS
				5925~5935	-44.77	≤ -27	PASS
11AC20SIS	Ant1	Low	5745	5650~5700	-40.31	≤ 9.63	PASS

O				5700~5720	-28.85	≤15.60	PASS
				5720~5725	-25.18	≤25.48	PASS
				5760~5650	-43.58	≤-27	PASS
		High	5825	5850~5855	-21.4	≤16.69	PASS
				5855~5875	-25.83	≤12.08	PASS
				5875~5925	-35.87	≤-24.44	PASS
				5925~5935	-43.8	≤-27	PASS
11AC40SIS O	Ant1	Low	5755	5650~5700	-28.73	≤7.09	PASS
				5700~5720	-16.45	≤15.25	PASS
				5720~5725	-13.58	≤26.60	PASS
				5780~5650	-39.82	≤-27	PASS
		High	5795	5850~5855	-35.37	≤22.93	PASS
				5855~5875	-36.15	≤10.37	PASS
				5875~5925	-42.08	≤-22.06	PASS
				5925~5935	-44.18	≤-27	PASS
11AC80SIS O	Ant1	Low	5775	5650~5700	-24.6	≤9.36	PASS
				5700~5720	-19.57	≤14.10	PASS
				5720~5725	-22.92	≤25.40	PASS
				5800~5650	-37.68	≤-27	PASS
		High	5775	5850~5855	-29.35	≤18.06	PASS
				5855~5875	-27.26	≤14.68	PASS
				5875~5925	-32.88	≤-25.26	PASS
				5925~5935	-43.49	≤-27	PASS


6.2. Test Graphs




11A_Ant1_Low_5180




11A_Ant1_High_5240



11N20SISO_Ant1_Low_5180



11N20SISO_Ant1_High_5240




11N40SISO_Ant1_Low_5190




11N40SISO_Ant1_High_5230




11AC20SISO_Ant1_Low_5180




11AC20SISO_Ant1_High_5240




11AC40SISO_Ant1_Low_5190



11AC40SISO_Ant1_High_5230




11AC80SISO_Ant1_Low_5210



11AC80SISO_Ant1_High_5210



11A_Ant1_Low_5745




11A_Ant1_High_5825




11N20SISO_Ant1_Low_5745




11N20SISO_Ant1_High_5825




11N40SISO_Ant1_Low_5755




11N40SISO_Ant1_High_5795




11AC20SISO_Ant1_Low_5745




11AC20SISO_Ant1_High_5825




11AC40SISO_Ant1_Low_5755



11AC40SISO_Ant1_High_5795



11AC80SISO_Ant1_Low_5775



11AC80SISO_Ant1_High_5775

7. Emissions in restricted bands

7.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-64.35	≤-41.20	PASS
				AV	5148.261	-46.85	≤-41.20	PASS
				AV	5150.000	-46.07	≤-41.20	PASS
				Peak	4500.000	-53.35	≤-21.20	PASS
				Peak	5148.261	-28.56	≤-21.20	PASS
				Peak	5150.000	-28.02	≤-21.20	PASS
		High	5240	AV	5350.000	-57.69	≤-41.20	PASS
				AV	5404.696	-57.49	≤-41.20	PASS
				AV	5460.000	-61.44	≤-41.20	PASS
				Peak	5350.000	-45.93	≤-21.20	PASS
				Peak	5351.826	-44.41	≤-21.20	PASS
				Peak	5460.000	-51.79	≤-21.20	PASS
		Low	5745	Peak	5650.000	-46.11	≤-27.00	PASS
				Peak	5700.000	-31.13	≤10.00	PASS
				Peak	5720.000	-12.12	≤15.60	PASS
				Peak	5725.000	-6.33	≤27.00	PASS
		High	5825	Peak	5850.000	-15.38	≤15.60	PASS
				Peak	5855.000	-20.7	≤27.00	PASS
				Peak	5875.000	-29.91	≤15.60	PASS
				Peak	5925.000	-44.24	≤10.00	PASS
11N20SISO	Ant1	Low	5180	AV	4500.000	-59.35	≤-41.20	PASS
				AV	5147.246	-50.37	≤-41.20	PASS
				AV	5150.000	-50.68	≤-41.20	PASS
				Peak	4500.000	-47.41	≤-21.20	PASS
				Peak	5146.232	-28.82	≤-21.20	PASS
				Peak	5150.000	-30.92	≤-21.20	PASS
		High	5240	AV	5350.000	-52.62	≤-41.20	PASS
				AV	5350.087	-52.62	≤-41.20	PASS
				AV	5460.000	-55.27	≤-41.20	PASS
				Peak	5350.000	-42.85	≤-21.20	PASS
				Peak	5359.826	-41.23	≤-21.20	PASS
				Peak	5460.000	-45.51	≤-21.20	PASS
		Low	5745	Peak	5650.000	-44.35	≤-27.00	PASS
				Peak	5700.000	-34.97	≤10.00	PASS
				Peak	5720.000	-21.26	≤15.60	PASS
				Peak	5725.000	-12.7	≤27.00	PASS
		High	5825	Peak	5850.000	-24.39	≤15.60	PASS
				Peak	5855.000	-27.56	≤27.00	PASS
				Peak	5875.000	-37.59	≤15.60	PASS
				Peak	5925.000	-43.76	≤10.00	PASS


11N40SISO	Ant1	Low	5190	AV	4500.000	-59.1	≤-41.20	PASS
				AV	5145.217	-53.28	≤-41.20	PASS
				AV	5150.000	-53.42	≤-41.20	PASS
				Peak	4500.000	-48.3	≤-21.20	PASS
				Peak	5146.232	-41.2	≤-21.20	PASS
				Peak	5150.000	-38.67	≤-21.20	PASS
		High	5230	AV	5350.000	-51.98	≤-41.20	PASS
				AV	5352.232	-51.68	≤-41.20	PASS
				AV	5460.000	-54.74	≤-41.20	PASS
				Peak	5350.000	-42.79	≤-21.20	PASS
				Peak	5371.449	-39.43	≤-21.20	PASS
				Peak	5460.000	-42.88	≤-21.20	PASS
		Low	5755	Peak	5650.000	-41.79	≤-27.00	PASS
				Peak	5700.000	-29.92	≤10.00	PASS
				Peak	5720.000	-11.2	≤15.60	PASS
				Peak	5725.000	-8.73	≤27.00	PASS
		High	5795	Peak	5850.000	-29.05	≤15.60	PASS
				Peak	5855.000	-33.72	≤27.00	PASS
				Peak	5875.000	-38.67	≤15.60	PASS
				Peak	5925.000	-44.4	≤10.00	PASS
11AC20SIS O	Ant1	Low	5180	AV	4500.000	-59.08	≤-41.20	PASS
				AV	5149.275	-52.39	≤-41.20	PASS
				AV	5150.000	-52.68	≤-41.20	PASS
				Peak	4500.000	-46.22	≤-21.20	PASS
				Peak	5118.841	-40.01	≤-21.20	PASS
				Peak	5150.000	-40.08	≤-21.20	PASS
		High	5240	AV	5350.000	-52.77	≤-41.20	PASS
				AV	5350.435	-52.72	≤-41.20	PASS
				AV	5460.000	-55.54	≤-41.20	PASS
				Peak	5350.000	-42.33	≤-21.20	PASS
				Peak	5366.087	-40.74	≤-21.20	PASS
				Peak	5460.000	-44.57	≤-21.20	PASS
		Low	5745	Peak	5650.000	-43.78	≤-27.00	PASS
				Peak	5700.000	-39.22	≤10.00	PASS
				Peak	5720.000	-28.5	≤15.60	PASS
				Peak	5725.000	-21.85	≤27.00	PASS
		High	5825	Peak	5850.000	-20.64	≤15.60	PASS
				Peak	5855.000	-23.82	≤27.00	PASS
				Peak	5875.000	-37.08	≤15.60	PASS
				Peak	5925.000	-44.97	≤10.00	PASS
11AC40SIS O	Ant1	Low	5190	AV	4500.000	-58.63	≤-41.20	PASS
				AV	5149.275	-53.01	≤-41.20	PASS
				AV	5150.000	-53.31	≤-41.20	PASS
				Peak	4500.000	-48.4	≤-21.20	PASS
				Peak	5148.261	-40.87	≤-21.20	PASS
				Peak	5150.000	-41.67	≤-21.20	PASS

		High	5230	AV	5350.000	-52.2	≤ -41.20	PASS
				AV	5351.855	-51.61	≤ -41.20	PASS
				AV	5460.000	-55.12	≤ -41.20	PASS
				Peak	5350.000	-43.09	≤ -21.20	PASS
				Peak	5388.406	-41.26	≤ -21.20	PASS
				Peak	5460.000	-46.29	≤ -21.20	PASS
		Low	5755	Peak	5650.000	-40.54	≤ -27.00	PASS
				Peak	5700.000	-30.73	≤ 10.00	PASS
				Peak	5720.000	-13.11	≤ 15.60	PASS
				Peak	5725.000	-13.69	≤ 27.00	PASS
		High	5795	Peak	5850.000	-34.67	≤ 15.60	PASS
				Peak	5855.000	-35.92	≤ 27.00	PASS
				Peak	5875.000	-41.18	≤ 15.60	PASS
				Peak	5925.000	-45.1	≤ 10.00	PASS
11AC80SIS O	Ant1	Low	5210	AV	4500.000	-58.96	≤ -41.20	PASS
				AV	5150.000	-48.13	≤ -41.20	PASS
				Peak	4500.000	-48.17	≤ -21.20	PASS
				Peak	5150.000	-32.16	≤ -21.20	PASS
		High	5210	AV	5350.000	-52.91	≤ -41.20	PASS
				AV	5350.029	-52.91	≤ -41.20	PASS
				AV	5460.000	-55.69	≤ -41.20	PASS
				Peak	5350.000	-41.34	≤ -21.20	PASS
				Peak	5351.652	-38.85	≤ -21.20	PASS
				Peak	5460.000	-46.14	≤ -21.20	PASS
		Low	5775	Peak	5650.000	-37.08	≤ -27.00	PASS
				Peak	5700.000	-26.69	≤ 10.00	PASS
				Peak	5720.000	-18.88	≤ 15.60	PASS
				Peak	5725.000	-17.22	≤ 27.00	PASS
		High	5775	Peak	5850.000	-28.32	≤ 15.60	PASS
				Peak	5855.000	-28.57	≤ 27.00	PASS
				Peak	5875.000	-31.93	≤ 15.60	PASS
				Peak	5925.000	-36.72	≤ 10.00	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


7.2. Test Graphs




11A_Ant1_Low_5180_AV



11A_Ant1_Low_5180_Peak



11A_Ant1_High_5240_AV




11A_Ant1_High_5240_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV




11N20SISO_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak



11N40SISO_Ant1_Low_5190_AV



11N40SISO_Ant1_Low_5190_Peak



11N40SISO_Ant1_High_5230_AV