



NO	NAME	Functional specifications	Corresponding to the keys	REMARK
12	Group 1	1. Short press: turn on / off the paired devices under the grouping 2. Long press 5S: group the keys to pair the equipment. After the pairing is successful, the receiving lamp will flash once; 3. Long press the "group key" and "Brightness -" combination keys to release all the devices under the group. The release is successful, and the indicator light of the remote controller will flash three times quickly, indicating that the release of all the devices under the group is successful;	12	1. Operate the "group" key to automatically switch to the group, and then the brightness / color temperature / color light / scene and other functions adjust the group 2. If you briefly press "main switch", "general on" and "general off" to jump out of group control during group adjustment, and control all devices paired under this remote control. All subsequent brightness / color temperature / color light / scene functions are to operate all devices
2	Night light	1. Briefly press to adjust the lamp to a specific brightness and color temperature: The brightness is 5% and the color temperature is 0% 2. Long press is invalid.	2	1. Briefly press to adjust the lamp to a specific brightness and color temperature: The brightness is 5% and the color temperature is 0% 2. Long press is invalid.
4	Brightness+	Light brightness of one key group control equipment: short press step-by-step	4	1. Stepless adjustment: long press the stepless adjustment command, and the bulb performs its own stepless adjustment function. After releasing the key, issue the stop command to stop stepless adjustment 2. The step value is 20%
5	Brightness-	Light brightness of one key group control equipment: short press step-by-step		
6	Color temperature+	One key group control equipment lamp color temperature, short press step adjustment,	6	
7	Color temperature-	One key group control equipment lamp color temperature, short press step adjustment,	7	
16	One click scenario switching	Each click switches a scene, which is our default good night / work / reading / leisure / soft / colorful / colorful	16	
17	One touch color cycle	1. Briefly press once to switch one color, and the color circulates with "red, orange,	17	

**FCC Caution:**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.