

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED



DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

SPECIFICATION FOR APPROVAL

Shenzhen Utopia-Originality Technology Co.,Ltd	
CUSTOMER:	_____
	520-00000-0043
CUST P/N:	_____
K C P/N:	_____
	20.5*40*0.08*24P*2P*10TS*80MM
D E S E :	_____
	2023. 3. 10
D A T E :	_____
	A. 0
VERSION :	_____

ACCEPTANCE STAMP

PREPARED BY	MERCHANDISER	ENGINEER CHECKED BY	PRODUCTION CHECKDED BY	APPROVED BY
Yunfan Wang				

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FiI No: KC-JZ-03-015

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N

520-00000-0043

KC P/N

20.5*40*0.08*24P*2P*10TS*80

Version Change History

Reversion	Before Change	DESCRIPTION (Content Or Reason For Change)	Date	Reviser
A.0	--	Initial Release	2023/3/10	Yunfan Wang

PREPARED BY

ENGINEER CHECKED BY

PRODUCTION CHECKED BY

Yunfan Wang

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China


FilNo: KC-JZ-03-015

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

			CUST P/N	520-00000-0043
Specification			KC P/N	20.5*40*0.08*24P*2P*10TS*80

1. OVERALL DIMENSIONS OF PRODUCTS):



Unit:mm

A	B	C	D	E	F	G	H
5.3±0.5	20.5±0.5	40±1	44±1	3±1	30±1	80±2	0.8±0.1
I	J	K	L	M	N	O	P
1.6MAX							

Turns	Wire Diameter	Winding Direction	Lead wire Intersect Yes/Not	Coil Positive/Reversely Paste
10	0.08*24strand *2 Litz Wire	counter-clockwis e	Yes	Reversely pasted

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKED BY
Yunfan Wang	胡志军	高海峰

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FilNo: KC-JZ-03-015

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N

520-00000-0043

KC P/N

20.5*40*0.08*24P*2P*10TS*80

2. ELECTRICAL CHARACTERISTICS :

TEMPERATURE: $25 \pm 10^{\circ}\text{C}$, RELATIVE HUMIDITY: $65 \pm 10\%$

NO.	ITEM	TERMINAL	INDUCTANCE	TEST FREQUENCY	TEST EQUIPMENTS
1	IND	S-F	Coil+Ferrite $6.8\mu\text{H} \pm 10\%$	1kHz/V	LCZ METER 1062

3. BILL OF MATERIALS :

NO.	Material name	Description	Material Code	Vendor code
1	Wire	0.08*24 strand *2 Litz wire	JX-2U-F-0009	HY
2	Ferrite Core	G44*5.3*0.8H	GCP-T-0084	HBC
2	Pet Film	42*5.5*0.05H	SMJ-PET-00078	NR
3	Kapton Tape	8mm	8MM	JRM
4	Epoxy Glue	JS-E7202	E7202W	HZY
5	Tin rod	Lead free Tin	Tin	XC
6	Heat shrink tube	30*1.0H	RS-TG-30-10	RS

PREPARED BY

ENGINEER CHECKED BY

PRODUCTION CHECKED BY

Yunfan Wang

胡志军

王云帆

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FilNo: KC-JZ-03-015