



Antenna Technical

Part Name: 2.4GHz & 5G WiFi Antenna

1. Dimensions




Match Network



2. Electrical Characteristics

No.	Item	Specifications
1	Working Frequency	2400~2500MHz&5150~5850MHz
2	Gain	1.2dBi
3	V.S.W.R (in BW)	<2.0
4	Polarization	Linear
5	Azimuth Beam width	Omni-directional
6	Impedance	50 Ω

3. Return Loss and Smith Chat



SHENZHEN JESY TECHNOLOGY CO.,


Smith Chart

Current

M1: $r=0.54, x=0.33$ @ 2397.367 MHz

M2: $r=0.83, x=0.01$ @ 2443.898 MHz

M3: $r=0.70, x=-0.33$ @ 2482.658 MHz




Resolution: 517

FlexCAL:ON(COAX)

CW ON

3D Radiation Pattern



Frequency (GHz)	2.4GHz	2.430GHz	2.450GHz	2.480GHz	5.000GHz	5.200GHz	5.400GHz	5.600GHz	5.800GHz	6.000GHz
Efficiency(dB)	-5.1	-4.81	-4.60	-4.19	-4.00	-4.10	-3.78	-3.69	-3.81	-3.51
Efficiency(%)	52.98	55.36	58.09	63.39	66.01	65.09	70.01	70.26	68.74	73.51
Pick Gain (dBi)	1.20	0.96	0.98	1.00	1.13	1.20	1.15	1.12	1.16	1.23

