


PROJECTOR
USER'S GUIDE



Before using the projector, please read this user manual carefully and keep it for future use.

CAUTIONS

- 1.Be sure to use the standard power adapter of the device, as improper use of the power supply can cause serious damage to the device.
- 2.If you do not use the device for a long time, please ensure that the power is turned off.
- 3.Please avoid foreign matters entering or blocking the fan outlet to avoid affecting the fan operation.
- 4.Please do not directly power off or shut down the device while it is in working condition.
- 5.When connecting external devices with high power consumption, please confirm whether the power consumption can be supported.
- 6.Do not attempt to repair this product yourself. If the product or its power supply experiences any malfunction or damage, cease use immediately and contact the distributor for support.
- 7.This sign warns the user that there is voltage inside the unit that has not been insulated, which may cause surface magnetic fields and cause electric shock. Therefore, it is very dangerous to come into contact with the internal components of the unit.


WARNING

To prevent fire or electric shock, do not expose this unit to rain or moisture.

.01.

COMPONENTS

Please check whether the contents of the package are complete. If there are any omissions, please contact the distributor to reissue.



Projector



Remote control



Power cable



User guide

.02.

ATTENTION

The following safety instructions ensure that this function maintains a long service life and prevents fire or electric shock.



Do not use in poorly ventilated areas.



Do not use in hot and humid places.



Do not block the ventilation holes (intake or exhaust).



Do not use in dusty and smoky places.



Do not install near the temperature/smoke sensor, which may cause the sensor to malfunction.





Do not install it in a place directly blown by cold and warm air from an air conditioner, otherwise it may cause machine failure due to condensation or temperature rise.

.03.

CAUTIONS

To maintain the performance and reliability of the projector, please leave at least 30 centimeters of space between the projector and surrounding objects.



Do not look directly at the light emitted by the projector. Direct exposure to strong light can harm your eyes and cause serious consequences.




.04.


INSTALLATION

In order to achieve a better viewing experience, we recommend that you choose the following installation method.

Place the projector on a flat horizontal surface.




Ceiling Mount:
This projector can be mounted on the ceiling mount using the thread hole on the four corners at the bottom of the projector.




NOTE

When the projector is suspended from the ceiling or in a rear projection state, please change the projection mode.




.05.

OVERVIEW



.06.


OVERVIEW



Power


Network Setting

- Go to Settings
- Click on "WiFi"




.07.

DEVICES



.08.

REMOTE CONTROL



.09.

Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter


.10.

Projection Size & Distance

Screen size indication (inches)



Unit:M		
Screen size (inch)	Screen size W x H (M)	Projection distance (M)
43inch	0.96 × 0.53 M	1.38M
56inch	1.25 × 0.70 M	1.77M
66inch	1.48 × 0.83 M	2.08M
86inch	1.90 × 1.04 M	2.67M
96inch	2.15 × 1.17 M	2.97M
116inch	2.60 × 1.40 M	3.53M



Design tolerance error+/-8%. This table takes the front end and center of the lens as measurement points, and assumes that the projector is placed horizontally (with the front and rear adjusters fully withdrawn).

.11.