

Appendix A: Restricted Band

Mode:	11B-2412-ANT 1
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.19	74.00	29.81	41.81	54.00	12.19	150	125	Horizontal	PASS
2	2328.56	6.87	45.64	74.00	28.36	42.50	54.00	11.50	150	142	Horizontal	PASS
3	2375.92	7.27	48.08	74.00	25.92	44.43	54.00	9.57	150	142	Horizontal	PASS
4	2384.8	7.40	49.74	74.00	24.26	46.00	54.00	8.00	150	145	Horizontal	PASS
5	2386.48	7.39	50.29	74.00	23.71	45.24	54.00	8.76	150	160	Horizontal	PASS
6	2390	7.73	48.05	74.00	25.95	44.30	54.00	9.70	150	142	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.47	74.00	30.53	41.19	54.00	12.81	150	216	Vertical	PASS
2	2330.88	6.87	45.80	74.00	28.20	41.54	54.00	12.46	150	175	Vertical	PASS
3	2368.88	7.18	46.29	74.00	27.71	44.62	54.00	9.38	150	142	Vertical	PASS
4	2372.32	7.22	47.03	74.00	26.97	45.60	54.00	8.40	150	124	Vertical	PASS
5	2385.52	7.39	48.21	74.00	25.79	44.59	54.00	9.41	150	172	Vertical	PASS
6	2390	7.73	46.86	74.00	27.14	43.80	54.00	10.20	150	124	Vertical	PASS

Mode:	11B-2472-ANT 1
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	52.45	74.00	21.55	39.32	54.00	14.68	150	146	Horizontal	PASS
2	2486.8	6.56	54.46	74.00	19.54	41.86	54.00	12.14	150	126	Horizontal	PASS
3	2489.011	6.56	54.06	74.00	19.94	39.39	54.00	14.61	150	122	Horizontal	PASS
4	2490.1495	6.56	53.73	74.00	20.27	39.59	54.00	14.41	150	143	Horizontal	PASS
5	2494.0765	6.57	54.00	74.00	20.00	40.38	54.00	13.62	150	264	Horizontal	PASS
6	2500	6.58	51.93	74.00	22.07	39.70	54.00	14.30	150	172	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	52.68	74.00	21.32	39.39	54.00	14.61	150	115	Vertical	PASS
2	2487.064	6.56	52.61	74.00	21.39	39.93	54.00	14.07	150	27	Vertical	PASS
3	2491.09	6.56	53.54	74.00	20.46	40.21	54.00	13.79	150	22	Vertical	PASS
4	2494.885	6.57	53.40	74.00	20.60	39.22	54.00	14.78	150	158	Vertical	PASS
5	2499.0595	6.58	52.75	74.00	21.25	38.78	54.00	15.22	150	65	Vertical	PASS
6	2500	6.58	51.03	74.00	22.97	38.37	54.00	15.63	150	277	Vertical	PASS

Mode:	11G-2412-ANT 1
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.83	74.00	29.17	41.98	54.00	12.02	150	55	Horizontal	PASS
2	2361.44	7.07	56.17	74.00	17.83	46.73	54.00	7.27	150	164	Horizontal	PASS
3	2378.72	7.31	62.43	74.00	11.57	47.36	54.00	6.64	150	161	Horizontal	PASS
4	2384.48	7.39	62.94	74.00	11.06	49.07	54.00	4.93	150	161	Horizontal	PASS
5	2389.44	7.63	63.52	74.00	10.48	50.08	54.00	3.92	150	161	Horizontal	PASS
6	2390	7.73	61.45	74.00	12.55	48.41	54.00	5.59	150	144	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.16	74.00	30.84	40.85	54.00	13.15	150	158	Vertical	PASS
2	2378.56	7.31	56.51	74.00	17.49	42.83	54.00	11.17	150	224	Vertical	PASS
3	2381.28	7.35	56.99	74.00	17.01	41.78	54.00	12.22	150	174	Vertical	PASS
4	2383.6	7.38	56.76	74.00	17.24	42.32	54.00	11.68	150	174	Vertical	PASS
5	2386.8	7.39	57.43	74.00	16.57	42.55	54.00	11.45	150	158	Vertical	PASS
6	2390	7.73	53.10	74.00	20.90	42.30	54.00	11.70	150	143	Vertical	PASS

Mode:	11G-2462-ANT 1
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	54.63	74.00	19.37	45.32	54.00	8.68	150	127	Horizontal	PASS
2	2484.754	6.55	58.18	74.00	15.82	44.78	54.00	9.22	150	170	Horizontal	PASS
3	2485.876	6.55	60.10	74.00	13.90	45.79	54.00	8.21	150	170	Horizontal	PASS
4	2488.8625	6.56	57.47	74.00	16.53	46.49	54.00	7.51	150	170	Horizontal	PASS
5	2491.849	6.57	55.88	74.00	18.12	44.32	54.00	9.68	150	170	Horizontal	PASS
6	2500	6.58	51.46	74.00	22.54	44.01	54.00	9.99	150	170	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	52.04	74.00	21.96	39.51	54.00	14.49	150	5	Vertical	PASS
2	2483.6155	6.54	54.02	74.00	19.98	42.05	54.00	11.95	150	170	Vertical	PASS
3	2485.381	6.55	54.82	74.00	19.18	39.93	54.00	14.07	150	160	Vertical	PASS
4	2488.186	6.55	52.78	74.00	21.22	39.77	54.00	14.23	150	306	Vertical	PASS
5	2489.704	6.56	53.01	74.00	20.99	39.84	54.00	14.16	150	0	Vertical	PASS
6	2500	6.58	51.60	74.00	22.40	38.81	54.00	15.19	150	40	Vertical	PASS

Mode:	B-2412-ANT 2
-------	--------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.71	74.00	29.29	41.13	54.00	12.87	150	320	Horizontal	PASS
2	2326.96	6.86	45.76	74.00	28.24	42.59	54.00	11.41	150	282	Horizontal	PASS
3	2347.6	6.91	46.02	74.00	27.98	42.37	54.00	11.63	150	140	Horizontal	PASS
4	2362.24	7.08	46.29	74.00	27.71	43.27	54.00	10.73	150	352	Horizontal	PASS
5	2383.84	7.39	47.10	74.00	26.90	43.97	54.00	10.03	150	201	Horizontal	PASS
6	2390	7.73	45.44	74.00	28.56	42.33	54.00	11.67	150	118	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.17	74.00	30.83	41.02	54.00	12.98	150	53	Vertical	PASS
2	2331.52	6.87	45.05	74.00	28.95	41.88	54.00	12.12	150	151	Vertical	PASS
3	2341.76	6.89	45.89	74.00	28.11	41.72	54.00	12.28	150	53	Vertical	PASS
4	2359.04	7.04	45.51	74.00	28.49	41.20	54.00	12.80	150	53	Vertical	PASS
5	2371.2	7.20	45.68	74.00	28.32	43.56	54.00	10.44	150	231	Vertical	PASS
6	2390	7.73	44.88	74.00	29.12	42.97	54.00	11.03	150	16	Vertical	PASS

Mode:	B-2462-ANT 2
-------	--------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	51.59	74.00	22.41	49.03	54.00	4.97	150	204	Horizontal	PASS
2	2490.1495	6.56	53.18	74.00	20.82	48.81	54.00	5.19	150	308	Horizontal	PASS
3	2493.1855	6.56	53.95	74.00	20.05	50.51	54.00	3.49	150	52	Horizontal	PASS
4	2495.3635	6.57	52.98	74.00	21.02	50.85	54.00	3.15	150	38	Horizontal	PASS
5	2496.6175	6.58	53.90	74.00	20.10	50.43	54.00	3.57	150	228	Horizontal	PASS
6	2500	6.58	51.51	74.00	22.49	48.57	54.00	5.43	150	349	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	51.23	74.00	22.77	49.92	54.00	4.08	150	295	Vertical	PASS
2	2487.592	6.56	53.09	74.00	20.91	48.80	54.00	5.20	150	32	Vertical	PASS
3	2489.143	6.56	52.81	74.00	21.19	48.93	54.00	5.07	150	87	Vertical	PASS
4	2491.222	6.56	53.67	74.00	20.33	50.12	54.00	3.88	150	185	Vertical	PASS
5	2494.8355	6.57	52.72	74.00	21.28	50.49	54.00	3.51	150	111	Vertical	PASS
6	2500	6.58	51.59	74.00	22.41	48.64	54.00	5.36	150	359	Vertical	PASS

Mode:	G-2412-ANT 2
-------	--------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.77	74.00	30.23	40.69	54.00	13.31	150	59	Horizontal	PASS
2	2383.68	7.38	54.15	74.00	19.85	50.23	54.00	3.77	150	89	Horizontal	PASS
3	2384.56	7.40	55.22	74.00	18.78	48.22	54.00	5.78	150	92	Horizontal	PASS
4	2386.4	7.39	56.36	74.00	17.64	49.13	54.00	4.87	150	104	Horizontal	PASS
5	2387.28	7.41	57.36	74.00	16.64	48.60	54.00	5.40	150	80	Horizontal	PASS
6	2390	7.73	55.71	74.00	18.29	50.69	54.00	3.31	150	92	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.78	74.00	29.22	41.23	54.00	12.77	150	47	Vertical	PASS
2	2381.36	7.35	47.55	74.00	26.45	42.54	54.00	11.46	150	19	Vertical	PASS
3	2383.92	7.39	50.05	74.00	23.95	46.44	54.00	7.56	150	260	Vertical	PASS
4	2386.8	7.39	55.72	74.00	18.28	49.07	54.00	4.93	150	260	Vertical	PASS
5	2387.52	7.42	53.36	74.00	20.64	49.81	54.00	4.19	150	225	Vertical	PASS
6	2390	7.73	52.52	74.00	21.48	49.29	54.00	4.71	150	260	Vertical	PASS

Mode:	G-2462-ANT 2
-------	--------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	58.50	74.00	15.50	49.21	54.00	4.79	150	144	Horizontal	PASS
2	2485.975	6.55	59.77	74.00	14.23	48.72	54.00	5.28	150	151	Horizontal	PASS
3	2488.9945	6.56	58.01	74.00	15.99	48.36	54.00	5.64	150	168	Horizontal	PASS
4	2491.6675	6.57	56.79	74.00	17.21	49.28	54.00	4.72	150	154	Horizontal	PASS
5	2494.8025	6.57	55.00	74.00	19.00	49.18	54.00	4.82	150	141	Horizontal	PASS
6	2500	6.58	51.50	74.00	22.50	48.75	54.00	5.25	150	188	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	55.06	74.00	18.94	49.90	54.00	4.10	150	174	Vertical	PASS
2	2484.5395	6.55	56.21	74.00	17.79	49.94	54.00	4.06	150	205	Vertical	PASS
3	2486.14	6.55	57.27	74.00	16.73	50.99	54.00	3.01	150	181	Vertical	PASS
4	2488.747	6.55	56.37	74.00	17.63	48.75	54.00	5.25	150	198	Vertical	PASS
5	2489.407	6.56	54.14	74.00	19.86	48.19	54.00	5.81	150	347	Vertical	PASS
6	2500	6.58	51.17	74.00	22.83	47.89	54.00	6.11	150	207	Vertical	PASS

Mode:	11N20-2412-MIMO
-------	-----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.62	74.00	29.38	41.29	54.00	12.71	150	120	Horizontal	PASS
2	2373.28	7.23	51.61	74.00	22.39	47.96	54.00	6.04	150	233	Horizontal	PASS
3	2377.12	7.29	51.09	74.00	22.91	45.92	54.00	8.08	150	221	Horizontal	PASS
4	2381.28	7.35	51.66	74.00	22.34	45.36	54.00	8.64	150	233	Horizontal	PASS
5	2386.32	7.39	55.41	74.00	18.59	49.89	54.00	4.11	150	164	Horizontal	PASS
6	2390	7.73	52.08	74.00	21.92	47.89	54.00	6.11	150	230	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.24	74.00	30.76	41.31	54.00	12.69	150	195	Vertical	PASS
2	2372.32	7.22	50.85	74.00	23.15	47.32	54.00	6.68	150	245	Vertical	PASS
3	2377.28	7.29	51.75	74.00	22.25	48.44	54.00	5.56	150	230	Vertical	PASS
4	2381.2	7.34	52.97	74.00	21.03	45.84	54.00	8.16	150	169	Vertical	PASS
5	2386.48	7.39	55.56	74.00	18.44	44.74	54.00	9.26	150	172	Vertical	PASS
6	2390	7.73	52.50	74.00	21.50	48.43	54.00	5.57	150	149	Vertical	PASS

Mode:	11N20-2462-MIMO
-------	-----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	59.59	74.00	14.41	45.29	54.00	8.71	150	129	Horizontal	PASS
2	2484.193	6.55	63.65	74.00	10.35	47.55	54.00	6.45	150	155	Horizontal	PASS
3	2484.622	6.55	63.52	74.00	10.48	47.09	54.00	6.91	150	148	Horizontal	PASS
4	2485.117	6.55	62.46	74.00	11.54	47.51	54.00	6.49	150	134	Horizontal	PASS
5	2487.0145	6.56	59.85	74.00	14.15	44.86	54.00	9.14	150	148	Horizontal	PASS
6	2500	6.58	52.80	74.00	21.20	38.61	54.00	15.39	150	92	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	55.42	74.00	18.58	41.49	54.00	12.51	150	149	Vertical	PASS
2	2483.6155	6.54	59.34	74.00	14.66	40.70	54.00	13.30	150	161	Vertical	PASS
3	2484.2425	6.55	59.53	74.00	14.47	41.79	54.00	12.21	150	9	Vertical	PASS
4	2484.49	6.55	59.92	74.00	14.08	42.10	54.00	11.90	150	14	Vertical	PASS
5	2486.9485	6.56	55.92	74.00	18.08	43.09	54.00	10.91	150	158	Vertical	PASS
6	2500	6.58	52.12	74.00	21.88	38.53	54.00	15.47	150	267	Vertical	PASS

Mode:	11N40-2422-MIMO
-------	-----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	47.85	74.00	26.15	39.87	54.00	14.13	150	122	Horizontal	PASS
2	2367.68	7.16	58.75	74.00	15.25	48.53	54.00	5.47	150	158	Horizontal	PASS
3	2375.52	7.27	58.41	74.00	15.59	47.31	54.00	6.69	150	137	Horizontal	PASS
4	2382.56	7.37	59.10	74.00	14.90	47.12	54.00	6.88	150	154	Horizontal	PASS
5	2387.6	7.43	58.07	74.00	15.93	47.21	54.00	6.79	150	154	Horizontal	PASS
6	2390	7.73	55.26	74.00	18.74	42.57	54.00	11.43	150	161	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.26	74.00	29.74	41.82	54.00	12.18	150	278	Vertical	PASS
2	2367.36	7.15	52.54	74.00	21.46	47.10	54.00	6.90	150	237	Vertical	PASS
3	2375.44	7.26	52.55	74.00	21.45	48.04	54.00	5.96	150	231	Vertical	PASS
4	2379.84	7.33	53.82	74.00	20.18	41.99	54.00	12.01	150	170	Vertical	PASS
5	2385.44	7.39	52.66	74.00	21.34	46.03	54.00	7.97	150	158	Vertical	PASS
6	2390	7.73	50.29	74.00	23.71	47.29	54.00	6.71	150	170	Vertical	PASS

Mode:	11N40-2452-MIMO
-------	-----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	63.37	74.00	10.63	48.39	54.00	5.61	150	132	Horizontal	PASS
2	2483.6155	6.54	63.98	74.00	10.02	48.54	54.00	5.46	150	132	Horizontal	PASS
3	2484.919	6.55	63.65	74.00	10.35	49.14	54.00	4.86	150	154	Horizontal	PASS
4	2487.1795	6.56	63.93	74.00	10.07	48.26	54.00	5.74	150	163	Horizontal	PASS
5	2487.79	6.56	63.62	74.00	10.38	48.92	54.00	5.08	150	151	Horizontal	PASS
6	2500	6.58	55.56	74.00	18.44	43.00	54.00	11.00	150	134	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	58.96	74.00	15.04	47.97	54.00	6.03	150	24	Vertical	PASS
2	2484.1105	6.55	59.52	74.00	14.48	47.68	54.00	6.32	150	310	Vertical	PASS
3	2484.688	6.55	59.77	74.00	14.23	48.06	54.00	5.94	150	158	Vertical	PASS
4	2487.295	6.56	59.10	74.00	14.90	48.34	54.00	5.66	150	310	Vertical	PASS
5	2489.506	6.56	57.80	74.00	16.20	48.65	54.00	5.35	150	318	Vertical	PASS
6	2500	6.58	52.71	74.00	21.29	40.04	54.00	13.96	150	120	Vertical	PASS

Mode:	AX20-2412-MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.31	74.00	29.69	42.06	54.00	11.94	150	251	Horizontal	PASS
2	2379.04	7.32	51.12	74.00	22.88	48.42	54.00	5.58	150	352	Horizontal	PASS
3	2382.24	7.36	57.91	74.00	16.09	49.99	54.00	4.01	150	107	Horizontal	PASS
4	2387.36	7.41	59.57	74.00	14.43	48.54	54.00	5.46	150	104	Horizontal	PASS
5	2388.16	7.47	60.24	74.00	13.76	48.51	54.00	5.49	150	110	Horizontal	PASS
6	2390	7.73	56.04	74.00	17.96	48.50	54.00	5.50	150	107	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.02	74.00	29.98	40.26	54.00	13.74	150	158	Vertical	PASS
2	2381.92	7.36	51.93	74.00	22.07	44.74	54.00	9.26	150	356	Vertical	PASS
3	2382.72	7.37	53.56	74.00	20.44	48.53	54.00	5.47	150	8	Vertical	PASS
4	2384.72	7.40	53.94	74.00	20.06	47.17	54.00	6.83	150	5	Vertical	PASS
5	2387.68	7.43	56.93	74.00	17.07	44.71	54.00	9.29	150	8	Vertical	PASS
6	2390	7.73	50.99	74.00	23.01	47.22	54.00	6.78	150	356	Vertical	PASS

Mode:	AX20-2462-MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	59.03	74.00	14.97	47.05	54.00	6.95	150	158	Horizontal	PASS
2	2485.975	6.55	61.48	74.00	12.52	45.60	54.00	8.40	150	156	Horizontal	PASS
3	2487.1465	6.56	61.90	74.00	12.10	44.21	54.00	9.79	150	158	Horizontal	PASS
4	2492.0965	6.57	59.36	74.00	14.64	41.03	54.00	12.97	150	156	Horizontal	PASS
5	2494.093	6.57	59.41	74.00	14.59	40.32	54.00	13.68	150	161	Horizontal	PASS
6	2500	6.58	50.22	74.00	23.78	37.93	54.00	16.07	150	283	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	55.82	74.00	18.18	41.56	54.00	12.44	150	6	Vertical	PASS
2	2486.1565	6.55	58.47	74.00	15.53	40.61	54.00	13.39	150	0	Vertical	PASS
3	2486.833	6.56	59.82	74.00	14.18	40.54	54.00	13.46	150	0	Vertical	PASS
4	2487.46	6.56	58.67	74.00	15.33	39.71	54.00	14.29	150	3	Vertical	PASS
5	2491.024	6.56	57.58	74.00	16.42	38.77	54.00	15.23	150	0	Vertical	PASS
6	2500	6.58	52.19	74.00	21.81	36.67	54.00	17.33	150	282	Vertical	PASS

Mode:	AX40-2422-MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.66	74.00	29.34	36.00	54.00	18.00	150	356	Horizontal	PASS
2	2368.72	7.17	59.50	74.00	14.50	42.13	54.00	11.87	150	104	Horizontal	PASS
3	2369.68	7.19	59.23	74.00	14.77	42.95	54.00	11.05	150	182	Horizontal	PASS
4	2384.16	7.39	65.95	74.00	8.05	46.58	54.00	7.42	150	356	Horizontal	PASS
5	2384.88	7.40	66.61	74.00	7.39	46.42	54.00	7.58	150	356	Horizontal	PASS
6	2390	7.73	59.72	74.00	14.28	44.88	54.00	9.12	150	0	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.73	74.00	30.27	36.14	54.00	17.86	150	295	Vertical	PASS
2	2368.88	7.18	55.19	74.00	18.81	38.69	54.00	15.31	150	231	Vertical	PASS
3	2375.04	7.26	52.06	74.00	21.94	40.44	54.00	13.56	150	19	Vertical	PASS
4	2384.32	7.39	61.53	74.00	12.47	42.73	54.00	11.27	150	19	Vertical	PASS
5	2384.88	7.40	62.53	74.00	11.47	42.98	54.00	11.02	150	19	Vertical	PASS
6	2390	7.73	54.53	74.00	19.47	41.09	54.00	12.91	150	354	Vertical	PASS

Mode:	AX40-2452-MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	60.03	74.00	13.97	47.80	54.00	6.20	150	172	Horizontal	PASS
2	2484.457	6.55	63.48	74.00	10.52	47.63	54.00	6.37	150	172	Horizontal	PASS
3	2489.5555	6.56	66.86	74.00	7.14	48.94	54.00	5.06	150	172	Horizontal	PASS
4	2490.0175	6.56	66.71	74.00	7.29	48.62	54.00	5.38	150	172	Horizontal	PASS
5	2490.463	6.56	66.01	74.00	7.99	47.79	54.00	6.21	150	172	Horizontal	PASS
6	2500	6.58	57.22	74.00	16.78	45.73	54.00	8.27	150	114	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	58.97	74.00	15.03	46.46	54.00	7.54	150	351	Vertical	PASS
2	2484.6385	6.55	61.54	74.00	12.46	47.40	54.00	6.60	150	0	Vertical	PASS
3	2488.9945	6.56	61.94	74.00	12.06	47.86	54.00	6.14	150	356	Vertical	PASS
4	2490.1165	6.56	64.34	74.00	9.66	46.92	54.00	7.08	150	2	Vertical	PASS
5	2490.793	6.56	62.08	74.00	11.92	46.97	54.00	7.03	150	349	Vertical	PASS
6	2500	6.58	56.84	74.00	17.16	45.23	54.00	8.77	150	164	Vertical	PASS

Mode:	AC20-2412-MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	42.48	74.00	31.52	40.55	54.00	13.45	150	163	Horizontal	PASS
2	2359.12	7.04	45.37	74.00	28.63	43.03	54.00	10.97	150	325	Horizontal	PASS
3	2385.68	7.39	53.81	74.00	20.19	48.06	54.00	5.94	150	127	Horizontal	PASS
4	2388.96	7.56	54.19	74.00	19.81	46.64	54.00	7.36	150	124	Horizontal	PASS
5	2389.84	7.70	56.01	74.00	17.99	48.64	54.00	5.36	150	115	Horizontal	PASS
6	2390	7.73	54.50	74.00	19.50	47.98	54.00	6.02	150	214	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	42.40	74.00	31.60	39.48	54.00	14.52	150	44	Vertical	PASS
2	2368.32	7.16	47.20	74.00	26.80	44.91	54.00	9.09	150	115	Vertical	PASS
3	2385.2	7.40	52.12	74.00	21.88	46.68	54.00	7.32	150	16	Vertical	PASS
4	2387.68	7.43	51.21	74.00	22.79	48.14	54.00	5.86	150	5	Vertical	PASS
5	2388.96	7.56	53.60	74.00	20.40	50.48	54.00	3.52	150	5	Vertical	PASS
6	2390	7.73	56.06	74.00	17.94	49.45	54.00	4.55	150	16	Vertical	PASS

Mode:	AC20-2462-MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	57.22	74.00	16.78	47.64	54.00	6.36	150	202	Horizontal	PASS
2	2484.523	6.55	60.46	74.00	13.54	48.35	54.00	5.65	150	158	Horizontal	PASS
3	2485.1005	6.55	62.04	74.00	11.96	48.89	54.00	5.11	150	158	Horizontal	PASS
4	2485.7935	6.55	60.12	74.00	13.88	47.26	54.00	6.74	150	158	Horizontal	PASS
5	2489.3245	6.56	59.07	74.00	14.93	47.45	54.00	6.55	150	153	Horizontal	PASS
6	2500	6.58	51.77	74.00	22.23	48.38	54.00	5.62	150	26	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	51.90	74.00	22.10	46.56	54.00	7.44	150	192	Vertical	PASS
2	2483.731	6.54	57.00	74.00	17.00	46.77	54.00	7.23	150	199	Vertical	PASS
3	2485.282	6.55	58.41	74.00	15.59	47.82	54.00	6.18	150	184	Vertical	PASS
4	2486.1895	6.55	55.26	74.00	18.74	48.50	54.00	5.50	150	11	Vertical	PASS
5	2489.3575	6.56	56.12	74.00	17.88	48.36	54.00	5.64	150	192	Vertical	PASS
6	2500	6.58	52.38	74.00	21.62	48.60	54.00	5.40	150	110	Vertical	PASS

Mode:	AC40-2422-MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.06	74.00	29.94	41.62	54.00	12.38	150	287	Horizontal	PASS
2	2373.28	7.23	55.35	74.00	18.65	43.87	54.00	10.13	150	118	Horizontal	PASS
3	2378.96	7.32	60.77	74.00	13.23	47.82	54.00	6.18	150	121	Horizontal	PASS
4	2383.04	7.37	62.98	74.00	11.02	47.69	54.00	6.31	150	118	Horizontal	PASS
5	2386.4	7.39	66.58	74.00	7.42	48.04	54.00	5.96	150	124	Horizontal	PASS
6	2390	7.73	62.43	74.00	11.57	48.35	54.00	5.65	150	14	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	43.63	74.00	30.37	41.57	54.00	12.43	150	18	Vertical	PASS
2	2376.48	7.28	53.88	74.00	20.12	43.22	54.00	10.78	150	18	Vertical	PASS
3	2379.04	7.32	56.99	74.00	17.01	43.80	54.00	10.20	150	27	Vertical	PASS
4	2382.4	7.36	59.00	74.00	15.00	42.57	54.00	11.43	150	24	Vertical	PASS
5	2387.2	7.40	61.01	74.00	12.99	43.35	54.00	10.65	150	12	Vertical	PASS
6	2390	7.73	60.13	74.00	13.87	45.36	54.00	8.64	150	12	Vertical	PASS

Mode:	AC40-2452-MIMO
-------	----------------


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	57.59	74.00	16.41	46.47	54.00	7.53	150	164	Horizontal	PASS
2	2487.2785	6.56	62.10	74.00	11.90	47.05	54.00	6.95	150	164	Horizontal	PASS
3	2487.7405	6.56	62.16	74.00	11.84	47.57	54.00	6.43	150	164	Horizontal	PASS
4	2489.275	6.56	61.70	74.00	12.30	49.30	54.00	4.70	150	164	Horizontal	PASS
5	2489.8195	6.56	61.88	74.00	12.12	47.14	54.00	6.86	150	164	Horizontal	PASS
6	2500	6.58	55.09	74.00	18.91	45.87	54.00	8.13	150	52	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	52.52	74.00	21.48	48.30	54.00	5.70	150	208	Vertical	PASS
2	2490.331	6.56	58.38	74.00	15.62	44.54	54.00	9.46	150	1	Vertical	PASS
3	2492.971	6.56	57.22	74.00	16.78	44.85	54.00	9.15	150	174	Vertical	PASS
4	2493.598	6.56	58.10	74.00	15.90	45.24	54.00	8.76	150	200	Vertical	PASS
5	2494.687	6.57	55.96	74.00	18.04	49.24	54.00	4.76	150	190	Vertical	PASS
6	2500	6.58	51.98	74.00	22.02	48.79	54.00	5.21	150	174	Vertical	PASS


Appendix B: Spurious emissions

Note:

1. The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.
2. During the test, the Radiates Emission from 30MHz to 18GHz was performed in all modes with all channels. The test data of the worst-case (SISO-ANT1 and MIMO) condition was recorded in this report.
3. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	39.798	12.97	-15.98	40.00	27.03	150	299	Horizontal
2	76.2736	10.82	-19.46	40.00	29.18	150	24	Horizontal
3	158.246	14.23	-15.90	43.50	29.27	150	55	Horizontal
4	242.839	13.15	-18.22	46.00	32.85	150	217	Horizontal
5	424.635	17.87	-12.79	46.00	28.13	150	291	Horizontal
6	894.841	28.72	-3.77	46.00	17.28	150	233	Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	39.507	12.28	-16.02	40.00	27.72	150	257	Vertical
2	112.749	10.34	-18.63	43.50	33.16	150	274	Vertical
3	151.553	15.31	-15.89	43.50	28.19	150	164	Vertical
4	313.171	15.32	-15.24	46.00	30.68	150	219	Vertical
5	466.834	18.47	-11.89	46.00	27.53	150	127	Vertical
6	783.571	25.83	-6.07	46.00	20.17	150	244	Vertical

SISO-ANT 1

Mode:	11B-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	45.02	0.40	74.00	28.98	150	19	Horizontal
2	1440	42.02	0.54	74.00	31.98	150	19	Horizontal
3	3141	45.82	-17.51	74.00	28.18	150	140	Horizontal
4	4947	44.11	-13.64	74.00	29.89	150	272	Horizontal
5	9666	46.47	-6.34	74.00	27.53	150	37	Horizontal
6	12816	49.83	-1.30	74.00	24.17	150	284	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.92	0.40	74.00	30.08	150	166	Vertical
2	1844	43.95	5.12	74.00	30.05	150	312	Vertical
3	3939	47.14	-16.04	74.00	26.86	150	176	Vertical
4	5271	46.31	-12.53	74.00	27.69	150	66	Vertical
5	7689	45.70	-9.48	74.00	28.30	150	332	Vertical
6	11412	48.62	-3.25	74.00	25.38	150	347	Vertical

Mode:	11B-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.79	0.40	74.00	29.21	150	320	Horizontal
2	1886	45.82	6.09	74.00	28.18	150	115	Horizontal
3	3141	45.52	-17.51	74.00	28.48	150	132	Horizontal
4	5952	44.91	-11.57	74.00	29.09	150	30	Horizontal
5	7548	46.06	-9.77	74.00	27.94	150	146	Horizontal
6	12996	51.96	-1.16	74.00	22.04	150	161	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.60	0.40	74.00	30.40	150	167	Vertical
2	1856	45.78	5.43	74.00	28.22	150	243	Vertical
3	4986	44.56	-13.75	74.00	29.44	150	294	Vertical
4	5262	48.10	-12.51	74.00	25.90	150	141	Vertical
5	7311	46.91	-9.74	74.00	27.09	150	254	Vertical
6	12774	50.26	-1.33	74.00	23.74	150	311	Vertical

Mode:	11B-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.53	0.40	74.00	29.47	150	38	Horizontal
2	1392	42.53	0.36	74.00	31.47	150	242	Horizontal
3	4359	43.29	-15.13	74.00	30.71	150	164	Horizontal
4	7032	45.88	-10.21	74.00	28.12	150	170	Horizontal
5	11280	49.58	-3.09	74.00	24.42	150	300	Horizontal
6	13131	51.02	-0.70	74.00	22.98	150	164	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.21	0.40	74.00	30.79	150	192	Vertical
2	3945	44.22	-16.04	74.00	29.78	150	138	Vertical
3	6588	47.06	-10.67	74.00	26.94	150	105	Vertical
4	7389	48.60	-9.99	74.00	25.40	150	252	Vertical
5	10488	47.47	-5.35	74.00	26.53	150	44	Vertical
6	13131	50.07	-0.70	74.00	23.93	150	158	Vertical

Mode:	11G-2412
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.08	0.54	74.00	31.92	150	360	Horizontal
2	1728	43.05	2.99	74.00	30.95	150	267	Horizontal
3	3141	45.92	-17.51	74.00	28.08	150	276	Horizontal
4	4938	44.79	-13.62	74.00	29.21	150	320	Horizontal
5	7239	45.62	-9.87	74.00	28.38	150	198	Horizontal
6	12864	50.59	-1.07	74.00	23.41	150	175	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.34	0.40	74.00	30.66	150	31	Vertical
2	1922	45.55	6.32	74.00	28.45	150	268	Vertical
3	4263	42.95	-15.46	74.00	31.05	150	156	Vertical
4	4941	44.81	-13.62	74.00	29.19	150	66	Vertical
5	7329	47.14	-9.80	74.00	26.86	150	327	Vertical
6	12693	49.30	-1.22	74.00	24.70	150	277	Vertical

Mode:	11G-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.61	0.40	74.00	29.39	150	21	Horizontal
2	1840	44.06	5.00	74.00	29.94	150	320	Horizontal
3	4086	42.46	-15.88	74.00	31.54	150	76	Horizontal
4	6033	44.80	-11.32	74.00	29.20	150	135	Horizontal
5	7128	45.71	-10.22	74.00	28.29	150	224	Horizontal
6	11181	49.27	-3.46	74.00	24.73	150	0	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.89	0.40	74.00	29.11	150	18	Vertical
2	1912	45.31	6.36	74.00	28.69	150	278	Vertical
3	3141	46.82	-17.51	74.00	27.18	150	134	Vertical
4	6303	45.60	-10.99	74.00	28.40	150	104	Vertical
5	9591	47.44	-6.62	74.00	26.56	150	104	Vertical
6	15411	50.76	1.99	74.00	23.24	150	193	Vertical

Mode:	11G-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.35	0.40	74.00	29.65	150	262	Horizontal
2	3141	46.01	-17.51	74.00	27.99	150	143	Horizontal
3	5478	44.34	-12.00	74.00	29.66	150	143	Horizontal
4	7473	45.29	-9.94	74.00	28.71	150	35	Horizontal
5	11304	49.97	-3.02	74.00	24.03	150	330	Horizontal
6	13131	51.52	-0.70	74.00	22.48	150	182	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.44	0.40	74.00	30.56	150	196	Vertical
2	3936	44.97	-16.04	74.00	29.03	150	338	Vertical
3	4734	47.65	-13.46	74.00	26.35	150	66	Vertical
4	6084	45.82	-10.95	74.00	28.18	150	168	Vertical
5	8994	46.72	-7.72	74.00	27.28	150	224	Vertical
6	11172	48.94	-3.49	74.00	25.06	150	341	Vertical

MIMO:

Mode:	11N20-2412
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1048	42.17	-1.97	74.00	31.83	150	23	Horizontal
2	1200	44.96	0.40	74.00	29.04	150	269	Horizontal
3	3141	46.41	-17.51	74.00	27.59	150	135	Horizontal
4	4941	44.86	-13.62	74.00	29.14	150	120	Horizontal
5	9021	46.04	-7.71	74.00	27.96	150	356	Horizontal
6	11688	48.82	-2.81	74.00	25.18	150	31	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.58	0.40	74.00	30.42	150	165	Vertical
2	1844	44.45	5.12	74.00	29.55	150	239	Vertical
3	5259	45.64	-12.51	74.00	28.36	150	35	Vertical
4	7329	47.54	-9.80	74.00	26.46	150	292	Vertical
5	9615	46.99	-6.53	74.00	27.01	150	125	Vertical
6	14289	50.40	0.69	74.00	23.60	150	32	Vertical

Mode:	11N20-2437
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.60	0.40	74.00	29.40	150	18	Horizontal
2	1962	45.65	6.19	74.00	28.35	150	138	Horizontal
3	3141	45.83	-17.51	74.00	28.17	150	130	Horizontal
4	7314	48.73	-9.75	74.00	25.27	150	194	Horizontal
5	11856	49.31	-2.47	74.00	24.69	150	166	Horizontal
6	15639	51.53	2.46	74.00	22.47	150	309	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.13	0.40	74.00	30.87	150	168	Vertical
2	1958	46.04	6.21	74.00	27.96	150	54	Vertical
3	3936	44.11	-16.04	74.00	29.89	150	70	Vertical
4	7308	46.83	-9.73	74.00	27.17	150	258	Vertical
5	9141	46.93	-7.56	74.00	27.07	150	70	Vertical
6	11463	49.19	-3.05	74.00	24.81	150	28	Vertical

Mode:	11N20-2462
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.05	0.40	74.00	29.95	150	16	Horizontal
2	1902	45.07	6.39	74.00	28.93	150	77	Horizontal
3	3141	46.47	-17.51	74.00	27.53	150	133	Horizontal
4	4935	45.06	-13.61	74.00	28.94	150	58	Horizontal
5	7329	46.69	-9.80	74.00	27.31	150	0	Horizontal
6	13131	51.02	-0.70	74.00	22.98	150	142	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	42.78	0.40	74.00	31.22	150	164	Vertical
2	1708	41.70	2.73	74.00	32.30	150	210	Vertical
3	5271	47.56	-12.53	74.00	26.44	150	91	Vertical
4	7329	46.91	-9.80	74.00	27.09	150	318	Vertical
5	10362	48.01	-5.63	74.00	25.99	150	1	Vertical
6	13131	50.71	-0.70	74.00	23.29	150	262	Vertical

Mode:	11N40-2422
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.19	0.40	74.00	29.81	150	8	Horizontal
2	1392	42.40	0.36	74.00	31.60	150	14	Horizontal
3	3141	46.54	-17.51	74.00	27.46	150	146	Horizontal
4	6432	45.44	-10.59	74.00	28.56	150	10	Horizontal
5	11190	48.68	-3.44	74.00	25.32	150	124	Horizontal
6	12918	50.78	-0.94	74.00	23.22	150	170	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.10	0.40	74.00	30.90	150	187	Vertical
2	1744	42.58	3.19	74.00	31.42	150	212	Vertical
3	3141	43.33	-17.51	74.00	30.67	150	80	Vertical
4	5259	47.16	-12.51	74.00	26.84	150	113	Vertical
5	7329	45.23	-9.80	74.00	28.77	150	319	Vertical
6	15600	51.52	2.99	74.00	22.48	150	119	Vertical

Mode:	11N40-2437
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	45.14	0.40	74.00	28.86	150	12	Horizontal
2	3141	46.29	-17.51	74.00	27.71	150	146	Horizontal
3	3651	41.71	-17.26	74.00	32.29	150	4	Horizontal
4	4917	44.17	-13.56	74.00	29.83	150	273	Horizontal
5	7329	45.72	-9.80	74.00	28.28	150	7	Horizontal
6	12024	48.45	-2.57	74.00	25.55	150	343	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.24	0.40	74.00	30.76	150	172	Vertical
2	3948	43.39	-16.04	74.00	30.61	150	164	Vertical
3	5271	46.59	-12.53	74.00	27.41	150	155	Vertical
4	6564	48.64	-10.66	74.00	25.36	150	111	Vertical
5	8973	45.98	-7.74	74.00	28.02	150	22	Vertical
6	11403	49.51	-3.29	74.00	24.49	150	284	Vertical

Mode:	11N40-2452
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.43	0.40	74.00	29.57	150	265	Horizontal
2	1766	43.12	3.44	74.00	30.88	150	296	Horizontal
3	4929	44.16	-13.59	74.00	29.84	150	207	Horizontal
4	7584	46.13	-9.76	74.00	27.87	150	230	Horizontal
5	9084	46.26	-7.68	74.00	27.74	150	343	Horizontal
6	13188	49.53	-0.80	74.00	24.47	150	171	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1392	42.88	0.36	74.00	31.12	150	101	Vertical
2	3939	45.39	-16.04	74.00	28.61	150	184	Vertical
3	4737	45.90	-13.46	74.00	28.10	150	212	Vertical
4	6585	46.28	-10.67	74.00	27.72	150	130	Vertical
5	10578	47.59	-4.72	74.00	26.41	150	360	Vertical
6	14301	49.76	0.77	74.00	24.24	150	145	Vertical

Mode:	AX20-2412
-------	-----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.40	0.40	74.00	29.60	150	305	Horizontal
2	2036	46.78	6.67	74.00	27.22	150	191	Horizontal
3	4944	43.99	-13.63	74.00	30.01	150	0	Horizontal
4	7536	45.32	-9.80	74.00	28.68	150	242	Horizontal
5	10704	46.75	-4.90	74.00	27.25	150	251	Horizontal
6	12561	49.92	-1.50	74.00	24.08	150	209	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.78	0.40	74.00	30.22	150	184	Vertical
2	1946	45.81	6.24	74.00	28.19	150	330	Vertical
3	3945	43.28	-16.04	74.00	30.72	150	339	Vertical
4	7329	45.69	-9.80	74.00	28.31	150	298	Vertical
5	9285	45.91	-7.54	74.00	28.09	150	117	Vertical
6	12864	51.62	-1.07	74.00	22.38	150	280	Vertical

Mode:	AX20-2437
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.29	0.40	74.00	29.71	150	294	Horizontal
2	1918	45.30	6.34	74.00	28.70	150	12	Horizontal
3	4920	45.27	-13.57	74.00	28.73	150	161	Horizontal
4	6270	45.73	-11.03	74.00	28.27	150	11	Horizontal
5	10185	47.59	-5.81	74.00	26.41	150	11	Horizontal
6	14457	50.07	0.65	74.00	23.93	150	52	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.90	0.40	74.00	30.10	150	177	Vertical
2	1968	45.49	6.18	74.00	28.51	150	160	Vertical
3	3939	43.91	-16.04	74.00	30.09	150	333	Vertical
4	7329	46.73	-9.80	74.00	27.27	150	301	Vertical
5	10956	46.86	-4.18	74.00	27.14	150	324	Vertical
6	12816	49.44	-1.30	74.00	24.56	150	292	Vertical

Mode:	AX20-2462
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.71	0.40	74.00	29.29	150	18	Horizontal
2	1924	45.31	6.32	74.00	28.69	150	157	Horizontal
3	4083	43.39	-15.88	74.00	30.61	150	155	Horizontal
4	5901	44.68	-11.69	74.00	29.32	150	339	Horizontal
5	9597	46.19	-6.60	74.00	27.81	150	327	Horizontal
6	12033	49.00	-2.56	74.00	25.00	150	66	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.54	0.40	74.00	30.46	150	186	Vertical
2	1676	41.06	2.16	74.00	32.94	150	104	Vertical
3	5271	46.97	-12.53	74.00	27.03	150	88	Vertical
4	7329	45.42	-9.80	74.00	28.58	150	277	Vertical
5	10593	47.33	-4.61	74.00	26.67	150	213	Vertical
6	13131	50.89	-0.70	74.00	23.11	150	298	Vertical

Mode:	AX40-2422
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.58	0.40	74.00	29.42	150	292	Horizontal
2	1908	45.02	6.38	74.00	28.98	150	119	Horizontal
3	4230	42.87	-15.59	74.00	31.13	150	274	Horizontal
4	6351	45.76	-10.76	74.00	28.24	150	241	Horizontal
5	7329	46.17	-9.80	74.00	27.83	150	330	Horizontal
6	11010	48.51	-3.71	74.00	25.49	150	238	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.05	0.40	74.00	29.95	150	185	Vertical
2	1752	42.90	3.28	74.00	31.10	150	171	Vertical
3	3948	46.62	-16.04	74.00	27.38	150	157	Vertical
4	5502	44.15	-11.91	74.00	29.85	150	305	Vertical
5	8931	48.02	-7.78	74.00	25.98	150	204	Vertical
6	12561	49.99	-1.50	74.00	24.01	150	1	Vertical

Mode:	AX40-2437
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.07	0.40	74.00	29.93	150	6	Horizontal
2	1686	42.55	2.36	74.00	31.45	150	137	Horizontal
3	3141	45.18	-17.51	74.00	28.82	150	312	Horizontal
4	4929	45.25	-13.59	74.00	28.75	150	228	Horizontal
5	8661	45.86	-8.51	74.00	28.14	150	134	Horizontal
6	10503	47.63	-5.28	74.00	26.37	150	64	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.78	0.40	74.00	30.22	150	190	Vertical
2	1826	43.64	4.58	74.00	30.36	150	208	Vertical
3	3936	45.75	-16.04	74.00	28.25	150	51	Vertical
4	7092	46.28	-10.31	74.00	27.72	150	287	Vertical
5	9438	45.80	-7.00	74.00	28.20	150	180	Vertical
6	14397	50.94	0.54	74.00	23.06	150	63	Vertical

Mode:	AX40-2452
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.47	0.40	74.00	29.53	150	16	Horizontal
2	1832	43.62	4.76	74.00	30.38	150	11	Horizontal
3	3651	42.40	-17.26	74.00	31.60	150	236	Horizontal
4	5955	44.69	-11.57	74.00	29.31	150	186	Horizontal
5	7542	45.75	-9.79	74.00	28.25	150	94	Horizontal
6	12186	49.32	-2.41	74.00	24.68	150	189	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.59	0.40	74.00	30.41	150	175	Vertical
2	1824	43.61	4.52	74.00	30.39	150	52	Vertical
3	3942	43.00	-16.05	74.00	31.00	150	60	Vertical
4	6579	48.20	-10.67	74.00	25.80	150	280	Vertical
5	9138	45.48	-7.56	74.00	28.52	150	295	Vertical
6	13461	50.46	-0.90	74.00	23.54	150	231	Vertical

Mode:	AC20-2412-MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.45	0.40	74.00	30.55	150	302	Horizontal
2	1818	42.69	4.34	74.00	31.31	150	295	Horizontal
3	3141	46.26	-17.51	74.00	27.74	150	120	Horizontal
4	4254	42.58	-15.49	74.00	31.42	150	216	Horizontal
5	6048	44.72	-11.21	74.00	29.28	150	13	Horizontal
6	9621	46.66	-6.50	74.00	27.34	150	294	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.91	0.40	74.00	29.09	150	171	Vertical
2	2058	46.20	7.02	74.00	27.80	150	117	Vertical
3	4941	43.62	-13.62	74.00	30.38	150	233	Vertical
4	6285	44.72	-11.02	74.00	29.28	150	148	Vertical
5	11475	48.22	-3.01	74.00	25.78	150	309	Vertical
6	12864	49.35	-1.07	74.00	24.65	150	278	Vertical

Mode:	AC20-2437-MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.70	0.40	74.00	30.30	150	310	Horizontal
2	1440	43.09	0.54	74.00	30.91	150	197	Horizontal
3	3792	41.92	-16.46	74.00	32.08	150	332	Horizontal
4	5646	44.32	-12.00	74.00	29.68	150	59	Horizontal
5	7329	45.06	-9.80	74.00	28.94	150	337	Horizontal
6	11754	48.53	-2.67	74.00	25.47	150	83	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.83	0.40	74.00	29.17	150	170	Vertical
2	1884	44.85	6.05	74.00	29.15	150	337	Vertical
3	3942	44.31	-16.05	74.00	29.69	150	150	Vertical
4	6402	44.27	-10.61	74.00	29.73	150	346	Vertical
5	8967	46.17	-7.75	74.00	27.83	150	241	Vertical
6	12504	48.77	-1.38	74.00	25.23	150	298	Vertical

Mode:	AC20-2462-MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.95	0.40	74.00	30.05	150	16	Horizontal
2	1868	45.56	5.69	74.00	28.44	150	242	Horizontal
3	3141	46.83	-17.51	74.00	27.17	150	118	Horizontal
4	5496	43.85	-11.93	74.00	30.15	150	158	Horizontal
5	9435	46.65	-7.02	74.00	27.35	150	264	Horizontal
6	13131	50.83	-0.70	74.00	23.17	150	146	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.19	0.40	74.00	29.81	150	180	Vertical
2	2050	46.15	6.90	74.00	27.85	150	146	Vertical
3	4734	49.54	-13.46	74.00	24.46	150	63	Vertical
4	7095	47.61	-10.31	74.00	26.39	150	75	Vertical
5	9711	46.08	-6.28	74.00	27.92	150	111	Vertical
6	12012	48.80	-2.59	74.00	25.20	150	129	Vertical

Mode:	AC40-2422-MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.19	0.40	74.00	29.81	150	23	Horizontal
2	1936	46.10	6.28	74.00	27.90	150	89	Horizontal
3	3141	46.32	-17.51	74.00	27.68	150	122	Horizontal
4	4920	43.62	-13.57	74.00	30.38	150	224	Horizontal
5	7860	44.92	-9.53	74.00	29.08	150	248	Horizontal
6	12918	49.85	-0.94	74.00	24.15	150	164	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.92	0.40	74.00	29.08	150	175	Vertical
2	3942	44.09	-16.05	74.00	29.91	150	138	Vertical
3	5253	45.64	-12.50	74.00	28.36	150	125	Vertical
4	7329	45.68	-9.80	74.00	28.32	150	284	Vertical
5	11049	47.78	-3.69	74.00	26.22	150	85	Vertical
6	14277	50.07	0.60	74.00	23.93	150	344	Vertical

Mode:

AC40-2437-MIMO

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.06	0.40	74.00	29.94	150	30	Horizontal
2	1674	40.89	2.12	74.00	33.11	150	222	Horizontal
3	4299	42.25	-15.30	74.00	31.75	150	212	Horizontal
4	5631	43.95	-12.04	74.00	30.05	150	224	Horizontal
5	8319	45.13	-9.17	74.00	28.87	150	108	Horizontal
6	11235	48.46	-3.27	74.00	25.54	150	137	Horizontal


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.75	0.40	74.00	29.25	150	176	Vertical
2	1296	42.19	0.04	74.00	31.81	150	209	Vertical
3	4731	48.79	-13.48	74.00	25.21	150	278	Vertical
4	7281	45.01	-9.76	74.00	28.99	150	140	Vertical
5	9648	46.37	-6.38	74.00	27.63	150	220	Vertical
6	11751	48.18	-2.67	74.00	25.82	150	93	Vertical

Mode:	AC40-2452-MIMO
-------	----------------


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	43.93	0.40	74.00	30.07	150	19	Horizontal
2	1876	44.87	5.87	74.00	29.13	150	155	Horizontal
3	3825	42.07	-16.35	74.00	31.93	150	48	Horizontal
4	5247	44.04	-12.49	74.00	29.96	150	88	Horizontal
5	7728	44.68	-9.53	74.00	29.32	150	97	Horizontal
6	9483	46.52	-6.89	74.00	27.48	150	28	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	44.33	0.40	74.00	29.67	150	175	Vertical
2	1800	42.99	3.80	74.00	31.01	150	106	Vertical
3	3912	42.94	-16.04	74.00	31.06	150	305	Vertical
4	5145	44.04	-12.89	74.00	29.96	150	258	Vertical
5	7329	46.29	-9.80	74.00	27.71	150	318	Vertical
6	11262	48.24	-3.16	74.00	25.76	150	127	Vertical

Appendix C: Conducted Emission



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Type	Verdict
1	0.3644	10.25	18.91	58.63	39.72	15.39	48.63	33.24	L1	PASS
2	1.2157	10.26	15.63	56.00	40.37	14.06	46.00	31.94	L1	PASS
3	2.7554	10.29	16.72	56.00	39.28	15.15	46.00	30.85	L1	PASS
4	5.8655	10.37	20.70	60.00	39.30	18.23	50.00	31.77	L1	PASS
5	8.4029	10.43	26.35	60.00	33.65	22.48	50.00	27.52	L1	PASS
6	22.3699	10.64	16.86	60.00	43.14	15.61	50.00	34.39	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Type	Verdict
1	0.2687	10.25	32.40	61.16	28.76	27.01	51.16	24.15	N	PASS
2	0.8280	10.26	20.73	56.00	35.27	18.45	46.00	27.55	N	PASS
3	1.7081	10.27	18.19	56.00	37.81	15.43	46.00	30.57	N	PASS
4	4.6119	10.40	18.28	56.00	37.72	16.32	46.00	29.68	N	PASS
5	12.5220	10.50	33.10	60.00	26.90	28.77	50.00	21.23	N	PASS
6	16.0592	10.58	28.25	60.00	31.75	23.99	50.00	26.01	N	PASS