

Appendix A: Transmitter Radiated Spurious Emissions


The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

Above 1GHz, The emission level with margin less than 20dB is recorded.


According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

During the test, the Radiates Emission was performed in all modes with all channels. The test data of the worst-case(MIMO) condition was recorded in this report.

30MHz-1GHz



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	39.895	11.91	-15.97	40.00	28.09	150	290	Horizontal
2	55.5136	12.19	-16.49	40.00	27.81	150	30	Horizontal
3	169.208	13.06	-16.23	43.50	30.44	150	360	Horizontal
4	375.063	15.46	-14.12	46.00	30.54	150	350	Horizontal
5	577.619	22.42	-9.37	46.00	23.58	150	340	Horizontal
6	818.785	25.27	-5.42	46.00	20.73	150	190	Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	43.3873	12.63	-16.03	40.00	27.37	150	170	Vertical
2	128.464	12.84	-17.05	43.50	30.66	150	40	Vertical
3	232.168	11.63	-18.88	46.00	34.37	150	280	Vertical
4	461.790	17.88	-11.84	46.00	28.12	150	100	Vertical
5	643.489	22.89	-7.78	46.00	23.11	150	0	Vertical
6	946.062	29.71	-2.88	46.00	16.29	150	330	Vertical

Mode:	A-5180
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1924.5377	6.56	43.01	68.23	25.22	33.99	54.00	20.01	150	57	Horizontal	PASS
2	3891.0545	11.77	45.88	74.00	28.12	37.36	54.00	16.64	150	36	Horizontal	PASS
3	7960.5296	-9.09	44.06	68.23	24.17	35.12	54.00	18.88	150	98	Horizontal	PASS
4	10361.7287	-5.34	49.46	68.23	18.77	41.92	54.00	12.08	150	139	Horizontal	PASS
5	11192.1059	-2.88	46.52	74.00	27.48	38.04	54.00	15.96	150	157	Horizontal	PASS
6	15598.8009	3.50	48.94	74.00	25.06	42.20	54.00	11.80	150	122	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.73	42.79	68.23	25.44	36.28	54.00	17.72	150	224	Vertical	PASS
2	3323.8381	10.23	45.82	68.23	22.41	37.40	54.00	16.60	150	156	Vertical	PASS
3	8904.8214	-7.60	42.90	68.23	25.33	34.31	54.00	19.69	150	76	Vertical	PASS
4	10358.731	-5.33	50.27	68.23	17.96	42.16	54.00	11.84	150	217	Vertical	PASS
5	14318.7609	0.63	47.60	68.23	20.63	39.74	54.00	14.26	150	263	Vertical	PASS
6	17031.7262	4.47	51.25	68.23	16.98	42.27	54.00	11.73	150	111	Vertical	PASS

Mode:	A-5200
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2301.8491	6.98	43.44	68.23	24.79	34.31	54.00	19.69	150	80	Horizontal	PASS
2	3043.978	9.38	44.63	68.23	23.60	36.41	54.00	17.59	150	175	Horizontal	PASS
3	3808.5957	11.26	46.02	74.00	27.98	37.84	54.00	16.16	150	263	Horizontal	PASS
4	8080.4397	-9.34	42.62	74.00	31.38	34.20	54.00	19.80	150	198	Horizontal	PASS
5	10394.704	-5.48	49.39	68.23	18.84	41.44	54.00	12.56	150	132	Horizontal	PASS
6	13095.6782	-0.84	47.35	68.23	20.88	38.18	54.00	15.82	150	135	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2074.4628	7.42	44.21	68.23	24.02	36.09	54.00	17.91	150	70	Vertical	PASS
2	3213.8931	9.14	44.78	68.23	23.45	35.86	54.00	18.14	150	45	Vertical	PASS
3	7331.0017	-9.43	43.98	74.00	30.02	36.85	54.00	17.15	150	334	Vertical	PASS
4	10397.7017	-5.49	48.69	68.23	19.54	41.16	54.00	12.84	150	218	Vertical	PASS
5	13944.042	-0.36	47.68	68.23	20.55	38.30	54.00	15.70	150	127	Vertical	PASS
6	16024.4816	2.74	49.93	74.00	24.07	41.70	54.00	12.30	150	226	Vertical	PASS

Mode:	A-5240
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2081.959	7.54	43.56	68.23	24.67	35.51	54.00	18.49	150	245	Horizontal	PASS
2	3041.4793	9.36	44.92	68.23	23.31	37.06	54.00	16.94	150	282	Horizontal	PASS
3	3323.8381	10.23	45.82	68.23	22.41	38.13	54.00	15.87	150	153	Horizontal	PASS
4	7426.9298	-9.60	42.88	74.00	31.12	34.67	54.00	19.33	150	356	Horizontal	PASS
5	10475.6433	-5.24	47.68	68.23	20.55	41.01	54.00	12.99	150	356	Horizontal	PASS
6	15973.5199	2.64	48.91	74.00	25.09	41.20	54.00	12.80	150	274	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2099.4503	7.80	43.84	68.23	24.39	35.68	54.00	18.32	150	4	Vertical	PASS
2	3016.4918	9.21	44.19	68.23	24.04	36.26	54.00	17.74	150	54	Vertical	PASS
3	3758.6207	11.03	45.61	74.00	28.39	38.16	54.00	15.84	150	25	Vertical	PASS
4	7328.004	-9.43	44.09	74.00	29.91	37.13	54.00	16.87	150	304	Vertical	PASS
5	10487.6343	-5.20	51.49	68.23	16.74	40.95	54.00	13.05	150	212	Vertical	PASS
6	14330.7519	0.58	47.88	68.23	20.35	40.09	54.00	13.91	150	97	Vertical	PASS

Mode:	A-5260
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2041.979	6.95	42.72	68.23	25.51	35.22	54.00	18.78	150	122	Horizontal	PASS
2	2446.7766	7.13	45.79	68.23	22.44	38.58	54.00	15.42	150	95	Horizontal	PASS
3	3786.1069	11.16	45.74	74.00	28.26	37.52	54.00	16.48	150	360	Horizontal	PASS
4	8877.8416	-7.61	44.01	68.23	24.22	34.24	54.00	19.76	150	0	Horizontal	PASS
5	10520.6095	-4.93	49.82	68.23	18.41	44.61	54.00	9.39	150	139	Horizontal	PASS
6	15778.666	1.69	50.08	74.00	23.92	40.75	54.00	13.25	150	188	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2119.4403	7.53	44.02	68.23	24.21	34.64	54.00	19.36	150	99	Vertical	PASS
2	3273.8631	10.12	45.15	68.23	23.08	38.07	54.00	15.93	150	21	Vertical	PASS
3	3803.5982	11.24	47.30	74.00	26.70	38.55	54.00	15.45	150	183	Vertical	PASS
4	9300.5246	-7.62	44.33	74.00	29.67	34.23	54.00	19.77	150	300	Vertical	PASS
5	10511.6163	-5.03	49.20	68.23	19.03	39.70	54.00	14.30	150	300	Vertical	PASS
6	13347.4894	-0.62	48.00	74.00	26.00	39.83	54.00	14.17	150	56	Vertical	PASS

Mode:	A-5280
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2126.9365	7.42	43.85	68.23	24.38	35.61	54.00	18.39	150	32	Horizontal	PASS
2	3141.4293	9.32	46.23	68.23	22.00	37.86	54.00	16.14	150	141	Horizontal	PASS
3	4913.0435	14.31	48.27	74.00	25.73	41.83	54.00	12.17	150	7	Horizontal	PASS
4	8775.9181	-7.94	42.81	68.23	25.42	35.06	54.00	18.94	150	193	Horizontal	PASS
5	10559.5803	-4.50	50.51	68.23	17.72	42.55	54.00	11.45	150	212	Horizontal	PASS
6	14570.5721	0.90	47.34	68.23	20.89	38.99	54.00	15.01	150	162	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2061.969	7.24	43.70	68.23	24.53	36.26	54.00	17.74	150	202	Vertical	PASS
2	3061.4693	9.46	44.22	68.23	24.01	37.78	54.00	16.22	150	184	Vertical	PASS
3	3891.0545	11.77	46.46	74.00	27.54	37.91	54.00	16.09	150	153	Vertical	PASS
4	7336.9973	-9.44	44.15	74.00	29.85	35.16	54.00	18.84	150	233	Vertical	PASS
5	10562.5781	-4.46	47.65	68.23	20.58	40.95	54.00	13.05	150	220	Vertical	PASS
6	13713.2151	-0.65	46.81	68.23	21.42	38.07	54.00	15.93	150	26	Vertical	PASS

Mode:	A-5320
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2069.4653	7.35	43.01	68.23	25.22	35.19	54.00	18.81	150	305	Horizontal	PASS
2	3141.4293	9.32	44.80	68.23	23.43	38.66	54.00	15.34	150	137	Horizontal	PASS
3	4480.7596	12.91	47.31	68.23	20.92	37.60	54.00	16.40	150	178	Horizontal	PASS
4	7903.5723	-9.26	43.30	68.23	24.93	34.64	54.00	19.36	150	91	Horizontal	PASS
5	10637.5219	-4.20	50.82	74.00	23.18	43.54	54.00	10.46	150	134	Horizontal	PASS
6	17202.5981	4.40	51.02	68.23	17.21	41.81	54.00	12.19	150	105	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2084.4578	7.58	43.68	68.23	24.55	36.08	54.00	17.92	150	300	Vertical	PASS
2	2816.5917	8.85	44.02	74.00	29.98	38.09	54.00	15.91	150	163	Vertical	PASS
3	3043.978	9.38	44.64	68.23	23.59	36.66	54.00	17.34	150	360	Vertical	PASS
4	7331.0017	-9.43	43.88	74.00	30.12	36.61	54.00	17.39	150	270	Vertical	PASS
5	10637.5219	-4.20	48.12	74.00	25.88	40.82	54.00	13.18	150	172	Vertical	PASS
6	15964.5266	2.53	54.04	74.00	19.96	46.96	54.00	7.04	150	155	Vertical	PASS

Mode:	A-5500
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2189.4053	6.49	43.45	68.23	24.78	35.07	54.00	18.93	150	231	Horizontal	PASS
2	3043.978	9.29	44.90	68.23	23.33	36.28	54.00	17.72	150	315	Horizontal	PASS
3	3853.5732	11.38	46.75	74.00	27.25	39.62	54.00	14.38	150	91	Horizontal	PASS
4	7684.7364	-9.57	44.19	74.00	29.81	34.38	54.00	19.62	150	264	Horizontal	PASS
5	10997.2521	-3.94	47.19	74.00	26.81	40.91	54.00	13.09	150	153	Horizontal	PASS
6	15281.0392	2.50	48.60	68.23	19.63	40.02	54.00	13.98	150	28	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2036.9815	6.75	44.29	68.23	23.94	34.75	54.00	19.25	150	244	Vertical	PASS
2	2601.6992	8.16	43.45	68.23	24.78	36.29	54.00	17.71	150	303	Vertical	PASS
3	3826.087	11.29	45.52	74.00	28.48	38.57	54.00	15.43	150	306	Vertical	PASS
4	7351.986	-9.46	43.84	74.00	30.16	33.70	54.00	20.30	150	287	Vertical	PASS
5	11006.2453	-3.89	48.46	74.00	25.54	39.72	54.00	14.28	150	102	Vertical	PASS
6	16498.1264	3.01	58.25	68.23	9.98	47.95	54.00	6.05	150	250	Vertical	PASS

Mode:	A-5580
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2291.8541	6.82	42.76	74.00	31.24	35.93	54.00	18.07	150	320	Horizontal	PASS
2	3141.4293	9.24	45.25	68.23	22.98	39.59	54.00	14.41	150	152	Horizontal	PASS
3	4335.8321	12.13	45.76	74.00	28.24	39.05	54.00	14.95	150	26	Horizontal	PASS
4	9618.2863	-6.21	45.10	68.23	23.13	35.51	54.00	18.49	150	135	Horizontal	PASS
5	13257.5568	-0.53	47.02	74.00	26.98	38.16	54.00	15.84	150	135	Horizontal	PASS
6	16740.9443	3.86	52.22	68.23	16.01	44.28	54.00	9.72	150	132	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.64	44.08	68.23	24.15	36.27	54.00	17.73	150	204	Vertical	PASS
2	3141.4293	9.24	44.34	68.23	23.89	37.23	54.00	16.77	150	295	Vertical	PASS
3	4540.7296	13.14	46.53	74.00	27.47	37.96	54.00	16.04	150	183	Vertical	PASS
4	7331.0017	-9.43	44.23	74.00	29.77	37.59	54.00	16.41	150	279	Vertical	PASS
5	11162.1284	-3.12	51.73	74.00	22.27	42.25	54.00	11.75	150	110	Vertical	PASS
6	16734.9488	3.83	54.66	68.23	13.57	47.54	54.00	6.46	150	262	Vertical	PASS

Mode:	A-5700
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2099.4503	7.72	43.27	68.23	24.96	34.84	54.00	19.16	150	34	Horizontal	PASS
2	3141.4293	9.24	44.35	68.23	23.88	39.13	54.00	14.87	150	144	Horizontal	PASS
3	3901.0495	11.61	45.80	74.00	28.20	40.35	54.00	13.65	150	41	Horizontal	PASS
4	8383.2126	-9.10	42.91	74.00	31.09	33.68	54.00	20.32	150	0	Horizontal	PASS
5	11401.9485	-3.18	58.84	74.00	15.16	50.94	54.00	3.06	150	353	Horizontal	PASS
6	17100.6745	4.59	58.00	68.23	10.23	50.91	54.00	3.09	150	0	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.64	43.08	68.23	25.15	35.70	54.00	18.30	150	250	Vertical	PASS
2	2861.5692	8.40	44.21	74.00	29.79	36.10	54.00	17.90	150	14	Vertical	PASS
3	3938.5307	11.66	46.96	74.00	27.04	39.08	54.00	14.92	150	161	Vertical	PASS
4	8934.7989	-7.57	43.96	68.23	24.27	35.25	54.00	18.75	150	0	Vertical	PASS
5	11401.9485	-3.18	54.81	74.00	19.19	45.55	54.00	8.45	150	138	Vertical	PASS
6	17100.6745	4.59	57.98	68.23	10.25	48.73	54.00	5.27	150	263	Vertical	PASS

Mode:	A-5745
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1954.9225	6.63	42.81	68.23	25.42	34.43	54.00	19.57	150	247	Horizontal	PASS
2	3140.9295	9.35	44.34	68.23	23.89	35.79	54.00	18.21	150	147	Horizontal	PASS
3	3803.5982	11.24	47.06	74.00	26.94	37.38	54.00	16.62	150	69	Horizontal	PASS
4	8991.3152	-7.51	43.68	68.23	24.55	35.92	54.00	18.08	150	111	Horizontal	PASS
5	11496.1318	-2.83	50.43	74.00	23.57	43.97	54.00	10.03	150	162	Horizontal	PASS
6	17243.973	4.12	56.53	68.23	11.70	48.18	54.00	5.82	150	136	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.2529	7.74	43.69	68.23	24.54	35.37	54.00	18.63	150	224	Vertical	PASS
2	3086.5567	9.60	43.87	68.23	24.36	36.72	54.00	17.28	150	4	Vertical	PASS
3	4089.0555	12.19	46.64	74.00	27.36	39.18	54.00	14.82	150	317	Vertical	PASS
4	9612.4283	-6.38	43.33	68.23	24.90	35.63	54.00	18.37	150	270	Vertical	PASS
5	11496.1318	-2.83	52.81	74.00	21.19	47.91	54.00	6.09	150	306	Vertical	PASS
6	17241.4275	4.11	58.20	68.23	10.03	50.32	54.00	3.68	150	153	Vertical	PASS

Mode:	A-5785
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.2529	7.74	44.05	68.23	24.18	35.40	54.00	18.60	150	349	Horizontal	PASS
2	3140.9295	9.35	45.22	68.23	23.01	37.75	54.00	16.25	150	122	Horizontal	PASS
3	4564.8176	13.39	47.01	74.00	26.99	38.65	54.00	15.35	150	11	Horizontal	PASS
4	9380.7836	-7.08	43.80	74.00	30.20	35.39	54.00	18.61	150	12	Horizontal	PASS
5	11567.407	-2.98	49.41	74.00	24.59	40.12	54.00	13.88	150	360	Horizontal	PASS
6	17353.4315	3.86	59.43	68.23	8.80	52.58	54.00	1.42	150	134	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2107.8461	7.72	43.38	68.23	24.85	35.33	54.00	18.67	150	83	Vertical	PASS
2	2597.2014	8.23	43.57	68.23	24.66	35.95	54.00	18.05	150	125	Vertical	PASS
3	3949.7251	11.83	46.93	74.00	27.07	38.26	54.00	15.74	150	152	Vertical	PASS
4	9490.2421	-6.46	44.28	74.00	29.72	36.79	54.00	17.21	150	335	Vertical	PASS
5	11575.0437	-2.99	55.78	74.00	18.22	45.37	54.00	8.63	150	160	Vertical	PASS
6	17350.886	3.87	59.70	68.23	8.53	49.75	54.00	4.25	150	160	Vertical	PASS

Mode:	A-5825
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2118.041	7.58	43.04	68.23	25.19	34.87	54.00	19.13	150	127	Horizontal	PASS
2	3324.4378	10.15	44.63	68.23	23.60	36.74	54.00	17.26	150	245	Horizontal	PASS
3	3800.1999	11.22	45.94	74.00	28.06	37.18	54.00	16.82	150	336	Horizontal	PASS
4	9408.7846	-6.94	43.63	74.00	30.37	34.97	54.00	19.03	150	234	Horizontal	PASS
5	11641.2279	-2.87	50.03	74.00	23.97	44.05	54.00	9.95	150	161	Horizontal	PASS
6	17478.1632	3.82	59.03	68.23	9.20	51.74	54.00	2.26	150	141	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2403.4983	6.95	43.01	68.23	25.22	34.71	54.00	19.29	150	265	Vertical	PASS
2	3089.955	9.62	44.25	68.23	23.98	36.84	54.00	17.16	150	104	Vertical	PASS
3	4921.6392	14.14	47.91	74.00	26.09	40.82	54.00	13.18	150	119	Vertical	PASS
4	9683.7035	-6.13	43.99	68.23	24.24	36.35	54.00	17.65	150	144	Vertical	PASS
5	11641.2279	-2.87	54.43	74.00	19.57	48.11	54.00	5.89	150	310	Vertical	PASS
6	17475.6177	3.81	59.87	68.23	8.36	53.81	54.00	0.19	150	234	Vertical	PASS

Mode:	N20-5180
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1199.9	0.59	41.93	74.00	32.07	30.00	54.00	24.00	150	46	Horizontal	PASS
2	2454.2729	7.16	45.82	68.23	22.41	38.14	54.00	15.86	150	321	Horizontal	PASS
3	3141.4293	9.32	45.38	68.23	22.85	39.79	54.00	14.21	150	140	Horizontal	PASS
4	8985.7607	-7.51	43.56	68.23	24.67	35.38	54.00	18.62	150	273	Horizontal	PASS
5	10364.7265	-5.36	46.51	68.23	21.72	38.19	54.00	15.81	150	150	Horizontal	PASS
6	14330.7519	0.58	48.50	68.23	19.73	38.32	54.00	15.68	150	20	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1199.9	0.59	40.70	74.00	33.30	30.23	54.00	23.77	150	174	Vertical	PASS
2	2104.4478	7.75	43.49	68.23	24.74	36.15	54.00	17.85	150	184	Vertical	PASS
3	3018.9905	9.23	44.30	68.23	23.93	36.59	54.00	17.41	150	0	Vertical	PASS
4	7313.0152	-9.41	43.52	74.00	30.48	35.02	54.00	18.98	150	222	Vertical	PASS
5	10352.7354	-5.31	46.56	68.23	21.67	36.81	54.00	17.19	150	286	Vertical	PASS
6	12556.0829	-1.52	47.65	74.00	26.35	40.82	54.00	13.18	150	247	Vertical	PASS

Mode:	N20-5200
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1199.9	0.59	42.12	74.00	31.88	30.16	54.00	23.84	150	45	Horizontal	PASS
2	2094.4528	7.73	42.83	68.23	25.40	36.13	54.00	17.87	150	339	Horizontal	PASS
3	3578.7106	9.99	46.22	68.23	22.01	37.59	54.00	16.41	150	314	Horizontal	PASS
4	7759.6802	-9.56	43.33	68.23	24.90	33.32	54.00	20.68	150	152	Horizontal	PASS
5	10403.6972	-5.49	46.95	68.23	21.28	37.68	54.00	16.32	150	228	Horizontal	PASS
6	14651.5114	0.97	48.43	68.23	19.80	39.69	54.00	14.31	150	84	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.73	43.63	68.23	24.60	36.60	54.00	17.40	150	198	Vertical	PASS
2	3071.4643	9.50	44.63	68.23	23.60	37.54	54.00	16.46	150	158	Vertical	PASS
3	3743.6282	10.96	45.68	74.00	28.32	37.48	54.00	16.52	150	70	Vertical	PASS
4	7342.9928	-9.45	42.82	74.00	31.18	35.07	54.00	18.93	150	220	Vertical	PASS
5	10403.6972	-5.49	46.43	68.23	21.80	40.59	54.00	13.41	150	251	Vertical	PASS
6	13854.1094	-0.66	47.34	68.23	20.89	38.03	54.00	15.97	150	296	Vertical	PASS

Mode:	N20-5240
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1199.9	0.59	41.83	74.00	32.17	29.47	54.00	24.53	150	20	Horizontal	PASS
2	2254.3728	6.71	44.06	74.00	29.94	33.84	54.00	20.16	150	153	Horizontal	PASS
3	3786.1069	11.16	45.77	74.00	28.23	38.03	54.00	15.97	150	190	Horizontal	PASS
4	9687.2346	-5.94	43.78	68.23	24.45	36.04	54.00	17.96	150	261	Horizontal	PASS
5	11288.034	-2.53	46.73	74.00	27.27	38.52	54.00	15.48	150	294	Horizontal	PASS
6	14831.3765	0.57	48.01	68.23	20.22	40.24	54.00	13.76	150	272	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2071.964	7.39	43.33	68.23	24.90	35.67	54.00	18.33	150	92	Vertical	PASS
2	3141.4293	9.32	45.43	68.23	22.80	37.13	54.00	16.87	150	299	Vertical	PASS
3	4235.8821	12.11	47.44	74.00	26.56	38.38	54.00	15.62	150	269	Vertical	PASS
4	7328.004	-9.43	45.57	74.00	28.43	38.31	54.00	15.69	150	289	Vertical	PASS
5	10589.5578	-4.17	45.29	68.23	22.94	37.86	54.00	16.14	150	331	Vertical	PASS
6	13170.622	-0.80	47.40	68.23	20.83	39.39	54.00	14.61	150	64	Vertical	PASS

Mode:	N20-5260
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2086.9565	7.61	42.59	68.23	25.64	35.47	54.00	18.53	150	20	Horizontal	PASS
2	2959.0205	8.77	43.63	68.23	24.60	36.45	54.00	17.55	150	7	Horizontal	PASS
3	3978.5107	11.78	45.47	74.00	28.53	36.34	54.00	17.66	150	4	Horizontal	PASS
4	9633.275	-6.14	44.34	68.23	23.89	35.14	54.00	18.86	150	350	Horizontal	PASS
5	11335.998	-2.74	46.84	74.00	27.16	37.46	54.00	16.54	150	56	Horizontal	PASS
6	14612.5406	1.02	47.85	68.23	20.38	39.98	54.00	14.02	150	286	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2154.4228	7.03	43.84	68.23	24.39	35.63	54.00	18.37	150	309	Vertical	PASS
2	2544.2279	7.76	44.46	68.23	23.77	37.79	54.00	16.21	150	155	Vertical	PASS
3	3676.1619	10.53	45.07	74.00	28.93	36.31	54.00	17.69	150	266	Vertical	PASS
4	7103.1726	-10.25	44.06	68.23	24.17	33.46	54.00	20.54	150	285	Vertical	PASS
5	12103.4224	-2.19	47.42	74.00	26.58	37.77	54.00	16.23	150	4	Vertical	PASS
6	14552.5856	0.82	47.23	68.23	21.00	38.97	54.00	15.03	150	24	Vertical	PASS

Mode:	N20-5280
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2074.4628	7.42	43.02	68.23	25.21	35.09	54.00	18.91	150	66	Horizontal	PASS
2	2961.5192	8.79	44.81	68.23	23.42	36.37	54.00	17.63	150	210	Horizontal	PASS
3	3988.5057	11.75	46.29	74.00	27.71	38.11	54.00	15.89	150	123	Horizontal	PASS
4	8368.2238	-9.06	43.58	74.00	30.42	33.72	54.00	20.28	150	271	Horizontal	PASS
5	11222.0834	-2.75	46.42	74.00	27.58	38.00	54.00	16.00	150	195	Horizontal	PASS
6	16297.277	2.45	50.15	68.23	18.08	40.69	54.00	13.31	150	113	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2044.4778	6.98	43.40	68.23	24.83	35.42	54.00	18.58	150	178	Vertical	PASS
2	3133.933	9.38	44.02	68.23	24.21	35.89	54.00	18.11	150	188	Vertical	PASS
3	3908.5457	11.84	46.37	74.00	27.63	39.20	54.00	14.80	150	106	Vertical	PASS
4	8931.8011	-7.57	43.79	68.23	24.44	34.79	54.00	19.21	150	13	Vertical	PASS
5	10559.5803	-4.50	47.17	68.23	21.06	37.86	54.00	16.14	150	242	Vertical	PASS
6	16405.1961	2.98	50.40	68.23	17.83	41.92	54.00	12.08	150	135	Vertical	PASS

Mode:	N20-5320
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2081.959	7.54	43.61	68.23	24.62	35.20	54.00	18.80	150	296	Horizontal	PASS
2	2799.1004	8.95	43.73	74.00	30.27	35.70	54.00	18.30	150	35	Horizontal	PASS
3	3323.8381	10.23	45.73	68.23	22.50	36.71	54.00	17.29	150	80	Horizontal	PASS
4	7342.9928	-9.45	43.19	74.00	30.81	35.84	54.00	18.16	150	239	Horizontal	PASS
5	10634.5241	-4.19	46.18	74.00	27.82	36.62	54.00	17.38	150	333	Horizontal	PASS
6	14747.4394	0.65	47.79	68.23	20.44	39.35	54.00	14.65	150	286	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.75	43.77	68.23	24.46	36.40	54.00	17.60	150	270	Vertical	PASS
2	3093.953	9.60	43.84	68.23	24.39	36.25	54.00	17.75	150	278	Vertical	PASS
3	8182.3632	-9.13	43.37	74.00	30.63	34.68	54.00	19.32	150	256	Vertical	PASS
4	9564.3268	-6.41	44.36	68.23	23.87	35.30	54.00	18.70	150	303	Vertical	PASS
5	11620.7844	-3.07	46.44	74.00	27.56	37.28	54.00	16.72	150	244	Vertical	PASS
6	15964.5266	2.53	50.79	74.00	23.21	41.00	54.00	13.00	150	253	Vertical	PASS

Mode:	N20-5500
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2119.4403	7.46	42.70	68.23	25.53	35.32	54.00	18.68	150	105	Horizontal	PASS
2	2821.5892	8.69	43.43	74.00	30.57	36.37	54.00	17.63	150	290	Horizontal	PASS
3	3341.3293	9.94	45.44	68.23	22.79	37.36	54.00	16.64	150	72	Horizontal	PASS
4	8338.2463	-8.96	43.12	74.00	30.88	35.88	54.00	18.12	150	80	Horizontal	PASS
5	10313.7647	-5.15	45.04	68.23	23.19	37.32	54.00	16.68	150	93	Horizontal	PASS
6	13185.6108	-0.80	47.10	68.23	21.13	37.75	54.00	16.25	150	216	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2124.4378	7.39	43.04	68.23	25.19	36.96	54.00	17.04	150	306	Vertical	PASS
2	3241.3793	9.49	45.22	68.23	23.01	36.42	54.00	17.58	150	191	Vertical	PASS
3	4733.1334	14.35	49.20	74.00	24.80	38.66	54.00	15.34	150	290	Vertical	PASS
4	7328.004	-9.43	44.52	74.00	29.48	38.23	54.00	15.77	150	281	Vertical	PASS
5	10997.2521	-3.94	46.73	74.00	27.27	39.55	54.00	14.45	150	318	Vertical	PASS
6	16501.1242	3.01	53.84	68.23	14.39	46.21	54.00	7.79	150	268	Vertical	PASS

Mode:	N20-5580
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1717.1414	2.89	39.19	68.23	29.04	31.46	54.00	22.54	150	285	Horizontal	PASS
2	2236.8816	6.53	41.74	74.00	32.26	33.99	54.00	20.01	150	229	Horizontal	PASS
3	3988.5057	11.65	45.73	74.00	28.27	38.89	54.00	15.11	150	62	Horizontal	PASS
4	8182.3632	-9.13	43.64	74.00	30.36	34.23	54.00	19.77	150	175	Horizontal	PASS
5	9789.1581	-6.07	44.62	68.23	23.61	35.60	54.00	18.40	150	180	Horizontal	PASS
6	13755.1836	-0.56	46.96	68.23	21.27	38.02	54.00	15.98	150	44	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2096.9515	7.68	43.55	68.23	24.68	35.18	54.00	18.82	150	220	Vertical	PASS
2	3116.4418	9.43	44.85	68.23	23.38	36.72	54.00	17.28	150	193	Vertical	PASS
3	3866.067	11.44	45.81	74.00	28.19	37.70	54.00	16.30	150	255	Vertical	PASS
4	8281.289	-8.87	43.00	74.00	31.00	35.26	54.00	18.74	150	27	Vertical	PASS
5	11159.1307	-3.14	50.48	74.00	23.52	43.42	54.00	10.58	150	304	Vertical	PASS
6	16734.9488	3.83	52.86	68.23	15.37	45.43	54.00	8.57	150	244	Vertical	PASS

Mode:	N20-5700
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1822.089	4.52	39.46	68.23	28.77	33.24	54.00	20.76	150	35	Horizontal	PASS
2	2601.6992	8.16	42.60	68.23	25.63	35.49	54.00	18.51	150	199	Horizontal	PASS
3	3711.1444	10.68	45.52	74.00	28.48	37.38	54.00	16.62	150	224	Horizontal	PASS
4	7238.0714	-9.78	42.60	68.23	25.63	34.31	54.00	19.69	150	222	Horizontal	PASS
5	11389.9575	-3.11	58.80	74.00	15.20	44.51	54.00	9.49	150	351	Horizontal	PASS
6	17094.679	4.58	64.65	68.23	3.58	53.94	54.00	0.06	150	351	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2084.4578	7.48	42.99	68.23	25.24	35.44	54.00	18.56	150	351	Vertical	PASS
2	3028.9855	9.19	44.66	68.23	23.57	36.39	54.00	17.61	150	324	Vertical	PASS
3	4028.4858	11.70	45.56	74.00	28.44	36.83	54.00	17.17	150	26	Vertical	PASS
4	7798.651	-9.59	42.77	68.23	25.46	35.65	54.00	18.35	150	140	Vertical	PASS
5	11392.9553	-3.13	52.22	74.00	21.78	46.58	54.00	7.42	150	108	Vertical	PASS
6	17094.679	4.58	57.07	68.23	11.16	47.97	54.00	6.03	150	168	Vertical	PASS

Mode:	N20-5745
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2080.6597	7.55	43.10	68.23	25.13	34.90	54.00	19.10	150	233	Horizontal	PASS
2	2855.4723	8.59	44.76	74.00	29.24	35.67	54.00	18.33	150	20	Horizontal	PASS
3	3810.3948	11.26	46.59	74.00	27.41	37.46	54.00	16.54	150	351	Horizontal	PASS
4	11491.0407	-2.85	49.41	74.00	24.59	43.68	54.00	10.32	150	174	Horizontal	PASS
5	13733.6661	-0.48	48.57	68.23	19.66	37.83	54.00	16.17	150	328	Horizontal	PASS
6	17233.7909	4.11	55.77	68.23	12.46	46.13	54.00	7.87	150	201	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2053.4733	7.17	42.93	68.23	25.30	34.05	54.00	19.95	150	159	Vertical	PASS
2	2773.913	8.46	44.23	74.00	29.77	35.83	54.00	18.17	150	229	Vertical	PASS
3	3871.5642	11.56	46.62	74.00	27.38	37.48	54.00	16.52	150	200	Vertical	PASS
4	10113.9007	-6.01	44.61	68.23	23.62	35.08	54.00	18.92	150	274	Vertical	PASS
5	11485.9496	-2.87	52.83	74.00	21.17	47.29	54.00	6.71	150	168	Vertical	PASS
6	17238.882	4.11	59.77	68.23	8.46	53.06	54.00	0.94	150	166	Vertical	PASS

Mode:	N20-5785
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2121.4393	7.53	43.12	68.23	25.11	34.63	54.00	19.37	150	76	Horizontal	PASS
2	3140.9295	9.35	44.33	68.23	23.90	35.54	54.00	18.46	150	86	Horizontal	PASS
3	4017.6912	11.88	47.15	74.00	26.85	39.89	54.00	14.11	150	341	Horizontal	PASS
4	11564.8615	-2.97	49.01	74.00	24.99	41.22	54.00	12.78	150	158	Horizontal	PASS
5	14616.9703	1.13	47.58	68.23	20.65	38.91	54.00	15.09	150	360	Horizontal	PASS
6	17350.886	3.87	58.43	68.23	9.80	50.47	54.00	3.53	150	155	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2046.6767	7.09	43.46	68.23	24.77	35.30	54.00	18.70	150	235	Vertical	PASS
2	2824.8876	8.80	43.58	74.00	30.42	35.42	54.00	18.58	150	120	Vertical	PASS
3	4734.7326	14.42	49.60	74.00	24.40	38.84	54.00	15.16	150	296	Vertical	PASS
4	11569.9526	-2.98	53.93	74.00	20.07	48.33	54.00	5.67	150	294	Vertical	PASS
5	14787.5218	0.49	48.28	68.23	19.95	40.32	54.00	13.68	150	119	Vertical	PASS
6	17353.4315	3.86	58.53	68.23	9.70	51.19	54.00	2.81	150	260	Vertical	PASS

Mode:	N20-5825
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1890.3548	6.53	43.19	68.23	25.04	33.27	54.00	20.73	150	324	Horizontal	PASS
2	2298.1509	7.07	42.82	74.00	31.18	33.92	54.00	20.08	150	18	Horizontal	PASS
3	3327.8361	10.12	44.48	68.23	23.75	36.40	54.00	17.60	150	219	Horizontal	PASS
4	11656.5011	-2.80	49.60	74.00	24.40	41.84	54.00	12.16	150	26	Horizontal	PASS
5	14571.1505	1.01	48.05	68.23	20.18	40.07	54.00	13.93	150	63	Horizontal	PASS
6	17470.5266	3.79	59.50	68.23	8.73	50.49	54.00	3.51	150	121	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1944.7276	6.66	42.49	68.23	25.74	33.73	54.00	20.27	150	81	Vertical	PASS
2	2981.2094	8.94	43.98	68.23	24.25	35.81	54.00	18.19	150	241	Vertical	PASS
3	4551.2244	13.35	46.65	74.00	27.35	37.44	54.00	16.56	150	44	Vertical	PASS
4	11641.2279	-2.87	52.91	74.00	21.09	47.08	54.00	6.92	150	160	Vertical	PASS
5	14619.5158	1.12	48.76	68.23	19.47	39.65	54.00	14.35	150	13	Vertical	PASS
6	17470.5266	3.79	59.85	68.23	8.38	51.71	54.00	2.29	150	50	Vertical	PASS

Mode:	N40-5190
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2099.4503	7.80	43.67	68.23	24.56	35.08	54.00	18.92	150	267	Horizontal	PASS
2	2809.0955	8.91	44.07	74.00	29.93	36.73	54.00	17.27	150	147	Horizontal	PASS
3	3141.4293	9.32	45.92	68.23	22.31	38.01	54.00	15.99	150	138	Horizontal	PASS
4	8029.4779	-9.13	43.02	74.00	30.98	34.06	54.00	19.94	150	40	Horizontal	PASS
5	11473.8946	-3.06	46.23	74.00	27.77	37.32	54.00	16.68	150	338	Horizontal	PASS
6	15308.019	2.69	48.68	68.23	19.55	40.92	54.00	13.08	150	63	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2126.9365	7.42	43.52	68.23	24.71	36.85	54.00	17.15	150	134	Vertical	PASS
2	3048.9755	9.41	44.90	68.23	23.33	37.08	54.00	16.92	150	65	Vertical	PASS
3	3743.6282	10.96	46.21	74.00	27.79	38.19	54.00	15.81	150	290	Vertical	PASS
4	9633.275	-6.14	44.35	68.23	23.88	35.36	54.00	18.64	150	308	Vertical	PASS
5	11941.5438	-2.55	46.65	74.00	27.35	38.55	54.00	15.45	150	37	Vertical	PASS
6	14360.7295	0.46	47.28	68.23	20.95	39.53	54.00	14.47	150	43	Vertical	PASS

Mode:	N40-5230
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2081.959	7.54	43.60	68.23	24.63	35.68	54.00	18.32	150	289	Horizontal	PASS
2	2781.6092	8.61	43.69	74.00	30.31	37.57	54.00	16.43	150	69	Horizontal	PASS
3	3328.8356	10.17	44.56	68.23	23.67	36.93	54.00	17.07	150	102	Horizontal	PASS
4	8299.2755	-8.83	43.78	74.00	30.22	34.24	54.00	19.76	150	224	Horizontal	PASS
5	11401.9485	-3.18	46.31	74.00	27.69	38.35	54.00	15.65	150	213	Horizontal	PASS
6	14069.9475	0.10	47.42	68.23	20.81	38.38	54.00	15.62	150	56	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2084.4578	7.58	42.88	68.23	25.35	36.31	54.00	17.69	150	40	Vertical	PASS
2	3041.4793	9.36	45.14	68.23	23.09	36.56	54.00	17.44	150	347	Vertical	PASS
3	3946.027	11.83	46.34	74.00	27.66	39.65	54.00	14.35	150	256	Vertical	PASS
4	7328.004	-9.43	43.80	74.00	30.20	38.48	54.00	15.52	150	321	Vertical	PASS
5	11512.8654	-3.04	47.47	74.00	26.53	38.84	54.00	15.16	150	15	Vertical	PASS
6	15622.7829	3.03	49.06	74.00	24.94	41.00	54.00	13.00	150	351	Vertical	PASS

Mode:	N40-5270
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2051.974	7.08	45.34	68.23	22.89	34.99	54.00	19.01	150	38	Horizontal	PASS
2	3141.4293	9.32	44.37	68.23	23.86	38.69	54.00	15.31	150	128	Horizontal	PASS
3	3836.082	11.41	45.57	74.00	28.43	38.11	54.00	15.89	150	138	Horizontal	PASS
4	8850.8619	-7.63	43.33	68.23	24.90	34.89	54.00	19.11	150	178	Horizontal	PASS
5	11309.0182	-2.55	47.70	74.00	26.30	37.40	54.00	16.60	150	181	Horizontal	PASS
6	16773.9196	4.03	50.30	68.23	17.93	42.15	54.00	11.85	150	259	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2079.4603	7.50	43.41	68.23	24.82	35.07	54.00	18.93	150	255	Vertical	PASS
2	2804.098	8.94	44.76	74.00	29.24	36.51	54.00	17.49	150	197	Vertical	PASS
3	3808.5957	11.26	45.46	74.00	28.54	39.11	54.00	14.89	150	250	Vertical	PASS
4	7331.0017	-9.43	44.03	74.00	29.97	36.71	54.00	17.29	150	320	Vertical	PASS
5	10280.7894	-5.19	44.43	68.23	23.80	36.55	54.00	17.45	150	89	Vertical	PASS
6	13236.5726	-0.63	47.17	68.23	21.06	38.35	54.00	15.65	150	194	Vertical	PASS

Mode:	N40-5310
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1959.5202	6.49	42.55	68.23	25.68	34.83	54.00	19.17	150	16	Horizontal	PASS
2	3141.4293	9.32	44.93	68.23	23.30	38.98	54.00	15.02	150	132	Horizontal	PASS
3	3926.037	11.84	45.45	74.00	28.55	37.32	54.00	16.68	150	191	Horizontal	PASS
4	7666.7499	-9.63	43.30	74.00	30.70	34.10	54.00	19.90	150	10	Horizontal	PASS
5	10352.7354	-5.31	45.52	68.23	22.71	36.04	54.00	17.96	150	311	Horizontal	PASS
6	12604.047	-1.58	47.17	74.00	26.83	39.41	54.00	14.59	150	222	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2151.924	7.06	44.58	68.23	23.65	34.78	54.00	19.22	150	111	Vertical	PASS
2	3108.9455	9.56	45.01	68.23	23.22	36.42	54.00	17.58	150	49	Vertical	PASS
3	3968.5157	11.80	46.29	74.00	27.71	38.89	54.00	15.11	150	15	Vertical	PASS
4	7079.1906	-10.21	43.88	68.23	24.35	33.58	54.00	20.42	150	30	Vertical	PASS
5	11303.0227	-2.51	45.98	74.00	28.02	39.52	54.00	14.48	150	92	Vertical	PASS
6	15994.5041	2.90	48.92	74.00	25.08	41.29	54.00	12.71	150	244	Vertical	PASS

Mode:	N40-5510
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2101.949	7.70	42.71	68.23	25.52	35.18	54.00	18.82	150	198	Horizontal	PASS
2	2604.1979	8.13	43.26	68.23	24.97	36.31	54.00	17.69	150	331	Horizontal	PASS
3	3836.082	11.32	46.18	74.00	27.82	37.81	54.00	16.19	150	323	Horizontal	PASS
4	9639.2705	-6.11	43.75	68.23	24.48	35.62	54.00	18.38	150	328	Horizontal	PASS
5	13161.6288	-0.81	46.54	68.23	21.69	37.94	54.00	16.06	150	135	Horizontal	PASS
6	15406.9448	1.92	49.02	74.00	24.98	40.55	54.00	13.45	150	229	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1879.5602	6.01	42.39	68.23	25.84	34.38	54.00	19.62	150	356	Vertical	PASS
2	3343.8281	9.91	45.94	68.23	22.29	39.20	54.00	14.80	150	260	Vertical	PASS
3	4440.7796	12.85	46.71	68.23	21.52	39.18	54.00	14.82	150	260	Vertical	PASS
4	7331.0017	-9.43	44.36	74.00	29.64	36.98	54.00	17.02	150	296	Vertical	PASS
5	11998.5011	-2.52	46.86	74.00	27.14	36.87	54.00	17.13	150	148	Vertical	PASS
6	13398.4512	-0.90	47.24	74.00	26.76	38.53	54.00	15.47	150	280	Vertical	PASS

Mode:	N40-5590
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2086.9565	7.52	43.12	68.23	25.11	36.60	54.00	17.40	150	139	Horizontal	PASS
2	3141.4293	9.24	45.73	68.23	22.50	37.81	54.00	16.19	150	47	Horizontal	PASS
3	3738.6307	10.88	46.55	74.00	27.45	37.15	54.00	16.85	150	59	Horizontal	PASS
4	8970.7719	-7.53	44.38	68.23	23.85	35.47	54.00	18.53	150	252	Horizontal	PASS
5	11701.7237	-2.67	46.98	74.00	27.02	38.01	54.00	15.99	150	257	Horizontal	PASS
6	15266.0505	2.30	48.97	68.23	19.26	40.54	54.00	13.46	150	305	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2126.9365	7.35	43.15	68.23	25.08	36.72	54.00	17.28	150	194	Vertical	PASS
2	2804.098	8.81	43.99	74.00	30.01	36.12	54.00	17.88	150	4	Vertical	PASS
3	3816.092	11.26	45.61	74.00	28.39	38.29	54.00	15.71	150	360	Vertical	PASS
4	8134.3992	-9.29	43.01	74.00	30.99	33.23	54.00	20.77	150	297	Vertical	PASS
5	11153.1351	-3.19	47.43	74.00	26.57	36.91	54.00	17.09	150	94	Vertical	PASS
6	16758.9308	3.95	53.56	68.23	14.67	43.81	54.00	10.19	150	237	Vertical	PASS

Mode:	N40-5670
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2084.058	7.60	42.86	68.23	25.37	35.75	54.00	18.25	150	130	Horizontal	PASS
2	3304.048	10.38	44.32	68.23	23.91	35.89	54.00	18.11	150	200	Horizontal	PASS
3	4942.029	14.19	48.95	74.00	25.05	40.58	54.00	13.42	150	240	Horizontal	PASS
4	9144.0479	-7.03	45.01	74.00	28.99	35.74	54.00	18.26	150	310	Horizontal	PASS
5	13275.4679	-0.40	47.30	74.00	26.70	39.75	54.00	14.25	150	110	Horizontal	PASS
6	15589.3686	3.64	50.53	74.00	23.47	41.23	54.00	12.77	150	190	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2060.2699	7.27	43.93	68.23	24.30	34.10	54.00	19.90	150	340	Vertical	PASS
2	3280.2599	10.14	44.65	68.23	23.58	36.91	54.00	17.09	150	260	Vertical	PASS
3	4530.8346	13.28	46.61	74.00	27.39	37.98	54.00	16.02	150	150	Vertical	PASS
4	9905.166	-5.98	45.03	68.23	23.20	35.53	54.00	18.47	150	0	Vertical	PASS
5	12140.1547	-2.08	46.75	74.00	27.25	39.79	54.00	14.21	150	250	Vertical	PASS
6	15561.3676	3.20	49.14	74.00	24.86	40.48	54.00	13.52	150	170	Vertical	PASS

Mode:	N40-5755
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2070.4648	7.41	43.43	68.23	24.80	34.68	54.00	19.32	150	247	Horizontal	PASS
2	3331.2344	10.07	44.18	68.23	24.05	36.41	54.00	17.59	150	215	Horizontal	PASS
3	4483.2584	13.11	46.93	68.23	21.30	38.75	54.00	15.25	150	26	Horizontal	PASS
4	10024.8066	-5.78	43.62	68.23	24.61	35.94	54.00	18.06	150	353	Horizontal	PASS
5	12351.435	-1.84	46.89	74.00	27.11	37.75	54.00	16.25	150	60	Horizontal	PASS
6	17269.4285	4.12	58.96	68.23	9.27	49.39	54.00	4.61	150	133	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1931.1344	6.69	42.90	68.23	25.33	33.33	54.00	20.67	150	31	Vertical	PASS
2	3117.1414	9.54	44.62	68.23	23.61	36.70	54.00	17.30	150	236	Vertical	PASS
3	3925.937	11.78	45.84	74.00	28.16	37.24	54.00	16.76	150	188	Vertical	PASS
4	9166.9578	-6.82	43.38	74.00	30.62	36.29	54.00	17.71	150	274	Vertical	PASS
5	11503.7684	-2.83	51.27	74.00	22.73	43.11	54.00	10.89	150	153	Vertical	PASS
6	17246.5186	4.11	56.76	68.23	11.47	47.79	54.00	6.21	150	191	Vertical	PASS

Mode:	N40-5795
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1200.4998	0.64	41.85	74.00	32.15	33.75	54.00	20.25	150	24	Horizontal	PASS
2	2111.2444	7.66	42.56	68.23	25.67	35.18	54.00	18.82	150	351	Horizontal	PASS
3	3834.1829	11.36	47.50	74.00	26.50	36.93	54.00	17.07	150	237	Horizontal	PASS
4	9846.6184	-6.03	44.27	68.23	23.96	35.92	54.00	18.08	150	150	Horizontal	PASS
5	11590.3169	-3.03	47.29	74.00	26.71	42.25	54.00	11.75	150	150	Horizontal	PASS
6	17371.2503	3.76	54.80	68.23	13.43	46.34	54.00	7.66	150	120	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2016.092	6.72	42.94	68.23	25.29	33.97	54.00	20.03	150	119	Vertical	PASS
2	3106.9465	9.62	44.24	68.23	23.99	35.69	54.00	18.31	150	226	Vertical	PASS
3	3868.1659	11.55	45.39	74.00	28.61	37.48	54.00	16.52	150	53	Vertical	PASS
4	11597.9536	-3.04	51.24	74.00	22.76	44.47	54.00	9.53	150	315	Vertical	PASS
5	14459.1465	0.56	47.67	68.23	20.56	40.24	54.00	13.76	150	32	Vertical	PASS
6	17378.8869	3.72	54.90	68.23	13.33	46.81	54.00	7.19	150	155	Vertical	PASS

Mode:	AC20-5180
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2071.964	7.39	42.84	68.23	25.39	35.74	54.00	18.26	150	29	Horizontal	PASS
2	2804.098	8.94	43.65	74.00	30.35	36.09	54.00	17.91	150	123	Horizontal	PASS
3	3926.037	11.84	46.52	74.00	27.48	38.42	54.00	15.58	150	12	Horizontal	PASS
4	8976.7674	-7.52	43.32	68.23	24.91	35.47	54.00	18.53	150	135	Horizontal	PASS
5	14639.5204	0.99	47.49	68.23	20.74	39.58	54.00	14.42	150	298	Horizontal	PASS
6	17619.2855	4.09	51.18	68.23	17.05	43.07	54.00	10.93	150	224	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2369.3153	6.92	45.15	74.00	28.85	34.85	54.00	19.15	150	116	Vertical	PASS
2	3333.8331	10.11	44.30	74.00	29.70	37.56	54.00	16.44	150	277	Vertical	PASS
3	4220.8896	12.14	47.13	74.00	26.87	38.48	54.00	15.52	150	66	Vertical	PASS
4	7939.5453	-9.16	42.76	68.23	25.47	34.81	54.00	19.19	150	241	Vertical	PASS
5	10364.7265	-5.36	47.12	68.23	21.11	39.76	54.00	14.24	150	225	Vertical	PASS
6	15080.1899	1.58	47.80	68.23	20.43	38.29	54.00	15.71	150	159	Vertical	PASS

Mode:	AC20-5200
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2081.959	7.54	43.19	68.23	25.04	36.59	54.00	17.41	150	360	Horizontal	PASS
2	2799.1004	8.95	44.54	74.00	29.46	36.18	54.00	17.82	150	154	Horizontal	PASS
3	4125.937	12.16	46.79	74.00	27.21	38.25	54.00	15.75	150	93	Horizontal	PASS
4	7328.004	-9.43	43.47	74.00	30.53	35.85	54.00	18.15	150	339	Horizontal	PASS
5	11117.1621	-3.46	45.31	74.00	28.69	36.77	54.00	17.23	150	334	Horizontal	PASS
6	14303.7722	0.70	47.05	68.23	21.18	39.87	54.00	14.13	150	342	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1949.5252	6.51	43.83	68.23	24.40	34.67	54.00	19.33	150	276	Vertical	PASS
2	3038.9805	9.35	44.44	68.23	23.79	36.69	54.00	17.31	150	115	Vertical	PASS
3	3728.6357	10.86	44.88	74.00	29.12	37.42	54.00	16.58	150	271	Vertical	PASS
4	7328.004	-9.43	43.74	74.00	30.26	37.51	54.00	16.49	150	275	Vertical	PASS
5	10397.7017	-5.49	45.81	68.23	22.42	37.07	54.00	16.93	150	285	Vertical	PASS
6	13227.5793	-0.67	47.81	68.23	20.42	37.86	54.00	16.14	150	15	Vertical	PASS

Mode:	AC20-5240
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1889.5552	6.38	42.00	68.23	26.23	34.24	54.00	19.76	150	7	Horizontal	PASS
2	2546.7266	7.78	43.65	68.23	24.58	35.42	54.00	18.58	150	184	Horizontal	PASS
3	3288.8556	10.34	44.31	68.23	23.92	37.45	54.00	16.55	150	235	Horizontal	PASS
4	8269.298	-8.90	43.26	74.00	30.74	34.56	54.00	19.44	150	229	Horizontal	PASS
5	10481.6388	-5.22	46.30	68.23	21.93	38.61	54.00	15.39	150	139	Horizontal	PASS
6	15382.9628	2.05	48.35	74.00	25.65	40.30	54.00	13.70	150	105	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2144.4278	7.17	43.40	68.23	24.83	36.59	54.00	17.41	150	250	Vertical	PASS
2	3056.4718	9.44	45.35	68.23	22.88	37.03	54.00	16.97	150	82	Vertical	PASS
3	3913.5432	11.84	45.24	74.00	28.76	38.49	54.00	15.51	150	216	Vertical	PASS
4	8964.7764	-7.53	44.40	68.23	23.83	35.42	54.00	18.58	150	149	Vertical	PASS
5	11321.0092	-2.63	46.16	74.00	27.84	38.51	54.00	15.49	150	282	Vertical	PASS
6	12604.047	-1.58	47.12	74.00	26.88	38.47	54.00	15.53	150	152	Vertical	PASS

Mode:	AC20-5260
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1967.0165	6.47	42.82	68.23	25.41	34.46	54.00	19.54	150	107	Horizontal	PASS
2	3141.4293	9.32	46.05	68.23	22.18	38.84	54.00	15.16	150	245	Horizontal	PASS
3	7753.6847	-9.56	43.10	68.23	25.13	33.71	54.00	20.29	150	135	Horizontal	PASS
4	8769.9226	-7.99	42.40	68.23	25.83	34.50	54.00	19.50	150	137	Horizontal	PASS
5	12106.4202	-2.19	45.74	74.00	28.26	38.23	54.00	15.77	150	222	Horizontal	PASS
6	14459.6553	0.46	48.58	68.23	19.65	38.71	54.00	15.29	150	56	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1904.5477	6.60	43.31	68.23	24.92	35.64	54.00	18.36	150	336	Vertical	PASS
2	2801.5992	8.96	44.82	74.00	29.18	37.62	54.00	16.38	150	42	Vertical	PASS
3	3901.0495	11.84	46.51	74.00	27.49	38.46	54.00	15.54	150	64	Vertical	PASS
4	8371.2216	-9.07	42.84	74.00	31.16	33.85	54.00	20.15	150	123	Vertical	PASS
5	11315.0137	-2.59	47.24	74.00	26.76	37.76	54.00	16.24	150	156	Vertical	PASS
6	14660.5046	0.95	47.20	68.23	21.03	39.26	54.00	14.74	150	136	Vertical	PASS

Mode:	AC20-5280
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1974.5127	6.45	43.58	68.23	24.65	34.97	54.00	19.03	150	24	Horizontal	PASS
2	2799.1004	8.95	44.81	74.00	29.19	36.75	54.00	17.25	150	82	Horizontal	PASS
3	3141.4293	9.32	45.59	68.23	22.64	39.80	54.00	14.20	150	137	Horizontal	PASS
4	7328.004	-9.43	42.63	74.00	31.37	35.48	54.00	18.52	150	238	Horizontal	PASS
5	11285.0362	-2.53	46.12	74.00	27.88	38.31	54.00	15.69	150	282	Horizontal	PASS
6	13884.0869	-0.77	47.58	68.23	20.65	39.09	54.00	14.91	150	216	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2106.9465	7.71	43.23	68.23	25.00	36.11	54.00	17.89	150	340	Vertical	PASS
2	3011.4943	9.18	44.49	68.23	23.74	36.61	54.00	17.39	150	184	Vertical	PASS
3	3753.6232	11.01	45.27	74.00	28.73	37.22	54.00	16.78	150	41	Vertical	PASS
4	7106.1704	-10.25	44.10	68.23	24.13	35.31	54.00	18.69	150	117	Vertical	PASS
5	11350.9868	-2.84	45.90	74.00	28.10	38.50	54.00	15.50	150	188	Vertical	PASS
6	13260.5546	-0.52	47.27	74.00	26.73	39.13	54.00	14.87	150	325	Vertical	PASS

Mode:	AC20-5320
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1964.5177	6.48	42.27	68.23	25.96	33.84	54.00	20.16	150	203	Horizontal	PASS
2	3141.4293	9.32	46.24	68.23	21.99	38.42	54.00	15.58	150	298	Horizontal	PASS
3	4200.8996	12.17	45.77	74.00	28.23	38.46	54.00	15.54	150	359	Horizontal	PASS
4	7993.5049	-9.00	42.97	68.23	25.26	33.54	54.00	20.46	150	227	Horizontal	PASS
5	10631.5264	-4.19	47.71	74.00	26.29	39.51	54.00	14.49	150	236	Horizontal	PASS
6	14642.5181	0.98	48.16	68.23	20.07	39.65	54.00	14.35	150	150	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1972.014	6.45	44.05	68.23	24.18	36.34	54.00	17.66	150	189	Vertical	PASS
2	2821.5892	8.82	45.11	74.00	28.89	36.30	54.00	17.70	150	276	Vertical	PASS
3	3853.5732	11.51	46.39	74.00	27.61	37.63	54.00	16.37	150	233	Vertical	PASS
4	7328.004	-9.43	43.26	74.00	30.74	35.52	54.00	18.48	150	328	Vertical	PASS
5	10640.5196	-4.22	47.51	74.00	26.49	38.16	54.00	15.84	150	216	Vertical	PASS
6	14345.7407	0.51	47.39	68.23	20.84	39.81	54.00	14.19	150	323	Vertical	PASS

Mode:	AC20-5500
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2039.4803	6.78	42.53	68.23	25.70	34.40	54.00	19.60	150	360	Horizontal	PASS
2	3141.4293	9.24	44.16	68.23	24.07	38.22	54.00	15.78	150	42	Horizontal	PASS
3	4065.967	11.81	45.33	74.00	28.67	37.96	54.00	16.04	150	112	Horizontal	PASS
4	8269.298	-8.90	42.99	74.00	31.01	33.58	54.00	20.42	150	100	Horizontal	PASS
5	10592.5556	-4.13	46.47	68.23	21.76	37.15	54.00	16.85	150	39	Horizontal	PASS
6	12810.8918	-1.23	46.63	68.23	21.60	38.85	54.00	15.15	150	133	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2054.4728	7.00	42.23	68.23	26.00	35.69	54.00	18.31	150	234	Vertical	PASS
2	2799.1004	8.82	43.68	74.00	30.32	35.58	54.00	18.42	150	9	Vertical	PASS
3	4235.8821	11.98	45.76	74.00	28.24	38.37	54.00	15.63	150	291	Vertical	PASS
4	8281.289	-8.87	43.63	74.00	30.37	34.96	54.00	19.04	150	71	Vertical	PASS
5	11003.2476	-3.90	46.85	74.00	27.15	41.13	54.00	12.87	150	312	Vertical	PASS
6	14666.5001	0.95	48.32	68.23	19.91	39.44	54.00	14.56	150	261	Vertical	PASS

Mode:	AC20-5580
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2061.969	7.12	43.31	68.23	24.92	35.43	54.00	18.57	150	360	Horizontal	PASS
2	3141.4293	9.24	44.77	68.23	23.46	37.95	54.00	16.05	150	304	Horizontal	PASS
3	3871.0645	11.46	45.77	74.00	28.23	37.82	54.00	16.18	150	132	Horizontal	PASS
4	9045.7157	-7.62	44.46	74.00	29.54	34.75	54.00	19.25	150	342	Horizontal	PASS
5	11338.9958	-2.76	47.24	74.00	26.76	37.20	54.00	16.80	150	119	Horizontal	PASS
6	13308.5186	-0.39	47.29	74.00	26.71	39.75	54.00	14.25	150	285	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1949.5252	6.36	41.76	68.23	26.47	35.78	54.00	18.22	150	160	Vertical	PASS
2	2801.5992	8.83	43.48	74.00	30.52	36.27	54.00	17.73	150	103	Vertical	PASS
3	4653.1734	13.78	47.14	74.00	26.86	38.69	54.00	15.31	150	31	Vertical	PASS
4	11153.1351	-3.19	51.37	74.00	22.63	41.20	54.00	12.80	150	155	Vertical	PASS
5	14288.7834	0.63	48.58	68.23	19.65	40.19	54.00	13.81	150	228	Vertical	PASS
6	16749.9375	3.90	52.19	68.23	16.04	41.94	54.00	12.06	150	166	Vertical	PASS

Mode:	AC20-5700
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2086.9565	7.52	42.18	68.23	26.05	35.56	54.00	18.44	150	360	Horizontal	PASS
2	3141.4293	9.24	44.53	68.23	23.70	38.38	54.00	15.62	150	133	Horizontal	PASS
3	4403.2984	12.70	47.39	68.23	20.84	38.24	54.00	15.76	150	356	Horizontal	PASS
4	8341.2441	-8.97	41.96	74.00	32.04	34.76	54.00	19.24	150	232	Horizontal	PASS
5	11398.9508	-3.17	54.63	74.00	19.37	46.82	54.00	7.18	150	68	Horizontal	PASS
6	17100.6745	4.59	58.27	68.23	9.96	46.53	54.00	7.47	150	347	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.64	42.31	68.23	25.92	36.30	54.00	17.70	150	317	Vertical	PASS
2	2636.6817	7.75	42.89	68.23	25.34	35.22	54.00	18.78	150	130	Vertical	PASS
3	4190.9045	12.05	46.04	74.00	27.96	39.31	54.00	14.69	150	226	Vertical	PASS
4	7211.0917	-9.95	42.93	68.23	25.30	34.07	54.00	19.93	150	345	Vertical	PASS
5	11398.9508	-3.17	54.44	74.00	19.56	48.69	54.00	5.31	150	151	Vertical	PASS
6	17100.6745	4.59	56.25	68.23	11.98	50.68	54.00	3.32	150	266	Vertical	PASS

Mode:	AC20-5745
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2036.4818	6.97	43.38	68.23	24.85	35.49	54.00	18.51	150	26	Horizontal	PASS
2	3310.8446	10.30	44.71	68.23	23.52	37.33	54.00	16.67	150	316	Horizontal	PASS
3	3976.9115	11.82	46.96	74.00	27.04	37.42	54.00	16.58	150	316	Horizontal	PASS
4	10108.8096	-6.02	44.92	68.23	23.31	35.31	54.00	18.69	150	32	Horizontal	PASS
5	12837.6341	-1.10	45.92	68.23	22.31	38.61	54.00	15.39	150	256	Horizontal	PASS
6	17249.0641	4.11	53.66	68.23	14.57	48.74	54.00	5.26	150	149	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2087.4563	7.65	43.80	68.23	24.43	34.17	54.00	19.83	150	290	Vertical	PASS
2	2811.2944	8.88	44.47	74.00	29.53	36.59	54.00	17.41	150	76	Vertical	PASS
3	3946.3268	11.82	45.66	74.00	28.34	37.05	54.00	16.95	150	54	Vertical	PASS
4	9928.0759	-5.92	44.70	68.23	23.53	35.80	54.00	18.20	150	187	Vertical	PASS
5	11491.0407	-2.85	52.53	74.00	21.47	45.03	54.00	8.97	150	106	Vertical	PASS
6	17236.3364	4.10	60.41	68.23	7.82	50.89	54.00	3.11	150	21	Vertical	PASS

Mode:	AC20-5785
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2097.6512	7.79	40.39	68.23	27.84	32.24	54.00	21.76	150	290	Horizontal	PASS
2	2923.4383	8.44	42.93	68.23	25.30	34.94	54.00	19.06	150	347	Horizontal	PASS
3	3837.5812	11.38	45.53	74.00	28.47	37.07	54.00	16.93	150	81	Horizontal	PASS
4	11569.9526	-2.98	52.14	74.00	21.86	45.26	54.00	8.74	150	170	Horizontal	PASS
5	15622.4607	3.28	49.48	74.00	24.52	41.91	54.00	12.09	150	35	Horizontal	PASS
6	17353.4315	3.86	57.38	68.23	10.85	50.00	54.00	4.00	150	198	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2056.8716	7.22	43.52	68.23	24.71	35.53	54.00	18.47	150	110	Vertical	PASS
2	2991.4043	9.01	44.32	68.23	23.91	35.74	54.00	18.26	150	333	Vertical	PASS
3	3783.2084	11.13	46.74	74.00	27.26	38.62	54.00	15.38	150	306	Vertical	PASS
4	11557.2249	-2.96	54.77	74.00	19.23	44.14	54.00	9.86	150	164	Vertical	PASS
5	15602.0963	3.75	49.12	74.00	24.88	42.11	54.00	11.89	150	31	Vertical	PASS
6	17366.1592	3.79	60.07	68.23	8.16	48.98	54.00	5.02	150	286	Vertical	PASS

Mode:	AC20-5825
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2230.1849	6.65	44.05	74.00	29.95	33.77	54.00	20.23	150	354	Horizontal	PASS
2	3140.9295	9.35	45.44	68.23	22.79	34.91	54.00	19.09	150	78	Horizontal	PASS
3	5023.5882	14.25	48.14	74.00	25.86	40.46	54.00	13.54	150	66	Horizontal	PASS
4	11648.8645	-2.83	52.68	74.00	21.32	46.76	54.00	7.24	150	150	Horizontal	PASS
5	15607.1874	3.63	48.76	74.00	25.24	42.13	54.00	11.87	150	205	Horizontal	PASS
6	17462.8899	3.77	58.39	68.23	9.84	49.63	54.00	4.37	150	189	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.76	44.34	68.23	23.89	35.35	54.00	18.65	150	184	Vertical	PASS
2	3276.8616	10.09	44.49	68.23	23.74	36.47	54.00	17.53	150	19	Vertical	PASS
3	4972.6137	14.26	48.93	74.00	25.07	40.43	54.00	13.57	150	111	Vertical	PASS
4	8968.4053	-7.55	45.34	68.23	22.89	35.88	54.00	18.12	150	180	Vertical	PASS
5	11638.6823	-2.88	57.14	74.00	16.86	44.57	54.00	9.43	150	291	Vertical	PASS
6	17485.7998	3.84	55.93	68.23	12.30	47.10	54.00	6.90	150	15	Vertical	PASS

Mode:	AC40-5190
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2126.9365	7.42	43.55	68.23	24.68	35.75	54.00	18.25	150	116	Horizontal	PASS
2	3141.4293	9.32	44.70	68.23	23.53	40.11	54.00	13.89	150	134	Horizontal	PASS
3	3801.0994	11.23	45.92	74.00	28.08	38.55	54.00	15.45	150	34	Horizontal	PASS
4	7906.5701	-9.25	44.04	68.23	24.19	35.49	54.00	18.51	150	348	Horizontal	PASS
5	10616.5376	-4.12	45.49	74.00	28.51	37.88	54.00	16.12	150	276	Horizontal	PASS
6	15565.8256	3.03	49.36	74.00	24.64	42.04	54.00	11.96	150	86	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2071.964	7.39	44.15	68.23	24.08	35.48	54.00	18.52	150	200	Vertical	PASS
2	2916.5417	8.34	44.84	68.23	23.39	36.49	54.00	17.51	150	355	Vertical	PASS
3	3813.5932	11.29	46.65	74.00	27.35	37.60	54.00	16.40	150	166	Vertical	PASS
4	6572.5706	-10.76	45.63	68.23	22.60	38.26	54.00	15.74	150	276	Vertical	PASS
5	9723.2076	-5.94	44.49	68.23	23.74	36.04	54.00	17.96	150	247	Vertical	PASS
6	11572.8204	-3.13	47.52	74.00	26.48	36.98	54.00	17.02	150	318	Vertical	PASS

Mode:	AC40-5230
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1924.5377	6.56	42.59	68.23	25.64	34.17	54.00	19.83	150	246	Horizontal	PASS
2	2561.7191	7.92	44.30	68.23	23.93	35.52	54.00	18.48	150	24	Horizontal	PASS
3	3141.4293	9.32	45.49	68.23	22.74	38.60	54.00	15.40	150	123	Horizontal	PASS
4	7040.2198	-10.12	43.11	68.23	25.12	34.99	54.00	19.01	150	200	Horizontal	PASS
5	11252.061	-2.65	45.84	74.00	28.16	37.58	54.00	16.42	150	232	Horizontal	PASS
6	15311.0167	2.67	48.90	68.23	19.33	39.98	54.00	14.02	150	71	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2064.4678	7.27	44.66	68.23	23.57	35.67	54.00	18.33	150	294	Vertical	PASS
2	2974.013	8.89	44.07	68.23	24.16	35.34	54.00	18.66	150	197	Vertical	PASS
3	4000.9995	11.73	46.68	74.00	27.32	36.76	54.00	17.24	150	102	Vertical	PASS
4	6563.5773	-10.72	44.93	68.23	23.30	35.91	54.00	18.09	150	96	Vertical	PASS
5	11356.9823	-2.88	46.61	74.00	27.39	37.15	54.00	16.85	150	166	Vertical	PASS
6	14789.4079	0.43	48.20	68.23	20.03	39.73	54.00	14.27	150	297	Vertical	PASS

Mode:	AC40-5270
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2064.4678	7.27	42.57	68.23	25.66	35.67	54.00	18.33	150	249	Horizontal	PASS
2	3141.4293	9.32	46.10	68.23	22.13	38.96	54.00	15.04	150	127	Horizontal	PASS
3	3803.5982	11.24	47.24	74.00	26.76	38.22	54.00	15.78	150	58	Horizontal	PASS
4	7912.5656	-9.23	43.76	68.23	24.47	36.14	54.00	17.86	150	5	Horizontal	PASS
5	11824.6315	-2.75	46.30	74.00	27.70	38.00	54.00	16.00	150	15	Horizontal	PASS
6	15179.1157	1.50	48.53	68.23	19.70	40.46	54.00	13.54	150	189	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2081.959	7.54	42.70	68.23	25.53	34.73	54.00	19.27	150	189	Vertical	PASS
2	2809.0955	8.91	44.28	74.00	29.72	36.86	54.00	17.14	150	289	Vertical	PASS
3	3773.6132	11.10	46.52	74.00	27.48	37.21	54.00	16.79	150	262	Vertical	PASS
4	7328.004	-9.43	44.65	74.00	29.35	38.48	54.00	15.52	150	298	Vertical	PASS
5	11303.0227	-2.51	47.08	74.00	26.92	38.38	54.00	15.62	150	154	Vertical	PASS
6	14129.9026	0.04	47.68	68.23	20.55	38.82	54.00	15.18	150	120	Vertical	PASS

Mode:	AC40-5310
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.75	43.16	68.23	25.07	35.78	54.00	18.22	150	189	Horizontal	PASS
2	3141.4293	9.32	44.90	68.23	23.33	38.96	54.00	15.04	150	133	Horizontal	PASS
3	3843.5782	11.45	46.78	74.00	27.22	39.71	54.00	14.29	150	225	Horizontal	PASS
4	7408.9433	-9.54	42.79	74.00	31.21	34.41	54.00	19.59	150	5	Horizontal	PASS
5	11126.1554	-3.39	46.50	74.00	27.50	37.36	54.00	16.64	150	58	Horizontal	PASS
6	15628.7784	2.91	49.75	74.00	24.25	42.22	54.00	11.78	150	135	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2059.4703	7.20	43.03	68.23	25.20	37.05	54.00	16.95	150	305	Vertical	PASS
2	2789.1054	8.76	44.26	74.00	29.74	35.83	54.00	18.17	150	58	Vertical	PASS
3	3771.1144	11.09	47.26	74.00	26.74	39.29	54.00	14.71	150	110	Vertical	PASS
4	7118.1614	-10.22	46.01	68.23	22.22	38.44	54.00	15.56	150	277	Vertical	PASS
5	10673.4949	-4.36	45.73	74.00	28.27	36.57	54.00	17.43	150	175	Vertical	PASS
6	14927.3045	0.84	48.77	68.23	19.46	40.62	54.00	13.38	150	250	Vertical	PASS

Mode:	AC40-5510
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2096.9515	7.68	43.03	68.23	25.20	35.74	54.00	18.26	150	275	Horizontal	PASS
2	3141.4293	9.24	45.71	68.23	22.52	39.21	54.00	14.79	150	288	Horizontal	PASS
3	3828.5857	11.30	46.14	74.00	27.86	38.17	54.00	15.83	150	214	Horizontal	PASS
4	7345.9905	-9.45	44.49	74.00	29.51	34.56	54.00	19.44	150	188	Horizontal	PASS
5	11881.5888	-2.62	47.57	74.00	26.43	37.50	54.00	16.50	150	291	Horizontal	PASS
6	15589.8076	3.37	49.42	74.00	24.58	41.63	54.00	12.37	150	160	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2131.934	7.28	42.89	68.23	25.34	35.23	54.00	18.77	150	137	Vertical	PASS
2	3306.3468	10.32	45.51	68.23	22.72	37.69	54.00	16.31	150	46	Vertical	PASS
3	4745.6272	14.45	48.19	74.00	25.81	42.65	54.00	11.35	150	286	Vertical	PASS
4	7331.0017	-9.43	43.64	74.00	30.36	36.16	54.00	17.84	150	306	Vertical	PASS
5	9714.2143	-5.93	45.28	68.23	22.95	36.95	54.00	17.05	150	218	Vertical	PASS
6	15601.7987	3.47	49.08	74.00	24.92	41.76	54.00	12.24	150	130	Vertical	PASS

Mode:	AC40-5590
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2059.4703	7.08	43.22	68.23	25.01	35.69	54.00	18.31	150	212	Horizontal	PASS
2	3141.4293	9.24	45.22	68.23	23.01	39.12	54.00	14.88	150	146	Horizontal	PASS
3	4595.7021	13.33	47.07	74.00	26.93	39.69	54.00	14.31	150	46	Horizontal	PASS
4	7453.9096	-9.70	43.02	74.00	30.98	36.54	54.00	17.46	150	182	Horizontal	PASS
5	10352.7354	-5.31	45.17	68.23	23.06	37.55	54.00	16.45	150	11	Horizontal	PASS
6	11234.0744	-2.71	46.80	74.00	27.20	38.69	54.00	15.31	150	335	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.64	42.65	68.23	25.58	36.55	54.00	17.45	150	200	Vertical	PASS
2	3088.9555	9.50	44.86	68.23	23.37	37.33	54.00	16.67	150	282	Vertical	PASS
3	4820.5897	14.69	47.26	74.00	26.74	40.43	54.00	13.57	150	308	Vertical	PASS
4	7328.004	-9.43	44.07	74.00	29.93	38.06	54.00	15.94	150	298	Vertical	PASS
5	11192.1059	-2.88	46.69	74.00	27.31	38.32	54.00	15.68	150	147	Vertical	PASS
6	14807.3945	0.42	47.99	68.23	20.24	40.48	54.00	13.52	150	334	Vertical	PASS

Mode:	AC40-5670
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.76	42.99	68.23	25.24	35.90	54.00	18.10	150	10	Horizontal	PASS
2	3868.1659	11.55	45.14	74.00	28.86	38.09	54.00	15.91	150	360	Horizontal	PASS
3	5013.3933	14.28	48.64	74.00	25.36	40.07	54.00	13.93	150	230	Horizontal	PASS
4	9719.3412	-6.08	44.38	68.23	23.85	35.94	54.00	18.06	150	50	Horizontal	PASS
5	11888.1457	-2.52	48.46	74.00	25.54	36.93	54.00	17.07	150	50	Horizontal	PASS
6	15607.1874	3.63	49.54	74.00	24.46	41.92	54.00	12.08	150	50	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2090.8546	7.69	43.69	68.23	24.54	35.31	54.00	18.69	150	210	Vertical	PASS
2	3327.8361	10.12	44.83	68.23	23.40	36.15	54.00	17.85	150	160	Vertical	PASS
3	4836.6817	14.53	46.40	74.00	27.60	40.26	54.00	13.74	150	350	Vertical	PASS
4	10673.9206	-4.66	46.56	74.00	27.44	37.61	54.00	16.39	150	240	Vertical	PASS
5	13171.1006	-0.64	47.59	68.23	20.64	40.14	54.00	13.86	150	340	Vertical	PASS
6	16444.6718	2.88	49.84	68.23	18.39	41.08	54.00	12.92	150	40	Vertical	PASS

Mode:	AC40-5755
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2118.041	7.58	43.02	68.23	25.21	36.63	54.00	17.37	150	84	Horizontal	PASS
2	3140.9295	9.35	46.19	68.23	22.04	35.85	54.00	18.15	150	131	Horizontal	PASS
3	3786.6067	11.15	47.19	74.00	26.81	37.28	54.00	16.72	150	112	Horizontal	PASS
4	10215.7225	-5.73	45.60	68.23	22.63	38.58	54.00	15.42	150	129	Horizontal	PASS
5	15586.8231	3.59	50.36	74.00	23.64	42.25	54.00	11.75	150	30	Horizontal	PASS
6	17233.7909	4.11	52.04	68.23	16.19	43.21	54.00	10.79	150	53	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2090.8546	7.69	43.08	68.23	25.15	35.15	54.00	18.85	150	320	Vertical	PASS
2	2801.0994	8.95	43.26	74.00	30.74	35.93	54.00	18.07	150	313	Vertical	PASS
3	3861.3693	11.50	46.25	74.00	27.75	37.82	54.00	16.18	150	155	Vertical	PASS
4	11519.0417	-2.86	49.99	74.00	24.01	44.57	54.00	9.43	150	94	Vertical	PASS
5	15591.9142	3.67	49.63	74.00	24.37	42.63	54.00	11.37	150	136	Vertical	PASS
6	17269.4285	4.12	53.00	68.23	15.23	43.56	54.00	10.44	150	190	Vertical	PASS

Mode:	AC40-5795
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.76	43.63	68.23	24.60	35.10	54.00	18.90	150	85	Horizontal	PASS
2	3140.9295	9.35	44.77	68.23	23.46	35.80	54.00	18.20	150	77	Horizontal	PASS
3	3861.3693	11.50	46.05	74.00	27.95	37.69	54.00	16.31	150	334	Horizontal	PASS
4	11608.1358	-3.01	47.41	74.00	26.59	40.33	54.00	13.67	150	164	Horizontal	PASS
5	15617.3696	3.40	49.99	74.00	24.01	41.93	54.00	12.07	150	125	Horizontal	PASS
6	17373.7959	3.75	52.51	68.23	15.72	42.87	54.00	11.13	150	136	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2097.6512	7.79	43.40	68.23	24.83	36.48	54.00	17.52	150	84	Vertical	PASS
2	2787.5062	8.73	43.41	74.00	30.59	36.83	54.00	17.17	150	295	Vertical	PASS
3	3895.3523	11.71	46.22	74.00	27.78	37.99	54.00	16.01	150	320	Vertical	PASS
4	10406.6384	-5.28	44.83	68.23	23.40	37.55	54.00	16.45	150	193	Vertical	PASS
5	11587.7714	-3.02	50.17	74.00	23.83	42.01	54.00	11.99	150	171	Vertical	PASS
6	17366.1592	3.79	56.82	68.23	11.41	44.69	54.00	9.31	150	17	Vertical	PASS

Mode:	AC80-5210
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.73	43.67	68.23	24.56	35.37	54.00	18.63	150	307	Horizontal	PASS
2	3141.4293	9.32	45.55	68.23	22.68	38.96	54.00	15.04	150	270	Horizontal	PASS
3	3808.5957	11.26	46.89	74.00	27.11	38.99	54.00	15.01	150	170	Horizontal	PASS
4	9600.2998	-6.31	44.42	68.23	23.81	35.50	54.00	18.50	150	330	Horizontal	PASS
5	11120.1599	-3.44	46.65	74.00	27.35	37.80	54.00	16.20	150	102	Horizontal	PASS
6	15553.8346	2.86	49.05	74.00	24.95	40.09	54.00	13.91	150	167	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2119.4403	7.53	42.12	68.23	26.11	35.81	54.00	18.19	150	360	Vertical	PASS
2	2994.003	9.06	44.48	68.23	23.75	36.48	54.00	17.52	150	297	Vertical	PASS
3	3801.0994	11.23	46.13	74.00	27.87	38.09	54.00	15.91	150	326	Vertical	PASS
4	7328.004	-9.43	44.79	74.00	29.21	37.57	54.00	16.43	150	272	Vertical	PASS
5	11099.1756	-3.60	45.96	74.00	28.04	36.92	54.00	17.08	150	148	Vertical	PASS
6	15595.8031	3.45	49.97	74.00	24.03	41.25	54.00	12.75	150	197	Vertical	PASS

Mode:	AC80-5290
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2084.4578	7.58	43.08	68.23	25.15	35.97	54.00	18.03	150	255	Horizontal	PASS
2	3141.4293	9.32	44.88	68.23	23.35	40.85	54.00	13.15	150	137	Horizontal	PASS
3	4258.3708	12.08	46.89	74.00	27.11	37.70	54.00	16.30	150	282	Horizontal	PASS
4	8940.7944	-7.56	44.27	68.23	23.96	35.04	54.00	18.96	150	123	Horizontal	PASS
5	11887.5843	-2.61	46.24	74.00	27.76	37.59	54.00	16.41	150	123	Horizontal	PASS
6	14960.2798	0.61	48.39	68.23	19.84	39.76	54.00	14.24	150	226	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2081.959	7.54	43.35	68.23	24.88	35.91	54.00	18.09	150	4	Vertical	PASS
2	3308.8456	10.41	45.23	68.23	23.00	38.14	54.00	15.86	150	309	Vertical	PASS
3	3913.5432	11.84	46.42	74.00	27.58	38.11	54.00	15.89	150	93	Vertical	PASS
4	7331.0017	-9.43	43.00	74.00	31.00	36.54	54.00	17.46	150	331	Vertical	PASS
5	11273.0452	-2.58	46.40	74.00	27.60	37.13	54.00	16.87	150	48	Vertical	PASS
6	15586.8099	3.32	49.66	74.00	24.34	41.98	54.00	12.02	150	173	Vertical	PASS

Mode:	AC80-5530
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2046.9765	6.89	41.67	68.23	26.56	34.13	54.00	19.87	150	37	Horizontal	PASS
2	3141.4293	9.24	45.58	68.23	22.65	39.00	54.00	15.00	150	123	Horizontal	PASS
3	3948.5257	11.68	46.24	74.00	27.76	37.70	54.00	16.30	150	252	Horizontal	PASS
4	8230.3273	-9.00	43.33	74.00	30.67	34.32	54.00	19.68	150	142	Horizontal	PASS
5	12085.4359	-2.23	46.00	74.00	28.00	38.15	54.00	15.85	150	207	Horizontal	PASS
6	13737.1971	-0.60	48.32	68.23	19.91	38.73	54.00	15.27	150	212	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1937.0315	6.39	43.29	68.23	24.94	35.04	54.00	18.96	150	341	Vertical	PASS
2	3301.3493	10.37	43.45	68.23	24.78	37.88	54.00	16.12	150	351	Vertical	PASS
3	4445.7771	12.88	45.95	68.23	22.28	38.91	54.00	15.09	150	295	Vertical	PASS
4	7325.0062	-9.43	43.99	74.00	30.01	33.98	54.00	20.02	150	66	Vertical	PASS
5	11054.2093	-3.74	45.99	74.00	28.01	36.74	54.00	17.26	150	339	Vertical	PASS
6	13104.6715	-0.83	47.55	68.23	20.68	38.57	54.00	15.43	150	224	Vertical	PASS

Mode:	AC80-5610
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2114.4428	7.53	43.23	68.23	25.00	34.33	54.00	19.67	150	63	Horizontal	PASS
2	3141.4293	9.24	44.22	68.23	24.01	39.00	54.00	15.00	150	125	Horizontal	PASS
3	3971.0145	11.66	45.71	74.00	28.29	39.11	54.00	14.89	150	354	Horizontal	PASS
4	8227.3295	-9.00	43.04	74.00	30.96	35.08	54.00	18.92	150	3	Horizontal	PASS
5	12681.9885	-1.30	47.25	74.00	26.75	39.15	54.00	14.85	150	6	Horizontal	PASS
6	15598.8009	3.50	49.73	74.00	24.27	40.79	54.00	13.21	150	93	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1924.5377	6.43	42.58	68.23	25.65	34.53	54.00	19.47	150	149	Vertical	PASS
2	2864.068	8.38	44.61	74.00	29.39	36.39	54.00	17.61	150	174	Vertical	PASS
3	3293.8531	10.30	45.99	68.23	22.24	37.45	54.00	16.55	150	159	Vertical	PASS
4	8572.0709	-8.83	44.30	68.23	23.93	33.83	54.00	20.17	150	151	Vertical	PASS
5	11198.1014	-2.83	46.09	74.00	27.91	38.03	54.00	15.97	150	84	Vertical	PASS
6	15329.0032	2.51	48.33	68.23	19.90	40.92	54.00	13.08	150	288	Vertical	PASS

Mode:	AC80-5775
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1958.3208	6.63	43.21	68.23	25.02	34.34	54.00	19.66	150	192	Horizontal	PASS
2	3140.9295	9.35	44.90	68.23	23.33	35.80	54.00	18.20	150	133	Horizontal	PASS
3	3987.1064	11.82	46.05	74.00	27.95	36.91	54.00	17.09	150	84	Horizontal	PASS
4	9744.7966	-6.07	43.68	68.23	24.55	36.97	54.00	17.03	150	336	Horizontal	PASS
5	11832.1437	-2.67	47.39	74.00	26.61	39.99	54.00	14.01	150	326	Horizontal	PASS
6	17297.4295	4.14	50.72	68.23	17.51	42.07	54.00	11.93	150	289	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2077.2614	7.50	42.71	68.23	25.52	34.54	54.00	19.46	150	102	Vertical	PASS
2	3008.3958	9.14	44.03	68.23	24.20	35.60	54.00	18.40	150	231	Vertical	PASS
3	3847.7761	11.42	46.38	74.00	27.62	37.57	54.00	16.43	150	76	Vertical	PASS
4	10236.0868	-5.66	44.54	68.23	23.69	36.19	54.00	17.81	150	230	Vertical	PASS
5	11569.9526	-2.98	48.03	74.00	25.97	42.07	54.00	11.93	150	280	Vertical	PASS
6	16851.9591	4.16	50.12	68.23	18.11	43.08	54.00	10.92	150	163	Vertical	PASS

Mode:	AX20-5180
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1199.9	0.59	44.25	74.00	29.75	29.44	54.00	24.56	150	223	Horizontal	PASS
2	2109.4453	7.68	42.94	68.23	25.29	34.60	54.00	19.40	150	265	Horizontal	PASS
3	3326.3368	10.19	45.02	68.23	23.21	36.42	54.00	17.58	150	268	Horizontal	PASS
4	7010.2423	-10.04	43.42	68.23	24.81	34.57	54.00	19.43	150	72	Horizontal	PASS
5	10367.7242	-5.37	48.06	68.23	20.17	37.21	54.00	16.79	150	136	Horizontal	PASS
6	14390.707	0.33	47.53	68.23	20.70	39.38	54.00	14.62	150	221	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2081.959	7.54	43.37	68.23	24.86	35.51	54.00	18.49	150	76	Vertical	PASS
2	2806.5967	8.92	43.51	74.00	30.49	36.34	54.00	17.66	150	217	Vertical	PASS
3	4210.8946	12.15	47.04	74.00	26.96	39.90	54.00	14.10	150	135	Vertical	PASS
4	7939.5453	-9.16	43.87	68.23	24.36	35.73	54.00	18.27	150	303	Vertical	PASS
5	10355.7332	-5.31	46.07	68.23	22.16	38.67	54.00	15.33	150	169	Vertical	PASS
6	16905.8206	4.40	50.44	68.23	17.79	41.42	54.00	12.58	150	15	Vertical	PASS

Mode:	AX20-5200
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.73	42.27	68.23	25.96	35.78	54.00	18.22	150	234	Horizontal	PASS
2	2801.5992	8.96	43.89	74.00	30.11	37.22	54.00	16.78	150	142	Horizontal	PASS
3	3738.6307	10.92	45.92	74.00	28.08	37.93	54.00	16.07	150	59	Horizontal	PASS
4	7214.0894	-9.93	43.04	68.23	25.19	35.75	54.00	18.25	150	246	Horizontal	PASS
5	10394.704	-5.48	45.96	68.23	22.27	38.48	54.00	15.52	150	218	Horizontal	PASS
6	17073.6947	4.54	50.40	68.23	17.83	42.32	54.00	11.68	150	254	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.73	42.63	68.23	25.60	35.29	54.00	18.71	150	320	Vertical	PASS
2	2796.6017	8.90	43.68	74.00	30.32	37.71	54.00	16.29	150	36	Vertical	PASS
3	3786.1069	11.16	45.36	74.00	28.64	37.97	54.00	16.03	150	12	Vertical	PASS
4	8041.4689	-9.19	42.67	74.00	31.33	35.39	54.00	18.61	150	234	Vertical	PASS
5	10637.5219	-4.20	46.41	74.00	27.59	36.16	54.00	17.84	150	316	Vertical	PASS
6	15619.7852	3.09	49.43	74.00	24.57	41.59	54.00	12.41	150	35	Vertical	PASS

Mode:	AX20-5240
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2071.964	7.39	44.00	68.23	24.23	35.62	54.00	18.38	150	148	Horizontal	PASS
2	2791.6042	8.81	43.08	74.00	30.92	36.40	54.00	17.60	150	32	Horizontal	PASS
3	3816.092	11.30	45.31	74.00	28.69	39.71	54.00	14.29	150	210	Horizontal	PASS
4	7423.9321	-9.60	43.70	74.00	30.30	35.46	54.00	18.54	150	334	Horizontal	PASS
5	9465.4009	-6.79	44.90	74.00	29.10	34.30	54.00	19.70	150	130	Horizontal	PASS
6	15565.8256	3.03	50.44	74.00	23.56	41.11	54.00	12.89	150	108	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2066.9665	7.31	42.35	68.23	25.88	34.54	54.00	19.46	150	246	Vertical	PASS
2	3241.3793	9.60	44.57	68.23	23.66	36.49	54.00	17.51	150	56	Vertical	PASS
3	3976.012	11.78	45.99	74.00	28.01	37.47	54.00	16.53	150	22	Vertical	PASS
4	9309.5179	-7.58	43.31	74.00	30.69	34.41	54.00	19.59	150	254	Vertical	PASS
5	13791.1566	-0.48	47.50	68.23	20.73	38.96	54.00	15.04	150	161	Vertical	PASS
6	15646.7649	2.53	49.43	74.00	24.57	41.66	54.00	12.34	150	72	Vertical	PASS

Mode:	AX20-5260
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2059.4703	7.20	42.83	68.23	25.40	35.47	54.00	18.53	150	204	Horizontal	PASS
2	2801.5992	8.96	42.92	74.00	31.08	35.66	54.00	18.34	150	339	Horizontal	PASS
3	3923.5382	11.84	45.87	74.00	28.13	37.70	54.00	16.30	150	305	Horizontal	PASS
4	7238.0714	-9.78	42.77	68.23	25.46	33.39	54.00	20.61	150	137	Horizontal	PASS
5	11548.8384	-3.10	47.11	74.00	26.89	37.13	54.00	16.87	150	312	Horizontal	PASS
6	15607.7942	3.35	48.66	74.00	25.34	41.62	54.00	12.38	150	338	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2041.979	6.95	43.80	68.23	24.43	36.75	54.00	17.25	150	34	Vertical	PASS
2	2796.6017	8.90	44.56	74.00	29.44	36.15	54.00	17.85	150	354	Vertical	PASS
3	4223.3883	12.13	46.35	74.00	27.65	38.36	54.00	15.64	150	160	Vertical	PASS
4	7211.0917	-9.95	43.90	68.23	24.33	34.08	54.00	19.92	150	93	Vertical	PASS
5	11240.0699	-2.69	45.72	74.00	28.28	37.65	54.00	16.35	150	141	Vertical	PASS
6	15598.8009	3.50	49.48	74.00	24.52	42.13	54.00	11.87	150	200	Vertical	PASS

Mode:	AX20-5280
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2061.969	7.24	42.46	68.23	25.77	34.67	54.00	19.33	150	279	Horizontal	PASS
2	3141.4293	9.32	45.48	68.23	22.75	38.83	54.00	15.17	150	138	Horizontal	PASS
3	3791.1044	11.18	45.76	74.00	28.24	37.75	54.00	16.25	150	252	Horizontal	PASS
4	8179.3655	-9.14	43.32	74.00	30.68	34.79	54.00	19.21	150	339	Horizontal	PASS
5	11012.2408	-3.88	46.87	74.00	27.13	37.65	54.00	16.35	150	259	Horizontal	PASS
6	14471.6463	0.49	48.95	74.00	25.05	38.85	54.00	15.15	150	197	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2171.914	6.77	42.92	68.23	25.31	34.80	54.00	19.20	150	263	Vertical	PASS
2	2596.7016	8.25	43.48	68.23	24.75	35.33	54.00	18.67	150	162	Vertical	PASS
3	3831.0845	11.38	46.33	74.00	27.67	37.77	54.00	16.23	150	50	Vertical	PASS
4	10034.9738	-6.10	45.18	68.23	23.05	35.10	54.00	18.90	150	125	Vertical	PASS
5	12424.1819	-1.83	46.19	74.00	27.81	37.48	54.00	16.52	150	242	Vertical	PASS
6	17079.6902	4.55	51.20	68.23	17.03	41.89	54.00	12.11	150	259	Vertical	PASS

Mode:	AX20-5320
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2106.9465	7.71	43.11	68.23	25.12	35.84	54.00	18.16	150	251	Horizontal	PASS
2	3141.4293	9.32	45.42	68.23	22.81	39.26	54.00	14.74	150	138	Horizontal	PASS
3	4230.8846	12.12	46.95	74.00	27.05	37.61	54.00	16.39	150	311	Horizontal	PASS
4	7238.0714	-9.78	43.32	68.23	24.91	34.86	54.00	19.14	150	115	Horizontal	PASS
5	10664.5016	-4.32	46.20	74.00	27.80	36.00	54.00	18.00	150	148	Horizontal	PASS
6	14243.8171	0.32	48.35	68.23	19.88	39.46	54.00	14.54	150	301	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2126.9365	7.42	42.98	68.23	25.25	35.52	54.00	18.48	150	332	Vertical	PASS
2	3071.4643	9.50	45.14	68.23	23.09	35.74	54.00	18.26	150	191	Vertical	PASS
3	4738.1309	14.30	51.04	74.00	22.96	39.19	54.00	14.81	150	278	Vertical	PASS
4	7948.5386	-9.13	42.89	68.23	25.34	34.36	54.00	19.64	150	50	Vertical	PASS
5	10646.5151	-4.25	49.07	74.00	24.93	38.14	54.00	15.86	150	252	Vertical	PASS
6	15346.9898	2.36	48.99	68.23	19.24	40.57	54.00	13.43	150	128	Vertical	PASS

Mode:	AX20-5500
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2126.9365	7.35	43.05	68.23	25.18	35.10	54.00	18.90	150	339	Horizontal	PASS
2	3056.4718	9.35	44.48	68.23	23.75	35.79	54.00	18.21	150	191	Horizontal	PASS
3	4173.4133	12.03	45.58	74.00	28.42	37.61	54.00	16.39	150	9	Horizontal	PASS
4	7328.004	-9.43	43.90	74.00	30.10	35.46	54.00	18.54	150	336	Horizontal	PASS
5	10997.2521	-3.94	46.24	74.00	27.76	38.61	54.00	15.39	150	165	Horizontal	PASS
6	15640.7694	2.65	49.51	74.00	24.49	41.15	54.00	12.85	150	70	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2071.964	7.28	41.77	68.23	26.46	34.76	54.00	19.24	150	332	Vertical	PASS
2	3288.8556	10.22	44.84	68.23	23.39	35.50	54.00	18.50	150	126	Vertical	PASS
3	4513.2434	13.05	46.36	74.00	27.64	37.80	54.00	16.20	150	212	Vertical	PASS
4	10997.2521	-3.94	46.17	74.00	27.83	39.35	54.00	14.65	150	158	Vertical	PASS
5	13899.0757	-0.82	48.71	68.23	19.52	37.11	54.00	16.89	150	94	Vertical	PASS
6	16513.1152	3.04	54.14	68.23	14.09	39.79	54.00	14.21	150	255	Vertical	PASS

Mode:	AX20-5580
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.67	43.10	68.23	25.13	35.75	54.00	18.25	150	176	Horizontal	PASS
2	3141.4293	9.24	44.21	68.23	24.02	39.18	54.00	14.82	150	228	Horizontal	PASS
3	3841.0795	11.33	46.04	74.00	27.96	37.88	54.00	16.12	150	324	Horizontal	PASS
4	7843.6173	-9.45	42.86	68.23	25.37	33.97	54.00	20.03	150	264	Horizontal	PASS
5	11153.1351	-3.19	48.78	74.00	25.22	40.58	54.00	13.42	150	158	Horizontal	PASS
6	15790.657	1.74	49.15	74.00	24.85	39.05	54.00	14.95	150	84	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2109.4453	7.60	43.09	68.23	25.14	35.56	54.00	18.44	150	203	Vertical	PASS
2	2781.6092	8.48	43.80	74.00	30.20	36.97	54.00	17.03	150	327	Vertical	PASS
3	4148.4258	12.00	45.49	74.00	28.51	39.08	54.00	14.92	150	181	Vertical	PASS
4	7313.0152	-9.41	43.95	74.00	30.05	36.25	54.00	17.75	150	62	Vertical	PASS
5	11159.1307	-3.14	48.74	74.00	25.26	41.63	54.00	12.37	150	87	Vertical	PASS
6	16731.951	3.82	52.09	68.23	16.14	43.16	54.00	10.84	150	264	Vertical	PASS

Mode:	AX20-5700
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2151.924	7.00	42.71	68.23	25.52	35.10	54.00	18.90	150	99	Horizontal	PASS
2	3141.4293	9.24	45.29	68.23	22.94	38.85	54.00	15.15	150	123	Horizontal	PASS
3	4523.2384	13.09	47.54	74.00	26.46	38.80	54.00	15.20	150	60	Horizontal	PASS
4	7328.004	-9.43	43.96	74.00	30.04	35.66	54.00	18.34	150	281	Horizontal	PASS
5	11392.9553	-3.13	49.46	74.00	24.54	43.49	54.00	10.51	150	0	Horizontal	PASS
6	17097.6767	4.59	54.90	68.23	13.33	48.51	54.00	5.49	150	348	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2109.4453	7.60	42.68	68.23	25.55	34.24	54.00	19.76	150	221	Vertical	PASS
2	2589.2054	8.08	42.98	68.23	25.25	36.78	54.00	17.22	150	196	Vertical	PASS
3	4140.9295	12.00	47.34	74.00	26.66	37.73	54.00	16.27	150	111	Vertical	PASS
4	7328.004	-9.43	44.17	74.00	29.83	36.94	54.00	17.06	150	269	Vertical	PASS
5	11395.953	-3.15	51.91	74.00	22.09	42.91	54.00	11.09	150	248	Vertical	PASS
6	17097.6767	4.59	56.58	68.23	11.65	45.67	54.00	8.33	150	18	Vertical	PASS

Mode:	AX20-5745
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2090.8546	7.69	42.71	68.23	25.52	34.24	54.00	19.76	150	40	Horizontal	PASS
2	3140.9295	9.35	45.08	68.23	23.15	36.08	54.00	17.92	150	139	Horizontal	PASS
3	4564.8176	13.39	46.80	74.00	27.20	39.17	54.00	14.83	150	357	Horizontal	PASS
4	11485.9496	-2.87	48.80	74.00	25.20	42.63	54.00	11.37	150	151	Horizontal	PASS
5	15617.3696	3.40	49.93	74.00	24.07	42.36	54.00	11.64	150	174	Horizontal	PASS
6	17238.882	4.11	57.08	68.23	11.15	51.23	54.00	2.77	150	126	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2043.2784	7.04	42.66	68.23	25.57	34.00	54.00	20.00	150	46	Vertical	PASS
2	2733.1334	7.71	43.98	74.00	30.02	34.88	54.00	19.12	150	9	Vertical	PASS
3	4962.4188	14.23	48.97	74.00	25.03	39.46	54.00	14.54	150	85	Vertical	PASS
4	11485.9496	-2.87	52.26	74.00	21.74	44.92	54.00	9.08	150	291	Vertical	PASS
5	15589.3686	3.64	49.44	74.00	24.56	42.03	54.00	11.97	150	163	Vertical	PASS
6	17228.6998	4.10	56.87	68.23	11.36	48.74	54.00	5.26	150	20	Vertical	PASS

Mode:	AX20-5785
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2141.8291	7.25	44.09	68.23	24.14	34.23	54.00	19.77	150	4	Horizontal	PASS
2	2801.0994	8.95	43.61	74.00	30.39	36.38	54.00	17.62	150	154	Horizontal	PASS
3	4422.089	12.79	46.75	68.23	21.48	37.55	54.00	16.45	150	349	Horizontal	PASS
4	11572.4981	-2.99	50.04	74.00	23.96	41.06	54.00	12.94	150	168	Horizontal	PASS
5	15579.1864	3.48	49.72	74.00	24.28	41.44	54.00	12.56	150	316	Horizontal	PASS
6	17366.1592	3.79	58.88	68.23	9.35	48.41	54.00	5.59	150	196	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2124.8376	7.48	42.53	68.23	25.70	35.11	54.00	18.89	150	70	Vertical	PASS
2	2937.0315	8.57	43.47	68.23	24.76	35.62	54.00	18.38	150	257	Vertical	PASS
3	4592.004	13.48	46.99	74.00	27.01	39.50	54.00	14.50	150	184	Vertical	PASS
4	11580.1348	-3.00	53.74	74.00	20.26	45.03	54.00	8.97	150	100	Vertical	PASS
5	14527.8762	0.80	48.20	68.23	20.03	38.80	54.00	15.20	150	266	Vertical	PASS
6	17353.4315	3.86	58.05	68.23	10.18	48.11	54.00	5.89	150	14	Vertical	PASS

Mode:	AX20-5825
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.76	43.79	68.23	24.44	35.32	54.00	18.68	150	33	Horizontal	PASS
2	4095.8521	12.23	46.82	74.00	27.18	38.29	54.00	15.71	150	280	Horizontal	PASS
3	4935.2324	14.17	50.04	74.00	23.96	40.68	54.00	13.32	150	177	Horizontal	PASS
4	11646.3189	-2.84	51.24	74.00	22.76	42.62	54.00	11.38	150	153	Horizontal	PASS
5	15518.0933	2.53	50.73	74.00	23.27	40.21	54.00	13.79	150	20	Horizontal	PASS
6	17470.5266	3.79	59.43	68.23	8.80	50.74	54.00	3.26	150	119	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1676.2619	2.32	38.16	74.00	35.84	29.50	54.00	24.50	150	56	Vertical	PASS
2	3055.972	9.45	45.01	68.23	23.22	35.48	54.00	18.52	150	53	Vertical	PASS
3	9810.9808	-6.04	45.28	68.23	22.95	35.22	54.00	18.78	150	29	Vertical	PASS
4	11653.9556	-2.82	54.41	74.00	19.59	47.29	54.00	6.71	150	158	Vertical	PASS
5	15660.6439	2.41	48.72	74.00	25.28	42.01	54.00	11.99	150	285	Vertical	PASS
6	17480.7088	3.82	58.67	68.23	9.56	50.80	54.00	3.20	150	221	Vertical	PASS

Mode:	AX40-5190
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2094.4528	7.73	43.66	68.23	24.57	35.69	54.00	18.31	150	97	Horizontal	PASS
2	3141.4293	9.32	44.91	68.23	23.32	39.09	54.00	14.91	150	132	Horizontal	PASS
3	3873.5632	11.65	46.60	74.00	27.40	36.93	54.00	17.07	150	124	Horizontal	PASS
4	9168.6235	-7.59	44.63	74.00	29.37	34.52	54.00	19.48	150	320	Horizontal	PASS
5	11315.0137	-2.59	46.82	74.00	27.18	37.52	54.00	16.48	150	67	Horizontal	PASS
6	17460.4047	4.08	51.12	68.23	17.11	41.85	54.00	12.15	150	67	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2426.7866	7.05	43.68	68.23	24.55	35.26	54.00	18.74	150	360	Vertical	PASS
2	3316.3418	10.31	45.30	68.23	22.93	38.42	54.00	15.58	150	300	Vertical	PASS
3	3953.5232	11.83	46.16	74.00	27.84	38.24	54.00	15.76	150	51	Vertical	PASS
4	8979.7652	-7.51	44.73	68.23	23.50	35.34	54.00	18.66	150	188	Vertical	PASS
5	13728.2038	-0.62	47.45	68.23	20.78	38.71	54.00	15.29	150	271	Vertical	PASS
6	17646.2653	4.37	51.70	68.23	16.53	42.92	54.00	11.08	150	285	Vertical	PASS

Mode:	AX40-5230
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2039.4803	6.92	43.28	68.23	24.95	35.23	54.00	18.77	150	67	Horizontal	PASS
2	2554.2229	7.85	44.01	68.23	24.22	36.13	54.00	17.87	150	337	Horizontal	PASS
3	3363.8181	9.69	44.69	68.23	23.54	36.01	54.00	17.99	150	86	Horizontal	PASS
4	7933.5498	-9.17	43.16	68.23	25.07	33.64	54.00	20.36	150	288	Horizontal	PASS
5	10586.5601	-4.20	44.47	68.23	23.76	38.65	54.00	15.35	150	132	Horizontal	PASS
6	14363.7272	0.45	48.73	68.23	19.50	38.48	54.00	15.52	150	341	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2086.9565	7.61	44.74	68.23	23.49	36.29	54.00	17.71	150	122	Vertical	PASS
2	3331.3343	10.13	45.50	68.23	22.73	36.86	54.00	17.14	150	122	Vertical	PASS
3	4333.3333	12.20	45.43	74.00	28.57	37.27	54.00	16.73	150	135	Vertical	PASS
4	8811.8911	-7.72	42.71	68.23	25.52	33.99	54.00	20.01	150	344	Vertical	PASS
5	12247.3145	-2.18	47.00	74.00	27.00	38.44	54.00	15.56	150	29	Vertical	PASS
6	15553.8346	2.86	49.53	74.00	24.47	41.50	54.00	12.50	150	356	Vertical	PASS

Mode:	AX40-5270
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2159.4203	6.96	43.67	68.23	24.56	35.54	54.00	18.46	150	118	Horizontal	PASS
2	3313.8431	10.35	44.91	68.23	23.32	37.28	54.00	16.72	150	21	Horizontal	PASS
3	4343.3283	12.26	46.38	74.00	27.62	37.11	54.00	16.89	150	192	Horizontal	PASS
4	6944.2918	-10.04	42.16	68.23	26.07	33.59	54.00	20.41	150	199	Horizontal	PASS
5	10619.5353	-4.13	45.89	74.00	28.11	37.70	54.00	16.30	150	297	Horizontal	PASS
6	15613.7897	3.22	49.76	74.00	24.24	40.57	54.00	13.43	150	233	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2039.4803	6.92	42.67	68.23	25.56	35.81	54.00	18.19	150	164	Vertical	PASS
2	3336.3318	10.07	44.75	74.00	29.25	37.91	54.00	16.09	150	313	Vertical	PASS
3	4068.4658	11.99	46.79	74.00	27.21	37.25	54.00	16.75	150	29	Vertical	PASS
4	8200.3497	-9.07	42.85	74.00	31.15	35.01	54.00	18.99	150	100	Vertical	PASS
5	11896.5776	-2.59	47.80	74.00	26.20	38.18	54.00	15.82	150	316	Vertical	PASS
6	16522.1084	3.06	48.74	68.23	19.49	40.06	54.00	13.94	150	69	Vertical	PASS

Mode:	AX40-5310
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2089.4553	7.65	43.33	68.23	24.90	35.83	54.00	18.17	150	29	Horizontal	PASS
2	3028.9855	9.29	44.69	68.23	23.54	37.34	54.00	16.66	150	205	Horizontal	PASS
3	3803.5982	11.24	45.55	74.00	28.45	38.81	54.00	15.19	150	161	Horizontal	PASS
4	7199.1007	-10.02	43.95	68.23	24.28	35.88	54.00	18.12	150	263	Horizontal	PASS
5	9573.32	-6.38	44.56	68.23	23.67	34.89	54.00	19.11	150	85	Horizontal	PASS
6	14078.9408	0.09	47.32	68.23	20.91	37.97	54.00	16.03	150	40	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2089.4553	7.65	42.69	68.23	25.54	36.20	54.00	17.80	150	54	Vertical	PASS
2	2871.5642	8.43	43.48	74.00	30.52	36.39	54.00	17.61	150	22	Vertical	PASS
3	3946.027	11.83	46.22	74.00	27.78	39.55	54.00	14.45	150	88	Vertical	PASS
4	7909.5678	-9.24	43.82	68.23	24.41	34.31	54.00	19.69	150	67	Vertical	PASS
5	11797.6518	-2.80	46.03	74.00	27.97	38.27	54.00	15.73	150	346	Vertical	PASS
6	15616.7874	3.16	49.21	74.00	24.79	40.82	54.00	13.18	150	147	Vertical	PASS

Mode:	AX40-5510
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2109.4453	7.60	43.09	68.23	25.14	35.34	54.00	18.66	150	340	Horizontal	PASS
2	3141.4293	9.24	45.00	68.23	23.23	38.70	54.00	15.30	150	224	Horizontal	PASS
3	4208.3958	12.04	45.88	74.00	28.12	37.98	54.00	16.02	150	26	Horizontal	PASS
4	8302.2733	-8.84	43.64	74.00	30.36	33.98	54.00	20.02	150	294	Horizontal	PASS
5	12496.1279	-1.46	47.01	74.00	26.99	38.53	54.00	15.47	150	138	Horizontal	PASS
6	14585.5608	0.97	47.72	68.23	20.51	39.87	54.00	14.13	150	256	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2304.3478	6.85	42.85	68.23	25.38	34.04	54.00	19.96	150	74	Vertical	PASS
2	3138.9305	9.25	44.06	68.23	24.17	36.37	54.00	17.63	150	117	Vertical	PASS
3	4215.8921	12.02	46.95	74.00	27.05	38.35	54.00	15.65	150	203	Vertical	PASS
4	6572.5706	-10.76	45.10	68.23	23.13	36.32	54.00	17.68	150	283	Vertical	PASS
5	10190.8569	-5.67	45.41	68.23	22.82	35.80	54.00	18.20	150	258	Vertical	PASS
6	15622.7829	3.03	50.64	74.00	23.36	41.06	54.00	12.94	150	83	Vertical	PASS

Mode:	AX40-5590
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1892.054	6.31	42.97	68.23	25.26	33.53	54.00	20.47	150	122	Horizontal	PASS
2	2779.1104	8.44	44.09	74.00	29.91	35.30	54.00	18.70	150	218	Horizontal	PASS
3	3811.0945	11.24	45.61	74.00	28.39	38.52	54.00	15.48	150	95	Horizontal	PASS
4	7322.0085	-9.42	43.23	74.00	30.77	33.69	54.00	20.31	150	22	Horizontal	PASS
5	11410.9418	-3.16	46.24	74.00	27.76	37.42	54.00	16.58	150	77	Horizontal	PASS
6	15610.7919	3.28	50.23	74.00	23.77	41.14	54.00	12.86	150	238	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1969.5152	6.31	42.61	68.23	25.62	33.99	54.00	20.01	150	126	Vertical	PASS
2	3011.4943	9.07	44.04	68.23	24.19	37.54	54.00	16.46	150	189	Vertical	PASS
3	4943.0285	14.25	49.29	74.00	24.71	39.71	54.00	14.29	150	163	Vertical	PASS
4	7310.0175	-9.41	42.42	74.00	31.58	34.42	54.00	19.58	150	105	Vertical	PASS
5	12568.0739	-1.54	46.31	74.00	27.69	38.11	54.00	15.89	150	66	Vertical	PASS
6	17070.697	4.54	50.14	68.23	18.09	41.78	54.00	12.22	150	85	Vertical	PASS

Mode:	AX40-5670
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1509.7451	0.80	37.36	74.00	36.64	27.24	54.00	26.76	150	10	Horizontal	PASS
2	2070.4648	7.41	42.75	68.23	25.48	33.91	54.00	20.09	150	60	Horizontal	PASS
3	3881.7591	11.62	45.42	74.00	28.58	38.15	54.00	15.85	150	150	Horizontal	PASS
4	9907.7115	-5.98	45.46	68.23	22.77	34.97	54.00	19.03	150	60	Horizontal	PASS
5	11340.8535	-3.13	45.86	74.00	28.14	37.49	54.00	16.51	150	120	Horizontal	PASS
6	15597.0052	3.75	50.33	74.00	23.67	42.26	54.00	11.74	150	330	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1961.7191	6.61	42.45	68.23	25.78	34.39	54.00	19.61	150	40	Vertical	PASS
2	2991.4043	9.01	44.42	68.23	23.81	35.11	54.00	18.89	150	350	Vertical	PASS
3	4544.4278	13.33	46.21	74.00	27.79	39.41	54.00	14.59	150	20	Vertical	PASS
4	9981.5323	-5.76	44.91	68.23	23.32	36.58	54.00	17.42	150	100	Vertical	PASS
5	13532.568	-0.78	47.31	68.23	20.92	39.42	54.00	14.58	150	190	Vertical	PASS
6	16790.866	4.02	50.55	68.23	17.68	42.17	54.00	11.83	150	80	Vertical	PASS

Mode:	AX40-5755
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1934.5327	6.68	43.15	68.23	25.08	33.81	54.00	20.19	150	53	Horizontal	PASS
2	2620.9895	8.02	42.51	68.23	25.72	35.34	54.00	18.66	150	98	Horizontal	PASS
3	3140.9295	9.35	45.44	68.23	22.79	36.20	54.00	17.80	150	292	Horizontal	PASS
4	11516.4961	-2.86	46.90	74.00	27.10	38.37	54.00	15.63	150	158	Horizontal	PASS
5	15612.2785	3.52	48.76	74.00	25.24	42.68	54.00	11.32	150	20	Horizontal	PASS
6	17264.3374	4.13	53.30	68.23	14.93	47.99	54.00	6.01	150	120	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2162.2189	6.97	42.83	68.23	25.40	34.72	54.00	19.28	150	242	Vertical	PASS
2	2770.5147	8.39	43.14	74.00	30.86	34.43	54.00	19.57	150	214	Vertical	PASS
3	3834.1829	11.36	46.80	74.00	27.20	37.55	54.00	16.45	150	222	Vertical	PASS
4	11521.5872	-2.87	49.25	74.00	24.75	39.72	54.00	14.28	150	290	Vertical	PASS
5	15581.732	3.51	49.09	74.00	24.91	42.82	54.00	11.18	150	194	Vertical	PASS
6	17266.883	4.12	53.89	68.23	14.34	46.24	54.00	7.76	150	0	Vertical	PASS

Mode:	AX40-5795
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2033.0835	6.92	43.35	68.23	24.88	34.54	54.00	19.46	150	342	Horizontal	PASS
2	2858.8706	8.56	44.91	74.00	29.09	34.77	54.00	19.23	150	291	Horizontal	PASS
3	4068.6657	12.09	45.95	74.00	28.05	36.71	54.00	17.29	150	180	Horizontal	PASS
4	9833.8907	-6.03	44.46	68.23	23.77	37.31	54.00	16.69	150	0	Horizontal	PASS
5	12292.8874	-1.86	46.10	74.00	27.90	38.73	54.00	15.27	150	257	Horizontal	PASS
6	17389.0691	3.67	53.70	68.23	14.53	46.04	54.00	7.96	150	119	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2372.9135	6.95	47.86	74.00	26.14	43.22	54.00	10.78	150	111	Vertical	PASS
2	3766.2169	11.05	46.14	74.00	27.86	36.78	54.00	17.22	150	142	Vertical	PASS
3	4938.6307	14.18	48.04	74.00	25.96	41.53	54.00	12.47	150	99	Vertical	PASS
4	11600.4991	-3.05	48.96	74.00	25.04	41.15	54.00	12.85	150	164	Vertical	PASS
5	15594.4597	3.72	49.47	74.00	24.53	42.40	54.00	11.60	150	119	Vertical	PASS
6	17404.3424	3.62	53.43	68.23	14.80	45.03	54.00	8.97	150	18	Vertical	PASS

Mode:	AX80-5210
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1199.9	0.59	39.19	74.00	34.81	29.79	54.00	24.21	150	137	Horizontal	PASS
2	2091.954	7.69	43.50	68.23	24.73	34.92	54.00	19.08	150	306	Horizontal	PASS
3	3331.3343	10.13	45.09	68.23	23.14	38.72	54.00	15.28	150	60	Horizontal	PASS
4	8263.3025	-8.92	43.73	74.00	30.27	34.05	54.00	19.95	150	334	Horizontal	PASS
5	10736.4477	-4.50	45.24	74.00	28.76	36.98	54.00	17.02	150	29	Horizontal	PASS
6	16609.0432	3.24	50.14	68.23	18.09	40.91	54.00	13.09	150	0	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1294.8526	0.09	40.15	68.23	28.08	32.56	54.00	21.44	150	182	Vertical	PASS
2	2074.4628	7.42	42.95	68.23	25.28	35.09	54.00	18.91	150	345	Vertical	PASS
3	3718.6407	10.79	45.22	74.00	28.78	38.23	54.00	15.77	150	179	Vertical	PASS
4	6569.5728	-10.75	43.39	68.23	24.84	33.66	54.00	20.34	150	155	Vertical	PASS
5	10277.7917	-5.21	44.37	68.23	23.86	35.84	54.00	18.16	150	0	Vertical	PASS
6	15586.8099	3.32	49.38	74.00	24.62	42.08	54.00	11.92	150	227	Vertical	PASS

Mode:	AX80-5290
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2071.964	7.39	42.91	68.23	25.32	36.92	54.00	17.08	150	84	Horizontal	PASS
2	3141.4293	9.32	46.64	68.23	21.59	38.52	54.00	15.48	150	137	Horizontal	PASS
3	3903.5482	11.84	45.78	74.00	28.22	38.48	54.00	15.52	150	232	Horizontal	PASS
4	8356.2328	-9.02	42.84	74.00	31.16	34.63	54.00	19.37	150	301	Horizontal	PASS
5	11347.989	-2.82	46.99	74.00	27.01	38.25	54.00	15.75	150	301	Horizontal	PASS
6	17541.344	4.11	51.40	68.23	16.83	42.81	54.00	11.19	150	142	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2096.9515	7.76	44.53	68.23	23.70	36.37	54.00	17.63	150	54	Vertical	PASS
2	3036.4818	9.33	44.58	68.23	23.65	36.51	54.00	17.49	150	265	Vertical	PASS
3	3953.5232	11.83	46.17	74.00	27.83	39.25	54.00	14.75	150	324	Vertical	PASS
4	7328.004	-9.43	42.88	74.00	31.12	36.85	54.00	17.15	150	263	Vertical	PASS
5	10622.5331	-4.14	44.81	74.00	29.19	37.26	54.00	16.74	150	330	Vertical	PASS
6	12822.8828	-1.20	46.61	68.23	21.62	38.15	54.00	15.85	150	87	Vertical	PASS

Mode:	AX80-5610
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2109.4453	7.60	42.72	68.23	25.51	35.64	54.00	18.36	150	286	Horizontal	PASS
2	3036.4818	9.23	43.80	68.23	24.43	36.41	54.00	17.59	150	131	Horizontal	PASS
3	3873.5632	11.48	45.61	74.00	28.39	37.63	54.00	16.37	150	33	Horizontal	PASS
4	8844.8664	-7.64	43.35	68.23	24.88	35.86	54.00	18.14	150	32	Horizontal	PASS
5	11893.5798	-2.59	46.27	74.00	27.73	36.89	54.00	17.11	150	90	Horizontal	PASS
6	15583.8121	3.28	49.55	74.00	24.45	42.12	54.00	11.88	150	191	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1989.5052	6.25	43.16	68.23	25.07	33.54	54.00	20.46	150	210	Vertical	PASS
2	2804.098	8.81	45.18	74.00	28.82	38.09	54.00	15.91	150	215	Vertical	PASS
3	4230.8846	11.99	45.84	74.00	28.16	38.27	54.00	15.73	150	60	Vertical	PASS
4	7333.9995	-9.44	43.41	74.00	30.59	35.19	54.00	18.81	150	329	Vertical	PASS
5	13176.6175	-0.80	47.51	68.23	20.72	38.13	54.00	15.87	150	274	Vertical	PASS
6	17241.5688	4.29	51.16	68.23	17.07	42.28	54.00	11.72	150	279	Vertical	PASS

Mode:	AX80-5775
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1948.1259	6.65	42.13	68.23	26.10	34.21	54.00	19.79	150	216	Horizontal	PASS
2	3140.9295	9.35	46.56	68.23	21.67	35.80	54.00	18.20	150	138	Horizontal	PASS
3	3881.7591	11.62	45.81	74.00	28.19	37.46	54.00	16.54	150	178	Horizontal	PASS
4	8843.6736	-7.78	43.91	68.23	24.32	35.60	54.00	18.40	150	11	Horizontal	PASS
5	11295.0337	-3.10	45.91	74.00	28.09	36.70	54.00	17.30	150	289	Horizontal	PASS
6	15591.9142	3.67	49.90	74.00	24.10	42.54	54.00	11.46	150	58	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2104.4478	7.76	43.71	68.23	24.52	34.83	54.00	19.17	150	128	Vertical	PASS
2	3120.5397	9.51	44.42	68.23	23.81	36.35	54.00	17.65	150	96	Vertical	PASS
3	4214.7926	12.15	45.94	74.00	28.06	37.55	54.00	16.45	150	19	Vertical	PASS
4	9818.6174	-6.04	44.26	68.23	23.97	36.82	54.00	17.18	150	107	Vertical	PASS
5	11541.9516	-2.92	47.27	74.00	26.73	39.68	54.00	14.32	150	280	Vertical	PASS
6	17350.886	3.87	51.16	68.23	17.07	43.51	54.00	10.49	150	11	Vertical	PASS

Out of Band

Mode:	A-5180
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	12.97	49.46	74.00	24.54	45.30	54.00	8.70	150	149	Horizontal	PASS
2	4867.25	14.46	52.57	74.00	21.43	48.84	54.00	5.16	150	61	Horizontal	PASS
3	4966.05	14.29	53.05	74.00	20.95	50.34	54.00	3.66	150	274	Horizontal	PASS
4	5038.85	14.28	53.93	74.00	20.07	50.97	54.00	3.03	150	114	Horizontal	PASS
5	5137	15.66	53.69	74.00	20.31	49.11	54.00	4.89	150	25	Horizontal	PASS
6	5150	16.89	52.92	74.00	21.08	48.88	54.00	5.12	150	288	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	12.97	48.01	74.00	25.99	45.23	54.00	8.77	150	101	Vertical	PASS
2	4768.45	14.48	51.49	74.00	22.51	47.51	54.00	6.49	150	86	Vertical	PASS
3	4912.75	14.31	52.99	74.00	21.01	47.00	54.00	7.00	150	254	Vertical	PASS
4	5007.65	14.27	53.26	74.00	20.74	50.27	54.00	3.73	150	327	Vertical	PASS
5	5131.15	15.45	54.01	74.00	19.99	48.47	54.00	5.53	150	327	Vertical	PASS
6	5150	16.89	53.27	74.00	20.73	49.62	54.00	4.38	150	41	Vertical	PASS

Mode:	A-5320
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	50.49	68.23	17.74	46.01	54.00	7.99	150	60	Horizontal	PASS
2	5352.52	18.99	55.40	74.00	18.60	47.74	54.00	6.26	150	335	Horizontal	PASS
3	5361.16	18.67	51.22	74.00	22.78	48.32	54.00	5.68	150	360	Horizontal	PASS
4	5376.64	18.46	49.82	74.00	24.18	44.66	54.00	9.34	150	101	Horizontal	PASS
5	5391.16	18.27	50.96	74.00	23.04	47.94	54.00	6.06	150	316	Horizontal	PASS
6	5460	18.03	49.05	74.00	24.95	45.94	54.00	8.06	150	108	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	58.33	68.23	9.90	50.21	54.00	3.79	150	242	Vertical	PASS
2	5358.4	18.71	50.89	74.00	23.11	46.97	54.00	7.03	150	242	Vertical	PASS
3	5367.88	18.59	49.81	74.00	24.19	48.11	54.00	5.89	150	2	Vertical	PASS
4	5409.52	18.14	49.17	74.00	24.83	46.93	54.00	7.07	150	2	Vertical	PASS
5	5434.12	18.08	50.18	74.00	23.82	46.62	54.00	7.38	150	156	Vertical	PASS
6	5460	18.03	47.50	74.00	26.50	45.20	54.00	8.80	150	305	Vertical	PASS


Mode:	A-5500
-------	--------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	46.83	68.23	21.40	43.90	54.00	10.10	150	102	Horizontal	PASS
2	5429.92	18.95	50.49	74.00	23.51	47.00	54.00	7.00	150	16	Horizontal	PASS
3	5446.36	19.25	50.77	74.00	23.23	47.63	54.00	6.37	150	360	Horizontal	PASS
4	5451.76	19.35	51.97	74.00	22.03	47.10	54.00	6.90	150	16	Horizontal	PASS
5	5456.92	19.45	52.09	74.00	21.91	48.94	54.00	5.06	150	180	Horizontal	PASS
6	5460	19.51	48.64	74.00	25.36	46.03	54.00	7.97	150	93	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	47.70	68.23	20.53	43.65	54.00	10.35	150	295	Vertical	PASS
2	5397.4	18.37	50.88	74.00	23.12	46.01	54.00	7.99	150	120	Vertical	PASS
3	5411.08	18.60	50.63	74.00	23.37	48.00	54.00	6.00	150	239	Vertical	PASS
4	5426.56	18.89	50.29	74.00	23.71	46.83	54.00	7.17	150	290	Vertical	PASS
5	5444.68	19.22	50.70	74.00	23.30	46.27	54.00	7.73	150	237	Vertical	PASS
6	5460	19.51	50.62	74.00	23.38	48.54	54.00	5.46	150	259	Vertical	PASS


Mode:

A-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5705.37	57.08	14.94	106.71	49.63	150	3	Horizontal
2	5722.25	69.11	14.89	115.93	46.82	150	3	Horizontal
3	5730.5	74.99	14.87	122.20	47.21	150	16	Horizontal
4	5747.75	105.29	14.82	122.20	16.91	150	3	Horizontal
5	5760.5	81.19	14.78	122.20	41.01	150	3	Horizontal
6	5766.5	68.71	14.76	122.20	53.49	150	3	Horizontal

Mode: A-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.12	53.68	14.96	105.24	51.56	150	141	Vertical
2	5722.25	63.00	14.89	115.93	52.93	150	14	Vertical
3	5727.87	68.86	14.88	122.20	53.34	150	270	Vertical
4	5739.5	98.84	14.84	122.20	23.36	150	14	Vertical
5	5763.87	66.13	14.77	122.20	56.07	150	14	Vertical
6	5771.75	59.78	14.74	122.20	62.42	150	14	Vertical

Mode: A-5785




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5748.5	57.96	14.81	122.20	64.24	150	320	Horizontal
2	5769.12	74.88	14.75	122.20	47.32	150	96	Horizontal
3	5786.75	99.81	14.70	122.20	22.39	150	183	Horizontal
4	5796.87	78.42	14.67	122.20	43.78	150	17	Horizontal
5	5806.62	64.28	14.68	122.20	57.92	150	18	Horizontal
6	5820.12	58.47	14.73	122.20	63.73	150	320	Horizontal

Mode: A-5785




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5759.75	62.78	14.78	122.20	59.42	150	349	Vertical
2	5768.75	74.41	14.75	122.20	47.79	150	81	Vertical
3	5780.37	101.84	14.72	122.20	20.36	150	20	Vertical
4	5797.25	78.85	14.67	122.20	43.35	150	20	Vertical
5	5806.25	68.87	14.68	122.20	53.33	150	259	Vertical
6	5823.5	58.82	14.75	122.20	63.38	150	350	Vertical

Mode: A-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5783.37	61.29	14.71	122.20	60.91	150	4	Horizontal
2	5809.25	76.12	14.69	122.20	46.08	150	3	Horizontal
3	5820.87	103.45	14.73	122.20	18.75	150	4	Horizontal
4	5841.87	74.28	14.80	122.20	47.92	150	4	Horizontal
5	5849.37	60.12	14.83	122.20	62.08	150	3	Horizontal
6	5861.75	57.24	14.90	108.91	51.67	150	174	Horizontal

Mode: A-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5807.75	65.32	14.69	122.20	56.88	150	14	Vertical
2	5815.62	77.25	14.71	122.20	44.95	150	16	Vertical
3	5831	102.66	14.77	122.20	19.54	150	16	Vertical
4	5837.37	79.56	14.79	122.20	42.64	150	346	Vertical
5	5847.87	61.38	14.83	122.20	60.82	150	16	Vertical
6	5863.62	59.39	14.91	108.38	48.99	150	244	Vertical

Mode:	N20-5180
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	12.97	47.81	74.00	26.19	44.55	54.00	9.45	150	99	Horizontal	PASS
2	4929.65	14.31	53.53	74.00	20.47	50.47	54.00	3.53	150	189	Horizontal	PASS
3	5014.8	14.27	52.81	74.00	21.19	50.24	54.00	3.76	150	302	Horizontal	PASS
4	5051.2	14.29	53.59	74.00	20.41	50.84	54.00	3.16	150	237	Horizontal	PASS
5	5106.45	14.62	53.41	74.00	20.59	50.62	54.00	3.38	150	44	Horizontal	PASS
6	5150	16.89	55.24	74.00	18.76	49.98	54.00	4.02	150	160	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	12.97	49.36	74.00	24.64	46.24	54.00	7.76	150	285	Vertical	PASS
2	4973.85	14.28	52.77	74.00	21.23	49.14	54.00	4.86	150	336	Vertical	PASS
3	5003.75	14.27	52.92	74.00	21.08	50.48	54.00	3.52	150	69	Vertical	PASS
4	5055.75	14.30	53.89	74.00	20.11	48.05	54.00	5.95	150	4	Vertical	PASS
5	5124	15.22	53.29	74.00	20.71	50.63	54.00	3.37	150	78	Vertical	PASS
6	5150	16.89	52.57	74.00	21.43	50.53	54.00	3.47	150	56	Vertical	PASS

Mode:	N20-5320
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	49.13	68.23	19.10	46.73	54.00	7.27	150	69	Horizontal	PASS
2	5351.44	19.09	53.50	74.00	20.50	47.60	54.00	6.40	150	76	Horizontal	PASS
3	5369.92	18.55	50.40	74.00	23.60	47.47	54.00	6.53	150	334	Horizontal	PASS
4	5397.4	18.19	50.37	74.00	23.63	44.99	54.00	9.01	150	312	Horizontal	PASS
5	5423.68	18.11	48.86	74.00	25.14	46.96	54.00	7.04	150	310	Horizontal	PASS
6	5460	18.03	47.85	74.00	26.15	44.42	54.00	9.58	150	100	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	48.19	68.23	20.04	45.24	54.00	8.76	150	175	Vertical	PASS
2	5361.16	18.67	49.03	74.00	24.97	45.88	54.00	8.12	150	67	Vertical	PASS
3	5376.52	18.46	49.24	74.00	24.76	44.59	54.00	9.41	150	318	Vertical	PASS
4	5415.04	18.13	49.39	74.00	24.61	48.14	54.00	5.86	150	359	Vertical	PASS
5	5446.96	18.06	49.24	74.00	24.76	46.02	54.00	7.98	150	60	Vertical	PASS
6	5460	18.03	48.59	74.00	25.41	44.11	54.00	9.89	150	275	Vertical	PASS

Mode:	N20-5500
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	48.01	68.23	20.22	45.15	54.00	8.85	150	62	Horizontal	PASS
2	5432.44	19.00	51.25	74.00	22.75	48.73	54.00	5.27	150	346	Horizontal	PASS
3	5439.52	19.13	50.31	74.00	23.69	47.39	54.00	6.61	150	315	Horizontal	PASS
4	5450.2	19.33	51.79	74.00	22.21	48.37	54.00	5.63	150	127	Horizontal	PASS
5	5454.52	19.40	50.63	74.00	23.37	47.69	54.00	6.31	150	356	Horizontal	PASS
6	5460	19.51	49.87	74.00	24.13	45.17	54.00	8.83	150	230	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	46.56	68.23	21.67	44.44	54.00	9.56	150	298	Vertical	PASS
2	5427.04	18.90	51.12	74.00	22.88	47.99	54.00	6.01	150	332	Vertical	PASS
3	5439.04	19.12	50.81	74.00	23.19	46.68	54.00	7.32	150	33	Vertical	PASS
4	5449.36	19.31	50.98	74.00	23.02	47.34	54.00	6.66	150	98	Vertical	PASS
5	5455.48	19.42	51.20	74.00	22.80	48.57	54.00	5.43	150	134	Vertical	PASS
6	5460	19.51	48.66	74.00	25.34	46.36	54.00	7.64	150	74	Vertical	PASS


Mode:

N20-5745

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5710.25	61.93	14.93	108.07	46.14	150	311	Horizontal
2	5724.5	74.35	14.89	121.06	46.71	150	358	Horizontal
3	5747.37	103.46	14.82	122.20	18.74	150	358	Horizontal
4	5763.87	80.96	14.77	122.20	41.24	150	348	Horizontal
5	5774.37	66.29	14.74	122.20	55.91	150	348	Horizontal
6	5795.37	58.59	14.67	122.20	63.61	150	355	Horizontal


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5724.12	69.20	14.89	120.21	51.01	150	354	Vertical
2	5733.12	79.47	14.86	122.20	42.73	150	256	Vertical
3	5740.62	102.27	14.84	122.20	19.93	150	256	Vertical
4	5762.37	76.36	14.77	122.20	45.84	150	20	Vertical
5	5783.37	59.61	14.71	122.20	62.59	150	36	Vertical
6	5795.37	55.98	14.67	122.20	66.22	150	262	Vertical

Mode: N20-5785




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5757.87	59.73	14.79	122.20	62.47	150	12	Horizontal
2	5766.87	75.30	14.76	122.20	46.90	150	346	Horizontal
3	5790.5	103.10	14.69	122.20	19.10	150	353	Horizontal
4	5804.37	80.88	14.68	122.20	41.32	150	346	Horizontal
5	5814.87	67.80	14.71	122.20	54.40	150	346	Horizontal
6	5822	60.67	14.73	122.20	61.53	150	179	Horizontal

Mode: N20-5785




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5744	58.07	14.83	122.20	64.13	150	22	Vertical
2	5770.62	79.96	14.75	122.20	42.24	150	242	Vertical
3	5783.37	100.80	14.71	122.20	21.40	150	22	Vertical
4	5804.37	77.08	14.68	122.20	45.12	150	26	Vertical
5	5814.87	64.32	14.71	122.20	57.88	150	26	Vertical
6	5822.75	60.24	14.74	122.20	61.96	150	354	Vertical

Mode: N20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5793.87	56.79	14.68	122.20	65.41	150	350	Horizontal
2	5807.75	75.74	14.69	122.20	46.46	150	333	Horizontal
3	5820.87	104.01	14.73	122.20	18.19	150	356	Horizontal
4	5843	81.16	14.81	122.20	41.04	150	1	Horizontal
5	5851.25	66.87	14.85	119.35	52.48	150	338	Horizontal
6	5876.37	57.22	14.98	104.18	46.96	150	354	Horizontal

Mode: N20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5799.87	60.41	14.66	122.20	61.79	150	145	Vertical
2	5807.37	72.27	14.68	122.20	49.93	150	17	Vertical
3	5820.5	102.43	14.73	122.20	19.77	150	247	Vertical
4	5842.62	77.94	14.81	122.20	44.26	150	253	Vertical
5	5849	67.08	14.83	122.20	55.12	150	247	Vertical
6	5859.87	62.18	14.89	109.43	47.25	150	15	Vertical

Mode:	N40-5190
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	46.67	68.23	21.56	45.24	54.00	8.76	100	139	Horizontal	PASS
2	4668.735	15.86	49.30	74.00	24.70	48.53	54.00	5.47	100	81	Horizontal	PASS
3	4936.3209	16.30	51.28	74.00	22.72	47.27	54.00	6.73	100	5	Horizontal	PASS
4	5113.6291	16.86	50.63	74.00	23.37	48.30	54.00	5.70	100	350	Horizontal	PASS
5	5147.532	18.42	54.26	74.00	19.74	48.59	54.00	5.41	100	81	Horizontal	PASS
6	5150	18.89	48.53	74.00	25.47	48.06	54.00	5.94	100	220	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	46.43	68.23	21.80	45.81	54.00	8.19	100	131	Vertical	PASS
2	4793.9548	16.61	49.76	74.00	24.24	48.10	54.00	5.90	100	145	Vertical	PASS
3	4910.0819	16.31	50.32	74.00	23.68	50.36	54.00	3.64	100	242	Vertical	PASS
4	5018.6751	16.28	49.76	74.00	24.24	47.91	54.00	6.09	100	324	Vertical	PASS
5	5105.9652	16.60	50.64	74.00	23.36	50.00	54.00	4.00	100	44	Vertical	PASS
6	5150	18.89	51.00	74.00	23.00	50.44	54.00	3.56	100	268	Vertical	PASS

Mode:	N40-5310
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	49.73	68.23	18.50	45.16	54.00	8.84	150	32	Horizontal	PASS
2	5350.84	19.15	54.51	74.00	19.49	49.07	54.00	4.93	150	73	Horizontal	PASS
3	5351.56	19.08	58.30	74.00	15.70	50.05	54.00	3.95	150	73	Horizontal	PASS
4	5354.92	18.76	52.04	74.00	21.96	48.32	54.00	5.68	150	73	Horizontal	PASS
5	5357.2	18.72	54.10	74.00	19.90	45.75	54.00	8.25	150	73	Horizontal	PASS
6	5460	18.03	46.59	74.00	27.41	44.34	54.00	9.66	150	0	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	19.23	50.17	68.23	18.06	45.71	54.00	8.29	150	346	Vertical	PASS
2	5352.04	19.03	54.49	74.00	19.51	47.40	54.00	6.60	150	259	Vertical	PASS
3	5360.32	18.68	51.40	74.00	22.60	45.34	54.00	8.66	150	68	Vertical	PASS
4	5373.76	18.51	51.73	74.00	22.27	49.23	54.00	4.77	150	254	Vertical	PASS
5	5394.04	18.24	50.18	74.00	23.82	45.95	54.00	8.05	150	147	Vertical	PASS
6	5460.0000	18.03	47.52	74.00	26.48	45.19	54.00	8.81	150	97	Vertical	PASS

Mode:	N40-5510
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	47.08	68.23	21.15	43.00	54.00	11.00	150	176	Horizontal	PASS
2	5431.72	18.98	51.72	74.00	22.28	46.52	54.00	7.48	150	114	Horizontal	PASS
3	5438.68	19.11	51.12	74.00	22.88	46.36	54.00	7.64	150	81	Horizontal	PASS
4	5444.56	19.22	51.40	74.00	22.60	46.07	54.00	7.93	150	138	Horizontal	PASS
5	5454.88	19.41	52.02	74.00	21.98	47.60	54.00	6.40	150	204	Horizontal	PASS
6	5460	19.51	49.89	74.00	24.11	45.92	54.00	8.08	150	291	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	47.30	68.23	20.93	45.23	54.00	8.77	150	306	Vertical	PASS
2	5444.92	19.23	52.13	74.00	21.87	48.42	54.00	5.58	150	174	Vertical	PASS
3	5451.52	19.35	51.21	74.00	22.79	48.44	54.00	5.56	150	49	Vertical	PASS
4	5453.2	19.38	51.70	74.00	22.30	49.03	54.00	4.97	150	88	Vertical	PASS
5	5458.24	19.47	53.84	74.00	20.16	49.24	54.00	4.76	150	247	Vertical	PASS
6	5460	19.51	50.82	74.00	23.18	47.76	54.00	6.24	150	325	Vertical	PASS

Mode: N40-5755




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5708	61.81	14.94	107.44	45.63	150	350	Horizontal
2	5718.5	67.00	14.90	110.38	43.38	150	357	Horizontal
3	5763.12	100.29	14.77	122.20	21.91	150	345	Horizontal
4	5792.75	74.76	14.68	122.20	47.44	150	3	Horizontal
5	5814.5	58.22	14.71	122.20	63.98	150	354	Horizontal
6	5846.37	55.41	14.82	122.20	66.79	150	93	Horizontal

Mode: N40-5755




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5713.62	60.15	14.92	109.02	48.87	150	233	Vertical
2	5723.37	68.48	14.89	118.50	50.02	150	167	Vertical
3	5765.75	97.89	14.76	122.20	24.31	150	262	Vertical
4	5784.87	74.91	14.71	122.20	47.29	150	37	Vertical
5	5793.87	70.02	14.68	122.20	52.18	150	254	Vertical
6	5819.37	58.28	14.73	122.20	63.92	150	10	Vertical

Mode:	N40-5795
-------	----------



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5748.87	61.27	14.81	122.20	60.93	150	349	Horizontal
2	5762.75	72.42	14.77	122.20	49.78	150	343	Horizontal
3	5779.62	100.84	14.72	122.20	21.36	150	347	Horizontal
4	5825	76.33	14.75	122.20	45.87	150	17	Horizontal
5	5836.25	68.22	14.78	122.20	53.98	150	353	Horizontal
6	5852	61.42	14.85	117.64	56.22	150	353	Horizontal

Mode: N40-5795



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5736.87	57.31	14.85	122.20	64.89	150	238	Vertical
2	5759.37	66.13	14.78	122.20	56.07	150	38	Vertical
3	5807.37	98.12	14.68	122.20	24.08	150	21	Vertical
4	5823.12	73.54	14.74	122.20	48.66	150	4	Vertical
5	5829.5	69.53	14.76	122.20	52.67	150	12	Vertical
6	5833.25	69.33	14.78	122.20	52.87	150	29	Vertical

Mode:	AC20-5180
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	46.98	68.23	21.25	45.00	54.00	9.00	100	306	Horizontal	PASS
2	4650.8094	15.76	48.71	74.00	25.29	46.84	54.00	7.16	100	55	Horizontal	PASS
3	4939.0488	16.30	51.07	74.00	22.93	46.39	54.00	7.61	100	212	Horizontal	PASS
4	5015.6874	16.27	50.37	74.00	23.63	49.41	54.00	4.59	100	185	Horizontal	PASS
5	5073.6211	16.34	49.50	74.00	24.50	48.95	54.00	5.05	100	141	Horizontal	PASS
6	5150	18.89	48.74	74.00	25.26	48.21	54.00	5.79	100	87	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	45.54	68.23	22.69	44.05	54.00	9.95	100	265	Vertical	PASS
2	4731.4748	16.24	51.94	74.00	22.06	48.83	54.00	5.17	100	295	Vertical	PASS
3	4786.6807	16.57	50.40	74.00	23.60	46.74	54.00	7.26	100	318	Vertical	PASS
4	4934.3725	16.30	51.17	74.00	22.83	50.09	54.00	3.91	100	186	Vertical	PASS
5	5047.2522	16.28	49.61	74.00	24.39	46.44	54.00	7.56	100	296	Vertical	PASS
6	5150	18.89	50.63	74.00	23.37	48.16	54.00	5.84	100	192	Vertical	PASS

Mode:	AC20-5320
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	48.10	68.23	20.13	44.68	54.00	9.32	150	86	Horizontal	PASS
2	5359.96	18.69	50.94	74.00	23.06	47.25	54.00	6.75	150	115	Horizontal	PASS
3	5387.2	18.32	50.91	74.00	23.09	47.11	54.00	6.89	150	125	Horizontal	PASS
4	5415.16	18.13	49.55	74.00	24.45	45.42	54.00	8.58	150	309	Horizontal	PASS
5	5450.32	18.05	50.68	74.00	23.32	47.29	54.00	6.71	150	86	Horizontal	PASS
6	5460	18.03	47.20	74.00	26.80	44.86	54.00	9.14	150	323	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	48.43	68.23	19.80	46.00	54.00	8.00	150	175	Vertical	PASS
2	5359	18.70	50.29	74.00	23.71	45.34	54.00	8.66	150	122	Vertical	PASS
3	5385.88	18.34	49.77	74.00	24.23	46.87	54.00	7.13	150	171	Vertical	PASS
4	5406.28	18.15	49.66	74.00	24.34	46.28	54.00	7.72	150	313	Vertical	PASS
5	5454.76	18.04	50.61	74.00	23.39	48.54	54.00	5.46	150	0	Vertical	PASS
6	5460	18.03	48.06	74.00	25.94	45.28	54.00	8.72	150	310	Vertical	PASS

Mode:	AC20-5500
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	45.38	68.23	22.85	44.23	54.00	9.77	150	166	Horizontal	PASS
2	5416	18.69	50.09	74.00	23.91	47.41	54.00	6.59	150	164	Horizontal	PASS
3	5437.48	19.09	50.65	74.00	23.35	48.04	54.00	5.96	150	277	Horizontal	PASS
4	5441.44	19.16	51.10	74.00	22.90	49.53	54.00	4.47	150	60	Horizontal	PASS
5	5451.4	19.35	50.73	74.00	23.27	46.68	54.00	7.32	150	171	Horizontal	PASS
6	5460	19.51	49.22	74.00	24.78	45.81	54.00	8.19	150	86	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	47.19	68.23	21.04	43.82	54.00	10.18	150	325	Vertical	PASS
2	5369.68	18.08	49.38	74.00	24.62	44.90	54.00	9.10	150	190	Vertical	PASS
3	5393.56	18.34	50.19	74.00	23.81	47.90	54.00	6.10	150	245	Vertical	PASS
4	5421.64	18.80	51.21	74.00	22.79	48.42	54.00	5.58	150	356	Vertical	PASS
5	5447.8	19.28	50.97	74.00	23.03	45.20	54.00	8.80	150	112	Vertical	PASS
6	5460	19.51	48.93	74.00	25.07	45.87	54.00	8.13	150	11	Vertical	PASS

Mode: AC20-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5703.12	53.96	14.95	106.08	52.12	150	215	Horizontal
2	5725.25	71.37	14.88	122.20	50.83	150	73	Horizontal
3	5740.62	105.16	14.84	122.20	17.04	150	360	Horizontal
4	5768	68.88	14.76	122.20	53.32	150	348	Horizontal
5	5778.12	60.84	14.73	122.20	61.36	150	14	Horizontal
6	5808.12	54.43	14.69	122.20	67.77	150	194	Horizontal

Mode: AC20-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5702.37	54.68	14.95	105.87	51.19	150	88	Vertical
2	5726.37	67.46	14.88	122.20	54.74	150	259	Vertical
3	5743.62	99.16	14.83	122.20	23.04	150	347	Vertical
4	5759.75	72.22	14.78	122.20	49.98	150	358	Vertical
5	5766.5	65.57	14.76	122.20	56.63	150	145	Vertical
6	5784.87	58.09	14.71	122.20	64.11	150	234	Vertical

Mode: AC20-5785




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5748.87	54.91	14.81	122.20	67.29	150	55	Horizontal
2	5769.87	75.40	14.75	122.20	46.80	150	61	Horizontal
3	5778.5	103.25	14.72	122.20	18.95	150	355	Horizontal
4	5800.62	80.41	14.66	122.20	41.79	150	8	Horizontal
5	5810	63.36	14.69	122.20	58.84	150	179	Horizontal
6	5820.5	59.84	14.73	122.20	62.36	150	69	Horizontal

Mode: AC20-5785




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5746.62	58.58	14.82	122.20	63.62	150	240	Vertical
2	5770.62	74.06	14.75	122.20	48.14	150	351	Vertical
3	5784.12	101.10	14.71	122.20	21.10	150	10	Vertical
4	5800.25	74.44	14.66	122.20	47.76	150	283	Vertical
5	5819.75	62.02	14.73	122.20	60.18	150	354	Vertical
6	5844.12	54.84	14.82	122.20	67.36	150	58	Vertical

Mode: AC20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5787.12	57.38	14.70	122.20	64.82	150	77	Horizontal
2	5809.62	73.47	14.69	122.20	48.73	150	10	Horizontal
3	5826.87	106.03	14.75	122.20	16.17	150	350	Horizontal
4	5841.87	74.07	14.80	122.20	48.13	150	3	Horizontal
5	5848.62	65.18	14.83	122.20	57.02	150	344	Horizontal
6	5885	56.14	15.03	97.78	41.64	150	80	Horizontal

Mode: AC20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5804.37	67.72	14.68	122.20	54.48	150	96	Vertical
2	5810	69.58	14.69	122.20	52.62	150	14	Vertical
3	5830.25	101.98	14.77	122.20	20.22	150	26	Vertical
4	5843	73.07	14.81	122.20	49.13	150	10	Vertical
5	5847.5	61.23	14.83	122.20	60.97	150	345	Vertical
6	5872.25	56.00	14.96	105.97	49.97	150	212	Vertical

Mode:	AC40-5190
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	44.89	68.23	23.34	44.81	54.00	9.19	100	270	Horizontal	PASS
2	4645.2238	15.73	48.77	74.00	25.23	48.51	54.00	5.49	100	78	Horizontal	PASS
3	4794.8641	16.61	50.03	74.00	23.97	48.99	54.00	5.01	100	39	Horizontal	PASS
4	4970.8733	16.28	50.66	74.00	23.34	50.42	54.00	3.58	100	270	Horizontal	PASS
5	5146.4928	18.22	53.20	74.00	20.80	49.13	54.00	4.87	100	78	Horizontal	PASS
6	5150	18.89	49.49	74.00	24.51	48.75	54.00	5.25	100	152	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	44.40	68.23	23.83	44.94	54.00	9.06	100	6	Vertical	PASS
2	4725.3697	16.20	50.84	74.00	23.16	49.87	54.00	4.13	100	302	Vertical	PASS
3	4744.0747	16.34	52.35	74.00	21.65	46.51	54.00	7.49	100	260	Vertical	PASS
4	4800.5795	16.64	49.96	74.00	24.04	49.61	54.00	4.39	100	348	Vertical	PASS
5	4940.6075	16.30	51.10	74.00	22.90	50.23	54.00	3.77	100	346	Vertical	PASS
6	5150	18.89	48.46	74.00	25.54	47.87	54.00	6.13	100	45	Vertical	PASS