

microphone
PPHP1541WMU



Microphone parameter	
Product name	microphone
Product frequency	204MHz
Operating voltage	DC : 3V (5# 1.5V*2)
Working current	<1 00mA
Dynamic range	>105dB
Frequency response	20Hz- 18KHz
Signal-to-noise ratio	>98dB
pickup	Moving-coil type
Frequency Maximum frequency offset	±10 KHz
Continuous service time	About 6-8 hours
Modulation mode	FM
Hardware version number	V2 .2 20230313
Software version number	KT102T V1 .0



- 3 Power on
- 2 Sound off
- 1 Power Off

Power
switch

Battery
holder

Operation instructions

1. Unscrew the tail cover and install 2 AA5 batteries (2x 1.5V). Note: the polarity of the battery should not be reversed
2. Push the power switch up, the microphone power indicator flashes, then goes out, the microphone enters the standby state, and then turn on the receiver, so that the microphone and the receiver can be connected. Note: The power switch is divided into 3 gears, the first gear is off, the middle gear is silent, and the third gear is on.
3. When the microphone is in use, the power indicator flashes, indicating that the battery has been charged
It's not enough to support the microphone to work properly, and when the light turns long bright, it's
Replace the battery in time (warm tip: the microphone is not used for a long time, please take out the battery to avoid battery liquid leakage corrosion circuit board, causing damage)

FCC Statement

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Radiation Exposure Statement

This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The device can be used in portable exposure condition without restriction.