


# GLOCUSENT 72 LED CLIP ON LIGHT



AC Adapter Included

 **glocusent** | Light Up Your Chapters

## Catalogue

English -----	1
Deutsch -----	11
Français -----	15
Italiano -----	19
Español -----	23
日本語 -----	27
About Glocusent -----	31
Customer Support -----	End

Scan the QR Code for 36-month  
upgraded VIP warranty



---

### For Customer Service

---

[www.glocusent.com](http://www.glocusent.com) | [service@glocusent.com](mailto:service@glocusent.com)

## Words from the Product Designer

Hi friends,

This is Mason from Glocusent. It's always a pleasure to connect with you through our thoughtfully designed products.

At Glocusent, we've been committed to innovating within the LED lighting industry for over 5 years, focusing on creating the perfect lighting solutions for readers, artists, and creatives. Today, I'm thrilled to introduce an upgraded addition to our product line that's designed to elevate your nighttime routines and creative sessions.

Our upgraded 72 LED Clip-On Light offers a gentle, eye-friendly glow and creates a cozy atmosphere. Featuring 72 evenly distributed LED beads, it delivers uniform brightness that fills your space without harsh spots. The new design now includes a remote control for even greater convenience, letting you adjust brightness, color temperature, and settings from the comfort of your seat.

Other thoughtful features include an LED screen controller for precise adjustments and an extra 1700K night light for a warm, soothing ambiance. Plus, the light gradually brightens or dims when turned on or off, helping your eyes


adapt comfortably to the environment.

What truly sets this light apart is its unique surrounding ring design, which remains dark to prevent direct exposure to your eyes. This makes it the perfect companion for late-night reading, working on detailed projects, or creating the ideal ambiance for relaxation or creativity.

We can't wait to see how you'll incorporate this innovative light into your daily routines. Whether it's illuminating your favorite book, enhancing your artistic pursuits, or setting the perfect atmosphere, this upgraded light is designed to bring ease, comfort, and inspiration to your life.

Thank you for being part of our journey.

Mason



## Instruction


### Turn on

  → Press the Button to Turn On or Off

### Brightness Level



 → Turn Up the Brightness Level



 → Turn Down the Brightness Level

Or long press for stepless brightness adjusting

### Color Temperature



Short Press to Adjust Color Temperatures

 2700K →  4000K →  6000K


Or long press for stepless color temperature adjusting.

 2700K → 6000K

## Timer Function



Choose from two timer settings



Once the main light is on, briefly press the timer button to select your desired duration, and the corresponding indicator light will turn on.

## Sleep Aid Feature



With the lamp on, select your desired timer duration





To activate sleep aid mode, press and hold the timer/sleep aid button for **2 seconds** after turning on the timer. The sleep aid icon will appear on the display screen.



To turn off sleep aid mode, press and hold the button again for **2 seconds**, and the icon will disappear.

## Remote Instruction

Battery Insulating Pull Tab Pull It Before Use



- A red indicator light will flash when the signal is sent.

## Precautions

- Please do not use a charger exceeding 5V. High voltage may cause damage.
- Please use the original plug provided, or a third-party certified plug. Using a non-certified plug may result in unstable voltage and flickering light.
- When using this product, it is advised not to cover the lamp with materials such as cloth.
- Do not expose the lamp head to fire under any circumstances when using this product.
- Note: The power indicator light will turn green when the clamp light is connected with the power.

Disposal: When you are ready to dispose of the product after wearing it out, please make sure to follow the instructions of your local government for environmental and safety purposes.

## Features

- Main Light: The main light features a gradual dimming/brightening mode (also known as “fade-in/-fade-out” mode), which ensures smoother transitions for your eyes. This feature helps protect your vision and enhances overall comfort.
- Night Light: The night light provides safe nighttime navigation, creates a cozy ambiance, and helps improve sleep quality, all while being energy-efficient and decorative. It has a simple on/off function and does not allow adjustments for brightness, color temperature, or timer/sleep aid settings.
- The main light and night light switches operate independently and do not interfere with each other.

3 color temperatures:

**Warm Mode 2700K**—Blue-light-blocking promotes the production of melatonin after reading and before sleep.

**Mild Mode 4000K**—Soft and gentle light for general readings.

**Natural Mode 6000K**—Restore the noon light for the best concentration.


- 5 brightness levels, with the brightest level up to 400lm.
- Smart lamp head: Glocusent designers carefully designed the lamp head with lots of effort to make sure the lighting source is distributed evenly from the LED beads. Such a design also ensures that the light can be soft and cozy enough to better avoid your eye strain.
- Timer function: Choose between 30-minute and 60-minute timers to remind you to take breaks while reading. The unique sleep aid feature simulates a sunset by gradually dimming the light, helping you drift off to sleep.
- The sturdy clamp can be opened to a maximum of 2.36 inches in width, which allows for use for all kinds of thick surfaces.
- The gooseneck is able to be bent at 360 degrees with memory function, which means it will not bounce back when you fix the neck on your comfortable positions.

## Product Specifications

Model	A31
Brightness	10 lm - 400 lm
Color Temperature	Main Light: 2700K, 4000K, 6000K Night Light: 1700K
LED Beads	Main Light: 72 Night Light: 40
Dimensions	56*9.5*11.2cm / 22*3.7*4.4in
Weight	355g / 12.5oz
Certificate	FCC, PSE, CE, C-TICK
Input	5V=2A

## Include

Glocusent 72 LED Clip on Light	x 1
USB-A Adapter ( 5V=2A )	x 1
Remote Control	x 1
User Manual	x 1
Bookmark	x 1



## Anleitung


### Einschalten

  ————— Drücken Sie die Taste zum Ein-/Ausschalten

### Helligkeitsstufen



 ————— Erhöhen der Helligkeitsstufen



 ————— Eerringern der Helligkeitsstufe

Oder langes Drücken zur stufenlosen Anpassung der Helligkeit

### Farbtemperatur



Kurz drücken zur Anpassung der Farbtemperaturen



Kurz drücken zur Anpassung der Farbtemperaturen



## Timer-Funktion



Wählen Sie aus zwei Timer-Einstellungen

30 Minuten 60 Minuten

Sobald das Hauptlicht leuchtet, drücken Sie kurz die Taste für den Timer, um die gewünschte Dauer auszuwählen. Daraufhin schaltet sich die entsprechende Kontrollleuchte ein.

## Einschlafhilfe-Funktion




Wählen Sie bei eingeschalteter Lampe die gewünschte Dauer des Timers

**Ein** Um den Einschlafhilfe-Modus zu aktivieren, drücken Sie nach dem Einschalten des Timers die Taste für die Timer-/ Einschlafhilfe und halten Sie sie für **2 Sekunden** gedrückt. Das Einschlafhilfe-Symbol erscheint auf dem Bildschirm.


**Aus** Um den Einschlafhilfe-Modus auszuschalten, halten Sie die Taste erneut für **2 Sekunden** gedrückt, woraufhin das Symbol verschwindet.

## Anleitung zur Fernbedienung

Isolierlasche Für Den Akku Vor Der Verwendung Herausziehen



- Eine rot kontrollleuchte blinkt, wenn das signal gesendet wird.




## Instruction

### Allumer

 Appuyez sur le bouton pour allumer ou éteindre

### Niveaux de luminosité

 Augmenter le niveau de luminosité



 Baisser le niveau de luminosité

Ou appuyez longuement pour un réglage continu de la luminosité

### Température de couleur



Appuyez brièvement pour régler les températures de couleur

 2700K  4000K  6000K

Ou appuyez longuement pour un réglage continu de la température de couleur

  
2700K  6000K

## Fonction de minuterie

Vous avez le choix entre deux réglages de minuterie

 30 Minutes  60 Minutes

Après avoir activé la lumière principale, il suffit d'appuyer brièvement sur le bouton de la minuterie et de sélectionner la durée souhaitée pour activer le voyant lumineux qui y correspond.

## Fonction aide-sommeil



Sélectionnez la durée de la minuterie que vous souhaitez pendant que la lampe est allumée

 Appuyez et maintenez enfoncée la touche de la minuterie/de l'aide au sommeil pendant **2 secondes** après avoir mis la minuterie en marche pour activer le mode d'aide au sommeil. L'icône de l'aide au sommeil est affichée à l'écran.


 Appuyez à nouveau sur la touche et maintenez-la enfoncée pendant **2 secondes** pour désactiver le mode d'aide au sommeil ; l'icône disparaît.

## Instructions de la télécommande

Tirette d'Isolation De La Batterie  
Tirez-la Avant De l'Utiliser



- Un témoin lumineux rouge clignote lorsque le signal est envoyé.




## Istruzioni

### Accendere

  Premere il pulsante per accendere o spegnere

### Livelli di luminosità

 Alzare il livello di luminosità



 Abbassare il livello di luminosità

Oppure premere a lungo per regolare la luminosità in modo continuo

### Temperature del Colore



Premere brevemente per regolare le temperature del colore

 2700K  4000K  6000K

Oppure premere a lungo per regolare la temperatura del colore in modo continuo

 2700K  6000K

## Funzione timer



Scegliere tra due impostazioni del timer

30 minuti 60 minuti

Una volta accesa la luce principale, premere brevemente il pulsante del timer per selezionare la durata desiderata; l'indicatore luminoso corrispondente si accenderà.

## Funzione di aiuto al sonno




Con la lampada accesa, selezionare la durata desiderata del timer

**Acceso** Per attivare la modalità di aiuto al sonno, tenere premuto il pulsante del timer/aiuto al sonno per **2 secondi** dopo aver acceso il timer. Sul display apparirà l'icona del dispositivo di aiuto al sonno.


**Spento** Per disattivare la modalità di aiuto al sonno, tenere nuovamente premuto il pulsante per **2 secondi** e l'icona scomparirà.

## Istruzioni di telecomando

Linguetta Isolante Della  
Batteria Rimuovere Prima Dell'Uso



- Una spia rosso lampeggerà quando viene inviato il segnale.




## Instrucciones

### Encender/Apagar

 Presionar el botón para encender o apagar

### Niveles de Brillo

 Subir el nivel de brillo



 Bajar el nivel de brillo

O mantén pulsado para ajustar el brillo de forma continua

### Temperaturas de color



Pulsa una vez para cambiar la temperatura de color

 2700K —————  4000K —————  6000K

O mantén pulsado para ajustar la temperatura de color de forma continua

 2700K ————— 6000K

## Función del temporizador



Elija entre los dos ajustes del temporizador

30 minutos 60 minutos

Una vez que la luz principal esté encendida, pulse el botón del temporizador para seleccionar su ubicación deseada, y la luz indicadora correspondiente se encenderá.

## Función de ayuda de siesta




Con la luz encendida, seleccione la duración del temporizador deseado

Encender Para activar el modo de ayuda de siesta, y mantenga presionado el botón de temporizador/siesta durante **2 segundos** luego de activar el temporizador. El ícono de ayuda de siesta aparecerá en la pantalla de visualización.


Apagar Para apagar el modo de ayuda de siesta, mantenga presionado el botón de nuevo durante **2 segundos**, y el ícono desaparecerá.

## Instrucciones de control remoto

Tira De Aislamiento De  
Batería Retírese antes de usar



- Cuando se envíe la señal, la luz indicadora roja se encenderá como señal.




## ボタンの紹介

### 点灯

① ② → ボタンを押してオンまたはオフにする

### 明るさレベル

③ → 明るさレベルを上げる



④ → 明るさレベルを下げる

長押しすると無段階の輝度レベルを調整できます

### 色温度



短押しすると色温度を調整できます

⑤ ⑥ ⑦  
2700K → 4000K → 6000K

長押しすると無段階の色温度を調整できます

2700K → 6000K

## タイマー機能



2つのタイマー設定から選択



メインライトが点灯すると、タイマーボタンを短く押して希望の持続時間を選択でき、対応するインジケータライトが点灯します。

## 睡眠補助機能




ランプが点灯中、お好みのタイマー時間を選択できます。

 **オン** 睡眠補助モードを有効にするには、タイマーをオンにした後、タイマー/睡眠補助ボタンを2秒間押し続けてください。睡眠補助アイコンがディスプレイ画面に表示されます。

 **オフ** 睡眠補助モードをオフにするには、ボタンをもう一度2秒間押し続けてください、アイコンが消えます。

電池絶縁タブ使用前引張



- 信号が送信されると、赤いLEDが点滅します。

## About Glocusent

Ever since we saw our first sunrise illuminate the beautiful Colorado Springs, we've become a lighting product company that believes that light is a critical element to capturing the magic in moments. No progress was even made in the dark, and we're here to deliver that light to ensure that our users are always progressing. At Glocusent, we refer to three core principles; glory, focus, and moments.

Glory: We're about bringing light to your life, and we believe life is filled with glory, whether that's in your career or with your family. Let us shine a light on that glory.

Focus: Our team at Glocusent is focused on creating innovative lights and lamps that are convenient, smart, and tailored to its user. In the wise words of Roy T. Bennett, "Life is short; focus on what really matters; you should change your priorities over time." With our lights, you can focus on what matters.

Moment: Moments are fleeting. Your lives are filled with beauty, romance, and happiness. Our innovative lights are there to help you capture the moments.

## Verification of Compliance

Verification No.: MK24090072P01-C01  
Name and address of applicant: gloocuret co., ltd  
110 16th Street, Suite 1400 #1095 Denver, CO 80202 United States.  
Name and address of manufacturer: Shenzhen gloocuret Technology Co., Ltd  
Building B, 2001 Xixiang Lingyu R&D Center, No. 26 Hongqiang North Second Road, Xinglong Community, Xiran Street, Bao'an District, Shenzhen  
Product name: Clip on Light A31  
Product model(s): A31, GLC-SNTA3101, GLC-SNTA3102, GLC-SNTA3103, GLC-SNTA3104, GLC-SNTA3105  
Product trademark: GLOCURET

The verification confirms that the product meets the requirements of the following standard. The conformity was demonstrated based on following standard(s) listed by European Commission as harmonized with Directive RoHS 2.0 Directive (EU) 2015/863 and (EU)2017/2102 amending Annex II to Directive 2011/65/EU

IEC 62321-1-2013 IEC 62321-3-1-2013  
IEC 62321-4-2013AMD1:2017 IEC 62321-5-2013  
IEC 62321-6-2015 IEC 62321-7-1:2015  
IEC 62321-7-2:2017 IEC 62321-8-1:2014

The verification has been carried out in accordance with individual rules and conditions agreed with the applicant. Evaluation has been carried out in accordance with:

Test report/No.: MK24090072P01-C01  
Test conducted by: TMC Testing Services (Shenzhen) Co., Ltd.

Verification issue date: September 19, 2024

Notes:

This verification refers to the above mentioned product and its conformity in regards of above mentioned standard(s) on test sample.  
This verification does not imply meeting all essential requirements, assessment of the series-production or any other restricted Notified Bodies conformity assessment procedure appropriate for the product.  
The manufacturer shall use this verification in connection to verification of conformity and technical data relevant for the product the verification was issued.

TMC Testing Services (Shenzhen) Co., Ltd.

186-755-96642661 cen@tmc-lab.com www.tmc-lab.com  
1st Floor, Block A1, Zone A, Xinhitali Gongrong Industrial Park, No. 2, Shihuan Road, Shyan Street, Bao'an District, Shenzhen, China



TMC



Points de collecte sur [www.quefairedesmesdechets.fr](http://www.quefairedesmesdechets.fr)  
Priviliez la réparation ou le don de votre appareil !



Warning: To avoid danger of suffocation, keep this bag away from children and babies. Do not use this bag in cribs, beds, baby carriages or playpens. This bag is not a toy.

## Glocusent Customer Support

Have questions, concerns, or feedback about Glocusent 72 LED Clip on Light (A31)? Email us at [service@glocusent.com](mailto:service@glocusent.com). Our team will respond to your email in a swift time.

You're currently covered by our 24-month worry-free warranty. But there's more! You can easily bump that up to a 36-month VIP Service warranty. It's all on us- either a replacement, a full refund or a chance to try out our new products. Simply swing by our website and register your purchase to make the upgrade, we've got your back.

[www.glocusent.com/pages/warranty](http://www.glocusent.com/pages/warranty)

Alternatively, you can scan the QR code below to register your purchase:



---

### For Customer Service

---

[www.glocusent.com](http://www.glocusent.com) | [service@glocusent.com](mailto:service@glocusent.com)

FCC Statement:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This

Equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.