

Mode:	11G-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.48	-19.79	41.69	74.00	32.31	Horizontal	PASS
2	2328.1782	62.38	-19.76	42.62	74.00	31.38	Horizontal	PASS
3	2339.4695	62.2	-19.74	42.46	74.00	31.54	Horizontal	PASS
4	2362.6927	62.58	-19.04	43.54	74.00	30.46	Horizontal	PASS
5	2370.7007	62.23	-18.61	43.62	74.00	30.38	Horizontal	PASS
6	2390.0000	61.97	-17.57	44.40	74.00	29.60	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61	-19.79	41.21	74.00	32.79	Vertical	PASS
2	2338.3483	62.99	-19.74	43.25	74.00	30.75	Vertical	PASS
3	2355.8058	62.91	-19.41	43.50	74.00	30.50	Vertical	PASS
4	2367.4975	63.88	-18.78	45.10	74.00	28.90	Vertical	PASS
5	2379.8298	63.85	-18.12	45.73	74.00	28.27	Vertical	PASS
6	2390.0000	63.77	-17.57	46.20	74.00	27.80	Vertical	PASS

Mode:	11G-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	62.03	-18.02	44.01	74.00	29.99	Horizontal	PASS
2	2484.2937	63.18	-18.22	44.96	74.00	29.04	Horizontal	PASS
3	2488.3746	63.21	-18.79	44.42	74.00	29.58	Horizontal	PASS
4	2493.3086	63.42	-18.94	44.48	74.00	29.52	Horizontal	PASS
5	2496.5099	64.08	-18.90	45.18	74.00	28.82	Horizontal	PASS
6	2500.0000	61.24	-18.85	42.39	74.00	31.61	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	62.45	-18.02	44.43	74.00	29.57	Vertical	PASS
2	2487.2409	63.41	-18.66	44.75	74.00	29.25	Vertical	PASS
3	2489.6040	63.87	-18.93	44.94	74.00	29.06	Vertical	PASS
4	2494.0000	62.94	-18.93	44.01	74.00	29.99	Vertical	PASS
5	2496.0330	63.8	-18.91	44.89	74.00	29.11	Vertical	PASS
6	2500.0000	60.41	-18.85	41.56	74.00	32.44	Vertical	PASS

Mode:	11N-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	60.72	-18.02	42.70	74.00	31.30	Horizontal	PASS
2	2485.5231	62.42	-18.47	43.95	74.00	30.05	Horizontal	PASS
3	2490.5908	63.06	-18.97	44.09	74.00	29.91	Horizontal	PASS
4	2494.8201	63.32	-18.92	44.40	74.00	29.60	Horizontal	PASS
5	2496.6551	62.97	-18.90	44.07	74.00	29.93	Horizontal	PASS
6	2500.0000	60.15	-18.85	41.30	74.00	32.70	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	60.88	-18.02	42.86	74.00	31.14	Vertical	PASS
2	2485.6815	62.49	-18.48	44.01	74.00	29.99	Vertical	PASS
3	2489.6122	64	-18.93	45.07	74.00	28.93	Vertical	PASS
4	2493.5000	62.86	-18.94	43.92	74.00	30.08	Vertical	PASS
5	2496.6122	62.66	-18.90	43.76	74.00	30.24	Vertical	PASS
6	2500.0000	61.28	-18.85	42.43	74.00	31.57	Vertical	PASS

Mode:	11N-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	60.11	-19.79	40.32	74.00	33.68	Horizontal	PASS
2	2320.4104	61.9	-19.77	42.13	74.00	31.87	Horizontal	PASS
3	2340.8308	62.13	-19.74	42.39	74.00	31.61	Horizontal	PASS
4	2364.6947	61.91	-18.93	42.98	74.00	31.02	Horizontal	PASS
5	2380.0701	61.83	-18.11	43.72	74.00	30.28	Horizontal	PASS
6	2390.0000	63.49	-17.57	45.92	74.00	28.08	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.07	-19.79	41.28	74.00	32.72	Vertical	PASS
2	2324.6547	62.57	-19.77	42.80	74.00	31.20	Vertical	PASS
3	2344.1141	61.84	-19.73	42.11	74.00	31.89	Vertical	PASS
4	2363.7337	64.09	-18.98	45.11	74.00	28.89	Vertical	PASS
5	2387.5976	66.93	-17.70	49.23	74.00	24.77	Vertical	PASS
6	2390.0000	66.16	-17.57	48.59	74.00	25.41	Vertical	PASS

Mode:	11N40-2422
-------	------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	61.08	-19.79	41.29	74.00	32.71	Horizontal	PASS
2	2342.7528	61.39	-19.73	41.66	74.00	32.34	Horizontal	PASS
3	2358.3684	62.12	-19.27	42.85	74.00	31.15	Horizontal	PASS
4	2373.1832	61.66	-18.48	43.18	74.00	30.82	Horizontal	PASS
5	2387.1972	66.85	-17.72	49.13	74.00	24.87	Horizontal	PASS
6	2390.0000	62.91	-17.57	45.34	74.00	28.66	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2310.0000	60.15	-19.79	40.36	74.00	33.64	Vertical	PASS
2	2377.8278	67.19	-18.23	48.96	74.00	25.04	Vertical	PASS
3	2386.1562	75.67	-17.78	57.89	74.00	16.11	Vertical	PASS
4	2387.1972	75.14	-17.73	57.41	74.00	16.59	Vertical	PASS
5	2387.9980	75.02	-17.68	57.34	74.00	16.66	Vertical	PASS
6	2390.0000	74.15	-17.57	56.58	74.00	17.42	Vertical	PASS

Mode:	11N40-2452
-------	------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	60.43	-18.02	42.41	74.00	31.59	Horizontal	PASS
2	2486.3911	62.62	-18.56	44.06	74.00	29.94	Horizontal	PASS
3	2491.3350	63.02	-18.96	44.06	74.00	29.94	Horizontal	PASS
4	2493.7558	62.8	-18.93	43.87	74.00	30.13	Horizontal	PASS
5	2497.8531	63.02	-18.88	44.14	74.00	29.86	Horizontal	PASS
6	2500.0000	61.52	-18.85	42.67	74.00	31.33	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	2483.5000	59.9	-18.02	41.88	74.00	32.12	Vertical	PASS
2	2486.0528	63.25	-18.53	44.72	74.00	29.28	Vertical	PASS
3	2487.7805	63.6	-18.72	44.88	74.00	29.12	Vertical	PASS
4	2492.9818	63.41	-18.94	44.47	74.00	29.53	Vertical	PASS
5	2497.6271	62.63	-18.88	43.75	74.00	30.25	Vertical	PASS
6	2500.0000	60.71	-18.85	41.86	74.00	32.14	Vertical	PASS

Appendix I: Spurious emissions

Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

Above 1GHz, The emission level with margin less than 20db is recorded.


Below 1G

Worst case scenario was recorded

Mode:

11B-2412

Test Graph




NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	37.0817	27.59	-16.20	40.00	12.41	Horizontal	PASS
2	51.0511	27.65	-15.72	40.00	12.35	Horizontal	PASS
3	147.284	27.71	-16.05	43.50	15.79	Horizontal	PASS
4	303.470	28.47	-15.66	46.00	17.53	Horizontal	PASS
5	615.065	34.75	-9.64	46.00	11.25	Horizontal	PASS
6	845.463	42.07	-6.43	46.00	3.93	Horizontal	PASS

Mode:

11B-2412

Test Graph



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	35.6266	28.06	-16.41	40.00	11.94	Vertical	PASS
2	49.8870	27.87	-15.63	40.00	12.13	Vertical	PASS
3	159.896	27.04	-15.72	43.50	16.46	Vertical	PASS
4	283.777	28.19	-16.21	46.00	17.81	Vertical	PASS
5	533.286	33.07	-11.15	46.00	12.93	Vertical	PASS
6	845.269	40.75	-6.43	46.00	5.25	Vertical	PASS

Mode:	11B-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1192.038	70.34	44.59	-25.75	74.00	29.41	Horizontal	PASS
2	1534.106	71.64	47.04	-24.60	74.00	26.96	Horizontal	PASS
3	4260.126	62.26	45.04	-17.22	74.00	28.96	Horizontal	PASS
4	6127.812	62.28	48.44	-13.84	74.00	25.56	Horizontal	PASS
5	7186.918	62.05	49.28	-12.77	74.00	24.72	Horizontal	PASS
6	8838.583	61.60	50.42	-11.18	74.00	23.58	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1191.238	67.13	41.38	-25.75	74.00	32.62	Vertical	PASS
2	1679.335	66.08	42.85	-23.23	74.00	31.15	Vertical	PASS
3	4824.182	64.55	48.14	-16.41	74.00	25.86	Vertical	PASS
4	5860.786	61.72	47.04	-14.68	74.00	26.96	Vertical	PASS
5	7491.449	61.36	48.89	-12.47	74.00	25.11	Vertical	PASS
6	10187.21	60.65	52.04	-8.61	74.00	21.96	Vertical	PASS

Mode:	11B-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1251.650	72.42	46.87	-25.55	74.00	27.13	Horizontal	PASS
2	1496.499	71.60	46.67	-24.93	74.00	27.33	Horizontal	PASS
3	4873.687	62.30	45.98	-16.32	74.00	28.02	Horizontal	PASS
4	5740.774	62.79	47.82	-14.97	74.00	26.18	Horizontal	PASS
5	7887.488	61.67	49.89	-11.78	74.00	24.11	Horizontal	PASS
6	11990.39	60.20	54.79	-5.41	74.00	19.21	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1558.1116	66.83	42.47	-24.36	74.00	31.53	Vertical	PASS
2	2009.401	65.03	44.57	-20.46	74.00	29.43	Vertical	PASS
3	4873.687	63.69	47.37	-16.32	74.00	26.63	Vertical	PASS
4	7132.913	62.19	49.41	-12.78	74.00	24.59	Vertical	PASS
5	10145.21	59.73	51.14	-8.59	74.00	22.86	Vertical	PASS
6	12393.93	59.93	55.23	-4.70	74.00	18.77	Vertical	PASS

Mode:	11B-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1199.639	71.85	46.12	-25.73	74.00	27.88	Horizontal	PASS
2	1533.706	71.83	47.22	-24.61	74.00	26.78	Horizontal	PASS
3	4924.692	65.38	48.99	-16.39	74.00	25.01	Horizontal	PASS
4	7387.938	63.08	50.46	-12.62	74.00	23.54	Horizontal	PASS
5	9162.616	62.47	51.75	-10.72	74.00	22.25	Horizontal	PASS
6	10824.78	60.86	53.32	-7.54	74.00	20.68	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1495.299	68.08	43.15	-24.93	74.00	30.85	Vertical	PASS
2	1923.784	66.07	44.95	-21.12	74.00	29.05	Vertical	PASS
3	3987.098	63.88	46.29	-17.59	74.00	27.71	Vertical	PASS
4	4923.192	64.52	48.14	-16.38	74.00	25.86	Vertical	PASS
5	7954.995	62.56	50.83	-11.73	74.00	23.17	Vertical	PASS
6	11418.84	62.12	55.11	-7.01	74.00	18.89	Vertical	PASS

Mode:	11G-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1264.452	70.83	45.32	-25.51	74.00	28.68	Horizontal	PASS
2	1532.906	71.64	47.03	-24.61	74.00	26.97	Horizontal	PASS
3	3892.589	63.17	45.19	-17.98	74.00	28.81	Horizontal	PASS
4	4966.696	63.56	47.30	-16.26	74.00	26.70	Horizontal	PASS
5	6511.851	62.05	48.75	-13.30	74.00	25.25	Horizontal	PASS
6	10583.25	60.11	52.11	-8.00	74.00	21.89	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1192.038	67.94	42.19	-25.75	74.00	31.81	Vertical	PASS
2	1495.699	68.61	43.68	-24.93	74.00	30.32	Vertical	PASS
3	3987.098	62.92	45.33	-17.59	74.00	28.67	Vertical	PASS
4	5209.721	61.56	46.15	-15.41	74.00	27.85	Vertical	PASS
5	6963.396	62.04	49.18	-12.86	74.00	24.82	Vertical	PASS
6	11519.35	60.79	53.98	-6.81	74.00	20.02	Vertical	PASS

Mode:	11G-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1251.650	71.14	45.59	-25.55	74.00	28.41	Horizontal	PASS
2	1496.899	72.04	47.11	-24.93	74.00	26.89	Horizontal	PASS
3	4234.623	63.98	46.72	-17.26	74.00	27.28	Horizontal	PASS
4	5268.226	61.84	46.41	-15.43	74.00	27.59	Horizontal	PASS
5	7044.404	61.70	49.19	-12.51	74.00	24.81	Horizontal	PASS
6	10926.79	60.62	52.96	-7.66	74.00	21.04	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1496.899	68.20	43.27	-24.93	74.00	30.73	Vertical	PASS
2	1871.374	65.55	44.05	-21.50	74.00	29.95	Vertical	PASS
3	4990.699	62.49	46.52	-15.97	74.00	27.48	Vertical	PASS
4	6831.383	61.66	49.22	-12.44	74.00	24.78	Vertical	PASS
5	9818.181	60.36	50.89	-9.47	74.00	23.11	Vertical	PASS
6	11714.37	60.72	54.55	-6.17	74.00	19.45	Vertical	PASS

Mode:	11G-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1263.652	70.71	45.20	-25.51	74.00	28.80	Horizontal	PASS
2	1485.297	72.36	47.44	-24.92	74.00	26.56	Horizontal	PASS
3	4210.621	63.30	45.99	-17.31	74.00	28.01	Horizontal	PASS
4	5722.772	61.36	46.46	-14.90	74.00	27.54	Horizontal	PASS
5	7341.434	61.82	49.07	-12.75	74.00	24.93	Horizontal	PASS
6	11246.32	60.04	52.79	-7.25	74.00	21.21	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1532.506	68.11	43.49	-24.62	74.00	30.51	Vertical	PASS
2	2064.212	66.59	46.26	-20.33	74.00	27.74	Vertical	PASS
3	4234.623	63.04	45.78	-17.26	74.00	28.22	Vertical	PASS
4	5925.292	61.73	47.15	-14.58	74.00	26.85	Vertical	PASS
5	7872.487	61.59	49.71	-11.88	74.00	24.29	Vertical	PASS
6	10392.73	60.67	52.53	-8.14	74.00	21.47	Vertical	PASS

Mode:	11N20-2412
-------	------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1251.250	71.57	46.02	-25.55	74.00	27.98	Horizontal	PASS
2	1496.099	72.09	47.16	-24.93	74.00	26.84	Horizontal	PASS
3	3786.078	63.40	45.13	-18.27	74.00	28.87	Horizontal	PASS
4	4437.143	63.21	46.30	-16.91	74.00	27.70	Horizontal	PASS
5	7600.960	61.85	49.36	-12.49	74.00	24.64	Horizontal	PASS
6	13010.50	59.25	55.05	-4.20	74.00	18.95	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1191.238	66.71	40.96	-25.75	74.00	33.04	Vertical	PASS
2	1680.136	66.75	43.53	-23.22	74.00	30.47	Vertical	PASS
3	4530.153	62.23	45.70	-16.53	74.00	28.30	Vertical	PASS
4	6100.810	61.88	48.35	-13.53	74.00	25.65	Vertical	PASS
5	7938.493	61.16	49.45	-11.71	74.00	24.55	Vertical	PASS
6	11064.80	60.81	53.55	-7.26	74.00	20.45	Vertical	PASS

Mode:	11N20-2437
-------	------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1251.250	71.44	45.89	-25.55	74.00	28.11	Horizontal	PASS
2	1506.901	71.96	47.10	-24.86	74.00	26.90	Horizontal	PASS
3	4290.129	62.94	45.76	-17.18	74.00	28.24	Horizontal	PASS
4	6102.310	61.25	47.70	-13.55	74.00	26.30	Horizontal	PASS
5	8010.501	61.51	49.53	-11.98	74.00	24.47	Horizontal	PASS
6	11120.312	60.55	53.21	-7.34	74.00	20.79	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1191.638	67.60	41.85	-25.75	74.00	32.15	Vertical	PASS
2	1486.097	68.13	43.21	-24.92	74.00	30.79	Vertical	PASS
3	4119.1119	63.60	46.32	-17.28	74.00	27.68	Vertical	PASS
4	6268.826	61.60	47.92	-13.68	74.00	26.08	Vertical	PASS
5	7218.421	62.34	49.60	-12.74	74.00	24.40	Vertical	PASS
6	11636.36	59.90	53.50	-6.40	74.00	20.50	Vertical	PASS

Mode:	11N20-2462
-------	------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1262.852	70.92	45.41	-25.51	74.00	28.59	Horizontal	PASS
2	1509.301	71.68	46.84	-24.84	74.00	27.16	Horizontal	PASS
3	4171.617	63.76	46.64	-17.12	74.00	27.36	Horizontal	PASS
4	5628.262	61.99	46.84	-15.15	74.00	27.16	Horizontal	PASS
5	6805.880	61.51	49.04	-12.47	74.00	24.96	Horizontal	PASS
6	10889.28	60.79	53.15	-7.64	74.00	20.85	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1544.108	67.09	42.58	-24.51	74.00	31.42	Vertical	PASS
2	1876.975	65.60	44.14	-21.46	74.00	29.86	Vertical	PASS
3	4158.115	63.01	45.99	-17.02	74.00	28.01	Vertical	PASS
4	6256.825	62.37	48.54	-13.83	74.00	25.46	Vertical	PASS
5	7815.481	62.12	49.89	-12.23	74.00	24.11	Vertical	PASS
6	12122.41	59.91	54.76	-5.15	74.00	19.24	Vertical	PASS

Mode:	11N40-2422
-------	------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1191.638	70.72	44.97	-25.75	74.00	29.03	Horizontal	PASS
2	1510.102	72.21	47.38	-24.83	74.00	26.62	Horizontal	PASS
3	4221.122	63.33	46.04	-17.29	74.00	27.96	Horizontal	PASS
4	5569.757	61.91	46.55	-15.36	74.00	27.45	Horizontal	PASS
5	7834.983	62.69	50.57	-12.12	74.00	23.43	Horizontal	PASS
6	11802.88	59.65	53.59	-6.06	74.00	20.41	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1250.850	68.38	42.83	-25.55	74.00	31.17	Vertical	PASS
2	1709.341	65.88	42.97	-22.91	74.00	31.03	Vertical	PASS
3	4038.103	63.97	46.27	-17.70	74.00	27.73	Vertical	PASS
4	5635.763	62.46	47.29	-15.17	74.00	26.71	Vertical	PASS
5	7228.922	62.16	49.43	-12.73	74.00	24.57	Vertical	PASS
6	10830.78	60.00	52.48	-7.52	74.00	21.52	Vertical	PASS

Mode:	11N40-2437
-------	------------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1251.250	71.36	45.81	-25.55	74.00	28.19	Horizontal	PASS
2	1522.104	72.23	47.51	-24.72	74.00	26.49	Horizontal	PASS
3	4257.125	64.05	46.83	-17.22	74.00	27.17	Horizontal	PASS
4	6366.336	62.49	48.63	-13.86	74.00	25.37	Horizontal	PASS
5	8084.008	62.02	50.48	-11.54	74.00	23.52	Horizontal	PASS
6	10589.25	60.01	52.03	-7.98	74.00	21.97	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1197.239	68.01	42.27	-25.74	74.00	31.73	Vertical	PASS
2	2106.621	66.77	46.49	-20.28	74.00	27.51	Vertical	PASS
3	3952.595	63.61	45.82	-17.79	74.00	28.18	Vertical	PASS
4	6982.898	61.56	48.89	-12.67	74.00	25.11	Vertical	PASS
5	10038.70	61.44	52.53	-8.91	74.00	21.47	Vertical	PASS
6	12309.93	60.36	55.40	-4.96	74.00	18.60	Vertical	PASS

Mode:	11N40-2452
-------	------------


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1251.250	71.49	45.94	-25.55	74.00	28.06	Horizontal	PASS
2	1496.899	72.60	47.67	-24.93	74.00	26.33	Horizontal	PASS
3	3913.591	62.19	44.29	-17.90	74.00	29.71	Horizontal	PASS
4	5113.7114	62.70	46.70	-16.00	74.00	27.30	Horizontal	PASS
5	7336.933	61.92	49.14	-12.78	74.00	24.86	Horizontal	PASS
6	10080.70	60.68	51.64	-9.04	74.00	22.36	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	1495.699	67.96	43.03	-24.93	74.00	30.97	Vertical	PASS
2	2053.810	65.44	45.10	-20.34	74.00	28.90	Vertical	PASS
3	3892.589	63.91	45.93	-17.98	74.00	28.07	Vertical	PASS
4	6667.866	62.15	49.54	-12.61	74.00	24.46	Vertical	PASS
5	8093.009	61.56	50.17	-11.39	74.00	23.83	Vertical	PASS
6	10893.78	60.11	52.46	-7.65	74.00	21.54	Vertical	PASS

Appendix J: Conducted emission AC power port



NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.5505	10.27	38.78	56.00	17.22	28.03	46.00	17.97	L	PASS
2	0.7935	10.28	34.77	56.00	21.23	24.34	46.00	21.66	L	PASS
3	1.3876	10.32	36.52	56.00	19.48	27.17	46.00	18.83	L	PASS
4	1.8689	10.34	35.56	56.00	20.44	25.13	46.00	20.87	L	PASS
5	5.4147	10.42	39.33	60.00	20.67	29.19	50.00	20.81	L	PASS
6	9.3838	10.51	42.55	60.00	17.45	34.35	50.00	15.65	L	PASS



NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1635	10.24	42.58	65.28	22.70	28.62	55.28	26.66	N	PASS
2	0.5505	10.27	34.64	56.00	21.36	24.50	46.00	21.50	N	PASS
3	1.7836	10.30	34.15	56.00	21.85	24.39	46.00	21.61	N	PASS
4	2.4856	10.30	32.64	56.00	23.36	24.38	46.00	21.62	N	PASS
5	5.2893	10.36	31.72	60.00	28.28	24.85	50.00	25.15	N	PASS
6	9.5140	10.47	38.05	60.00	21.95	30.87	50.00	19.13	N	PASS