











EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

Solder Board-Component View 1	
Solder Board-Component View 2	

Solder Board-Component View 3	 A photograph of a small, rectangular electronic component, likely a USB-to-UART bridge, mounted on a blue textured surface. The component is positioned next to a black L-shaped ruler with white markings. The ruler shows dimensions in millimeters, with the horizontal scale ranging from 0 to 100 mm and the vertical scale ranging from 0 to 80 mm. The component is oriented vertically, with its USB connector at the top and its pin headers at the bottom.
Solder Board-Component View 4	 A photograph of the same electronic component from a different angle, showing its top surface. The component is positioned next to the same black L-shaped ruler. The ruler's horizontal scale ranges from 0 to 100 mm, and the vertical scale ranges from 0 to 80 mm. The component is oriented horizontally, with its USB connector on the left and its pin headers on the right.

Solder Board-Component View 5	
Solder Board-Component View 6	

Solder Board-Component View 7	
Solder Board-Component View 8	

Solder Board-Component View 9	 A photograph showing a blue rectangular battery component with a white label. The label contains the text "华宇新能源: 样品" and "14500 800mAh 7.4V". The battery is placed on a blue textured surface next to a black L-shaped ruler with white markings in millimeters. Two wires, one red and one black, are connected to the battery.
Antenna View	 A photograph showing a small electronic component, likely an antenna module, with a black PCB and several surface components. It is placed on a blue textured surface next to a black L-shaped ruler with white markings in millimeters. A red rectangular box highlights a specific area on the component, and a red line points from this box to a label below the image. BT/WIFI Ant.