


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/09
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.08	51.37	74.00	22.63	PASS	Horizontal	PK
2	2483.5	16.29	20.91	37.20	54.00	16.80	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/09
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.05	52.34	74.00	21.66	PASS	Vertical	PK
2	2483.5	16.29	21.01	37.30	54.00	16.70	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	chenjun	Test_Date	2025/06/09
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.58	52.54	74.00	21.46	PASS	Horizontal	PK
2	2390	15.96	23.00	38.96	54.00	15.04	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	chenjun	Test_Date	2025/06/09
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.95	51.91	74.00	22.09	PASS	Vertical	PK
2	2390	15.96	23.02	38.98	54.00	15.02	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/09
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.18	52.47	74.00	21.53	PASS	Horizontal	PK
2	2483.5	16.29	22.98	39.27	54.00	14.73	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/09
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.13	52.42	74.00	21.58	PASS	Vertical	PK
2	2483.5	16.29	23.03	39.32	54.00	14.68	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.09	52.05	74.00	21.95	PASS	Horizontal	PK
2	2390	15.96	21.90	37.86	54.00	16.14	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.78	50.74	74.00	23.26	PASS	Vertical	PK
2	2390	15.96	20.72	36.68	54.00	17.32	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.27	50.56	74.00	23.44	PASS	Horizontal	PK
2	2483.5	16.29	20.62	36.91	54.00	17.09	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.15	50.44	74.00	23.56	PASS	Vertical	PK
2	2483.5	16.29	21.25	37.54	54.00	16.46	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.38	51.34	74.00	22.66	PASS	Horizontal	PK
2	2390	15.96	21.07	37.03	54.00	16.97	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.16	52.12	74.00	21.88	PASS	Vertical	PK
2	2390	15.96	21.28	37.24	54.00	16.76	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.66	50.95	74.00	23.05	PASS	Horizontal	PK
2	2483.5	16.29	21.22	37.51	54.00	16.49	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.32	52.61	74.00	21.39	PASS	Vertical	PK
2	2483.5	16.29	21.66	37.95	54.00	16.05	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.29	52.25	74.00	21.75	PASS	Horizontal	PK
2	2390	15.96	20.83	36.79	54.00	17.21	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	33.77	49.73	74.00	24.27	PASS	Vertical	PK
2	2390	15.96	20.65	36.61	54.00	17.39	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	41.56	57.85	74.00	16.15	PASS	Horizontal	PK
2	2483.5	16.29	27.49	43.78	54.00	10.22	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	46.82	63.11	74.00	10.89	PASS	Vertical	PK
2	2483.5	16.29	33.34	49.63	54.00	4.37	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.99	52.95	74.00	21.05	PASS	Horizontal	PK
2	2390	15.96	22.40	38.36	54.00	15.64	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	chenjun	Test_Date	2025/06/20
Remark	Adapter: MS-TA460J240-350B0		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	37.55	53.51	74.00	20.49	PASS	Vertical	PK
2	2390	15.96	23.00	38.96	54.00	15.04	PASS	Vertical	AV