


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/08/05
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.21	50.17	74.00	23.83	PASS	Horizontal	PK
2	2390	15.96	20.48	36.44	54.00	17.56	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/08/05
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.60	50.56	74.00	23.44	PASS	Vertical	PK
2	2390	15.96	21.22	37.18	54.00	16.82	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/08/05
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.96	51.25	74.00	22.75	PASS	Horizontal	PK
2	2483.5	16.29	20.98	37.27	54.00	16.73	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/08/05
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.82	51.11	74.00	22.89	PASS	Vertical	PK
2	2483.5	16.29	21.12	37.41	54.00	16.59	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	chenjun	Test_Date	2025/08/05
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.77	51.73	74.00	22.27	PASS	Horizontal	PK
2	2390	15.96	23.60	39.56	54.00	14.44	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	chenjun	Test_Date	2025/08/05
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.07	52.03	74.00	21.97	PASS	Vertical	PK
2	2390	15.96	22.74	38.70	54.00	15.30	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	chenjun	Test_Date	2025/08/05
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.57	51.86	74.00	22.14	PASS	Horizontal	PK
2	2483.5	16.29	23.75	40.04	54.00	13.96	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	chenjun	Test_Date	2025/08/05
Remark	Adapter: PMR-24V320W1AT		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.85	53.14	74.00	20.86	PASS	Vertical	PK
2	2483.5	16.29	23.33	39.62	54.00	14.38	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	35.34	51.30	74.00	22.70	PASS	Horizontal	PK
2	2390	15.96	20.64	36.60	54.00	17.40	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.73	50.69	74.00	23.31	PASS	Vertical	PK
2	2390	15.96	21.03	36.99	54.00	17.01	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.12	50.41	74.00	23.59	PASS	Horizontal	PK
2	2483.5	16.29	20.61	36.90	54.00	17.10	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.42	51.71	74.00	22.29	PASS	Vertical	PK
2	2483.5	16.29	20.71	37.00	54.00	17.00	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.50	50.46	74.00	23.54	PASS	Horizontal	PK
2	2390	15.96	20.94	36.90	54.00	17.10	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.76	50.72	74.00	23.28	PASS	Vertical	PK
2	2390	15.96	20.56	36.52	54.00	17.48	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	36.03	52.32	74.00	21.68	PASS	Horizontal	PK
2	2483.5	16.29	20.83	37.12	54.00	16.88	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.50	50.79	74.00	23.21	PASS	Vertical	PK
2	2483.5	16.29	21.02	37.31	54.00	16.69	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	33.73	49.69	74.00	24.31	PASS	Horizontal	PK
2	2390	15.96	20.87	36.83	54.00	17.17	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	34.52	50.48	74.00	23.52	PASS	Vertical	PK
2	2390	15.96	21.11	37.07	54.00	16.93	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	35.19	51.48	74.00	22.52	PASS	Horizontal	PK
2	2483.5	16.29	21.10	37.39	54.00	16.61	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2462MHz
Tset_Engineer	chenjun	Test_Date	2025/08/08
Remark	Adapter: MS-TA460J240-350B0		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2483.5	16.29	34.77	51.06	74.00	22.94	PASS	Vertical	PK
2	2483.5	16.29	21.59	37.88	54.00	16.12	PASS	Vertical	AV