

PRODUCT MANUAL

Safety Information

Before starting installation of this fixture or removal of a previous fixture, disconnect the power by turning off the circuit breaker or by removing the fuse at the fuse box. Consult a qualified electrician if you have any electrical questions or need to replace the driver. If you have any questions about this fixture, please contact us huaersizhaoming@outlook.com

Warranty

WHAT IS COVERED

The manufacturer guarantees that the lamp will be guaranteed free of charge if there are defects in materials and workmanship within 1 year from the date of purchase. This warranty is only applicable to the original consumer purchaser and only applies to products used in normal use and service. If the product is defective, the manufacturer's sole obligation and your sole remedy are at the manufacturer's discretion to repair or replace the product, provided that the product is not damaged due to misuse, abuse, accident, modification, alteration, negligence or improper handling.



one year warranty

Remote control instruction:

2.4G Intelligent Remote Control Manual

The remote control operation of this product is simple, you can control the color temperature, brightness, and RGB effect of the product by remote control just by installing the battery


Care and Cleaning

EXTERIOR MAINTENANCE

Use a dry or slightly dampened clean


Close and wipe the surface of the fixture

13 remote control operation manual




Installation


First of all, remove the lampshade by turning it counterclockwise. Prepare the necessary installation tools.(screwdriver, insulating tape,etc.)




Secondly,fix the base of the lamp according to the position of the screw hole.



Then tighten the screws and connect the wires(Black wire is fire line. white wire is zero line and the green wire is ground line).



Turn it on and observe if the lamp can work normally, Finally,install the lampshade clockwise.



Note: Do not use any cleaners with chemicals. Solvents or harsh abrasives. Use only a dry soft cloth to dust or wipe carefully

INTERIOR MAINTENANCE

Disconnect power to the fixture by turning off the circuit breaker or by removing the fuse at the fuse box

Use a dry or slightly dampened clean cloth to wipe the interior surface of the fixture

Troubleshooting

Problem	Solution
The light will not turn on.	<input type="checkbox"/> Make sure the power supply is on. <input type="checkbox"/> Test or replace the switch. <input type="checkbox"/> Check the wiring. <input type="checkbox"/> Replace the driver.
The fuse blows or circuit breaker trips when light is turned on.	<input type="checkbox"/> Check the wire connections,

Company Profile

We are a leading supplier of lighting products, We have our own R&D base and production base, company is involved in commercial LED lighting, indoor and outdoor lighting, and other fields, it has been recognized by many countries and used in providing the public environment with high-quality, energy-saving, beautiful artificial lighting.

:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum 20cm distance between the radiator and your body: Use only the supplied antenna.