

Instructions for use

APP remote control bulb



Smart APP remote control light bulb

A light bulb that can be used with floor lamps, table lamps, chandeliers and other mood lights

mobile APP control

2.4G remote control

Dimming toning

Control lights in groups



APP remote control bulb

Nominal power: 9W

Nominal lumen: 900LM

Working voltage: AC85-265V

Lamp size: $\phi 6\text{CM} \times 12\text{CM}$

Lamp material: plastic-coated aluminum

Remote control size: width 4cm* height 15.2cm*
thickness 1.5cm

Remote control built-in battery: 2 AA batteries
2*1.5V=3V


Remark:

Instructions for use



< APP software download guide

Mobile APP can go to APP application market
Search "LampSmart Pro" to download the installer





Scan the code to install, scan the code
directly on the mobile phone, download and
install it with the mobile phone browser



Remark:

1: Please download the correct
version of the mobile APP


Instructions for use



Remark:
1: Details of APP usage
instructions



Instructions for use



Remark:

- 1: Different rooms can be added, and different lamps can be added in the room, which can be controlled uniformly or individually.
- 2: The master control can control all rooms.



Instructions for use



Instructions



Pair button. In order to ensure that the application can successfully control the device, please click this button within 5 seconds after the device is powered on. If the device flashes or beeps, it means that the phone has been successfully paired with the device, and then the device can be controlled through the application.



The state of the lamp can be adjusted by voice commands. Currently only Chinese and English are supported.



After clicking the light color will change in a cycle.



Click to select a time to turn off the device.



Click to turn on the auxiliary light.



When you click, the white light and the yellow light will light up at the same time, but only at 10% of the maximum brightness.



When clicked, the white light and yellow light will light at the same time, and the brightness will be the maximum brightness.





When clicked, only yellow light will light up, and the brightness will be the maximum brightness.




When clicked, only white light will light up, and the brightness will be the maximum brightness.

Remark:

- 1: Before pairing lamps, after adding rooms, enter the link of adding lamps.
- 2: Press the pairing button  within 5 seconds after turning on the light to pair.
- 3: When pairing, the light flashes, indicating that the pairing is successful, if not, please turn off the light and turn it on again, and press the pairing button  within 5 seconds to pair.



Instructions for use



< Instructions

▸ Pairing settings

Press and hold the "pair code" button on the remote control within 3 seconds of turning on the light, the light flashes 3 times and the pairing is successful

▸ delete pairing

Press and hold the "Turn on" button on the remote control within 3 seconds of turning on the light, the light flashes 3 times, delete the pair

▸ Delay off lights

Press the delay light off button, the light flashes once, which means that the light will be turned off after entering a delay of 1 minute;
Press any key again to exit the delayed light off function.

Remark:

1: The remote control uses 2 AA batteries

NOTE

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

The devices has been evaluated to meet general RF exposure requirement, The device can be used in portable exposure condition without restriction



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that

interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

The device has been evaluated to meet general RF exposure requirement, the device can be used in portable exposure condition without restriction