

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


<EUT with Antenna 1_Kaga>
Band Edges, 2.31GHz ~ 2.5GHz

802.11b

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.65	54.15	48.31	5.84	74.00	-19.85	238	255 Peak	Horizontal	
2 *	2412.00	106.73	100.00	5.93	74.00	32.73	238	255 Peak	Horizontal	
3	2492.93	52.85	46.71	6.14	74.00	-21.15	238	255 Peak	Horizontal	

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.23	53.04	47.26	5.78	74.00	-20.96	397	222 Peak	Vertical	
2 *	2412.00	101.77	95.84	5.93	74.00	27.77	397	222 Peak	Vertical	
3	2489.06	52.76	46.61	6.15	74.00	-21.24	397	222 Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.19	39.98	34.13	5.85	54.00	-14.82	238	255 Average	Horizontal	
2 *	2412.00	104.14	98.21	5.93	54.00	50.14	238	255 Average	Horizontal	
3	2486.47	39.47	33.33	6.14	54.00	-14.53	238	255 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.19	39.39	33.54	5.85	54.00	-14.61	397	222 Average	Vertical	
2 *	2412.00	99.20	93.27	5.93	54.00	45.20	397	222 Average	Vertical	
3	2492.59	39.20	33.06	6.14	54.00	-14.80	397	222 Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2366.89	52.44	46.66	5.78	74.00	-21.56		295	248	Peak	Horizontal	
2 *	2437.00	108.71	102.65	6.06	74.00	34.71		295	248	Peak	Horizontal	
3	2493.31	53.62	47.48	6.14	74.00	-26.38		295	248	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2332.80	52.00	46.34	5.66	74.00	-22.00		391	217	Peak	Vertical	
2 *	2437.00	102.84	96.78	6.06	74.00	28.84		391	217	Peak	Vertical	
3	2485.94	52.82	46.68	6.14	74.00	-21.18		391	217	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.19	38.84	32.99	5.85	54.00	-15.16	295	248 Average	Horizontal	
2 *	2437.00	106.09	100.83	6.06	54.00	52.89	295	248 Average	Horizontal	
3	2483.93	40.59	34.45	6.14	54.00	-13.41	295	248 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.93	38.80	32.95	5.85	54.00	-15.20	391	217 Average	Vertical	
2 *	2437.00	100.24	94.18	6.06	54.00	40.24	391	217 Average	Vertical	
3	2484.00	39.22	33.08	6.14	54.00	-14.78	391	217 Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.04	52.73	46.89	5.84	74.00	-21.27	294	242 Peak	Horizontal		
2 *	2462.00	108.82	102.79	6.12	74.00	34.82	294	242 Peak	Horizontal		
3	2487.84	55.20	49.06	6.14	74.00	-18.80	294	242 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2337.32	52.20	46.51	5.69	74.00	-21.80	248	246 Peak	Vertical		
2 *	2462.00	103.21	97.09	6.12	74.00	29.21	240	246 Peak	Vertical		
3	2489.64	53.39	47.24	6.15	74.00	-20.61	240	246 Peak	Vertical		

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.68	38.70	32.87	5.83	54.00	-15.30	294	242 Average	Horizontal
2 *	2462.00	106.20	100.88	6.12	54.00	52.20	294	242 Average	Horizontal
3	2487.42	45.67	39.53	6.14	54.00	-8.33	294	242 Average	Horizontal

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2361.00	38.58	32.80	5.78	54.00	-15.42	248	246 Average	Vertical
2 *	2462.00	100.54	94.42	6.12	54.00	46.54	248	246 Average	Vertical
3	2487.42	41.30	35.16	6.14	54.00	-12.70	248	246 Average	Vertical

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2361.26	53.50	47.72	5.78	74.00	-20.50	239	254	Peak	Horizontal	
2 *	2412.00	103.56	97.43	5.93	74.00	29.36	239	254	Peak	Horizontal	
3	2485.60	52.90	46.76	6.14	74.00	-21.10	239	254	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.01	52.48	46.68	5.80	74.00	-21.52	397	46	Peak	Vertical	
2 *	2412.00	97.03	91.90	5.93	74.00	23.83	397	46	Peak	Vertical	
3	2490.20	54.84	48.69	6.15	74.00	-19.16	397	46	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.84	39.66	33.81	5.85	54.00	-14.34	239	254	Average	Horizontal	
2 *	2412.00	92.94	87.01	5.93	54.00	38.94	239	254	Average	Horizontal	
3	2491.91	39.33	33.18	6.15	54.00	-14.67	239	254	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.88	39.04	33.19	5.85	54.00	-14.96	397	46	Average	Vertical	
2 *	2412.00	87.04	81.91	5.93	54.00	33.94	397	46	Average	Vertical	
3	2498.86	39.17	33.02	6.15	54.00	-14.83	397	46	Average	Vertical	

802.11g

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.58	52.81	46.96	5.85	74.00	-21.19		295	246	Peak	Horizontal	
2 *	2437.00	109.58	103.52	6.06	74.00	35.58		295	246	Peak	Horizontal	
3	2495.44	53.68	47.54	6.14	74.00	-26.32		295	246	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2374.07	52.83	47.02	5.81	74.00	-21.17		398	51	Peak	Vertical	
2 *	2437.00	103.24	97.18	6.06	74.00	29.24		398	51	Peak	Vertical	
3	2497.87	53.24	47.09	6.15	74.00	-26.76		398	51	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.00	39.20	33.35	5.85	54.00	-14.80		295	246	Average	Horizontal	
2 *	2437.00	98.89	92.83	6.06	54.00	44.89		295	246	Average	Horizontal	
3	2484.57	40.85	34.71	6.14	54.00	-13.15		295	246	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	38.95	33.10	5.85	54.00	-15.05		398	51	Average	Vertical	
2 *	2437.00	92.92	86.86	6.06	54.00	38.92		398	51	Average	Vertical	
3	2485.67	39.54	33.40	6.14	54.00	-14.46		398	51	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fengliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2355.83	52.43	46.67	5.76	74.00	-21.57	260			251 Peak	Horizontal	
2 *	2462.00	105.95	99.73	6.12	74.00	31.95	260			251 Peak	Horizontal	
3	2484.69	57.29	51.15	6.14	74.00	-16.71	260			251 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fengliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.84	53.35	47.50	5.85	74.00	-20.65	382			217 Peak	Vertical	
2 *	2462.00	100.03	93.91	6.12	74.00	26.03	382			217 Peak	Vertical	
3	2484.76	53.30	47.16	6.14	74.00	-20.70	382			217 Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2380.00	38.06	33.04	5.82	54.00	-15.14	260	251	Average	Horizontal	
2	2462.00	95.16	89.04	6.12	54.00	-41.16	260	251	Average	Horizontal	
3	2483.62	42.87	36.73	6.14	54.00	-11.13	260	251	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2333.64	38.81	33.15	5.66	54.00	-15.19	382	217	Average	Vertical	
2	2462.00	89.45	83.33	6.12	54.00	-35.45	382	217	Average	Vertical	
3	2484.00	39.85	33.71	6.14	54.00	-14.15	382	217	Average	Vertical	

802.11ax HE20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.38	54.47	48.62	5.85	74.00	-19.53	382	257	Peak	Horizontal	
2 *	2412.00	105.57	99.64	5.93	74.00	31.57	382	257	Peak	Horizontal	
3	2494.95	52.97	46.83	6.14	74.00	-21.03	382	257	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2330.06	52.87	47.21	5.66	74.00	-21.13	397	218	Peak	Vertical	
2 *	2412.00	90.88	84.87	5.93	74.00	22.88	397	218	Peak	Vertical	
3	2488.52	52.30	46.16	6.14	74.00	-21.70	397	218	Peak	Vertical	

802.11ax HE20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.38	41.57	35.72	5.85	54.00	-12.43	302	257 Average	Horizontal	
2 *	2412.00	93.45	87.52	5.93	54.00	39.45	302	257 Average	Horizontal	
3	2494.76	39.49	33.35	6.14	54.00	-14.51	302	257 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.04	39.28	33.43	5.85	54.00	-14.72	397	218 Average	Vertical	
2 *	2412.00	84.18	78.25	5.93	54.00	30.18	397	218 Average	Vertical	
3	2485.07	39.51	33.37	6.14	54.00	-14.49	397	218 Average	Vertical	

802.11ax HE20

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2349.29	52.79	47.05	5.74	74.00	-21.21	294	255	Peak	Horizontal		
2 *	2437.00	108.75	102.69	6.06	74.00	34.75	294	255	Peak	Horizontal		
3	2490.50	52.95	46.80	6.15	74.00	-21.05	294	255	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.74	52.18	46.36	5.82	74.00	-21.82	295	201	Peak	Vertical		
2 *	2437.00	104.43	98.37	6.06	74.00	30.43	295	201	Peak	Vertical		
3	2487.31	53.17	47.03	6.14	74.00	-20.83	295	201	Peak	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2313.69	39.25	33.68	5.57	54.00	-14.75		294	255	Average	Horizontal	
2 *	2437.00	96.36	90.30	6.06	54.00	42.36		294	255	Average	Horizontal	
3	2485.64	40.76	34.62	6.14	54.00	-13.24		294	255	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2351.95	38.01	33.17	5.74	54.00	-15.00		295	201	Average	Vertical	
2 *	2437.00	91.44	85.38	6.06	54.00	37.44		295	201	Average	Vertical	
3	2488.94	39.95	33.00	6.15	54.00	-14.05		295	201	Average	Vertical	

802.11ax HE20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2324.59	52.25	46.62	5.63	74.00	-21.75	292	256	Peak	Horizontal	
2 *	2462.00	107.94	101.82	6.12	74.00	33.94	292	256	Peak	Horizontal	
3	2484.42	56.98	50.84	6.14	74.00	-17.02	292	256	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2324.53	52.17	46.39	5.78	74.00	-21.83	296	201	Peak	Vertical	
2 *	2462.00	103.23	97.11	6.12	74.00	29.23	296	201	Peak	Vertical	
3	2484.42	54.23	48.09	6.14	74.00	-19.77	296	201	Peak	Vertical	

802.11ax HE20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2345.95	39.07	33.34	5.73	54.00	-14.93	292	256	Average	Horizontal	
2 *	2462.00	95.38	89.26	6.12	54.00	41.38	292	256	Average	Horizontal	
3	2484.19	43.26	37.12	6.14	54.00	-10.74	292	256	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.65	38.84	32.99	5.85	54.00	-15.16	296	201	Average	Vertical	
2 *	2462.00	98.19	94.07	6.12	54.00	36.19	296	201	Average	Vertical	
3	2483.81	40.78	34.64	6.14	54.00	-13.22	296	201	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11b

Middle Channel(Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	59.36	39.81	19.55	119.13	-59.77	100	28	Peak	Open	
2	0.04	47.01	27.35	19.66	115.55	-68.54	100	170	Peak	Open	
3	0.06	41.49	22.20	19.29	111.82	-70.33	100	208	Peak	Open	
4	0.08	45.33	26.41	18.92	109.53	-64.20	100	170	Peak	Open	
5	0.11	34.44	15.90	18.54	106.82	-72.38	100	68	Peak	Open	
6	0.12	34.73	16.16	18.57	106.01	-71.28	100	170	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.57	50.95	31.06	19.09	72.52	-21.57	100	190	Peak	Open	
2	1.14	44.52	25.52	19.00	66.50	-21.98	100	212	Peak	Open	
3	1.70	39.82	20.82	19.00	62.98	-23.16	100	212	Peak	Open	
4	4.42	42.58	23.23	19.35	69.50	-26.92	100	63	Peak	Open	
5	13.85	34.48	13.02	21.46	69.50	-35.02	100	98	Peak	Open	
6	23.22	35.49	13.19	22.30	69.50	-34.01	100	219	Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11b

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	51.34	22.19	29.10	-6.91	40.00	-17.81	200			0 Peak	Horizontal	
2	167.74	28.97	35.71	-6.74	43.50	-14.53	200			109 Peak	Horizontal	
3	215.27	30.30	39.73	-9.43	43.50	-13.20	100			177 Peak	Horizontal	
4	416.06	32.06	35.73	-3.67	46.00	-13.94	100			229 Peak	Horizontal	
5	652.74	31.98	31.23	0.75	46.00	-14.02	200			297 Peak	Horizontal	
6	845.77	36.42	32.19	4.23	46.00	-9.58	100			276 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	30.97	28.74	37.53	-8.79	40.00	-11.26	100			150 Peak	Vertical	
2	167.74	25.93	32.67	-6.74	43.50	-17.57	300			17 Peak	Vertical	
3	263.77	25.72	33.08	-7.36	46.00	-20.28	200			201 Peak	Vertical	
4	401.51	31.31	35.21	-3.90	46.00	-14.69	100			184 Peak	Vertical	
5	613.94	30.39	29.98	0.41	46.00	-15.61	300			310 Peak	Vertical	
6	857.41	35.84	31.58	4.26	46.00	-10.16	100			279 Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	39.08	29.27	9.81	54.00	-14.92	100	116 Average	Horizontal	
2	4824.00	47.35	37.54	9.81	74.00	-26.65	100	116 Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	39.36	29.55	9.81	54.00	-14.64	100	134 Average	Vertical	
2	4824.00	47.60	37.79	9.81	74.00	-26.40	100	134 Peak	Vertical	

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	39.03	29.16	9.87	54.00	-14.97	100	118 Average	Horizontal	
2	4874.00	47.57	37.70	9.87	74.00	-26.43	100	118 Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	36.36	26.49	9.87	54.00	-17.64	200	50 Average	Vertical	
2	4874.00	47.21	37.34	9.87	74.00	-26.79	200	50 Peak	Vertical	

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	42.80	32.78	10.02	54.00	-11.20	100	114	Average	Horizontal	
2	4924.00	49.03	39.01	10.02	74.00	-24.97	100	114	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	42.19	32.17	10.02	54.00	-11.81	400	244	Average	Vertical	
2	4924.00	48.63	38.61	10.02	74.00	-25.37	400	244	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.62	21.81	9.81	54.00	-22.38	100	360	Average	Horizontal	
2	4824.00	46.15	36.34	9.81	74.00	-27.85	100	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.52	21.71	9.81	54.00	-22.48	100	5	Average	Vertical	
2	4824.00	46.20	36.39	9.81	74.00	-27.80	100	5	Peak	Vertical	

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	32.03	22.16	9.87	54.00	-21.97	151	360 Average	Horizontal	
2	4874.00	45.87	36.00	9.87	74.00	-28.13	151	360 Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	32.13	22.26	9.87	54.00	-21.87	181	360 Average	Vertical	
2	4874.00	45.86	35.99	9.87	74.00	-28.14	181	360 Peak	Vertical	

802.11g

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	31.97	21.95	10.02	54.00	-22.03	200	87	Average	Horizontal	
2	4924.00	46.31	36.29	10.02	74.00	-27.69	200	87	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	31.96	21.94	10.02	54.00	-22.04	100	158	Average	Vertical	
2	4924.00	46.35	36.33	10.02	74.00	-27.65	100	158	Peak	Vertical	

802.11ax HE20

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	32.07	22.26	9.81	54.00	-21.93	100	178	Average	Horizontal	
2	4824.00	45.20	35.39	9.81	74.00	-28.80	100	178	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	31.86	22.05	9.81	54.00	-22.14	200	62	Average	Vertical	
2	4824.00	45.35	35.54	9.81	74.00	-28.65	200	62	Peak	Vertical	

802.11ax HE20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	32.05	22.18	9.87	54.00	-21.95	200	360	Average	Horizontal		
2	4874.00	46.60	36.73	9.87	74.00	-27.40	200	360	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	31.95	22.08	9.87	54.00	-22.05	100	246	Average	Vertical		
2	4874.00	42.94	33.07	9.87	74.00	-31.06	100	246	Peak	Vertical		

802.11ax HE20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	32.23	22.21	10.02	54.00	-21.77	100		224 Average	Horizontal	
2	4924.00	46.18	36.16	10.02	74.00	-27.82	100		224 Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	31.50	21.48	10.02	54.00	-22.50	200		346 Average	Vertical	
2	4924.00	45.46	35.46	10.02	74.00	-28.52	200		346 Peak	Vertical	

<Partial RU>

Band Edges, 2.31GHz ~ 2.5GHz


802.11ax HE20_RU106

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

