


802.11ax HE20_RU106

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.93	38.97	33.28	5.69	54.00	-15.03		270	241	Average	Horizontal	
2 *	2437.00	87.91	81.85	6.06	54.00	33.91		270	241	Average	Horizontal	
3	2484.27	39.34	33.20	6.14	54.00	-14.66		270	241	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2378.55	38.96	33.13	5.83	54.00	-15.04		341	215	Average	Vertical	
2 *	2437.00	88.35	82.29	6.06	54.00	34.35		341	215	Average	Vertical	
3	2485.75	39.38	33.24	6.14	54.00	-14.62		341	215	Average	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11ax HE20_RU106

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	32.11	22.24	9.87	54.00	-21.89	100	115	Average	Horizontal		
2	4874.00	46.01	36.14	9.87	74.00	-27.99	100	115	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	32.94	23.07	9.87	54.00	-21.06	100	58	Average	Vertical		
2	4874.00	45.59	35.72	9.87	74.00	-28.41	100	58	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
	dBuV	Factor	dB	dB	dB		Note
1	0.22	10.39	0.76	9.63	52.77	-42.38 Average	line1
2	0.22	13.75	4.12	9.63	62.77	-49.02 QP	line1
3	0.44	20.58	10.95	9.63	47.02	-26.44 Average	line1
4	0.44	24.51	14.88	9.63	57.02	-32.51 QP	line1
5	2.47	5.31	-4.35	9.66	46.00	-40.69 Average	line1
6	2.47	17.54	7.88	9.66	56.00	-38.46 QP	line1
7	3.79	7.52	-2.16	9.68	46.00	-38.48 Average	line1
8	3.79	19.78	10.10	9.68	56.00	-36.22 QP	line1
9	9.12	15.42	5.68	9.74	50.00	-34.58 Average	line1
10	9.12	22.16	12.42	9.74	60.00	-37.84 QP	line1
11	15.38	15.34	5.59	9.75	50.00	-34.66 Average	line1
12	15.38	22.34	12.59	9.75	60.00	-37.66 QP	line1



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
	dBuV	Factor	dB	dB	dB		Note
1	0.22	11.13	1.50	9.63	52.73	-41.60 Average	neutral
2	0.22	14.33	4.70	9.63	62.73	-48.40 QP	neutral
3	0.44	21.11	11.48	9.63	47.02	-25.91 Average	neutral
4	0.44	24.99	15.36	9.63	57.02	-32.03 QP	neutral
5	0.83	9.03	-0.61	9.64	46.00	-36.97 Average	neutral
6	0.83	14.96	5.32	9.64	56.00	-41.04 QP	neutral
7	3.75	7.27	-2.42	9.69	46.00	-38.73 Average	neutral
8	3.75	18.66	8.97	9.69	56.00	-37.34 QP	neutral
9	8.94	16.41	6.65	9.76	50.00	-33.59 Average	neutral
10	8.94	24.34	14.58	9.76	60.00	-35.66 QP	neutral
11	13.79	15.77	5.95	9.82	50.00	-34.23 Average	neutral
12	13.79	23.33	13.51	9.82	60.00	-36.67 QP	neutral

<EUT with Antenna 2_Molex>
Band Edges, 2.31GHz ~ 2.5GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.04	60.32	54.48	5.84	74.00	-13.68	222	20	Peak	Horizontal	
2 *	2412.00	109.93	104.09	5.93	74.00	35.93	222	20	Peak	Horizontal	
3	2489.02	52.43	46.28	6.15	74.00	-21.57	222	20	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.25	56.62	50.78	5.84	74.00	-17.38	297	256	Peak	Vertical	
2 *	2412.00	105.22	99.29	5.93	74.00	31.22	297	256	Peak	Vertical	
3	2488.14	52.19	46.05	6.14	74.00	-21.81	297	256	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.77	52.55	46.71	5.84	54.00	-1.45	222	20	Average	Horizontal		
2	2412.00	107.27	101.34	5.93	54.00	53.27	222	20	Average	Horizontal		
3	2488.83	39.41	33.26	6.15	54.00	-14.59	222	20	Average	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.18	48.80	42.96	5.84	54.00	-5.20	297	256	Average	Vertical		
2	2412.00	102.64	96.71	5.93	54.00	48.64	297	256	Average	Vertical		
3	2498.71	39.08	32.93	6.15	54.00	-14.92	297	256	Average	Vertical		


802.11b

Middle Channel (Horizontal) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.42	53.17	47.32	5.85	74.00	-20.83	220	23	Peak	Horizontal		
2 *	2437.00	109.63	103.57	6.06	74.00	35.63	220	23	Peak	Horizontal		
3	2492.48	53.07	46.93	6.14	74.00	-20.93	220	23	Peak	Horizontal		

Middle Channel (Vertical) Peak




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2343.16	51.98	46.28	5.70	74.00	-22.02	291	252	Peak	Vertical		
2 *	2437.00	105.18	99.12	6.06	74.00	31.18	291	252	Peak	Vertical		
3	2488.45	53.12	46.98	6.14	74.00	-20.88	291	252	Peak	Vertical		

802.11b

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.06	53.06	47.28	5.78	74.00	-20.94		217	26	Peak	Horizontal	
2 *	2462.00	109.25	103.13	6.12	74.00	35.25		217	26	Peak	Horizontal	
3	2483.62	57.64	51.50	6.14	74.00	-16.36		217	26	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2367.34	52.46	46.68	5.78	74.00	-21.54		286	252	Peak	Vertical	
2 *	2462.00	104.48	98.36	6.12	74.00	30.48		286	252	Peak	Vertical	
3	2483.58	56.04	49.90	6.14	74.00	-17.96		286	252	Peak	Vertical	

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2332.91	39.03	33.37	5.66	54.00	-14.97	217	26	Average	Horizontal		
2 *	2462.00	106.66	100.54	6.12	54.00	52.66	217	26	Average	Horizontal		
3 !	2483.51	49.22	43.68	6.14	54.00	-4.78	217	26	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2340.82	38.75	33.05	5.70	54.00	-15.25	286	252	Average	Vertical		
2 *	2462.00	101.81	95.69	6.12	54.00	47.81	286	252	Average	Vertical		
3	2483.51	44.11	37.97	6.14	54.00	-9.89	286	252	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.88	58.64	52.79	5.85	74.00	-15.36	223	21	Peak	Horizontal		
2 *	2412.00	106.65	100.72	5.93	74.00	32.65	223	21	Peak	Horizontal		
3	2497.53	52.84	46.69	6.15	74.00	-21.16	223	21	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.84	53.37	47.52	5.85	74.00	-20.63	374	255	Peak	Vertical		
2 *	2412.00	103.18	97.25	5.93	74.00	29.18	374	255	Peak	Vertical		
3	2491.41	52.95	46.80	6.15	74.00	-21.05	374	255	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.88	43.98	38.13	5.85	54.00	-10.02	223	21	Average	Horizontal		
2 *	2412.00	96.33	90.40	5.93	54.00	42.33	223	21	Average	Horizontal		
3	2498.97	39.56	33.41	6.15	54.00	-14.44	223	21	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.88	40.10	34.25	5.85	54.00	-13.90	374	255	Average	Vertical		
2 *	2412.00	93.03	87.10	5.93	54.00	39.03	374	255	Average	Vertical		
3	2497.83	39.36	33.21	6.15	54.00	-14.64	374	255	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.42	53.22	47.38	5.84	74.00	-20.78		218	25	Peak	Horizontal	
2 *	2437.00	110.04	104.78	5.26	74.00	36.04		218	25	Peak	Horizontal	
3	2491.49	53.24	47.09	6.15	74.00	-20.76		218	25	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2320.18	52.82	47.22	5.60	74.00	-21.18		332	249	Peak	Vertical	
2 *	2437.00	106.44	100.38	6.06	74.00	32.44		332	249	Peak	Vertical	
3	2494.79	52.98	46.84	6.14	74.00	-21.02		332	249	Peak	Vertical	

802.11g


Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Limit	Limit	Limit
Over	Over	Over
APos	APos	APos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
Freq	Freq	Freq
Level	Level	Level
Factor	Factor	Factor
Limit	Limit	Limit
Over	Over	Over
APos	APos	APos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
2325.35	2462.00	2484.23
53.37	106.40	61.30
47.74	106.28	55.16
5.63	6.12	6.14
74.00	74.00	74.00
-20.63	32.40	-12.70
213	213	213
26 Peak	26 Peak	26 Peak
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	2	3
Level	Level	Level
Factor	Factor	Factor
Limit	Limit	Limit
Over	Over	Over
APos	APos	APos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
Freq	Freq	Freq
Level	Level	Level
Factor	Factor	Factor
Limit	Limit	Limit
Over	Over	Over
APos	APos	APos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
2350.32	2462.00	2483.66
52.89	102.59	57.35
47.15	96.47	51.21
5.74	6.12	6.14
74.00	74.00	74.00
-21.11	28.59	-16.65
359	359	359
253 Peak	253 Peak	253 Peak
Vertical	Vertical	Vertical

802.11g

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2334.17	39.20	33.53	5.67	54.00	-14.80	213	26	Average	Horizontal	
2 *	2462.00	96.21	90.09	6.12	54.00	42.21	213	26	Average	Horizontal	
3	2483.89	45.21	39.07	6.14	54.00	-8.79	213	26	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2349.86	39.14	33.40	5.74	54.00	-14.86	359	253	Average	Vertical	
2 *	2462.00	92.44	86.32	6.12	54.00	38.44	359	253	Average	Vertical	
3	2483.66	43.01	36.87	6.14	54.00	-10.99	359	253	Average	Vertical	

802.11ax HE20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.19	61.03	55.18	5.85	74.00	-12.97	223	18	Peak	Horizontal	
2 *	2412.00	100.48	102.55	5.93	74.00	34.48	223	18	Peak	Horizontal	
3	2497.26	52.84	46.69	6.15	74.00	-21.16	223	18	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.87	56.63	50.79	5.84	74.00	-17.37	298	257	Peak	Vertical	
2 *	2412.00	103.41	97.48	5.93	74.00	29.41	298	257	Peak	Vertical	
3	2491.56	52.39	46.24	6.15	74.00	-21.61	298	257	Peak	Vertical	

802.11ax HE20

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.88	45.57	39.72	5.85	54.00	-8.43	223	18	Average	Horizontal		
2 *	2412.00	95.74	89.81	5.93	54.00	41.74	223	18	Average	Horizontal		
3	2487.16	39.46	33.32	6.14	54.00	-14.54	223	18	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.95	41.84	35.99	5.85	54.00	-12.16	298	257	Average	Vertical		
2 *	2412.00	91.32	85.39	5.93	54.00	37.32	298	257	Average	Vertical		
3	2498.63	39.44	33.29	6.15	54.00	-14.56	298	257	Average	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2368.01	52.06	46.28	5.78	74.00	-21.94	218	25	Peak	Horizontal		
2 *	2437.00	111.06	105.00	6.06	74.00	37.06	218	25	Peak	Horizontal		
3	2494.68	52.67	46.53	6.14	74.00	-21.33	218	25	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2368.18	52.31	46.51	5.80	74.00	-21.69	329	255	Peak	Vertical		
2 *	2437.00	106.32	100.26	6.06	74.00	32.32	329	255	Peak	Vertical		
3	2490.46	53.41	47.26	6.15	74.00	-20.59	329	255	Peak	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2370.34	53.48	47.68	5.80	74.00	-20.52	238			17 Peak	Horizontal	
2 *	2462.00	109.13	103.01	6.12	74.00	35.13	238			17 Peak	Horizontal	
3	2484.34	67.40	61.26	6.14	74.00	-6.60	238			17 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2375.59	52.82	47.00	5.82	74.00	-21.18	361			250 Peak	Vertical	
2 *	2462.00	104.77	98.65	6.12	74.00	30.77	361			250 Peak	Vertical	
3	2484.12	61.53	55.39	6.14	74.00	-12.47	361			250 Peak	Vertical	

802.11ax HE20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2352.29	39.33	33.58	5.75	54.00	-14.67	238	17	Average	Horizontal		
2 *	2462.00	96.09	89.97	6.12	54.00	42.09	238	17	Average	Horizontal		
3 !	2483.77	50.79	44.65	6.14	54.00	-3.21	238	17	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2355.18	38.97	33.21	5.76	54.00	-15.03	361	250	Average	Vertical		
2 *	2462.00	91.69	85.57	6.12	54.00	37.69	361	250	Average	Vertical		
3	2483.62	46.28	40.06	6.14	54.00	-7.80	361	250	Average	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	46.30	36.28	10.02	54.00	-7.70	379	360 Average	Horizontal
2	4924.00	50.76	40.74	10.02	74.00	-23.24	379	360 Peak	Horizontal

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	48.73	38.71	10.02	54.00	-5.27	315	270 Average	Vertical
2	4924.00	52.50	42.48	10.02	74.00	-21.50	315	270 Peak	Vertical


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.70	21.89	9.81	54.00	-22.30	200	157	Average	Horizontal	
2	4824.00	44.95	35.14	9.81	74.00	-29.05	200	157	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	31.67	21.86	9.81	54.00	-22.33	200	308	Average	Vertical	
2	4824.00	42.60	32.79	9.81	74.00	-31.40	200	308	Peak	Vertical	

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	33.31	23.44	9.87	54.00	-20.69	100	150	Average	Horizontal	
2	4874.00	47.47	37.60	9.87	74.00	-26.53	100	150	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	33.25	23.38	9.87	54.00	-20.75	100	230	Average	Vertical	
2	4874.00	46.39	36.52	9.87	74.00	-27.61	100	230	Peak	Vertical	

802.11g

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	31.81	21.79	10.02	54.00	-22.19	100	113 Average	Horizontal	
2	4924.00	45.16	35.14	10.02	74.00	-28.84	100	113 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	32.46	22.44	10.02	54.00	-21.54	200	119 Average	Vertical	
2	4924.00	45.15	35.13	10.02	74.00	-28.85	200	119 Peak	Vertical	

802.11ax HE20

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	32.05	22.24	9.81	54.00	-21.95	100	221	Average	Horizontal	
2	4824.00	45.27	35.46	9.81	74.00	-28.73	100	221	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	32.14	22.33	9.81	54.00	-21.86	100	208	Average	Vertical	
2	4824.00	45.92	36.11	9.81	74.00	-28.08	100	208	Peak	Vertical	

802.11ax HE20

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.00	32.17	22.38	9.87	54.00	-21.83	200	53 Average	Horizontal	
2	4874.00	45.31	35.44	9.87	74.00	-28.69	200	53 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4874.00	32.21	22.34	9.87	54.00	-21.79	200	175 Average	Vertical	
2	4874.00	45.62	35.75	9.87	74.00	-28.38	200	175 Peak	Vertical	

802.11ax HE20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	33.60	23.58	10.02	54.00	-20.40	200	189 Average	Horizontal
2	4924.00	46.85	36.83	10.02	74.00	-27.15	200	189 Peak	Horizontal

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4924.00	33.62	23.60	10.02	54.00	-20.38	100	37 Average	Vertical
2	4924.00	46.74	36.72	10.02	74.00	-27.26	100	37 Peak	Vertical

<Partial RU>

Band Edges, 2.31GHz ~ 2.5GHz


802.11ax HE20_RU106

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2349.82	52.51	46.77	5.74	74.00	-21.49		336	360	Peak	Horizontal	
2 *	2437.00	101.71	95.65	6.06	74.00	27.71		336	360	Peak	Horizontal	
3	2484.72	53.15	47.01	6.14	74.00	-20.85		336	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2355.49	52.99	47.23	5.76	74.00	-21.01		385	226	Peak	Vertical	
2 *	2437.00	95.94	89.88	6.06	74.00	21.94		385	226	Peak	Vertical	
3	2497.91	53.28	47.13	6.15	74.00	-20.72		385	226	Peak	Vertical	

802.11ax HE20_RU106

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2366.01	38.86	33.08	5.78	54.00	-15.14		336	360	Average	Horizontal	
2 *	2437.00	91.19	85.13	6.06	54.00	37.19		336	360	Average	Horizontal	
3	2494.49	39.32	33.18	6.14	54.00	-14.68		336	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.96	38.83	33.09	5.74	54.00	-15.17		385	226	Average	Vertical	
2 *	2437.00	85.34	79.28	6.06	54.00	31.34		385	226	Average	Vertical	
3	2490.80	39.42	33.27	6.15	54.00	-14.58		385	226	Average	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11ax HE20_RU106

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	33.41	23.54	9.87	54.00	-20.59	100	23	Average	Horizontal		
2	4874.00	46.94	37.07	9.87	74.00	-27.06	100	23	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	32.05	22.18	9.87	54.00	-21.95	100	154	Average	Vertical		
2	4874.00	46.25	36.38	9.87	74.00	-27.75	100	154	Peak	Vertical		

<EUT with Antenna 3_TE>
Band Edges, 2.31GHz ~ 2.5GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2386.00	53.69	47.85	5.84	74.00	-20.31	242	259	Peak	Horizontal	
2 *	2412.00	101.53	95.69	5.93	74.00	27.53	242	259	Peak	Horizontal	
3	2495.21	52.43	46.29	6.14	74.00	-21.57	242	259	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.18	54.23	48.39	5.84	74.00	-19.77	350	216	Peak	Vertical	
2 *	2412.04	98.93	92.99	5.94	74.00	24.93	350	216	Peak	Vertical	
3	2492.59	52.90	46.76	6.14	74.00	-21.10	350	216	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.25	43.84	38.00	5.84	54.00	-10.16	242	259	Average	Horizontal		
2 *	2412.00	98.87	92.94	5.93	54.00	44.87	242	259	Average	Horizontal		
3	2490.69	39.38	33.23	6.15	54.00	-14.62	242	259	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.18	40.62	34.78	5.84	54.00	-13.38	350	216	Average	Vertical		
2 *	2412.75	96.34	90.41	5.93	54.00	42.34	350	216	Average	Vertical		
3	2488.83	39.18	33.03	6.15	54.00	-14.62	350	216	Average	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	31.03	21.22	9.81	54.00	-22.97	187	368	Average	Horizontal	
2	4824.00	44.87	35.06	9.81	74.00	-29.13	187	368	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	4824.00	31.34	21.53	9.81	54.00	-22.66	180	156	Average	Vertical	
2	4824.00	44.34	34.53	9.81	74.00	-29.66	180	156	Peak	Vertical	