

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

<EUT with Antenna 1_Kaga>
Band Edges, 4.5GHz ~ 5.15GHz
U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenglin, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5142.50	55.50	45.33	10.17	74.00	-18.50	102	257	Peak	Horizontal		
2 *	5180.00	100.02	89.73	10.29	68.20	31.82	102	257	Peak	Horizontal		
3	5369.00	55.47	45.17	10.30	74.00	-18.53	102	257	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenglin, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5020.00	55.37	45.25	10.12	74.00	-18.63	340	130	Peak	Vertical		
2 *	5180.00	100.16	89.87	10.29	68.20	31.96	340	130	Peak	Vertical		
3	5384.50	56.17	45.74	10.43	74.00	-17.83	340	130	Peak	Vertical		

802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenglin, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5141.00	42.89	32.72	10.17	54.00	-11.11	102	257 Average	Horizontal	
2 *	5180.00	99.00	80.51	10.20	54.00	36.80	102	257 Average	Horizontal	
3	5402.00	43.00	32.48	10.52	54.00	-11.00	102	257 Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenglin, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5140.00	42.50	32.35	10.15	54.00	-11.50	340	110 Average	Vertical	
2 *	5180.00	90.54	80.25	10.20	54.00	36.54	340	110 Average	Vertical	
3	5415.50	42.82	32.40	10.42	54.00	-11.18	340	110 Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.58	55.87	45.78	10.17	74.00	-18.13	103	331 Peak	Horizontal	
2 *	5200.00	100.39	89.99	10.40	66.20	32.19	103	331 Peak	Horizontal	
3	5417.58	55.54	45.13	10.41	74.00	-18.46	103	331 Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4790.00	55.41	45.64	9.77	74.00	-18.59	320	130 Peak	Vertical	
2 *	5200.00	100.68	90.28	10.40	66.20	32.48	320	130 Peak	Vertical	
3	5408.00	55.64	45.16	10.48	74.00	-18.36	320	130 Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5187.00	42.65	32.38	10.27	54.00	-11.35	103	331 Average	Horizontal	
2 *	5200.00	90.65	80.25	10.40	54.00	36.65	103	331 Average	Horizontal	
3	5398.50	43.03	32.51	10.52	54.00	-10.97	103	331 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5113.50	42.66	32.41	10.25	54.00	-11.34	320	130 Average	Vertical	
2 *	5200.00	91.04	80.64	10.40	54.00	37.04	320	130 Average	Vertical	
3	5396.50	42.77	32.26	10.51	54.00	-11.23	320	130 Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5089.00	55.79	45.51	10.28	74.00	-18.21	100	330	Peak	Horizontal	
2 *	5240.00	99.54	89.50	10.04	65.20	31.34	100	330	Peak	Horizontal	
3	5413.00	55.42	44.98	10.44	74.00	-18.58	100	330	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5089.00	56.37	46.07	10.30	74.00	-17.63	400	129	Peak	Vertical	
2 *	5240.00	100.22	90.18	10.04	65.20	32.02	400	129	Peak	Vertical	
3	5359.00	55.94	45.70	10.24	74.00	-18.06	400	129	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5089.50	42.58	32.28	10.30	54.00	-11.42	100	330	Average	Horizontal
2 *	5240.00	89.68	79.64	10.04	54.00	35.68	100	330	Average	Horizontal
3	5406.00	42.85	32.36	10.49	54.00	-11.15	100	330	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5132.50	42.59	32.40	10.19	54.00	-11.41	400	129	Average	Vertical
2 *	5240.00	90.24	80.20	10.04	54.00	36.24	400	129	Average	Vertical
3	5415.00	42.75	32.33	10.42	54.00	-11.25	400	129	Average	Vertical

802.11ax HE20

CH 36 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.00	42.95	32.80	10.15	54.00	-11.05	100	350	Average	Horizontal
2 *	5180.00	89.52	79.53	10.29	54.00	35.82	100	350	Average	Horizontal
3	5386.00	43.06	32.63	10.43	54.00	-10.94	100	350	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.00	42.41	32.26	10.15	54.00	-11.59	386	129	Average	Vertical
2 *	5180.00	89.42	79.13	10.29	54.00	35.42	386	129	Average	Vertical
3	5386.00	42.25	31.82	10.43	54.00	-11.75	386	129	Average	Vertical


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4614.00	54.99	45.57	9.42	74.00	-19.01	277	207 Peak	Horizontal	
2 *	5200.00	102.61	92.21	10.40	68.20	34.41	277	207 Peak	Horizontal	
3	5400.50	55.41	44.88	10.53	74.00	-18.59	277	207 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5020.50	55.56	45.39	10.17	74.00	-18.44	271	199 Peak	Vertical	
2 *	5200.00	97.20	86.88	10.40	68.20	29.08	271	199 Peak	Vertical	
3	5361.00	55.33	45.07	10.26	74.00	-18.67	271	199 Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5134.50	42.87	32.69	10.18	54.00	-11.13		277	207	Average	Horizontal	
2 *	5200.00	90.28	79.68	10.60	54.00	36.28		277	207	Average	Horizontal	
3	5403.50	43.23	32.73	10.50	54.00	-10.77		277	207	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5090.00	42.44	32.14	10.30	54.00	-11.56		271	199	Average	Vertical	
2 *	5200.00	95.00	75.40	10.60	54.00	31.00		271	199	Average	Vertical	
3	5394.00	42.67	32.19	10.48	54.00	-11.33		271	199	Average	Vertical	

802.11ax HE20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4834.00	57.18	47.34	9.84	74.00	-16.82	376	196	Peak	Horizontal	
2 *	5240.00	100.34	90.30	10.04	68.20	32.14	376	196	Peak	Horizontal	
3	5376.50	56.46	46.10	10.36	74.00	-17.54	376	196	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4595.50	55.18	45.78	9.40	74.00	-18.82	400	134	Peak	Vertical	
2 *	5240.00	100.95	90.91	10.04	68.20	32.75	400	134	Peak	Vertical	
3	5411.50	55.09	44.64	10.45	74.00	-18.91	400	134	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5124.00	42.85	32.63	10.22	54.00	-11.15	376	196 Average	Horizontal	
2 *	5240.00	88.59	78.35	10.04	54.00	34.39	376	196 Average	Horizontal	
3	5400.50	43.11	32.58	10.53	54.00	-10.89	376	196 Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5117.50	42.70	32.46	10.24	54.00	-11.30	400	134 Average	Vertical	
2 *	5240.00	90.02	79.50	10.04	54.00	36.02	400	134 Average	Vertical	
3	5404.00	43.20	32.70	10.50	54.00	-10.80	400	134 Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4961.00	56.09	45.94	10.15	74.00	-17.91	100	330 Peak	Horizontal	
2 *	5260.00	99.39	89.32	10.07	68.20	31.19	100	330 Peak	Horizontal	
3	5398.50	55.13	44.61	10.52	74.00	-18.87	100	330 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5099.00	55.32	45.04	10.28	74.00	-18.68	396	129 Peak	Vertical	
2 *	5260.00	100.57	90.50	10.07	68.20	32.37	396	129 Peak	Vertical	
3	5441.00	55.47	45.23	10.24	74.00	-18.53	396	129 Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.00	42.63	32.46	10.17	54.00	-11.37	100	330	Average	Horizontal
2 *	5260.00	90.51	80.24	10.07	54.00	36.31	100	330	Average	Horizontal
3	5397.00	42.94	32.42	10.52	54.00	-11.06	100	330	Average	Horizontal

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5139.50	42.63	32.44	10.19	54.00	-11.37	396	129	Average	Vertical
2 *	5260.00	91.52	81.25	10.07	54.00	37.32	396	129	Average	Vertical
3	5396.00	42.87	32.36	10.51	54.00	-11.13	396	129	Average	Vertical

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5129.58	56.31	46.11	10.20	74.00	-17.69	112	254 Peak	Horizontal	
2 *	5300.00	99.99	89.48	10.51	68.20	31.79	112	254 Peak	Horizontal	
3	5417.00	55.68	45.27	10.41	74.00	-18.32	112	254 Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4787.50	54.85	45.11	9.74	74.00	-19.15	386	130 Peak	Vertical	
2 *	5300.00	100.50	89.99	10.51	68.20	32.30	386	130 Peak	Vertical	
3	5410.50	55.38	44.92	10.46	74.00	-18.62	386	130 Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5122.00	42.71	32.49	10.22	54.00	-11.29	112	254 Average	Horizontal	
2 *	5300.00	90.39	79.88	10.51	54.00	36.39	112	254 Average	Horizontal	
3	5406.50	42.88	32.39	10.49	54.00	-11.12	112	254 Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5063.50	42.57	32.26	10.31	54.00	-11.43	386	130 Average	Vertical	
2 *	5300.00	91.45	80.94	10.51	54.00	37.45	386	130 Average	Vertical	
3	5399.50	42.78	32.25	10.53	54.00	-11.22	386	130 Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4819.50	55.32	45.52	9.80	74.00	-18.68	100	262 Peak	Horizontal	
2 *	5320.00	98.57	88.19	10.38	68.20	30.37	100	262 Peak	Horizontal	
3	5432.00	55.09	44.77	10.32	74.00	-18.91	100	262 Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4953.50	53.96	43.77	10.19	74.00	-20.04	384	131 Peak	Vertical	
2 *	5320.00	99.00	88.62	10.38	68.20	30.00	384	131 Peak	Vertical	
3	5430.00	54.48	44.15	10.33	74.00	-19.52	384	131 Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5130.50	42.38	32.18	10.20	54.00	-11.62		100	262	Average	Horizontal	
2 *	5320.00	89.22	78.04	10.38	54.00	35.22		100	262	Average	Horizontal	
3	5417.50	42.63	32.22	10.41	54.00	-11.37		100	262	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5062.50	41.67	31.36	10.31	54.00	-12.33		384	131	Average	Vertical	
2 *	5320.00	88.71	78.33	10.38	54.00	34.71		384	131	Average	Vertical	
3	5405.50	42.04	31.55	10.49	54.00	-11.96		384	131	Average	Vertical	


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4669.00	55.98	46.41	9.57	74.00	-18.02	100	311	Peak	Horizontal	
2 *	5260.00	99.51	89.54	10.07	68.20	31.41	100	311	Peak	Horizontal	
3	5394.00	55.90	45.42	10.48	74.00	-18.10	100	311	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5061.00	54.78	44.46	10.32	74.00	-19.22	355	130	Peak	Vertical	
2 *	5260.00	100.79	90.72	10.07	68.20	32.59	355	130	Peak	Vertical	
3	5406.00	55.82	45.33	10.49	74.00	-18.18	355	130	Peak	Vertical	

802.11ax HE20

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5116.50	42.86	32.62	10.24	54.00	-11.14	100	311	Average	Horizontal	
2 *	5260.00	87.59	77.52	10.07	54.00	33.59	100	311	Average	Horizontal	
3	5399.00	43.05	32.53	10.52	54.00	-10.95	100	311	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	42.22	32.06	10.16	54.00	-11.78	355	130	Average	Vertical	
2 *	5260.00	88.01	77.94	10.07	54.00	34.01	355	130	Average	Vertical	
3	5411.50	42.26	31.81	10.45	54.00	-11.74	355	130	Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5055.00	56.58	46.25	10.33	74.00	-17.42	100	331	Peak	Horizontal	
2 *	5300.00	99.81	89.30	10.51	68.20	31.61	100	331	Peak	Horizontal	
3	5378.50	56.30	45.92	10.38	74.00	-17.70	100	331	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4875.00	55.21	45.34	9.87	74.00	-18.79	390	127	Peak	Vertical	
2 *	5300.00	99.60	89.09	10.51	68.20	31.40	390	127	Peak	Vertical	
3	5407.00	55.81	45.32	10.49	74.00	-18.19	390	127	Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5099.00	42.91	32.63	10.28	54.00	-11.09	100	331	Average	Horizontal	
2 *	5300.00	88.20	77.69	10.51	54.00	34.20	100	331	Average	Horizontal	
3	5396.50	43.11	32.60	10.51	54.00	-10.89	100	331	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5117.00	42.13	31.89	10.24	54.00	-11.87	390	127	Average	Vertical	
2 *	5300.00	80.01	77.50	10.51	54.00	34.01	390	127	Average	Vertical	
3	5407.00	42.45	31.96	10.49	54.00	-11.55	390	127	Average	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	55.81	45.66	10.15	74.00	-18.19	104	267	Peak	Horizontal	
2 *	5320.00	101.95	90.67	10.38	68.20	32.85	104	267	Peak	Horizontal	
3	5428.00	55.90	45.57	10.33	74.00	-18.10	104	267	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4590.00	55.04	45.65	9.39	74.00	-18.96	323	134	Peak	Vertical	
2 *	5320.00	100.11	89.73	10.38	68.20	31.91	323	134	Peak	Vertical	
3	5420.00	54.57	44.17	10.40	74.00	-19.43	323	134	Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	42.89	32.73	10.16	54.00	-11.11	104	267	Average	Horizontal	
2 *	5320.00	88.50	78.12	10.38	54.00	34.50	104	267	Average	Horizontal	
3	5406.00	43.17	32.68	10.49	54.00	-10.83	104	267	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	42.32	32.16	10.16	54.00	-11.68	323	134	Average	Vertical	
2 *	5320.00	87.96	77.58	10.38	54.00	33.96	323	134	Average	Vertical	
3	5383.00	42.25	31.84	10.41	54.00	-11.75	323	134	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5489.50	54.78	44.55	10.23	74.00	-19.22	100	256 Peak	Horizontal	
2	5467.00	53.99	43.71	10.28	68.20	-14.21	100	256 Peak	Horizontal	
3 *	5500.00	99.24	88.80	10.44	68.20	31.04	100	256 Peak	Horizontal	
4	6937.00	57.25	46.33	10.92	68.20	-10.95	100	256 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5364.50	54.33	44.05	10.28	74.00	-19.67	336	131 Peak	Vertical	
2	5467.00	53.54	43.26	10.28	68.20	-14.66	336	131 Peak	Vertical	
3 *	5500.00	99.62	89.18	10.44	68.20	31.42	336	131 Peak	Vertical	
4	6104.50	57.75	46.31	11.44	68.20	-10.45	336	131 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5400.00	42.47	31.94	10.53	54.00	-11.53	100	256 Average	Horizontal	
2 *	5500.00	90.04	79.60	10.44	54.00	36.04	100	256 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5401.50	41.94	31.42	10.52	54.00	-12.06	336	131 Average	Vertical	
2 *	5500.00	89.66	79.42	10.44	54.00	35.66	336	131 Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5360.50	56.06	45.81	10.25	74.00	-17.94	100	256 Peak	Horizontal	
2	5469.50	53.09	42.80	10.29	68.20	-15.11	100	256 Peak	Horizontal	
3 *	5580.00	100.81	90.49	10.32	68.20	32.61	100	256 Peak	Horizontal	
4	6516.00	57.09	45.97	11.12	68.20	-11.11	100	256 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5437.50	53.75	43.47	10.28	74.00	-20.25	364	131 Peak	Vertical	
2	5462.00	53.50	43.26	10.24	68.20	-14.70	364	131 Peak	Vertical	
3 *	5580.00	99.29	88.97	10.32	68.20	31.09	364	131 Peak	Vertical	
4	6956.00	57.29	46.37	10.92	68.20	-10.91	364	131 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5418.00	42.66	32.25	10.41	54.00	-11.34	100	256	Average	Horizontal	
2 *	5500.00	91.96	81.64	10.32	54.00	37.96	100	256	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.00	41.96	31.48	10.48	54.00	-12.04	364	131	Average	Vertical	
2 *	5500.00	90.21	79.89	10.32	54.00	36.21	364	131	Average	Vertical	

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5401.50	55.24	44.72	10.52	74.00	-10.76	100	260 Peak	Horizontal	
2	5464.50	55.30	45.04	10.26	68.20	-12.90	100	260 Peak	Horizontal	
3 *	5700.00	105.14	94.90	10.24	68.20	36.94	100	260 Peak	Horizontal	
4	6953.50	57.17	46.25	10.92	68.20	-11.03	100	260 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5411.00	54.67	44.22	10.45	74.00	-19.33	346	130 Peak	Vertical	
2	5463.00	54.43	44.18	10.25	68.20	-13.77	346	130 Peak	Vertical	
3 *	5700.00	101.58	91.34	10.24	68.20	33.38	346	130 Peak	Vertical	
4	6096.00	57.33	45.92	11.41	68.20	-10.87	346	130 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5395.58	42.59	32.09	10.50	54.00	-11.41	100	260	Average	Horizontal
2 *	5700.00	95.59	85.35	10.24	54.00	41.59	100	260	Average	Horizontal

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5395.00	41.88	31.41	10.47	54.00	-12.12	346	130	Average	Vertical
2 *	5700.00	92.07	81.83	10.24	54.00	38.07	346	130	Average	Vertical

802.11a

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5367.00	55.36	45.06	10.30	74.00	-10.64	100	272	Peak	Horizontal
2	5463.00	54.62	44.37	10.25	68.20	-13.58	100	272	Peak	Horizontal
3	5720.00	105.12	94.71	10.41	122.20	-17.08	100	272	Peak	Horizontal
4	5850.50	56.17	45.62	10.55	121.06	-64.89	100	272	Peak	Horizontal
5	5855.50	56.45	45.88	10.57	110.66	-54.21	100	272	Peak	Horizontal
6	5903.00	56.75	45.99	10.76	84.44	-27.69	100	272	Peak	Horizontal
7	5931.50	56.61	45.00	10.61	68.20	-11.59	100	272	Peak	Horizontal

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5361.00	54.05	43.66	10.39	74.00	-19.95	382	132	Peak	Vertical
2	5467.50	53.67	43.38	10.29	68.20	-14.53	382	132	Peak	Vertical
3	5720.00	101.51	91.10	10.41	122.20	-20.69	382	132	Peak	Vertical
4	5854.00	55.13	44.56	10.57	113.08	-57.95	382	132	Peak	Vertical
5	5870.50	55.96	45.33	10.63	106.46	-50.50	382	132	Peak	Vertical
6	5891.00	55.62	45.11	10.71	93.33	-37.51	382	132	Peak	Vertical
7	5983.50	55.99	45.07	10.92	68.20	-12.21	382	132	Peak	Vertical

802.11a

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5386.00	42.61	32.18	10.43	54.00	-11.39	100	272	Average	Horizontal
2 *	5720.00	95.73	85.32	10.41	54.00	41.73	100	272	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5422.50	41.62	31.44	10.38	54.00	-12.18	302	132	Average	Vertical
2 *	5720.00	91.95	81.54	10.41	54.00	37.95	302	132	Average	Vertical


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5439.00	56.07	45.81	10.26	74.00	-17.93	100	264 Peak	Horizontal	
2	5467.00	55.18	44.90	10.28	68.20	-13.02	100	264 Peak	Horizontal	
3 *	5500.00	102.25	91.81	10.44	68.20	34.05	100	264 Peak	Horizontal	
4	6117.00	57.69	46.25	11.44	68.20	-10.51	100	264 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5424.00	55.25	44.88	10.37	74.00	-18.75	385	118 Peak	Vertical	
2	5461.00	54.69	44.44	10.25	68.20	-13.51	385	118 Peak	Vertical	
3 *	5500.00	99.76	89.32	10.44	68.20	31.56	385	118 Peak	Vertical	
4	6675.00	57.29	46.53	10.76	68.20	-10.91	385	118 Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5391.00	42.76	32.29	10.47	54.00	-11.24	100	264 Average	Horizontal	
2 *	5500.00	89.83	79.39	10.44	54.00	35.83	100	264 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5404.00	42.88	32.38	10.50	54.00	-11.12	385	118 Average	Vertical	
2 *	5500.00	88.25	77.81	10.44	54.00	34.25	385	118 Average	Vertical	


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5399.00	55.88	44.56	10.52	74.00	-10.92	101	264 Peak	Horizontal	
2	5468.00	54.62	44.34	10.28	68.20	-13.58	101	264 Peak	Horizontal	
3 *	5580.00	103.63	93.31	10.32	68.20	35.43	101	264 Peak	Horizontal	
4	6877.00	57.49	46.57	10.92	68.20	-10.71	101	264 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5419.00	56.17	45.76	10.41	74.00	-17.83	344	137 Peak	Vertical	
2	5462.00	55.32	45.08	10.24	68.20	-12.88	344	137 Peak	Vertical	
3 *	5580.00	102.41	92.09	10.32	68.20	34.21	344	137 Peak	Vertical	
4	6899.00	58.23	46.80	11.43	68.20	-9.97	344	137 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal) Average

CH 116 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5402.00	42.96	32.44	10.52	54.00	-11.04	101	264 Average	Horizontal	
2 *	5500.00	92.46	82.14	10.32	54.00	38.46	101	264 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5417.00	42.98	32.57	10.41	54.00	-11.02	344	137 Average	Vertical	
2 *	5500.00	91.22	80.90	10.32	54.00	37.22	344	137 Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5369.00	55.65	45.35	10.30	74.00	-18.35	100	265 Peak	Horizontal	
2	5468.00	54.74	44.46	10.28	68.20	-13.46	100	265 Peak	Horizontal	
3 *	5700.00	105.86	95.62	10.24	68.20	37.66	100	265 Peak	Horizontal	
4	6959.00	57.65	46.73	10.92	68.20	-10.55	100	265 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5385.00	56.39	45.96	10.43	74.00	-17.61	347	130 Peak	Vertical	
2	5470.00	54.54	44.25	10.29	68.20	-13.66	347	130 Peak	Vertical	
3 *	5700.00	103.38	93.14	10.24	68.20	35.18	347	130 Peak	Vertical	
4	6224.00	57.68	46.43	11.17	68.20	-10.60	347	130 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5400.00	42.83	32.35	10.48	54.00	-11.17	100	265 Average	Horizontal	
2 *	5700.00	94.15	83.91	10.24	54.00	40.15	100	265 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5300.00	42.73	32.28	10.45	54.00	-11.27	347	130 Average	Vertical	
2 *	5700.00	91.72	81.48	10.24	54.00	37.72	347	130 Average	Vertical	

802.11ax HE20

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5399.00	55.46	44.94	10.52	74.00	-18.54	100	275 Peak	Horizontal	
2	5463.00	54.20	43.95	10.25	68.20	-14.00	100	275 Peak	Horizontal	
3	5720.00	106.45	96.04	10.41	122.20	-15.75	100	275 Peak	Horizontal	
4	5851.00	56.18	45.63	10.55	119.92	-63.74	100	275 Peak	Horizontal	
5	5858.00	56.55	45.97	10.58	109.96	-53.41	100	275 Peak	Horizontal	
6	5922.00	56.62	45.83	10.79	70.41	-13.79	100	275 Peak	Horizontal	
7	5954.00	57.13	46.27	10.86	68.20	-11.07	100	275 Peak	Horizontal	

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5420.00	55.72	45.39	10.33	74.00	-18.28	344	133 Peak	Vertical	
2	5462.50	54.15	43.90	10.25	68.20	-14.05	344	133 Peak	Vertical	
3	5720.00	104.10	93.69	10.41	122.20	-18.10	344	133 Peak	Vertical	
4	5851.00	55.50	44.95	10.55	119.92	-64.42	344	133 Peak	Vertical	
5	5865.00	56.95	46.34	10.61	108.00	-51.05	344	133 Peak	Vertical	
6	5914.00	56.05	45.27	10.78	76.31	-20.26	344	133 Peak	Vertical	
7	5991.00	57.50	46.57	10.93	68.20	-10.70	344	133 Peak	Vertical	

802.11ax HE20

CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5397.00	42.73	32.21	10.52	54.00	-11.27	100	275	Average	Horizontal
2 *	5720.00	93.74	83.33	10.41	54.00	39.74	100	275	Average	Horizontal

CH 144 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5405.00	42.33	31.84	10.49	54.00	-11.67	344	133	Average	Vertical
2 *	5720.00	91.78	81.37	10.41	54.00	37.78	344	133	Average	Vertical

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5580.50	56.19	45.74	10.45	68.20	-12.01	352	250 Peak	Horizontal	
2	5652.00	56.06	45.72	10.34	69.69	-13.63	352	250 Peak	Horizontal	
3	5716.00	56.85	46.47	10.38	109.68	-52.83	352	250 Peak	Horizontal	
4	5725.00	59.76	49.31	10.45	135.00	-75.24	352	250 Peak	Horizontal	
5	5745.00	109.36	98.76	10.60	135.00	-25.64	352	250 Peak	Horizontal	
6	5850.00	56.36	45.81	10.55	135.00	-78.64	352	250 Peak	Horizontal	
7	5861.50	56.34	45.74	10.60	108.98	-52.64	352	250 Peak	Horizontal	
8	5885.50	56.64	45.95	10.69	97.40	-40.78	352	250 Peak	Horizontal	
9	5960.50	57.07	46.20	10.87	68.20	-11.13	352	250 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5531.50	55.67	45.23	10.44	68.20	-12.53	378	123 Peak	Vertical	
2	5660.00	57.18	46.86	10.32	80.00	-22.90	378	123 Peak	Vertical	
3	5718.00	55.03	44.64	10.39	110.24	-55.21	378	123 Peak	Vertical	
4	5722.50	55.20	44.78	10.42	122.90	-67.70	378	123 Peak	Vertical	
5	5745.00	105.70	95.10	10.60	135.00	-29.30	378	123 Peak	Vertical	
6	5850.00	55.20	44.65	10.55	135.00	-79.00	378	123 Peak	Vertical	
7	5859.00	55.89	45.30	10.55	109.68	-53.79	378	123 Peak	Vertical	
8	5878.50	56.63	45.97	10.66	102.60	-45.97	378	123 Peak	Vertical	
9	5980.50	57.77	46.86	10.91	68.20	-10.43	378	123 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5646.50	56.50	46.16	10.34	68.20	-11.70	330	270 Peak	Horizontal	
2	5669.00	56.00	45.69	10.31	82.30	-26.30	330	270 Peak	Horizontal	
3	5705.50	55.74	45.45	10.29	106.74	-51.00	330	270 Peak	Horizontal	
4	5721.00	55.20	44.79	10.41	115.64	-60.44	330	270 Peak	Horizontal	
5	5785.00	110.21	99.63	10.58	135.00	-24.79	330	270 Peak	Horizontal	
6	5854.50	55.22	44.65	10.57	113.22	-58.00	330	270 Peak	Horizontal	
7	5875.00	56.43	45.78	10.65	105.20	-48.77	330	270 Peak	Horizontal	
8	5888.50	57.41	46.71	10.70	95.18	-37.77	330	270 Peak	Horizontal	
9	5933.50	56.77	45.95	10.82	68.20	-11.43	330	270 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5557.00	56.10	45.69	10.41	68.20	-12.10	313	116 Peak	Vertical	
2	5661.00	55.35	45.03	10.32	76.37	-21.02	313	116 Peak	Vertical	
3	5719.00	55.79	45.39	10.40	110.52	-54.73	313	116 Peak	Vertical	
4	5722.50	55.24	44.82	10.42	122.90	-67.66	313	116 Peak	Vertical	
5	5785.00	104.43	93.85	10.58	135.00	-30.57	313	116 Peak	Vertical	
6	5853.50	56.09	45.53	10.56	118.06	-61.97	313	116 Peak	Vertical	
7	5870.50	55.45	44.82	10.63	106.46	-51.01	313	116 Peak	Vertical	
8	5924.00	56.30	45.50	10.80	68.94	-12.64	313	116 Peak	Vertical	
9	5988.00	56.61	45.68	10.93	68.20	-11.59	313	116 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5580.50	56.33	45.89	10.44	68.20	-11.87	110	263 Peak	Horizontal	
2	5681.50	55.69	45.40	10.29	91.55	-35.86	110	263 Peak	Horizontal	
3	5707.00	55.56	45.25	10.31	107.16	-51.60	110	263 Peak	Horizontal	
4	5724.50	54.70	44.25	10.45	132.58	-77.88	110	263 Peak	Horizontal	
5	5825.00	110.61	100.06	10.55	135.00	-24.39	110	263 Peak	Horizontal	
6	5850.00	59.41	48.86	10.55	135.00	-75.59	110	263 Peak	Horizontal	
7	5857.00	58.75	48.17	10.58	110.24	-51.49	110	263 Peak	Horizontal	
8	5904.50	57.11	46.35	10.76	83.33	-26.22	110	263 Peak	Horizontal	
9	5942.00	56.76	45.93	10.83	68.20	-11.44	110	263 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5492.50	54.67	44.26	10.41	68.20	-13.53	387	125 Peak	Vertical	
2	5660.50	55.19	44.88	10.31	81.93	-26.74	387	125 Peak	Vertical	
3	5717.00	54.77	44.38	10.39	109.96	-55.19	387	125 Peak	Vertical	
4	5724.00	54.50	44.06	10.44	130.16	-75.66	387	125 Peak	Vertical	
5	5825.00	106.32	95.77	10.55	135.00	-28.68	387	125 Peak	Vertical	
6	5855.00	56.12	45.55	10.57	110.80	-34.68	387	125 Peak	Vertical	
7	5860.50	56.21	45.62	10.59	109.26	-53.05	387	125 Peak	Vertical	
8	5923.00	57.28	46.49	10.79	69.67	-12.39	387	125 Peak	Vertical	
9	5956.50	57.16	46.30	10.86	68.20	-11.04	387	125 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5627.00	55.82	45.53	10.29	68.20	-12.38	100	275	Peak	Horizontal
2	5677.00	56.73	46.43	10.30	88.22	-31.49	100	275	Peak	Horizontal
3	5719.00	55.69	45.29	10.40	110.52	-54.83	100	275	Peak	Horizontal
4	5725.00	56.04	45.59	10.45	135.00	-78.96	100	275	Peak	Horizontal
5	5745.00	108.44	97.84	10.60	135.00	-26.56	100	275	Peak	Horizontal
6	5853.00	55.95	45.39	10.56	120.40	-64.53	100	275	Peak	Horizontal
7	5876.00	56.17	45.54	10.63	106.60	-50.43	100	275	Peak	Horizontal
8	5886.00	57.41	46.72	10.69	97.03	-39.62	100	275	Peak	Horizontal
9	5988.00	56.40	45.49	10.91	68.20	-11.80	100	275	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.00	56.71	46.36	10.35	68.20	-11.49	357	126	Peak	Vertical
2	5667.00	55.43	45.11	10.32	80.82	-25.39	357	126	Peak	Vertical
3	5715.00	54.93	44.56	10.37	109.40	-54.47	357	126	Peak	Vertical
4	5724.00	55.05	44.61	10.44	130.16	-75.11	357	126	Peak	Vertical
5	5745.00	105.36	94.76	10.60	135.00	-29.64	357	126	Peak	Vertical
6	5853.00	56.17	45.62	10.55	130.16	-73.99	357	126	Peak	Vertical
7	5864.00	55.78	45.18	10.60	100.28	-52.50	357	126	Peak	Vertical
8	5919.50	56.43	45.64	10.79	72.25	-15.82	357	126	Peak	Vertical
9	5990.00	57.36	46.43	10.93	68.20	-10.84	357	126	Peak	Vertical


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5595.00	55.42	44.97	10.45	68.20	-12.78	100	244 Peak	Horizontal	
2	5689.00	55.77	45.50	10.27	97.89	-41.32	100	244 Peak	Horizontal	
3	5703.00	56.22	45.95	10.27	106.04	-49.82	100	244 Peak	Horizontal	
4	5724.00	54.05	43.61	10.44	130.16	-76.11	100	244 Peak	Horizontal	
5	5785.00	108.75	98.17	10.58	135.00	-26.25	100	244 Peak	Horizontal	
6	5853.00	55.21	44.65	10.56	120.48	-65.27	100	244 Peak	Horizontal	
7	5873.00	55.64	45.00	10.64	105.76	-50.12	100	244 Peak	Horizontal	
8	5887.50	56.96	46.27	10.69	95.92	-38.96	100	244 Peak	Horizontal	
9	5938.50	56.95	46.12	10.83	68.20	-11.25	100	244 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5638.00	55.41	45.09	10.32	68.20	-12.79	354	126 Peak	Vertical	
2	5665.00	56.39	46.07	10.32	79.33	-22.94	354	126 Peak	Vertical	
3	5702.00	55.45	45.18	10.27	105.76	-50.31	354	126 Peak	Vertical	
4	5723.00	55.19	44.77	10.42	125.32	-70.13	354	126 Peak	Vertical	
5	5785.00	105.52	94.94	10.58	135.00	-29.48	354	126 Peak	Vertical	
6	5853.00	55.87	45.31	10.56	120.48	-64.61	354	126 Peak	Vertical	
7	5874.00	56.24	45.59	10.65	105.48	-49.24	354	126 Peak	Vertical	
8	5905.00	57.12	46.36	10.76	82.96	-25.84	354	126 Peak	Vertical	
9	5990.00	57.49	46.54	10.95	68.20	-10.71	354	126 Peak	Vertical	

802.11ax HE20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5683.00	55.74	45.49	10.25	68.20	-12.46	112	266 Peak	Horizontal	
2	5697.50	55.23	44.98	10.25	103.36	-48.13	112	266 Peak	Horizontal	
3	5713.00	55.30	44.95	10.35	108.84	-53.54	112	266 Peak	Horizontal	
4	5720.50	55.24	44.84	10.40	113.22	-57.98	112	266 Peak	Horizontal	
5	5825.00	109.29	98.74	10.55	135.00	-25.71	112	266 Peak	Horizontal	
6	5850.50	56.87	46.32	10.55	132.58	-75.71	112	266 Peak	Horizontal	
7	5860.00	56.87	46.28	10.59	109.40	-52.53	112	266 Peak	Horizontal	
8	5879.00	56.85	46.18	10.67	102.23	-45.38	112	266 Peak	Horizontal	
9	5990.00	56.50	45.57	10.93	68.20	-11.70	112	266 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.00	55.76	45.42	10.34	68.20	-12.44	366	126 Peak	Vertical	
2	5676.00	55.36	45.07	10.29	87.40	-32.12	366	126 Peak	Vertical	
3	5711.50	55.27	44.94	10.33	108.42	-53.15	366	126 Peak	Vertical	
4	5723.00	54.24	43.82	10.42	125.32	-71.08	366	126 Peak	Vertical	
5	5825.00	107.59	97.04	10.55	135.00	-27.41	366	126 Peak	Vertical	
6	5854.00	56.26	45.69	10.57	115.64	-59.38	366	126 Peak	Vertical	
7	5871.00	56.32	45.69	10.63	106.32	-50.00	366	126 Peak	Vertical	
8	5920.00	56.49	45.70	10.79	71.89	-15.40	366	126 Peak	Vertical	
9	5993.00	56.95	46.01	10.94	68.20	-11.25	366	126 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz


802.11a

CH 116(Open) (9kHz ~ 150kHz)

CH 116(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	59.67	40.12	19.55	119.13	-59.46	100	227 Peak	Open	
2	0.07	42.93	23.71	19.22	111.32	-68.39	100	193 Peak	Open	
3	0.08	45.29	26.37	18.92	109.53	-64.24	100	174 Peak	Open	
4	0.09	40.45	21.67	18.78	108.82	-68.37	100	193 Peak	Open	
5	0.11	36.48	17.94	18.54	106.88	-70.40	100	193 Peak	Open	
6	0.12	35.23	16.66	18.57	106.01	-70.78	100	174 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.57	50.31	31.22	19.09	72.52	-22.21	100	215 Peak	Open	
2	1.14	44.16	25.16	19.00	66.50	-22.34	100	180 Peak	Open	
3	4.42	40.06	20.71	19.35	69.50	-29.44	100	317 Peak	Open	
4	9.82	34.06	13.11	20.95	69.50	-35.44	100	75 Peak	Open	
5	13.76	35.53	14.08	21.45	69.50	-33.97	100	89 Peak	Open	
6	21.31	36.03	13.79	22.24	69.50	-33.47	100	244 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	57.16	23.02	30.00	-7.06	40.00	-16.98	100			264 Peak	Horizontal	
2	199.75	28.00	38.14	-9.34	43.50	-14.70	100			360 Peak	Horizontal	
3	299.66	28.65	34.90	-6.25	46.00	-17.35	100			256 Peak	Horizontal	
4	419.94	30.66	34.18	-3.52	46.00	-15.34	100			218 Peak	Horizontal	
5	732.28	33.43	31.17	2.26	46.00	-12.57	100			73 Peak	Horizontal	
6	844.00	36.09	31.88	4.21	46.00	-9.91	200			249 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	30.00	20.52	37.22	-8.70	40.00	-11.48	100			230 Peak	Vertical	
2	137.67	27.10	35.12	-7.04	43.50	-16.32	100			153 Peak	Vertical	
3	396.66	35.04	38.94	-3.90	46.00	-10.96	100			200 Peak	Vertical	
4	636.25	30.28	29.43	0.85	46.00	-15.72	100			360 Peak	Vertical	
5	714.82	32.87	30.67	2.20	46.00	-13.13	200			44 Peak	Vertical	
6	850.62	35.44	31.12	4.32	46.00	-10.56	100			207 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz **U-NII-1**


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	48.00	36.63	11.37	68.20	-28.20	200	115 Peak	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	48.31	36.94	11.37	68.20	-19.89	100	1 Peak	Horizontal	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	44.45	33.00	11.45	68.20	-23.75	110	220 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	46.18	34.73	11.45	68.20	-22.02	100	294 Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenlian, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	49.48	38.11	11.37	68.20	-18.72	200	237 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	49.58	38.21	11.37	68.20	-18.62	100	291 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	47.59	36.15	11.44	68.20	-28.61	100	41 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	46.29	34.85	11.44	68.20	-21.91	100	117 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	36.04	24.78	11.34	54.00	-17.96	100	221	Average	Horizontal	
2	10600.00	48.40	37.06	11.34	74.00	-25.60	100	221	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	36.09	24.75	11.34	54.00	-17.91	100	35	Average	Vertical	
2	10600.00	49.26	37.92	11.34	74.00	-24.74	100	35	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10640.00	35.53	24.20	11.33	54.00	-18.47	100	268 Average	Horizontal	
2	10640.00	49.04	37.71	11.33	74.00	-24.96	100	268 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10640.00	35.60	24.27	11.33	54.00	-18.40	100	138 Average	Vertical	
2	10640.00	48.74	37.41	11.33	74.00	-25.26	100	138 Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	49.62	38.18	11.44	68.20	-18.58	200	99 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	48.49	37.05	11.44	68.20	-19.71	180	51 Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	36.33	24.99	11.34	54.00	-17.67		100	328	Average	Horizontal	
2	10600.00	49.88	38.54	11.34	74.00	-24.12		100	328	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	36.29	24.95	11.34	54.00	-17.71		200	275	Average	Vertical	
2	10600.00	49.95	38.61	11.34	74.00	-24.05		200	275	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	36.43	25.10	11.33	54.00	-17.57	200	210 Average	Horizontal	
2	10640.00	49.88	38.55	11.33	74.00	-24.12	200	210 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	36.47	25.14	11.33	54.00	-17.53	100	87 Average	Vertical	
2	10640.00	50.57	39.24	11.33	74.00	-23.43	100	87 Peak	Vertical	