

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	36.09	24.66	11.43	54.00	-17.91	100	94 Average	Horizontal	
2	11000.00	49.99	38.56	11.43	74.00	-24.01	100	94 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	36.14	24.71	11.43	54.00	-17.86	100	242 Average	Vertical	
2	11000.00	50.25	38.82	11.43	74.00	-23.75	100	242 Peak	Vertical	

802.11a


CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	11400.00	36.37	25.02	11.35	54.00	-17.63	100	114 Average	Horizontal	
2	11400.00	48.26	36.91	11.35	74.00	-25.74	100	114 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	11400.00	36.29	24.94	11.35	54.00	-17.71	100	89 Average	Vertical	
2	11400.00	48.27	36.92	11.35	74.00	-25.73	100	89 Peak	Vertical	


802.11a

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11440.00	35.76	24.39	11.37	54.00	-18.24	100	189 Average	Horizontal	
2	11440.00	48.60	37.23	11.37	74.00	-25.40	100	189 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11440.00	35.96	24.59	11.37	54.00	-18.04	100	140 Average	Vertical	
2	11440.00	50.03	38.66	11.37	74.00	-23.97	100	140 Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	35.65	24.22	11.43	54.00	-18.35	100	269 Average	Horizontal	
2	11000.00	48.23	36.80	11.43	74.00	-25.77	100	269 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	35.77	24.34	11.43	54.00	-18.23	100	15 Average	Vertical	
2	11000.00	48.17	36.74	11.43	74.00	-25.63	100	15 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11160.00	35.78	24.42	11.36	54.00	-18.22	100	204 Average	Horizontal	
2	11160.00	50.19	38.83	11.36	74.00	-23.81	100	204 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11160.00	35.64	24.28	11.36	54.00	-18.36	100	355 Average	Vertical	
2	11160.00	47.65	36.29	11.36	74.00	-26.35	100	355 Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	35.47	24.12	11.35	54.00	-18.53	100	385	Average	Horizontal		
2	11400.00	48.92	37.57	11.35	74.00	-25.08	100	385	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11400.00	35.14	23.79	11.35	54.00	-18.86	100	235	Average	Vertical		
2	11400.00	48.58	37.23	11.35	74.00	-25.42	100	235	Peak	Vertical		


802.11ax HE20

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11440.00	35.32	23.95	11.37	54.00	-18.68	100	291 Average	Horizontal	
2	11440.00	48.42	37.05	11.37	74.00	-25.58	100	291 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11440.00	35.28	23.91	11.37	54.00	-18.72	200	117 Average	Vertical	
2	11440.00	47.91	36.54	11.37	74.00	-26.09	200	117 Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.66	24.26	11.40	54.00	-18.34	100	288 Average	Horizontal	
2	11490.00	49.52	38.52	11.40	74.00	-24.08	100	288 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.70	24.30	11.40	54.00	-18.30	100	330 Average	Vertical	
2	11490.00	49.19	37.79	11.40	74.00	-24.81	100	330 Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	36.58	25.19	11.39	54.00	-17.42	100	238 Average	Horizontal	
2	11570.00	49.95	38.56	11.39	74.00	-24.05	100	238 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	36.52	25.13	11.39	54.00	-17.48	200	73 Average	Vertical	
2	11570.00	49.78	38.39	11.39	74.00	-24.22	200	73 Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	37.31	25.00	11.51	54.00	-16.69	200	138 Average	Horizontal	
2	11650.00	50.05	38.54	11.51	74.00	-23.95	200	138 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	37.54	26.03	11.51	54.00	-16.46	100	97 Average	Vertical	
2	11650.00	51.70	40.19	11.51	74.00	-22.30	100	97 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11490.00	35.54	24.14	11.40	54.00	-18.46	100	277 Average	Horizontal	
2	11490.00	50.55	39.15	11.40	74.00	-23.45	100	277 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11490.00	35.52	24.12	11.40	54.00	-18.48	100	54 Average	Vertical	
2	11490.00	48.01	36.61	11.40	74.00	-25.99	100	54 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11570.00	36.00	24.61	11.39	54.00	-18.00	100	134 Average	Horizontal	
2	11570.00	49.75	38.36	11.39	74.00	-24.25	100	134 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11570.00	36.19	24.80	11.39	54.00	-17.81	100	354 Average	Vertical	
2	11570.00	48.66	37.27	11.39	74.00	-25.34	100	354 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	37.26	25.75	11.51	54.00	-16.74	100	37	Average	Horizontal
2	11650.00	51.28	39.77	11.51	74.00	-22.72	100	37	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	37.49	25.98	11.51	54.00	-16.51	100	165	Average	Vertical
2	11650.00	51.07	39.56	11.51	74.00	-22.93	100	165	Peak	Vertical

<Partial RU>
Band Edges, 4.5GHz ~ 5.15GHz
U-NII-1



802.11ax HE20_RU106

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5050.00	55.48	45.15	10.33	74.00	-18.52	100	339	Peak	Horizontal	
2 *	5240.00	92.07	82.03	10.04	68.20	23.87	100	339	Peak	Horizontal	
3	5404.00	56.70	46.20	10.50	74.00	-17.30	100	339	Peak	Horizontal	




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5050.00	55.80	45.50	10.30	74.00	-18.20	400	129	Peak	Vertical	
2 *	5240.00	93.04	83.00	10.04	68.20	24.84	400	129	Peak	Vertical	
3	5374.00	55.41	45.07	10.34	74.00	-18.59	400	129	Peak	Vertical	

802.11ax HE20_RU106


CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Band Edges, 5.35GHz

U-NII-2A


802.11ax HE20_RU106

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4857.50	55.70	45.80	9.90	74.00	-18.30	100	45 Peak	Horizontal	
2 *	5260.00	88.98	78.91	10.07	68.20	20.78	100	45 Peak	Horizontal	
3	5411.50	56.40	45.95	10.45	74.00	-17.60	100	45 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5090.50	55.57	45.29	10.28	74.00	-18.43	400	129 Peak	Vertical	
2 *	5260.00	90.67	80.60	10.07	68.20	22.47	400	129 Peak	Vertical	
3	5439.00	55.93	45.67	10.26	74.00	-18.07	400	129 Peak	Vertical	


802.11ax HE20_RU106

CH 52 (Horizontal) Average

CH 52 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.50	42.46	32.31	10.15	54.00	-11.54	100	45	Average	Horizontal
2 *	5260.00	79.07	69.00	10.07	54.00	25.07	100	45	Average	Horizontal
3	5399.50	42.67	32.14	10.53	54.00	-11.33	100	45	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5117.50	42.39	32.15	10.24	54.00	-11.61	400	129	Average	Vertical
2 *	5260.00	80.70	70.63	10.07	54.00	26.70	400	129	Average	Vertical
3	5401.50	42.85	32.33	10.52	54.00	-11.15	400	129	Average	Vertical

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11ax HE20_RU106

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5408.50	55.54	45.06	10.48	74.00	-18.46	100	252 Peak	Horizontal	
2	5463.00	53.92	43.67	10.25	68.20	-14.28	100	252 Peak	Horizontal	
3 *	5500.00	90.68	80.24	10.44	68.20	22.48	100	252 Peak	Horizontal	
4	6843.00	58.30	47.37	10.93	68.20	-9.90	100	252 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5382.00	56.07	45.67	10.40	74.00	-17.93	361	128 Peak	Vertical	
2	5463.50	54.80	44.55	10.25	68.20	-13.40	361	128 Peak	Vertical	
3 *	5500.00	90.78	80.34	10.44	68.20	22.58	361	128 Peak	Vertical	
4	6694.50	57.71	47.03	10.68	68.20	-10.49	361	128 Peak	Vertical	


802.11ax HE20_RU106

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5392.00	42.71	32.24	10.47	54.00	-11.29	100	252 Average	Horizontal	
2 *	5500.00	80.51	70.07	10.44	54.00	26.51	100	252 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5404.50	42.80	32.31	10.49	54.00	-11.20	361	128 Average	Vertical	
2 *	5500.00	80.77	70.33	10.44	54.00	26.77	361	128 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11ax HE20_RU106

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5565.00	56.38	45.99	10.39	68.20	-11.82	100	270 Peak	Horizontal	
2	5655.00	56.44	46.10	10.34	71.91	-15.47	100	270 Peak	Horizontal	
3	5702.50	55.71	45.44	10.27	105.90	-50.19	100	270 Peak	Horizontal	
4	5724.50	55.37	44.92	10.45	132.58	-77.21	100	270 Peak	Horizontal	
5	5745.00	100.02	89.42	10.60	135.00	-34.98	100	270 Peak	Horizontal	
6	5850.00	56.09	45.54	10.55	135.00	-78.91	100	270 Peak	Horizontal	
7	5874.00	56.54	45.89	10.65	105.48	-40.94	100	270 Peak	Horizontal	
8	5916.00	57.64	46.86	10.78	74.84	-17.20	100	270 Peak	Horizontal	
9	5945.00	57.04	46.20	10.84	68.20	-11.16	100	270 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.50	55.91	45.60	10.31	68.20	-12.29	360	124 Peak	Vertical	
2	5674.00	56.30	46.01	10.29	86.00	-29.70	360	124 Peak	Vertical	
3	5706.00	54.73	44.43	10.30	106.88	-52.15	360	124 Peak	Vertical	
4	5722.50	55.92	45.50	10.42	122.90	-66.98	360	124 Peak	Vertical	
5	5745.00	96.18	85.58	10.60	135.00	-38.82	360	124 Peak	Vertical	
6	5853.50	56.13	45.57	10.56	118.06	-61.93	360	124 Peak	Vertical	
7	5862.00	56.71	46.11	10.60	100.04	-52.13	360	124 Peak	Vertical	
8	5892.00	56.73	46.01	10.72	92.58	-35.85	360	124 Peak	Vertical	
9	5936.50	56.64	45.82	10.82	68.20	-11.56	360	124 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11ax HE20_RU106

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	55.92	44.47	11.45	68.20	-12.28	100	276 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	56.33	44.88	11.45	68.20	-11.87	100	264 Peak	Vertical

U-NII-2A


802.11ax HE20_RU106

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	56.37	44.93	11.44	68.20	-11.83	100	344 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	55.96	44.52	11.44	68.20	-12.24	100	25 Peak	Vertical

U-NII-2C


802.11ax HE20_RU106

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	42.51	31.08	11.43	54.00	-11.49	100	331 Average	Horizontal	
2	11000.00	55.68	44.25	11.43	74.00	-18.32	100	331 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	42.54	31.11	11.43	54.00	-11.46	100	218 Average	Vertical	
2	11000.00	56.04	44.61	11.43	74.00	-17.96	100	218 Peak	Vertical	

U-NII-3


802.11ax HE20_RU106

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	42.52	31.12	11.40	54.00	-11.48	100	110 Average	Horizontal	
2	11490.00	56.06	44.66	11.40	74.00	-17.94	100	110 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	43.01	31.61	11.40	54.00	-10.99	100	86 Average	Vertical	
2	11490.00	55.66	44.46	11.40	74.00	-18.14	100	86 Peak	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
1	0.22	9.97	0.34	9.63	52.69	-42.72 Average	line1
2	0.22	13.47	3.84	9.63	62.69	-49.22 QP	line1
3	0.44	20.75	11.12	9.63	46.98	-26.23 Average	line1
4	0.44	24.80	15.17	9.63	56.98	-32.18 QP	line1
5	1.52	5.67	-3.99	9.66	46.00	-40.33 Average	line1
6	1.52	12.38	2.72	9.66	56.00	-43.62 QP	line1
7	3.87	7.13	-2.55	9.68	46.00	-38.87 Average	line1
8	3.87	21.40	11.72	9.68	56.00	-34.60 QP	line1
9	8.94	15.72	5.98	9.74	50.00	-34.28 Average	line1
10	8.94	23.19	13.45	9.74	60.00	-36.81 QP	line1
11	13.51	14.96	5.22	9.74	50.00	-35.04 Average	line1
12	13.51	21.14	11.40	9.74	60.00	-38.86 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
1	0.22	10.93	1.30	9.63	52.81	-41.88 Average	neutral
2	0.22	14.02	4.39	9.63	62.81	-48.79 QP	neutral
3	0.44	21.21	11.58	9.63	47.02	-25.81 Average	neutral
4	0.44	25.05	15.42	9.63	57.02	-31.97 QP	neutral
5	0.84	6.79	-2.85	9.64	46.00	-39.21 Average	neutral
6	0.84	11.40	1.76	9.64	56.00	-44.60 QP	neutral
7	3.59	7.00	-2.69	9.69	46.00	-39.00 Average	neutral
8	3.59	20.10	10.41	9.69	56.00	-35.90 QP	neutral
9	8.94	14.71	4.95	9.76	50.00	-35.29 Average	neutral
10	8.94	23.54	13.78	9.76	60.00	-36.46 QP	neutral
11	13.31	16.85	7.04	9.81	50.00	-33.15 Average	neutral
12	13.31	22.53	12.72	9.81	60.00	-37.47 QP	neutral

<EUT with Antenna 2_Molex>
Band Edges, 4.5GHz ~ 5.15GHz


802.11a

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5180.50	55.40	45.15	10.25	74.00	-18.60	382	191	Peak	Horizontal	
2 *	5200.00	103.09	93.49	10.40	68.20	35.69	382	191	Peak	Horizontal	
3	5449.50	54.94	44.75	10.19	74.00	-19.06	382	191	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	56.21	46.06	10.15	74.00	-17.79	321	214	Peak	Vertical	
2 *	5200.00	98.71	88.31	10.40	68.20	30.51	321	214	Peak	Vertical	
3	5389.00	55.98	45.53	10.45	74.00	-18.62	321	214	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5080.00	42.19	31.89	10.30	54.00	-11.81	382	191	Average	Horizontal	
2 *	5200.00	94.46	84.06	10.40	54.00	40.46	382	191	Average	Horizontal	
3	5392.00	42.51	32.84	10.47	54.00	-11.49	382	191	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5091.00	42.22	31.92	10.30	54.00	-11.78	321	214	Average	Vertical	
2 *	5200.00	80.55	70.15	10.40	54.00	26.15	321	214	Average	Vertical	
3	5391.00	42.42	31.95	10.47	54.00	-11.58	321	214	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.00	55.51	45.26	10.25	74.00	-18.49	356	164	Peak	Horizontal	
2 *	5320.00	106.56	96.18	10.38	68.20	38.36	356	164	Peak	Horizontal	
3	5352.00	55.61	45.42	10.19	74.00	-18.39	356	164	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	55.05	44.90	10.15	74.00	-18.95	324	212	Peak	Vertical	
2 *	5320.00	100.65	90.47	10.38	68.20	32.65	324	212	Peak	Vertical	
3	5399.00	54.77	44.25	10.52	74.00	-19.23	324	212	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5074.00	42.23	31.93	10.30	54.00	-11.77	356	164	Average	Horizontal	
2 *	5320.00	96.60	86.22	10.38	54.00	42.60	356	164	Average	Horizontal	
3	5360.50	42.65	32.40	10.25	54.00	-11.35	356	164	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.00	42.20	32.00	10.20	54.00	-11.71	324	212	Average	Vertical	
2 *	5320.00	91.04	80.66	10.38	54.00	37.04	324	212	Average	Vertical	
3	5416.50	42.51	32.10	10.41	54.00	-11.49	324	212	Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5486.50	55.01	44.52	10.49	74.00	-10.99	346	156 Peak	Horizontal	
2	5463.00	54.77	44.52	10.25	68.20	-13.43	346	156 Peak	Horizontal	
3 *	5700.00	107.22	96.98	10.24	68.20	39.02	346	156 Peak	Horizontal	
4	6817.50	57.97	47.04	10.93	68.20	-10.23	346	156 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5396.50	55.61	45.10	10.51	74.00	-18.39	257	206 Peak	Vertical	
2	5466.50	54.15	43.87	10.28	68.20	-14.05	257	206 Peak	Vertical	
3 *	5700.00	99.79	89.55	10.24	68.20	31.59	257	206 Peak	Vertical	
4	5946.50	58.12	47.29	10.83	68.20	-10.08	257	206 Peak	Vertical	

802.11a


CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5524.50	56.38	45.93	10.45	68.20	-11.82	370	191	Peak	Horizontal	
2	5673.00	55.16	44.87	10.29	85.26	-30.10	370	191	Peak	Horizontal	
3	5707.50	54.96	44.65	10.31	107.30	-52.34	370	191	Peak	Horizontal	
4	5724.50	54.07	43.62	10.45	132.58	-78.51	370	191	Peak	Horizontal	
5	5785.00	109.04	98.46	10.58	135.00	-25.96	370	191	Peak	Horizontal	
6	5854.00	55.13	44.56	10.57	115.64	-60.51	370	191	Peak	Horizontal	
7	5861.00	55.66	45.07	10.59	109.12	-53.46	370	191	Peak	Horizontal	
8	5887.50	56.17	45.48	10.69	95.92	-39.75	370	191	Peak	Horizontal	
9	5991.50	56.59	45.66	10.93	68.20	-11.61	370	191	Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5504.00	57.16	46.71	10.45	68.20	-11.04	240	209	Peak	Vertical	
2	5669.50	55.21	44.90	10.31	82.67	-27.46	240	209	Peak	Vertical	
3	5716.00	54.68	44.30	10.38	109.68	-55.00	240	209	Peak	Vertical	
4	5720.00	54.17	43.76	10.41	110.80	-56.63	240	209	Peak	Vertical	
5	5785.00	101.85	91.27	10.58	135.00	-33.15	240	209	Peak	Vertical	
6	5850.50	55.24	44.69	10.55	132.50	-77.34	240	209	Peak	Vertical	
7	5863.00	57.45	46.85	10.60	108.56	-51.11	240	209	Peak	Vertical	
8	5893.00	56.25	45.53	10.72	91.84	-35.59	240	209	Peak	Vertical	
9	5981.50	56.79	45.88	10.91	68.20	-11.41	240	209	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10400.00	46.46	35.09	11.37	68.20	-21.74	100	248	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10400.00	45.63	34.26	11.37	68.20	-22.57	200	110	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	35.82	24.49	11.33	54.00	-18.18	100	32	Average	Horizontal	
2	10640.00	45.11	33.78	11.33	74.00	-28.89	100	32	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	35.77	24.44	11.33	54.00	-18.23	100	221	Average	Vertical	
2	10640.00	48.97	37.64	11.33	74.00	-25.03	100	221	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	36.35	25.00	11.35	54.00	-17.65	100	55	Average	Horizontal	
2	11400.00	59.83	39.48	11.35	74.00	-23.17	100	55	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	35.74	24.39	11.35	54.00	-18.26	200	200	Average	Vertical	
2	11400.00	49.78	36.43	11.35	74.00	-24.22	200	200	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	35.02	23.62	11.40	54.00	-18.98	100	221	Average	Horizontal	
2	11490.00	49.06	37.66	11.40	74.00	-24.94	100	221	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	34.94	23.54	11.40	54.00	-19.06	100	96	Average	Vertical	
2	11490.00	47.95	36.55	11.40	74.00	-26.05	100	96	Peak	Vertical	

<EUT with Antenna 3_TE>
Band Edges, 4.5GHz ~ 5.15GHz
U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5131.00	54.80	44.60	10.20	74.00	-19.20	100	302 Peak	Horizontal			
2 *	5180.00	104.86	94.57	10.29	68.20	36.66	100	302 Peak	Horizontal			
3	5402.00	55.69	45.17	10.52	74.00	-18.31	100	302 Peak	Horizontal			



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4934.50	55.39	45.29	10.10	74.00	-18.61	324	162 Peak	Vertical			
2 *	5180.00	96.20	85.91	10.29	68.20	28.00	324	162 Peak	Vertical			
3	5415.50	55.21	44.79	10.42	74.00	-18.79	324	162 Peak	Vertical			

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5119.50	42.77	32.54	10.23	54.00	-11.23	100	302	Average	Horizontal	
2 *	5180.00	94.92	84.63	10.29	54.00	40.92	100	302	Average	Horizontal	
3	5389.00	42.53	32.08	10.45	54.00	-11.47	100	302	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5085.50	42.21	31.92	10.29	54.00	-11.79	324	162	Average	Vertical	
2 *	5180.00	86.78	76.49	10.29	54.00	32.78	324	162	Average	Vertical	
3	5391.50	42.51	32.05	10.46	54.00	-11.49	324	162	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	55.89	45.74	10.15	74.00	-18.11	107	303	Peak	Horizontal	
2 *	5200.00	105.15	94.75	10.40	68.20	36.95	107	303	Peak	Horizontal	
3	5357.00	55.62	45.40	10.22	74.00	-18.38	107	303	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5041.00	55.53	45.27	10.26	74.00	-18.47	325	160	Peak	Vertical	
2 *	5200.00	96.93	86.53	10.40	68.20	28.73	325	160	Peak	Vertical	
3	5424.50	54.80	44.44	10.36	74.00	-19.20	325	160	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	43.10	32.87	10.23	54.00	-10.90	107	303	Average	Horizontal	
2 *	5200.00	95.06	84.66	10.40	54.00	41.06	107	303	Average	Horizontal	
3	5398.50	42.65	32.13	10.52	54.00	-11.35	107	303	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5115.50	42.48	32.24	10.24	54.00	-11.52	325	160	Average	Vertical	
2 *	5200.00	87.47	77.07	10.40	54.00	33.47	325	160	Average	Vertical	
3	5399.50	42.75	32.22	10.53	54.00	-11.25	325	160	Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4825.00	55.53	45.72	9.81	74.00	-18.47	100	301	Peak	Horizontal	
2 *	5240.00	103.76	93.72	10.04	68.28	35.56	100	301	Peak	Horizontal	
3	5396.00	55.67	45.16	10.51	74.00	-18.33	100	301	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4940.50	55.83	45.69	10.14	74.00	-18.17	322	155	Peak	Vertical	
2 *	5240.00	96.36	86.32	10.04	68.28	28.16	322	155	Peak	Vertical	
3	5390.50	56.05	45.59	10.46	74.00	-17.95	322	155	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5119.50	42.69	32.46	10.23	54.00	-11.31	100	301	Average	Horizontal	
2 *	5240.00	94.58	84.54	10.04	54.00	40.58	100	301	Average	Horizontal	
3	5411.50	42.84	32.39	10.45	54.00	-11.16	100	301	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5119.50	42.29	32.06	10.23	54.00	-11.71	322	155	Average	Vertical	
2 *	5240.00	86.61	76.77	10.04	54.00	32.61	322	155	Average	Vertical	
3	5405.50	42.71	32.22	10.49	54.00	-11.29	322	155	Average	Vertical	

802.11ax HE20

CH 36 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322



CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	42.98	32.83	10.15	54.00	-11.02	100	299	Average	Horizontal	
2 *	5100.00	94.22	83.93	10.29	54.00	40.22	100	299	Average	Horizontal	
3	5415.00	42.72	32.30	10.42	54.00	-11.28	100	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.00	42.41	32.16	10.25	54.00	-11.59	326	161	Average	Vertical	
2 *	5100.00	85.86	75.57	10.29	54.00	31.86	326	161	Average	Vertical	
3	5400.50	42.58	32.05	10.53	54.00	-11.42	326	161	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4917.50	55.06	45.08	9.98	74.00	-18.94	100	303	Peak	Horizontal	
2 *	5280.00	106.00	95.60	10.40	68.20	37.80	100	303	Peak	Horizontal	
3	5379.50	55.12	44.74	10.38	74.00	-18.88	100	303	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5050.50	56.17	45.85	10.32	74.00	-17.83	324	162	Peak	Vertical	
2 *	5280.00	98.29	87.89	10.40	68.20	30.09	324	162	Peak	Vertical	
3	5387.00	55.94	45.50	10.44	74.00	-18.06	324	162	Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	42.80	32.57	10.23	54.00	-11.20	100	303	Average	Horizontal	
2 *	5200.00	93.71	83.31	10.40	54.00	39.71	100	303	Average	Horizontal	
3	5402.00	42.60	32.08	10.52	54.00	-11.40	100	303	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4950.50	42.24	32.03	10.21	54.00	-11.76	324	162	Average	Vertical	
2 *	5200.00	85.94	75.54	10.40	54.00	31.94	324	162	Average	Vertical	
3	5413.50	42.59	32.15	10.44	54.00	-11.41	324	162	Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4734.00	55.79	45.96	9.83	74.00	-18.21	107	300	Peak	Horizontal	
2 *	5240.00	105.16	95.12	10.04	68.20	36.96	107	300	Peak	Horizontal	
3	5379.50	55.00	44.62	10.38	74.00	-19.00	107	300	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5116.00	55.25	45.01	10.24	74.00	-18.75	390	161	Peak	Vertical	
2 *	5240.00	98.94	88.90	10.04	68.20	30.74	390	161	Peak	Vertical	
3	5391.50	54.67	44.21	10.46	74.00	-19.33	390	161	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.50	42.56	32.37	10.19	54.00	-11.44	107	300	Average	Horizontal	
2 *	5240.00	93.90	83.86	10.04	54.00	39.90	107	300	Average	Horizontal	
3	5397.00	42.68	32.16	10.52	54.00	-11.32	107	300	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.00	42.34	32.17	10.17	54.00	-11.66	390	161	Average	Vertical	
2 *	5240.00	87.99	77.95	10.04	54.00	33.99	390	161	Average	Vertical	
3	5397.00	42.42	31.90	10.52	54.00	-11.58	390	161	Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5055.50	55.03	44.70	10.33	74.00	-18.97	100	301	Peak	Horizontal	
2 *	5260.00	104.95	94.68	10.27	68.20	36.75	100	301	Peak	Horizontal	
3	5407.00	55.49	45.00	10.49	74.00	-18.51	100	301	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4891.50	55.24	45.38	9.86	74.00	-18.76	386	160	Peak	Vertical	
2 *	5260.00	97.66	87.79	10.07	68.20	29.66	386	160	Peak	Vertical	
3	5404.50	55.12	44.63	10.49	74.00	-18.88	386	160	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	42.66	32.50	10.16	54.00	-11.34	100	301	Average	Horizontal	
2 *	5260.00	95.00	85.01	10.07	54.00	41.00	100	301	Average	Horizontal	
3	5394.50	42.79	32.29	10.50	54.00	-11.21	100	301	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5077.50	42.23	31.92	10.31	54.00	-11.77	386	160	Average	Vertical	
2 *	5260.00	80.40	78.33	10.07	54.00	34.40	386	160	Average	Vertical	
3	5417.00	42.67	32.26	10.41	54.00	-11.33	386	160	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5088.50	55.87	45.57	10.30	74.00	-18.13	106	302	Peak	Horizontal	
2 *	5300.00	105.00	95.29	10.51	68.28	37.60	106	302	Peak	Horizontal	
3	5429.00	55.28	44.95	10.33	74.00	-18.72	106	302	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	55.32	45.10	10.22	74.00	-18.68	265	166	Peak	Vertical	
2 *	5300.00	98.51	88.00	10.51	68.28	30.51	265	166	Peak	Vertical	
3	5429.50	55.01	44.65	10.36	74.00	-18.99	265	166	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	42.78	32.55	10.23	54.00	-11.22	106	302	Average	Horizontal	
2 *	5300.00	95.77	85.26	10.51	54.00	41.77	106	302	Average	Horizontal	
3	5405.00	42.92	32.43	10.49	54.00	-11.08	106	302	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5067.50	42.27	31.95	10.32	54.00	-11.73	265	166	Average	Vertical	
2 *	5300.00	89.17	78.66	10.51	54.00	35.17	265	166	Average	Vertical	
3	5402.00	42.55	32.03	10.52	54.00	-11.45	265	166	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	42.74	32.51	10.23	54.00	-11.26	100	300	Average	Horizontal	
2 *	5320.00	94.69	84.31	10.38	54.00	40.69	100	300	Average	Horizontal	
3	5413.00	42.95	32.51	10.44	54.00	-11.05	100	300	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	42.19	31.99	10.20	54.00	-11.81	352	160	Average	Vertical	
2 *	5320.00	88.41	78.03	10.38	54.00	34.41	352	160	Average	Vertical	
3	5400.50	42.57	32.04	10.53	54.00	-11.43	352	160	Average	Vertical	


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4920.00	55.38	45.37	9.93	74.00	-18.78	186	295	Peak	Horizontal	
2 *	5260.00	106.21	96.33	9.88	68.28	38.01	196	295	Peak	Horizontal	
3	5409.00	56.26	46.05	10.21	74.00	-17.74	186	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5111.00	55.68	45.66	10.02	74.00	-18.32	394	310	Peak	Horizontal	
2 *	5260.00	100.65	90.77	9.88	68.28	32.45	394	310	Peak	Horizontal	
3	5411.50	55.54	45.33	10.21	74.00	-18.66	394	310	Peak	Horizontal	

802.11ax HE20

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	42.73	32.73	10.00	54.00	-11.27	106	295	Average	Horizontal	
2 *	5260.00	94.55	84.67	9.88	54.00	40.55	106	295	Average	Horizontal	
3	5421.50	42.69	32.47	10.22	54.00	-11.31	106	295	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4920.50	42.37	32.40	9.97	54.00	-11.63	394	310	Average	Horizontal	
2 *	5260.00	88.66	78.78	9.88	54.00	34.66	394	310	Average	Horizontal	
3	5414.00	42.68	32.46	10.22	54.00	-11.32	394	310	Average	Horizontal	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4961.00	55.65	45.63	10.02	74.00	-18.35	100	294	Peak	Horizontal	
2 *	5300.00	105.89	95.40	10.49	68.20	37.69	100	294	Peak	Horizontal	
3	5373.50	55.42	45.40	10.02	74.00	-18.58	100	294	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5053.00	55.76	45.56	10.20	74.00	-18.24	359	296	Peak	Vertical	
2 *	5300.00	100.43	90.04	10.39	68.20	32.23	359	296	Peak	Vertical	
3	5422.00	55.88	45.63	10.25	74.00	-18.12	359	296	Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	42.68	32.60	10.08	54.00	-11.40	180	294	Average	Horizontal	
2 *	5300.00	93.82	83.33	10.49	54.00	39.82	180	294	Average	Horizontal	
3	5401.50	42.67	32.47	10.20	54.00	-11.33	180	294	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	42.57	32.55	10.02	54.00	-11.43	359	296	Average	Vertical	
2 *	5300.00	88.65	78.26	10.39	54.00	34.65	359	296	Average	Vertical	
3	5410.00	42.83	32.50	10.33	54.00	-11.17	359	296	Average	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4925.50	55.82	45.86	9.96	74.00	-18.18	115	294	Peak	Horizontal	
2 *	5320.00	105.46	95.23	10.23	68.20	37.26	115	294	Peak	Horizontal	
3	5401.00	55.99	45.79	10.20	74.00	-18.01	115	294	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.00	55.65	45.61	10.04	74.00	-18.35	387	338	Peak	Vertical	
2 *	5320.00	99.60	89.55	10.25	68.20	31.60	387	338	Peak	Vertical	
3	5408.50	55.18	44.83	10.35	74.00	-18.82	387	338	Peak	Vertical	