



User Manual

MODEL : S36  
POWERBANK

## Operating instructions

Switch on off : Press the button once to turn on, digital display . Press the button twice to shut down 2 seconds later ,To press the switch on and off interval 2 seconds, digital display light off.

Flashlight: Long press the switch 3 seconds, the LED flashlight open. Long press the switch for 3 seconds, the LED flashlight off. Press the switch twice and the light goes off and the power bank off.


Tip: When the power digital display is 0,please charge for power bank, There is battery protection circuit to avoid damage caused by overcharging.

- 1.Protection: over charge, over discharge, over current, short circuit, multiple protection
- 2.Working temperature: In the environment of -10 to 45°C environment can work normally
- 3.Storage temperature: -20 to 50°C

## Accessories

- ★ A Power bank
- ★ A Charging cable
- ★ A Manual
- ★ A Small black bag

## Product features




- 1、Led light
- 2、USB output
- 3、TYPE-C input
- 4、Micro input
- 5、Wireless output position
- 6、Power digital display
- 7、Switch
- 8、USB input
- 9、Micro output
- 10、TYPE-C output
- 11、For Iphone output

## Charging for power bank

Method 1: Insert the USB cable in Figure 8 into the adapter, and the digital display flashes to indicate is charging


Method 2: Use your own usb cable. Insert a Micro or Type-C data cable into the corresponding port of Type-C input in Figure 3 or Micro input in Figure 4. Insert USB into the adapter, and the digital display flashes to indicates charging



## Charging for other devices

Insert 9.10.11 in the figure into the corresponding device and the digital display flashes to indicate is charging of other devices.

Insert a data cable into the figure 2 USB output, and insert the other end into the corresponding device. The digital display flashes to indicate is charging of other devices



## Remark

Please charge for power bank in time if it doesn't respond when pressing the button or charging for other devices.  
The power bank should charge one time per 3 months at least

## Warning

Do not throw the power bank into the fire to avoid danger. Do not disassemble, open, break, bend, deform, Pierce or invade the power bank into water. Do not try to dry the power bank with hair dryer, microwave oven or other appliances to dry the power bank. Children should use this product under the supervision of a person. Avoid dropping the product on a hard surface

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction