



BB-S-1

User Manual



Contents:

General Information	3
User Guide	4
Safety	5



General Information

This device was designed to enhance an event experience for the attendees and the event organizers. The device allows the user to exchange contacts with newly met connections, to check in or to find the relevant session, to participate in the session and many more touchless interactions. The gathered information is also valuable to the event organizers. After the event, they can know precisely what the attendance was per session, which sessions were more successful than others etc. This all becomes possible thanks to radio packets advertised by wearable devices, that get picked up by wireless gateways and transferred to a server.



User Guide

1. Power on the device by sliding the rear slider to the on position and verify by clicking on it with a short click and ensuring the LEDs light up.
2. Please put the device on and use it for the duration of the event.
3. For a contact exchange please click on the device simultaneously with your newly met connection and hold it until both devices start blinking. Once the devices blinked, the contact exchange took place.
4. To get more information or content about a touchpoint, click on your wearable and hold until it starts blinking.
5. Upon the end of the event, please return the device to a staff member that will power it off by sliding the rear slider to the off position.
6. Make sure to read the safety instructions on the next page.



Safety

1. Note, the device is not water resistant.
2. Do not attempt to open the device.
3. Do not attempt to replace a battery.
4. If there is any problem with a device, please refer to a staff member to assist you.



FCC Warnings

This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Specific Absorption Rate (SAR) information:

This Mobile Phone meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health.

FCC RF Exposure Information and Statement The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: BB-S-1 (FCC ID: 2A6TABB-S-1) has also been tested against this SAR limit. The highest SAR value reported under this standard during product certification for properly worn on the body is 0.255W/kg. This device was tested for typical body-worn operations with the product kept 0 mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 0 mm separation distance between the user's body and the product. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The



use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 0 mm must be maintained between the user's body and the product, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.

IC Caution:

English

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications or change to this equipment. Such modifications or change could void the user's authority to operate the equipment.

This radio transmitter (identify the device by certification number or model number if Category II) has been approved by Industry Canada to operate with the antenna types listed below with the maximum permissible gain indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

The SAR limit for Industry Canada is 1.6 W / kg averaged over one gram of tissue. The BB-S-1 model device types (IC: 28552-BBS1) were also tested against these values. The highest SAR values reported for the head, the accessory worn on the body is 0.255W/kg. This device has been tested for typical operations using the accessory worn on the body with the product kept at 0 mm from the body. To maintain compliance with RSS-102 requirements, use accessories that maintain a separation



distance of 0 mm between the user's body and the product. The use of belt clips, cases and similar accessories shall not contain any metal components as a whole. The use of accessories that do not meet these requirements can not meet the requirements of RSS-102, and should be avoided.

French:

Cet appareil est conforme aux normes RSS exemptées de licence d'industrie Canada. Le fonctionnement est soumis aux deux conditions suivantes: (1) ce dispositif ne peut pas causer d'interférences nuisibles, et (2) ce dispositif doit accepter toute interférence reçue, y compris l'interférence qui peut causer un fonctionnement indésirable. Le fabricant n'est pas responsable des interférences radio ou TV causées par des modifications non autorisées ou des changements à cet équipement. De telles modifications ou changements pourraient annuler l'autorisation de l'utilisateur de faire fonctionner l'équipement.

Cet émetteur radio (indiquer l'appareil par le numéro de certification ou le numéro de modèle si catégorie II) a été approuvé par industrie Canada pour fonctionner avec les types d'antennes énumérés ci-dessous avec le gain maximal autorisé indiqué. Les types d'antennes non inclus dans cette liste, ayant un gain supérieur au gain maximum indiqué pour ce type, sont strictement interdits pour une utilisation avec cet appareil. Le das limite pour industrie Canada est de 1,6 W/kg en moyenne pour un gramme de tissu. Les types d'appareils du modèle BB-S-1 (IC: 28552-BBS1) ont également été testés en fonction de ces valeurs. Le das le plus élevé signalé pour la tête, l'accessoire porté sur le corps est de 0,255w /kg. Cet appareil a été testé pour des opérations typiques utilisant l'accessoire porté sur le corps avec le produit maintenu à 0 mm du corps. Pour respecter les exigences de la norme RSS-102, utilisez des accessoires qui maintiennent une distance de séparation de 0 mm entre le corps de l'utilisateur et le produit. L'utilisation des agrafes de ceinture, des étuis et des accessoires similaires ne doit comporter aucun élément métallique dans son ensemble. L'utilisation d'accessoires qui ne répondent pas à ces exigences ne peut pas répondre aux exigences de RSS-102, et doit être évitée.