

SPECIFICATION FOR APPROVAL

CUSTOMER`S NAME : Shenzhen XinNengDa Technology Co., Ltd

CUSTOMER`S P/N : 4-L4B001P000

PRODUCT SPEC : Y. A11. 349

ISSUE DATE : April 15, 2024

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
Li Bei	Cheng Jie	Li Bowen	



DONGGUAN BOHONG TECHNOLOGY CO., LTD

ADD: 4th Floor, No. 533 Fumin Middle Road, Dalang
Town, Dongguan City

TEL: 0769-82866410

FAX: 0769-82866409

TECHNOLOGY CO., L
FOR APPROVAL

CUSTOMER'S P/N	4
PRODUCT SPEC	Y
CONTROL DRAWING	

[illegible]

TECHNOLOGY CO., L
FOR APPROVAL


COMER'S P/N	4
DUCT SPEC	Y

[illegible]

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Xinnengda	CUSTOMER'S P/N	4-L4B001P000
ISSUE DATE	April 15, 2024	PRODUCT SPEC	Y. A11. 349

2.DIMENSION:



Note:


1. The coil is centered and flattened;

ISSUE BY	Li Bei	CHECK BY	Cheng Jie	APPROVAL BY	Li Bowen
----------	--------	----------	-----------	-------------	----------

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Xinnengda	CUSTOMER'S P/N	4 L4B001P000
ISSUE DATE	April 15, 2024	PRODUCT SPEC	Y. A11. 349

4.CIRCUIT DIAGRAM



5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*24C*2P	10	/	CCW


6.CHARACTERISTIC

ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	6.5uH±5%	LCR1062 100KHz/1V AT 25℃±2℃

DONGGUAN BOHONG TECHNOLOGY CO.,LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	Xinnengda	CUSTOMER'S P/N	4-L4B001P000
ISSUE DATE	April 15, 2024	PRODUCT SPEC	Y.A11.349

7.THE PACKING WAY



1. Pearl cotton specification:
355 * 235 * 65mm * 20 grids;
2. 20pcs per grid and 400pcs
per plate;
3. Pack 5 trays per box;
4. Total per box: 2000pcs;
5. Carton material: K=K++;

