

FCC ID: 2A6X2-860

IC: 28565-860

CAN ICES-3 (B)/NMB (B)



1. APPROVED SOURCE OF SUPPLY:
LABELTRONIX, OR EQUIVALENT
PART NUMBER: 16-24598-002
DESCRIPTION: LABEL, BLACK POLYESTER
ADHESIVE BACKED, 1.25" x 0.75".


- CHARACTERS TO BE ARIAL BOLD, 8PT (0.08 INCH)
COLOR: WHITE ON BLACK BACKGROUND.

4 UNIQUE IDENTIFICATION FORMAT SHALL COMPLY WITH MIL-STD-130 CONSTRUCT #2 AND THE FOLLOWING:

DI (FORMAT 06)
CAGE CODE 1SBL7)
MODEL NUMBER PER NOTE 2
SERIAL NUMBER PER NOTE 2


5. LABEL VERIFICATION REPORT TO ACCOMPANY ALL LABELS.
6. PRINT AS NECESSARY FOR EACH LOT. DISCARD PRINTED UNUSED LABELS.
7. BAG AND TAG WITH PART NUMBER LBL0560045 AND REVISION LETTER, AND SERIAL NUMBER SEQUENCE (ZZZZZZZ) ON BUNDLED LABELS.

REVISION HISTORY (ALL SHEETS AT SAME REVISION)			
REV	DESCRIPTION	DATE	BY
-	INITIAL RELEASE	7/14/2014	NVD
A	See ECO-000282	6/6/2016	NVD
B	See ECO-000908	8/26/2022	MJM



© (2022) TrellisWare Technologies, Inc. Proprietary Information

PROPRIETARY NOTICE
THESE DRAWINGS, LISTS OR SPECIFICATIONS ARE THE
CONFIDENTIAL INFORMATION AND/OR TRADE SECRETS OF
TRELISWARE TECHNOLOGIES, INC., AND ISSUED IN STRICT
CONFIDENCE. EXCEPT AS AUTHORIZED BY TRELISWARE
TECHNOLOGIES IN WRITING, THESE DRAWINGS, LISTS OR
SPECIFICATIONS SHALL NOT BE REPRODUCED,
RETRANSMITTED, USED FOR THE DESIGN, MANUFACTURE
OR SALE OF EQUIPMENT OR USED FOR ANY OTHER PURPOSE
OTHER THAN EVALUATION.



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND APPLY AFTER FINISH
OR PLATING. TOLERANCES ARE:

	.X	.XX	.XXX	ANGULAR
SHEET METAL:	± .1	± .03	± .010	± .5°
MACHINING:	± .1	± .02	± .005	± .5°

HOLE DIAMETER	
.000-.250	.251-1.000
+.004	+.010

MAX SURFACE ROUGHNESS 125 ON ALL MACHINED SURFACES
FINISH:

CONTRACT NO.	
--------------	--

	APPROVALS	DATE
--	-----------	------

DRAWN	
PHAM	7/12/2021

DESIGN BY	PHAM	6/5/2014
-----------	------	----------

CHECKED	6/5/2014
---------	----------

6		

TrellisWare 16516 VIA ESPRILLO, STE. 300
TECHNOLOGIES SAN DIEGO, CA 92127

TITLE	LABEL, PRODUCT ID

SIZE A	CAGE CODE 1SBL7	DRAWING NO. LBL0560045	REV B
------------------	---------------------------	----------------------------------	-----------------