

USER Guide

Feature of Product

*Qi Standard Wireless Charger: 5W/7.5W/10W/15W charging mode,compatible for Android & iPhone charge.

*3 in 1 Rotatable Charger Dock: 3 plug type for iPhone, Android Micro USB & Type-C phone.

*Bluetooth Earphone Charger Dock. Smart watch charging stand.

*Suitable Indoor Use: Home,hotel,office,restaurant, bar,etc.

Specifications

Item Model	5 IN 1
Input Voltage/Current	9V 2 A/3A
Output Voltage/Current of Charger Dock	DC5V-1,5A Max.
Power of Wireless Charger	5W/7.5W/10W/15W Max.
Bluetooth Headphone Output	3 W Max.
Material	ABS+PC
USB Cable Length	110cm
Product Sizes	L230*W90*H57mm
Net Weight:	205g
Gross Weight:	265g
Colour:	White Black Silver Gray Rose-Gold

Product Schematic Diagram



- ①USB Cable
- ②Type-C Plug
- ③Micro 5Pin Plug
- ④For iPhone Plug
- ⑤Wireless Charger
- ⑥Bluetooth Earphone Charger Dock
- ⑦Smart watch charging stand.
- ⑧USB interface

How to Use

1. Connect BXD-07A to DC 5V output USB charger by it's USB cable
 - ① If connect it to regular DC 5V USB charger, the wireless charging mode of BXD-07A is 5W regular charge;
 - ② If connect it to QC 3.0 Quick charger, the wireless charging mode of BXD-07A is 15W fast charge.
2. Dafter connecting to the power supply, you could choose dock plug charge or wireless charge
 - ① Dock Plug Charge: Plug and charge optional, plugs for iPhone,Android micro or type-C mobile phone, compatible for more than 99% of smart phones.Dock plug charging do not support quick charge;
 - ② Wireless Charge: If your mobile phone built in wireless charge function, you could put it on BXD-07A and charge directly; If your mobile phone do not built in wireless charge function, you need to connect your phone to a receiving coil and then charge.
3. Bluetooth earphone Charger Dock: Directly plug in your apple bluetooth headset is ok
4. Smart watch charging stand: it can charging for smart watch,when you mount watch charger cable.

Safety tips

Please read the instructions carefully before using the product, so that it can be used correctly and stored properly.

1. Do not disassemble the product or change the actual use of the product without authorization.
2. Keep away from water or other liquids which may lead to short circuit when using the product.
3. Please use the product in the temperature range of - 10°C - 45°C. Do not use the product near the fire source or under sunlight.
4. For safety, please place the product away from children.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. During the operation of device a distance of 15cm surrounding the device and 20 cm above the top surface of the device must be respected.