

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5148.50	59.21	16.32	42.89	74.00	-14.79	100	70	Peak	Horizontal		
2 *	5180.00	107.92	64.94	42.98	74.00	33.92	100	70	Peak	Horizontal		
3	5369.00	57.86	14.80	43.06	74.00	-16.14	100	70	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4944.50	56.47	14.17	42.30	74.00	-17.53	291	19	Peak	Vertical		
2 *	5180.00	98.43	55.45	42.98	74.00	24.43	291	19	Peak	Vertical		
3	5385.00	56.42	13.28	43.14	74.00	-17.58	291	19	Peak	Vertical		

802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	46.74	3.85	42.89	54.00	-7.26	100	70	Average	Horizontal	
2 *	5180.00	96.78	55.80	42.98	54.00	44.78	100	70	Average	Horizontal	
3	5390.00	44.62	1.46	43.16	54.00	-9.38	100	70	Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	44.77	1.88	42.89	54.00	-9.23	291	19	Average	Vertical	
2 *	5180.00	90.41	47.43	42.98	54.00	36.41	291	19	Average	Vertical	
3	5375.50	45.15	2.06	43.09	54.00	-8.85	291	19	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	59.59	16.73	42.86	74.00	-14.41	100	278	Peak	Horizontal	
2 *	5200.00	108.14	65.10	43.04	74.00	34.14	100	278	Peak	Horizontal	
3	5406.50	58.19	14.97	43.22	74.00	-15.81	100	278	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	56.28	13.38	42.90	74.00	-17.72	100	259	Peak	Vertical	
2 *	5200.00	100.05	57.01	43.04	74.00	26.05	100	259	Peak	Vertical	
3	5391.00	56.66	13.50	43.16	74.00	-17.34	100	259	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	45.88	2.93	42.87	54.00	-8.20	100	278	Average	Horizontal	
2 *	5200.00	99.49	56.45	43.04	54.00	45.49	100	278	Average	Horizontal	
3	5358.00	44.88	1.88	43.00	54.00	-9.12	100	278	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5128.00	44.47	1.72	42.75	54.00	-9.53	100	259	Average	Vertical	
2 *	5200.00	99.30	47.26	43.04	54.00	36.30	100	259	Average	Vertical	
3	5398.50	44.46	1.26	43.20	54.00	-9.54	100	259	Average	Vertical	


802.11a

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5117.00	58.62	15.95	42.67	74.00	-15.38	201	130	Peak	Horizontal	
2 *	5240.00	109.46	66.47	42.99	74.00	35.46	201	130	Peak	Horizontal	
3	5389.50	58.26	15.10	43.16	74.00	-15.74	201	130	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.50	57.02	14.25	42.77	74.00	-16.98	273	176	Peak	Vertical	
2 *	5240.00	105.22	62.23	42.99	74.00	31.22	273	176	Peak	Vertical	
3	5350.00	57.39	14.42	42.97	74.00	-16.61	273	176	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4615.00	46.18	4.21	41.97	54.00	-7.82	201	130	Average	Horizontal	
2 *	5240.00	100.96	57.97	42.99	54.00	46.96	201	130	Average	Horizontal	
3	5355.00	45.23	2.24	42.99	54.00	-8.77	201	130	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.50	44.70	1.00	42.80	54.00	-9.30	273	176	Average	Vertical	
2 *	5240.00	96.16	53.17	42.99	54.00	42.16	273	176	Average	Vertical	
3	5448.00	44.48	1.23	43.25	54.00	-9.52	273	176	Average	Vertical	

802.11ac VHT20

CH 36 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5147.50	67.17	24.29	42.88	74.00	-6.83	207	262	Peak	Horizontal		
2 *	5180.00	109.39	66.41	42.98	74.00	35.39	207	262	Peak	Horizontal		
3	5399.00	57.15	13.94	43.21	74.00	-16.85	207	262	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5148.50	64.78	21.81	42.89	74.00	-9.38	207	243	Peak	Vertical		
2 *	5180.00	103.97	68.99	42.98	74.00	29.97	207	243	Peak	Vertical		
3	5454.00	56.67	13.61	43.26	74.00	-17.13	207	243	Peak	Vertical		

802.11ac VHT20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	50.78	7.90	42.88	54.00	-3.22	207	262	Average	Horizontal	
2 *	5180.00	100.62	57.64	42.98	54.00	46.62	207	262	Average	Horizontal	
3	5389.00	44.85	1.69	43.16	54.00	-9.15	207	262	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	47.58	4.69	42.89	54.00	-6.42	207	243	Average	Vertical	
2 *	5180.00	94.75	51.77	42.98	54.00	40.75	207	243	Average	Vertical	
3	5376.00	44.56	1.47	43.09	54.00	-9.44	207	243	Average	Vertical	


802.11ac VHT20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	64.72	21.83	42.89	74.00	-9.28	100	73	Peak	Horizontal	
2 *	5200.00	111.20	68.16	43.04	74.00	37.20	100	73	Peak	Horizontal	
3	5443.50	58.81	15.56	43.25	74.00	-15.19	100	73	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	59.16	16.27	42.89	74.00	-14.84	210	252	Peak	Vertical	
2 *	5200.00	104.22	61.18	43.04	74.00	30.22	210	252	Peak	Vertical	
3	5444.00	57.62	14.37	43.25	74.00	-16.38	210	252	Peak	Vertical	

802.11ac VHT20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.58	49.32	6.44	42.88	54.00	-4.68	100	73	Average	Horizontal	
2 *	5200.00	102.63	59.59	43.04	54.00	48.63	100	73	average	Horizontal	
3	5358.00	45.68	2.68	43.00	54.00	-8.32	100	73	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	46.30	3.41	42.89	54.00	-7.70	210	252	Average	Vertical	
2 *	5200.00	95.44	52.40	43.04	54.00	41.44	210	252	Average	Vertical	
3	5386.00	44.85	1.71	43.14	54.00	-9.15	210	252	Average	Vertical	

802.11ac VHT20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4685.50	60.50	18.40	42.10	74.00	-13.50	197	131	Peak	Horizontal	
2 *	5240.00	113.37	70.38	42.99	74.00	39.37	197	131	Peak	Horizontal	
3	5402.50	62.07	18.86	43.21	74.00	-11.93	197	131	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5103.00	57.41	14.83	42.58	74.00	-16.59	100	258	Peak	Vertical	
2 *	5240.00	102.35	59.36	42.99	74.00	28.35	100	258	Peak	Vertical	
3	5365.00	57.56	14.52	43.04	74.00	-16.44	100	258	Peak	Vertical	

802.11ac VHT20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.58	48.30	6.29	42.01	54.00	-5.70	197	131	Average	Horizontal	
2	5240.00	104.40	61.41	42.99	54.00	50.40	197	131	Average	Horizontal	
3	5363.00	46.96	3.93	43.03	54.00	-7.04	197	131	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	44.58	1.02	42.76	54.00	-9.42	100	258	Average	Vertical	
2	5240.00	93.79	50.71	42.99	54.00	39.79	100	258	Average	Vertical	
3	5397.50	44.79	1.59	43.20	54.00	-9.21	100	258	Average	Vertical	


802.11ac VHT40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.58	69.53	26.65	42.88	74.00	-4.47	186	265	Peak	Horizontal	
2	5198.00	106.42	63.41	43.01	74.00	32.42	186	265	Peak	Horizontal	
3	5398.58	57.57	14.41	43.16	74.00	-16.43	186	265	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	64.90	22.01	42.89	74.00	-9.10	219	242	Peak	Vertical	
2	5198.00	100.37	57.36	43.01	74.00	26.37	219	242	Peak	Vertical	
3	5448.00	56.90	13.65	43.25	74.00	-17.10	219	242	Peak	Vertical	

802.11ac VHT40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.00	52.44	9.57	42.87	54.00	-1.56	186	265	Average	Horizontal		
2	5190.00	97.12	54.11	43.01	54.00	43.12	186	265	Average	Horizontal		
3	5395.00	45.06	1.87	43.19	54.00	-8.94	186	265	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.00	48.61	5.72	42.89	54.00	-5.39	219	242	Average	Vertical		
2	5190.00	92.02	49.01	43.01	54.00	38.02	219	242	Average	Vertical		
3	5387.00	44.52	1.37	43.15	54.00	-9.48	219	242	Average	Vertical		

802.11ac VHT40

CH 46 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	67.45	24.58	42.87	74.00	-6.55	186	131	Peak	Horizontal	
2 *	5230.00	109.87	66.86	43.01	74.00	35.87	186	131	Peak	Horizontal	
3	5387.50	64.96	21.81	43.15	74.00	-9.04	186	131	Peak	Horizontal	

CH 46 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4946.50	61.05	18.74	42.31	74.00	-12.95	356	163	Peak	Vertical	
2 *	5230.00	107.30	64.29	43.01	74.00	33.30	356	163	Peak	Vertical	
3	5366.00	62.53	19.49	43.04	74.00	-11.47	356	163	Peak	Vertical	

802.11ac VHT40

CH 46 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	52.89	9.99	42.90	54.00	-1.11	186	131	Average	Horizontal	
2	5230.00	100.76	57.75	43.01	54.00	46.76	186	131	Average	Horizontal	
3	5375.50	50.47	7.38	43.09	54.00	-3.53	186	131	Average	Horizontal	

CH 46 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	48.27	5.41	42.86	54.00	-5.73	356	163	Average	Vertical	
2	5230.00	98.31	55.30	43.01	54.00	44.31	356	163	Average	Vertical	
3	5350.50	47.95	4.98	42.97	54.00	-6.05	356	163	Average	Vertical	


802.11ac VHT80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	68.36	25.48	42.88	74.00	-5.64	271	263	Peak	Horizontal	
2	5218.00	101.47	58.44	43.03	74.00	27.47	271	263	Peak	Horizontal	
3	5388.50	61.30	18.15	43.15	74.00	-12.70	271	263	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4695.00	60.00	17.00	42.10	74.00	-14.00	210	181	Peak	Vertical	
2	5218.00	95.95	52.92	43.03	74.00	21.95	210	181	Peak	Vertical	
3	5459.50	58.25	14.99	43.26	74.00	-15.75	210	181	Peak	Vertical	

802.11ac VHT80

CH 42 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	52.28	9.39	42.89	54.00	-1.72	271	263	Average	Horizontal	
2 *	5210.00	91.72	48.69	43.03	54.00	37.72	271	263	Average	Horizontal	
3	5425.00	47.00	3.77	43.23	54.00	-7.00	271	263	Average	Horizontal	

CH 42 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	47.49	5.38	42.11	54.00	-6.51	210	181	Average	Vertical	
2 *	5210.00	86.44	43.41	43.03	54.00	32.44	210	181	Average	Vertical	
3	5375.00	45.09	2.00	43.09	54.00	-8.91	210	181	Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4937.00	57.98	15.71	42.27	74.00	-16.02	100	270	Peak	Horizontal	
2 *	5260.00	107.77	64.80	42.97	74.00	33.77	100	270	Peak	Horizontal	
3	5355.50	57.79	14.80	42.99	74.00	-16.21	100	270	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4695.00	57.36	15.26	42.10	74.00	-16.64	273	178	Peak	Vertical	
2 *	5260.00	105.31	62.34	42.97	74.00	31.31	273	178	Peak	Vertical	
3	5399.00	56.83	13.62	43.21	74.00	-17.17	273	178	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.00	45.07	2.28	42.79	54.00	-8.93	100	270	Average	Horizontal	
2 *	5260.00	98.76	55.79	42.97	54.00	44.76	100	270	Average	Horizontal	
3	5395.50	45.02	1.83	43.19	54.00	-8.98	100	270	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4686.50	45.96	3.86	42.10	54.00	-8.04	273	178	Average	Vertical	
2 *	5260.00	99.85	53.88	42.97	54.00	42.85	273	178	Average	Vertical	
3	5453.00	44.71	1.45	43.26	54.00	-9.29	273	178	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5183.50	56.82	14.24	42.58	74.00	-17.18	100	72	Peak	Horizontal	
2 *	5389.00	107.20	64.28	42.92	74.00	33.20	100	72	Peak	Horizontal	
3	5389.50	57.30	14.14	43.16	74.00	-16.70	100	72	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5053.00	57.71	15.18	42.61	74.00	-16.29	203	240	Peak	Vertical	
2 *	5389.00	102.62	59.70	42.92	74.00	28.62	203	240	Peak	Vertical	
3	5391.00	57.68	14.52	43.16	74.00	-16.32	203	240	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4831.00	46.96	4.88	42.08	54.00	-7.04	100	72	Average	Horizontal	
2 *	5300.00	98.33	55.41	42.92	54.00	44.33	100	72	average	Horizontal	
3	5352.00	45.31	2.33	42.98	54.00	-8.69	100	72	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.00	44.55	1.71	42.84	54.00	-9.45	203	240	Average	Vertical	
2 *	5300.00	93.94	51.02	42.92	54.00	39.94	203	240	Average	Vertical	
3	5374.00	44.67	1.58	43.09	54.00	-9.33	203	240	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5188.00	57.16	14.55	42.61	74.00	-16.84	100	66	Peak	Horizontal	
2 *	5320.00	107.69	64.75	42.94	74.00	33.69	100	66	Peak	Horizontal	
3	5353.50	65.67	22.69	42.98	74.00	-8.33	100	66	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5075.50	57.23	14.65	42.58	74.00	-16.77	362	172	Peak	Vertical	
2 *	5320.00	107.67	64.73	42.94	74.00	33.67	362	172	Peak	Vertical	
3	5352.00	64.66	21.68	42.98	74.00	-9.34	362	172	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5091.00	45.24	2.67	42.57	54.00	-8.76	100	66	Average	Horizontal	
2 *	5320.00	96.28	55.34	42.94	54.00	44.28	100	66	Average	Horizontal	
3	5353.00	47.61	4.63	42.98	54.00	-6.39	100	66	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4847.50	44.56	2.43	42.13	54.00	-9.44	362	172	Average	Vertical	
2 *	5320.00	98.00	55.06	42.94	54.00	44.00	362	172	Average	Vertical	
3	5351.50	46.44	3.46	42.98	54.00	-7.56	362	172	Average	Vertical	

802.11ac VHT20

CH 52 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.00	57.81	15.09	42.72	74.00	-16.19	100	262	Peak	Horizontal	
2 *	5260.00	111.46	68.49	42.97	74.00	37.46	100	262	Peak	Horizontal	
3	5366.50	59.83	16.78	43.05	74.00	-14.17	100	262	Peak	Horizontal	

CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.50	57.45	14.62	42.83	74.00	-16.55	272	177	Peak	Vertical	
2 *	5260.00	106.72	63.75	42.97	74.00	32.72	272	177	Peak	Vertical	
3	5354.50	58.12	15.13	42.99	74.00	-15.88	272	177	Peak	Vertical	

802.11ac VHT20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	45.39	2.50	42.89	54.00	-8.61	100	262	Average	Horizontal	
2 *	5260.00	102.11	59.14	42.97	54.00	48.11	100	262	Average	Horizontal	
3	5354.00	46.81	3.82	42.99	54.00	-7.19	100	262	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4967.00	46.67	4.38	42.37	54.00	-7.33	272	177	Average	Vertical	
2 *	5260.00	97.91	54.04	42.97	54.00	43.91	272	177	Average	Vertical	
3	5386.50	45.16	2.01	43.15	54.00	-8.84	272	177	Average	Vertical	


802.11ac VHT20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5097.00	57.51	14.95	42.56	74.00	-16.49	100	64	Peak	Horizontal	
2 *	5300.00	110.00	67.16	42.92	74.00	36.00	100	64	Peak	Horizontal	
3 †	5353.50	68.25	25.27	42.98	74.00	-5.75	100	64	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5073.50	57.13	14.55	42.58	74.00	-16.87	383	153	Peak	Vertical	
2 *	5300.00	110.03	67.11	42.92	74.00	36.03	383	153	Peak	Vertical	
3	5352.50	64.47	21.49	42.98	74.00	-9.53	383	153	Peak	Vertical	

802.11ac VHT20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	45.52	2.65	42.87	54.00	-8.48	100	64	Average	Horizontal	
2 *	5300.00	101.20	58.28	42.92	54.00	47.20	100	64	Average	Horizontal	
3 †	5352.50	51.66	8.68	42.98	54.00	-2.34	100	64	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5068.00	47.69	5.18	42.59	54.00	-6.31	383	153	Average	Vertical	
2 *	5300.00	101.04	58.12	42.92	54.00	47.04	383	153	Average	Vertical	
3	5352.50	47.89	4.91	42.98	54.00	-6.11	383	153	Average	Vertical	


802.11ac VHT20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5059.00	57.43	14.83	42.60	74.00	-16.57	100	72	Peak	Horizontal	
2 *	5328.00	105.72	62.78	42.94	74.00	31.72	100	72	Peak	Horizontal	
3 !	5356.00	70.70	27.71	42.99	74.00	-3.30	100	72	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5069.00	57.04	14.45	42.59	74.00	-16.96	253	79	Peak	Vertical	
2 *	5328.00	102.81	59.87	42.94	74.00	28.81	253	79	Peak	Vertical	
3 !	5352.00	68.50	25.52	42.98	74.00	-5.50	253	79	Peak	Vertical	

802.11ac VHT20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.00	45.69	2.88	42.81	54.00	-8.31	100	72	Average	Horizontal	
2 *	5320.00	97.35	54.41	42.94	54.00	43.35	100	72	average	Horizontal	
3 !	5350.00	52.53	9.56	42.97	54.00	-1.47	100	72	Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.00	45.73	3.03	42.70	54.00	-8.27	253	79	Average	Vertical	
2 *	5320.00	93.27	50.33	42.94	54.00	39.27	253	79	Average	Vertical	
3 !	5351.50	49.12	6.14	42.98	54.00	-4.88	253	79	Average	Vertical	

802.11ac VHT40

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5135.50	59.39	16.59	42.80	74.00	-14.61	100	65	Peak	Horizontal	
2 *	5270.00	107.22	64.26	42.96	74.00	33.22	100	65	Peak	Horizontal	
3	5352.00	66.84	23.86	42.98	74.00	-7.16	100	65	Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4930.50	57.59	15.36	42.23	74.00	-16.41	206	74	Peak	Vertical	
2 *	5270.00	101.98	59.02	42.96	74.00	27.98	206	74	Peak	Vertical	
3	5361.50	61.93	18.90	43.03	74.00	-12.07	206	74	Peak	Vertical	


	Freq	Level	Lead	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5137.50	45.52	2.71	42.81	54.00	-8.48	206	74 Average	Vertical	
2 *	5270.00	92.28	42.32	42.96	54.00	38.28	206	74 Average	Vertical	
3	5352.50	47.78	4.80	42.98	54.00	-6.22	206	74 Average	Vertical	

802.11ac VHT40

CH 62 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5127.00	57.36	14.62	42.74	74.00	-16.64	100	64	Peak	Horizontal	
2 *	5310.00	103.87	60.94	42.93	74.00	29.87	100	64	Peak	Horizontal	
3	5351.50	64.40	21.42	42.98	74.00	-9.60	100	64	Peak	Horizontal	

CH 62 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4769.50	56.28	14.19	42.09	74.00	-17.72	244	78	Peak	Vertical	
2 *	5310.00	99.71	56.78	42.93	74.00	25.71	244	78	Peak	Vertical	
3	5351.50	62.46	19.48	42.98	74.00	-11.54	244	78	Peak	Vertical	

802.11ac VHT40

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	46.19	3.58	42.69	54.00	-7.81	100	64	Average	Horizontal	
2 *	5310.00	95.10	52.17	42.93	54.00	41.10	100	64	Average	Horizontal	
3 !	5350.00	52.61	9.64	42.97	54.00	-1.39	100	64	Average	Horizontal	

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4757.50	47.28	5.15	42.13	54.00	-6.72	244	78	Average	Vertical	
2 *	5310.00	91.44	48.51	42.93	54.00	37.44	244	78	Average	Vertical	
3 !	5352.00	48.78	5.80	42.98	54.00	-5.22	244	78	Average	Vertical	

802.11ac VHT80

CH 58 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5189.00	57.31	14.70	42.61	74.00	-16.69	100	63	Peak	Horizontal	
2 *	5290.00	97.53	54.59	42.94	74.00	23.53	100	63	Peak	Horizontal	
3	5351.50	65.52	22.54	42.98	74.00	-8.48	100	63	Peak	Horizontal	

CH 58 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.50	57.04	14.34	42.70	74.00	-16.96	236	77	Peak	Vertical	
2 *	5290.00	94.90	51.96	42.94	74.00	20.90	236	77	Peak	Vertical	
3	5351.50	59.32	16.34	42.98	74.00	-14.68	236	77	Peak	Vertical	

802.11ac VHT80

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5020.00	48.94	6.41	42.53	54.00	-5.06	100	63	Average	Horizontal	
2	5290.00	89.47	46.53	42.94	54.00	35.47	100	63	Average	Horizontal	
3	5350.00	52.29	9.32	42.97	54.00	-1.71	100	63	Average	Horizontal	

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	45.74	2.88	42.86	54.00	-8.26	236	77	Average	Vertical	
2	5290.00	94.91	41.97	42.94	54.00	40.91	236	77	Average	Vertical	
3	5352.00	47.15	4.17	42.98	54.00	-6.85	236	77	Average	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5380.00	57.12	14.01	43.11	74.00	-16.88	102	265 Peak	Horizontal	
2	5468.00	59.51	16.24	43.27	68.20	-8.69	102	265 Peak	Horizontal	
3 *	5500.00	105.35	62.06	43.29	68.20	37.15	102	265 Peak	Horizontal	
4	6932.00	61.00	16.55	45.25	68.20	-6.40	102	265 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5380.00	56.56	13.36	43.20	74.00	-17.44	393	156 Peak	Vertical	
2	5463.00	57.59	14.33	43.26	68.20	-10.61	393	156 Peak	Vertical	
3 *	5500.00	104.34	61.05	43.29	68.20	36.14	393	156 Peak	Vertical	
4	6976.00	61.65	16.32	45.33	68.20	-6.55	393	156 Peak	Vertical	


802.11a

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5432.00	45.66	2.42	43.24	54.00	-8.34	102	265 Average	Horizontal	
2 *	5500.00	97.31	54.02	43.29	54.00	43.31	102	265 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.50	45.33	2.07	43.26	54.00	-8.67	393	156 Average	Vertical	
2 *	5500.00	95.99	52.70	43.29	54.00	41.99	393	156 Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5443.50	57.85	14.60	43.25	74.00	-16.15	105	81 Peak	Horizontal	
2	5462.00	56.57	13.31	43.26	68.20	-11.63	105	81 Peak	Horizontal	
3 *	5580.00	107.33	63.93	43.40	68.20	39.13	105	81 Peak	Horizontal	
4	6890.50	61.13	15.92	45.21	68.20	-7.07	105	81 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5374.00	56.84	13.75	43.09	74.00	-17.16	400	155 Peak	Vertical	
2	5470.00	56.56	13.29	43.27	68.20	-11.64	400	155 Peak	Vertical	
3 *	5580.00	107.35	63.95	43.40	68.20	39.15	400	155 Peak	Vertical	
4	6956.00	61.02	15.74	45.28	68.20	-7.18	400	155 Peak	Vertical	


802.11a

CH 116 (Horizontal) Average

CH 116 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.58	45.85	2.63	43.22	54.00	-8.15	105	81 Average	Horizontal	
2 *	5580.00	99.22	55.82	43.40	54.00	45.22	105	81 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.00	45.55	2.31	43.24	54.00	-8.45	400	155 Average	Vertical	
2 *	5580.00	99.21	55.81	43.40	54.00	45.21	400	155 Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5356.50	57.83	14.83	43.00	74.00	-16.17	100	266	Peak	Horizontal	
2	5467.50	57.65	14.38	43.27	68.20	-10.55	100	266	Peak	Horizontal	
3 *	5700.00	108.72	65.06	43.66	68.20	40.52	100	266	Peak	Horizontal	
4 !	5727.50	66.64	22.95	43.69	68.20	-1.56	100	266	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5375.00	56.66	13.57	43.09	74.00	-17.34	100	290	Peak	Vertical	
2	5465.00	56.65	13.38	43.27	68.20	-11.55	100	290	Peak	Vertical	
3 *	5700.00	100.51	56.85	43.66	68.20	32.31	100	290	Peak	Vertical	
4	6684.50	61.23	16.31	44.92	68.20	-6.97	100	290	Peak	Vertical	

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.50	45.73	2.47	43.26	54.00	-8.27	100	266	Average	Horizontal	
2 *	5700.00	99.81	56.15	43.66	54.00	45.81	100	266	Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5424.50	45.16	1.93	43.23	54.00	-8.84	100	290	Average	Vertical	
2 *	5700.00	91.94	48.28	43.66	54.00	37.94	100	290	Average	Vertical	


802.11ac VHT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5457.00	62.78	19.52	43.26	74.00	-11.22	101	82 Peak	Horizontal	
2	5467.00	66.61	23.54	43.27	68.20	-1.39	101	82 Peak	Horizontal	
3	5500.00	108.18	64.89	43.29	68.20	39.98	101	82 Peak	Horizontal	
4	6924.00	61.31	16.06	45.25	68.20	-6.89	101	82 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5459.00	61.19	17.93	43.26	74.00	-12.81	372	157 Peak	Vertical	
2	5468.50	65.65	22.38	43.27	68.20	-2.55	372	157 Peak	Vertical	
3	5500.00	108.43	65.14	43.29	68.20	40.23	372	157 Peak	Vertical	
4	6949.00	61.08	15.81	45.27	68.20	-7.12	372	157 Peak	Vertical	

802.11ac VHT20

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5457.50	46.56	3.38	43.26	54.00	-7.44	101	82	Average	Horizontal	
2 *	5500.00	99.73	56.44	43.29	54.00	45.73	101	82	Average	Horizontal	

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5375.50	45.77	2.68	43.09	54.00	-8.23	372	157	Average	Vertical	
2 *	5500.00	99.70	56.41	43.29	54.00	45.70	372	157	Average	Vertical	

802.11ac VHT20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5489.00	57.65	14.43	43.22	74.00	-16.35	184	90	Peak	Horizontal
2	5470.00	56.77	13.50	43.27	68.20	-11.43	184	90	Peak	Horizontal
3 *	5580.00	111.62	68.22	43.40	68.20	43.42	184	90	Peak	Horizontal
4	6999.50	61.49	16.09	45.40	68.20	-6.71	184	90	Peak	Horizontal

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.50	57.20	14.02	43.26	74.00	-16.72	398	156	Peak	Vertical
2	5462.50	57.04	13.78	43.26	68.20	-11.16	398	156	Peak	Vertical
3 *	5580.00	111.49	68.09	43.40	68.20	43.29	398	156	Peak	Vertical
4	6962.00	61.59	16.30	45.29	68.20	-6.61	398	156	Peak	Vertical

802.11ac VHT20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.58	46.09	2.83	43.26	54.00	-7.91	184	90	Average	Horizontal	
2 *	5598.00	103.12	59.72	43.40	54.00	49.12	184	90	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5459.58	45.96	2.76	43.26	54.00	-8.04	398	156	Average	Vertical	
2 *	5598.00	102.22	58.82	43.40	54.00	48.22	398	156	Average	Vertical	

802.11ac VHT20

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5366.50	57.47	14.42	43.05	74.00	-16.53	262	90	Peak	Horizontal	
2	5470.00	58.10	14.83	43.27	68.20	-10.10	262	90	Peak	Horizontal	
3 *	5700.00	107.05	63.39	43.66	68.20	38.85	262	90	Peak	Horizontal	
4 !	5725.00	66.50	22.81	43.69	68.20	-1.70	262	90	Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5403.00	56.95	13.74	43.21	74.00	-17.05	400	161	Peak	Vertical	
2	5462.00	56.85	13.59	43.26	68.20	-11.35	400	161	Peak	Vertical	
3 *	5700.00	106.91	63.25	43.66	68.20	38.71	400	161	Peak	Vertical	
4	6986.50	61.12	15.76	45.36	68.20	-7.08	400	161	Peak	Vertical	

802.11ac VHT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5413.50	45.47	2.25	43.22	54.00	-8.53	262	90	Average	Horizontal	
2 *	5700.00	98.51	54.05	43.66	54.00	44.51	262	90	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5394.00	45.20	2.02	43.18	54.00	-8.80	400	161	Average	Vertical	
2 *	5700.00	98.24	54.58	43.66	54.00	44.24	400	161	Average	Vertical	


802.11ac VHT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5460.00	63.11	19.85	43.26	68.20	-5.09	267	266 Peak	Horizontal	
2	5470.00	66.44	23.17	43.27	68.20	-1.76	267	266 Peak	Horizontal	
3 *	5510.00	104.36	61.04	43.32	68.20	36.16	267	266 Peak	Horizontal	
4	6934.00	61.45	16.19	45.26	68.20	-6.75	267	266 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5430.50	57.54	14.38	43.24	74.00	-16.46	368	156 Peak	Vertical	
2	5467.00	63.64	20.37	43.27	68.20	-4.56	368	156 Peak	Vertical	
3 *	5510.00	103.71	60.39	43.32	68.20	35.51	368	156 Peak	Vertical	
4	6986.00	61.57	16.21	45.36	68.20	-6.63	368	156 Peak	Vertical	

802.11ac VHT40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	47.25	3.99	43.26	54.00	-6.75	267	266	Average	Horizontal	
2 *	5510.00	95.76	52.44	43.32	54.00	41.76	267	266	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.50	45.87	2.61	43.26	54.00	-8.13	368	156	Average	Vertical	
2 *	5510.00	95.29	51.97	43.32	54.00	41.29	368	156	Average	Vertical	

802.11ac VHT40

CH 110 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5455.00	60.32	17.06	43.26	74.00	-13.68	100	264	Peak	Horizontal	
2	5463.50	59.31	16.05	43.26	68.20	-8.89	100	264	Peak	Horizontal	
3 *	5550.00	107.73	64.29	43.44	68.20	39.53	100	264	Peak	Horizontal	
4	6844.00	61.24	16.16	45.08	68.20	-6.96	100	264	Peak	Horizontal	

CH 110 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.00	59.40	15.19	43.21	74.00	-15.60	382	159	Peak	Vertical	
2	5463.00	57.16	13.90	43.26	68.20	-11.04	382	159	Peak	Vertical	
3 *	5550.00	105.16	61.72	43.44	68.20	36.96	382	159	Peak	Vertical	
4	6915.50	61.56	16.32	45.24	68.20	-6.64	382	159	Peak	Vertical	

802.11ac VHT40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5455.00	46.51	3.25	43.26	54.00	-7.49	100	264	Average	Horizontal	
2 *	5550.00	96.07	54.63	43.44	54.00	44.07	100	264	Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5452.50	45.78	2.53	43.25	54.00	-8.22	382	159	Average	Vertical	
2 *	5550.00	96.44	53.00	43.44	54.00	42.44	382	159	Average	Vertical	

802.11ac VHT40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5430.00	58.74	15.50	43.24	74.00	-15.26	337	82 Peak	Horizontal	
2	5465.00	56.64	13.37	43.27	68.20	-11.56	337	82 Peak	Horizontal	
3 *	5670.00	106.32	62.80	43.52	68.20	38.12	337	82 Peak	Horizontal	
4 !	5731.00	66.31	22.62	43.69	68.20	-1.89	337	82 Peak	Horizontal	

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5457.00	57.16	13.00	43.26	74.00	-16.84	382	159 Peak	Vertical	
2	5463.00	56.85	13.59	43.26	68.20	-11.35	382	159 Peak	Vertical	
3 *	5670.00	105.96	62.44	43.52	68.20	37.76	382	159 Peak	Vertical	
4 !	5725.00	66.87	23.18	43.69	68.20	-1.33	382	159 Peak	Vertical	