







BLE_125K-Ant1-2402-PASS



BLE_125K-Ant1-2480-PASS



BLE_500K-Ant1-2402-PASS



BLE_500K-Ant1-2480-PASS


Conducted Spurious Emission:

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	30~1000	3.04	-60.3	≤-16.96	PASS
BLE_1M	Ant1	2402	1000~3000	3.04	-64	≤-16.96	PASS
BLE_1M	Ant1	2402	3000~5000	3.04	-63.94	≤-16.96	PASS
BLE_1M	Ant1	2402	5000~7000	3.04	-65.05	≤-16.96	PASS
BLE_1M	Ant1	2402	7000~9000	3.04	-65.18	≤-16.96	PASS
BLE_1M	Ant1	2402	9000~11000	3.04	-64.17	≤-16.96	PASS
BLE_1M	Ant1	2402	11000~13000	3.04	-65.55	≤-16.96	PASS
BLE_1M	Ant1	2402	13000~15000	3.04	-64.22	≤-16.96	PASS
BLE_1M	Ant1	2402	15000~17000	3.04	-64.08	≤-16.96	PASS
BLE_1M	Ant1	2402	17000~19000	3.04	-63.44	≤-16.96	PASS
BLE_1M	Ant1	2402	19000~21000	3.04	-62.29	≤-16.96	PASS
BLE_1M	Ant1	2402	21000~23000	3.04	-61.55	≤-16.96	PASS
BLE_1M	Ant1	2402	23000~25000	3.04	-60.66	≤-16.96	PASS
BLE_1M	Ant1	2440	30~1000	2.84	-61.64	≤-17.16	PASS
BLE_1M	Ant1	2440	1000~3000	2.84	-64.16	≤-17.16	PASS
BLE_1M	Ant1	2440	3000~5000	2.84	-63.81	≤-17.16	PASS
BLE_1M	Ant1	2440	5000~7000	2.84	-65.25	≤-17.16	PASS
BLE_1M	Ant1	2440	7000~9000	2.84	-64.64	≤-17.16	PASS
BLE_1M	Ant1	2440	9000~11000	2.84	-64.56	≤-17.16	PASS
BLE_1M	Ant1	2440	11000~13000	2.84	-64.52	≤-17.16	PASS
BLE_1M	Ant1	2440	13000~15000	2.84	-64.16	≤-17.16	PASS
BLE_1M	Ant1	2440	15000~17000	2.84	-64.81	≤-17.16	PASS
BLE_1M	Ant1	2440	17000~19000	2.84	-63.28	≤-17.16	PASS
BLE_1M	Ant1	2440	19000~21000	2.84	-62.69	≤-17.16	PASS
BLE_1M	Ant1	2440	21000~23000	2.84	-62.22	≤-17.16	PASS
BLE_1M	Ant1	2440	23000~25000	2.84	-60.55	≤-17.16	PASS
BLE_1M	Ant1	2480	30~1000	2.48	-63.02	≤-17.52	PASS
BLE_1M	Ant1	2480	1000~3000	2.48	-63.61	≤-17.52	PASS
BLE_1M	Ant1	2480	3000~5000	2.48	-64.05	≤-17.52	PASS
BLE_1M	Ant1	2480	5000~7000	2.48	-65.15	≤-17.52	PASS
BLE_1M	Ant1	2480	7000~9000	2.48	-65.08	≤-17.52	PASS
BLE_1M	Ant1	2480	9000~11000	2.48	-65.09	≤-17.52	PASS
BLE_1M	Ant1	2480	11000~13000	2.48	-65.51	≤-17.52	PASS
BLE_1M	Ant1	2480	13000~15000	2.48	-64.11	≤-17.52	PASS
BLE_1M	Ant1	2480	15000~17000	2.48	-64.75	≤-17.52	PASS
BLE_1M	Ant1	2480	17000~19000	2.48	-63.3	≤-17.52	PASS
BLE_1M	Ant1	2480	19000~21000	2.48	-62.56	≤-17.52	PASS
BLE_1M	Ant1	2480	21000~23000	2.48	-60.83	≤-17.52	PASS
BLE_1M	Ant1	2480	23000~25000	2.48	-60.66	≤-17.52	PASS
BLE_2M	Ant1	2402	30~1000	2.91	-62.82	≤-17.09	PASS
BLE_2M	Ant1	2402	1000~3000	2.91	-63.36	≤-17.09	PASS
BLE_2M	Ant1	2402	3000~5000	2.91	-64.4	≤-17.09	PASS
BLE_2M	Ant1	2402	5000~7000	2.91	-65	≤-17.09	PASS
BLE_2M	Ant1	2402	7000~9000	2.91	-65.06	≤-17.09	PASS
BLE_2M	Ant1	2402	9000~11000	2.91	-64.86	≤-17.09	PASS
BLE_2M	Ant1	2402	11000~13000	2.91	-65.68	≤-17.09	PASS
BLE_2M	Ant1	2402	13000~15000	2.91	-64.77	≤-17.09	PASS
BLE_2M	Ant1	2402	15000~17000	2.91	-65.09	≤-17.09	PASS


BLE_2M	Ant1	2402	17000~19000	2.91	-63.26	≤-17.09	PASS
BLE_2M	Ant1	2402	19000~21000	2.91	-62.38	≤-17.09	PASS
BLE_2M	Ant1	2402	21000~23000	2.91	-61.74	≤-17.09	PASS
BLE_2M	Ant1	2402	23000~25000	2.91	-61	≤-17.09	PASS
BLE_2M	Ant1	2440	30~1000	2.72	-62.03	≤-17.28	PASS
BLE_2M	Ant1	2440	1000~3000	2.72	-62.76	≤-17.28	PASS
BLE_2M	Ant1	2440	3000~5000	2.72	-62.93	≤-17.28	PASS
BLE_2M	Ant1	2440	5000~7000	2.72	-64.77	≤-17.28	PASS
BLE_2M	Ant1	2440	7000~9000	2.72	-64.53	≤-17.28	PASS
BLE_2M	Ant1	2440	9000~11000	2.72	-64.45	≤-17.28	PASS
BLE_2M	Ant1	2440	11000~13000	2.72	-65.6	≤-17.28	PASS
BLE_2M	Ant1	2440	13000~15000	2.72	-64.06	≤-17.28	PASS
BLE_2M	Ant1	2440	15000~17000	2.72	-64.4	≤-17.28	PASS
BLE_2M	Ant1	2440	17000~19000	2.72	-62.74	≤-17.28	PASS
BLE_2M	Ant1	2440	19000~21000	2.72	-62.82	≤-17.28	PASS
BLE_2M	Ant1	2440	21000~23000	2.72	-61.6	≤-17.28	PASS
BLE_2M	Ant1	2440	23000~25000	2.72	-60.5	≤-17.28	PASS
BLE_2M	Ant1	2480	30~1000	2.43	-61.05	≤-17.57	PASS
BLE_2M	Ant1	2480	1000~3000	2.43	-62.69	≤-17.57	PASS
BLE_2M	Ant1	2480	3000~5000	2.43	-64.09	≤-17.57	PASS
BLE_2M	Ant1	2480	5000~7000	2.43	-64.81	≤-17.57	PASS
BLE_2M	Ant1	2480	7000~9000	2.43	-65.15	≤-17.57	PASS
BLE_2M	Ant1	2480	9000~11000	2.43	-64.64	≤-17.57	PASS
BLE_2M	Ant1	2480	11000~13000	2.43	-65.43	≤-17.57	PASS
BLE_2M	Ant1	2480	13000~15000	2.43	-64.32	≤-17.57	PASS
BLE_2M	Ant1	2480	15000~17000	2.43	-64.49	≤-17.57	PASS
BLE_2M	Ant1	2480	17000~19000	2.43	-62.79	≤-17.57	PASS
BLE_2M	Ant1	2480	19000~21000	2.43	-62.68	≤-17.57	PASS
BLE_2M	Ant1	2480	21000~23000	2.43	-61.69	≤-17.57	PASS
BLE_2M	Ant1	2480	23000~25000	2.43	-61.58	≤-17.57	PASS
BLE_125K	Ant1	2402	30~1000	2.94	-64.01	≤-17.06	PASS
BLE_125K	Ant1	2402	1000~3000	2.94	-64.68	≤-17.06	PASS
BLE_125K	Ant1	2402	3000~5000	2.94	-63.88	≤-17.06	PASS
BLE_125K	Ant1	2402	5000~7000	2.94	-63.79	≤-17.06	PASS
BLE_125K	Ant1	2402	7000~9000	2.94	-64.84	≤-17.06	PASS
BLE_125K	Ant1	2402	9000~11000	2.94	-64.52	≤-17.06	PASS
BLE_125K	Ant1	2402	11000~13000	2.94	-65.67	≤-17.06	PASS
BLE_125K	Ant1	2402	13000~15000	2.94	-65.23	≤-17.06	PASS
BLE_125K	Ant1	2402	15000~17000	2.94	-64.35	≤-17.06	PASS
BLE_125K	Ant1	2402	17000~19000	2.94	-63.34	≤-17.06	PASS
BLE_125K	Ant1	2402	19000~21000	2.94	-61.99	≤-17.06	PASS
BLE_125K	Ant1	2402	21000~23000	2.94	-62	≤-17.06	PASS
BLE_125K	Ant1	2402	23000~25000	2.94	-61.33	≤-17.06	PASS
BLE_125K	Ant1	2440	30~1000	2.58	-63.5	≤-17.42	PASS
BLE_125K	Ant1	2440	1000~3000	2.58	-64.21	≤-17.42	PASS
BLE_125K	Ant1	2440	3000~5000	2.58	-62.76	≤-17.42	PASS
BLE_125K	Ant1	2440	5000~7000	2.58	-64.93	≤-17.42	PASS
BLE_125K	Ant1	2440	7000~9000	2.58	-65.07	≤-17.42	PASS
BLE_125K	Ant1	2440	9000~11000	2.58	-64.37	≤-17.42	PASS
BLE_125K	Ant1	2440	11000~13000	2.58	-65.27	≤-17.42	PASS
BLE_125K	Ant1	2440	13000~15000	2.58	-64.64	≤-17.42	PASS

BLE_125K	Ant1	2440	15000~17000	2.58	-65.16	≤-17.42	PASS
BLE_125K	Ant1	2440	17000~19000	2.58	-63.17	≤-17.42	PASS
BLE_125K	Ant1	2440	19000~21000	2.58	-62.86	≤-17.42	PASS
BLE_125K	Ant1	2440	21000~23000	2.58	-62.23	≤-17.42	PASS
BLE_125K	Ant1	2440	23000~25000	2.58	-60.85	≤-17.42	PASS
BLE_125K	Ant1	2480	30~1000	2.43	-62.68	≤-17.57	PASS
BLE_125K	Ant1	2480	1000~3000	2.43	-64.44	≤-17.57	PASS
BLE_125K	Ant1	2480	3000~5000	2.43	-63.79	≤-17.57	PASS
BLE_125K	Ant1	2480	5000~7000	2.43	-64.92	≤-17.57	PASS
BLE_125K	Ant1	2480	7000~9000	2.43	-64.54	≤-17.57	PASS
BLE_125K	Ant1	2480	9000~11000	2.43	-64	≤-17.57	PASS
BLE_125K	Ant1	2480	11000~13000	2.43	-65.74	≤-17.57	PASS
BLE_125K	Ant1	2480	13000~15000	2.43	-63.98	≤-17.57	PASS
BLE_125K	Ant1	2480	15000~17000	2.43	-64.36	≤-17.57	PASS
BLE_125K	Ant1	2480	17000~19000	2.43	-63.34	≤-17.57	PASS
BLE_125K	Ant1	2480	19000~21000	2.43	-60.94	≤-17.57	PASS
BLE_125K	Ant1	2480	21000~23000	2.43	-61.91	≤-17.57	PASS
BLE_125K	Ant1	2480	23000~25000	2.43	-60.52	≤-17.57	PASS
BLE_500K	Ant1	2402	30~1000	3.01	-62.83	≤-16.99	PASS
BLE_500K	Ant1	2402	1000~3000	3.01	-64.93	≤-16.99	PASS
BLE_500K	Ant1	2402	3000~5000	3.01	-63.43	≤-16.99	PASS
BLE_500K	Ant1	2402	5000~7000	3.01	-64.85	≤-16.99	PASS
BLE_500K	Ant1	2402	7000~9000	3.01	-64.19	≤-16.99	PASS
BLE_500K	Ant1	2402	9000~11000	3.01	-63.35	≤-16.99	PASS
BLE_500K	Ant1	2402	11000~13000	3.01	-65.12	≤-16.99	PASS
BLE_500K	Ant1	2402	13000~15000	3.01	-64.33	≤-16.99	PASS
BLE_500K	Ant1	2402	15000~17000	3.01	-64.89	≤-16.99	PASS
BLE_500K	Ant1	2402	17000~19000	3.01	-62.42	≤-16.99	PASS
BLE_500K	Ant1	2402	19000~21000	3.01	-61.92	≤-16.99	PASS
BLE_500K	Ant1	2402	21000~23000	3.01	-60.97	≤-16.99	PASS
BLE_500K	Ant1	2402	23000~25000	3.01	-60.68	≤-16.99	PASS
BLE_500K	Ant1	2440	30~1000	2.89	-64.82	≤-17.11	PASS
BLE_500K	Ant1	2440	1000~3000	2.89	-64.86	≤-17.11	PASS
BLE_500K	Ant1	2440	3000~5000	2.89	-63.78	≤-17.11	PASS
BLE_500K	Ant1	2440	5000~7000	2.89	-64.47	≤-17.11	PASS
BLE_500K	Ant1	2440	7000~9000	2.89	-64.9	≤-17.11	PASS
BLE_500K	Ant1	2440	9000~11000	2.89	-63.98	≤-17.11	PASS
BLE_500K	Ant1	2440	11000~13000	2.89	-65.12	≤-17.11	PASS
BLE_500K	Ant1	2440	13000~15000	2.89	-64.47	≤-17.11	PASS
BLE_500K	Ant1	2440	15000~17000	2.89	-64.68	≤-17.11	PASS
BLE_500K	Ant1	2440	17000~19000	2.89	-62.37	≤-17.11	PASS
BLE_500K	Ant1	2440	19000~21000	2.89	-61.75	≤-17.11	PASS
BLE_500K	Ant1	2440	21000~23000	2.89	-61.08	≤-17.11	PASS
BLE_500K	Ant1	2440	23000~25000	2.89	-61.08	≤-17.11	PASS
BLE_500K	Ant1	2480	30~1000	2.57	-63.03	≤-17.43	PASS
BLE_500K	Ant1	2480	1000~3000	2.57	-63.93	≤-17.43	PASS
BLE_500K	Ant1	2480	3000~5000	2.57	-63.85	≤-17.43	PASS
BLE_500K	Ant1	2480	5000~7000	2.57	-59.24	≤-17.43	PASS
BLE_500K	Ant1	2480	7000~9000	2.57	-64.5	≤-17.43	PASS
BLE_500K	Ant1	2480	9000~11000	2.57	-64.78	≤-17.43	PASS
BLE_500K	Ant1	2480	11000~13000	2.57	-65.54	≤-17.43	PASS


BLE_500K	Ant1	2480	13000~15000	2.57	-64.4	≤ -17.43	PASS
BLE_500K	Ant1	2480	15000~17000	2.57	-64.09	≤ -17.43	PASS
BLE_500K	Ant1	2480	17000~19000	2.57	-63	≤ -17.43	PASS
BLE_500K	Ant1	2480	19000~21000	2.57	-61.57	≤ -17.43	PASS
BLE_500K	Ant1	2480	21000~23000	2.57	-61.33	≤ -17.43	PASS
BLE_500K	Ant1	2480	23000~25000	2.57	-61.31	≤ -17.43	PASS



BLE_1M-Ant1-2402-30~1000-PASS




BLE_1M-Ant1-2402-1000~3000-PASS



BLE_1M-Ant1-2402-3000~5000-PASS




BLE_1M-Ant1-2402-5000~7000-PASS




BLE_1M-Ant1-2402-7000~9000-PASS




BLE_1M-Ant1-2402-9000~11000-PASS



BLE_1M-Ant1-2402-11000~13000-PASS




BLE_1M-Ant1-2402-13000~15000-PASS



BLE_1M-Ant1-2402-15000~17000-PASS




BLE_1M-Ant1-2402-17000~19000-PASS




BLE_1M-Ant1-2402-19000~21000-PASS




BLE_1M-Ant1-2402-21000~23000-PASS




BLE_1M-Ant1-2402-23000~25000-PASS




BLE_1M-Ant1-2440-30~1000-PASS




BLE_1M-Ant1-2440-1000~3000-PASS




BLE_1M-Ant1-2440-3000~5000-PASS



BLE_1M-Ant1-2440-5000~7000-PASS




BLE_1M-Ant1-2440-7000~9000-PASS



BLE_1M-Ant1-2440-9000~11000-PASS




BLE_1M-Ant1-2440-11000~13000-PASS




BLE_1M-Ant1-2440-13000~15000-PASS




BLE_1M-Ant1-2440-15000~17000-PASS




BLE_1M-Ant1-2440-17000~19000-PASS




BLE_1M-Ant1-2440-19000~21000-PASS




BLE_1M-Ant1-2440-21000~23000-PASS




BLE_1M-Ant1-2440-23000~25000-PASS




BLE_1M-Ant1-2480-30~1000-PASS




BLE_1M-Ant1-2480-1000~3000-PASS



BLE_1M-Ant1-2480-3000~5000-PASS




BLE_1M-Ant1-2480-5000~7000-PASS




BLE_1M-Ant1-2480-7000~9000-PASS




BLE_1M-Ant1-2480-9000~11000-PASS



BLE_1M-Ant1-2480-11000~13000-PASS




BLE_1M-Ant1-2480-13000~15000-PASS




BLE_1M-Ant1-2480-15000~17000-PASS




BLE_1M-Ant1-2480-17000~19000-PASS




BLE_1M-Ant1-2480-19000~21000-PASS




BLE_1M-Ant1-2480-21000~23000-PASS




BLE_1M-Ant1-2480-23000~25000-PASS




BLE_2M-Ant1-2402-30~1000-PASS



BLE_2M-Ant1-2402-1000~3000-PASS



BLE_2M-Ant1-2402-3000~5000-PASS




BLE_2M-Ant1-2402-5000~7000-PASS




BLE_2M-Ant1-2402-7000~9000-PASS




BLE_2M-Ant1-2402-9000~11000-PASS




BLE_2M-Ant1-2402-11000~13000-PASS



BLE_2M-Ant1-2402-13000~15000-PASS




BLE_2M-Ant1-2402-15000~17000-PASS




BLE_2M-Ant1-2402-17000~19000-PASS




BLE_2M-Ant1-2402-19000~21000-PASS




BLE_2M-Ant1-2402-21000~23000-PASS



BLE_2M-Ant1-2402-23000~25000-PASS



BLE_2M-Ant1-2440-30~1000-PASS



BLE_2M-Ant1-2440-1000~3000-PASS