







NTNV-11AC40SISO-Ant1-5230




NTNV-11AC40SISO-Ant1-5270




NTNV-11AC40SISO-Ant1-5310




NTNV-11AC40SISO-Ant1-5510




NTNV-11AC40SISO-Ant1-5550




NTNV-11AC40SISO-Ant1-5670




NTNV-11AC40SISO-Ant1-5755




NTNV-11AC40SISO-Ant1-5795




NTNV-11AC80SISO-Ant1-5210




NTNV-11AC80SISO-Ant1-5290




NTNV-11AC80SISO-Ant1-5530




NTNV-11AC80SISO-Ant1-5610




NTNV-11AC80SISO-Ant1-5775




NTNV-11AX20SISO-Ant1-5180




NTNV-11AX20SISO-Ant1-5220




NTNV-11AX20SISO-Ant1-5240




NTNV-11AX20SISO-Ant1-5260




NTNV-11AX20SISO-Ant1-5300




NTNV-11AX20SISO-Ant1-5320




NTNV-11AX20SISO-Ant1-5500




NTNV-11AX20SISO-Ant1-5580




NTNV-11AX20SISO-Ant1-5700




NTNV-11AX20SISO-Ant1-5745




NTNV-11AX20SISO-Ant1-5785




NTNV-11AX20SISO-Ant1-5825




NTNV-11AX40SISO-Ant1-5190




NTNV-11AX40SISO-Ant1-5230




NTNV-11AX40SISO-Ant1-5270




NTNV-11AX40SISO-Ant1-5310




NTNV-11AX40SISO-Ant1-5510




NTNV-11AX40SISO-Ant1-5550




NTNV-11AX40SISO-Ant1-5670




NTNV-11AX40SISO-Ant1-5755




NTNV-11AX40SISO-Ant1-5795




NTNV-11AX80SISO-Ant1-5210




NTNV-11AX80SISO-Ant1-5290



NTNV-11AX80SISO-Ant1-5530



NTNV-11AX80SISO-Ant1-5610



NTNV-11AX80SISO-Ant1-5775

Appendix E: Power Output

SISO:						
Mode	Channel	Frequency (MHz)	Conducted Power(dBm)		Conducted Limit(dBm)	Verdict
			Ant1	Ant2		
802.11a	36	5180	18.89	18.83	23.98	Pass
	44	5220	17.97	17.87	23.98	Pass
	48	5240	18.26	18.22	23.98	Pass
	52	5260	17.95	17.80	23.60	Pass
	60	5300	18.07	17.93	23.60	Pass
	64	5320	17.89	17.86	23.60	Pass
	100	5500	16.74	16.72	23.60	Pass
	116	5580	17.27	17.07	23.60	Pass
	140	5700	15.60	15.51	23.60	Pass
	149	5745	18.52	18.31	30.00	Pass
	157	5785	19.33	19.28	30.00	Pass
	165	5825	18.15	17.85	30.00	Pass
802.11n(20MHz)	36	5180	18.88	17.87	23.98	Pass
	44	5220	17.76	17.96	23.98	Pass
	48	5240	17.85	17.73	23.98	Pass
	52	5260	17.89	17.18	23.60	Pass
	60	5300	17.65	17.50	23.60	Pass
	64	5320	16.91	16.67	23.60	Pass
	100	5500	17.74	17.68	23.60	Pass
	116	5580	17.72	17.60	23.60	Pass
	140	5700	15.04	14.83	23.60	Pass
	149	5745	18.12	18.05	30.00	Pass
	157	5785	18.65	18.49	30.00	Pass
	165	5825	18.93	18.85	30.00	Pass
802.11n(40MHz)	38	5190	18.78	18.67	23.98	Pass
	46	5230	18.89	18.79	23.98	Pass
	54	5270	19.25	19.02	23.60	Pass
	62	5310	18.70	18.80	23.60	Pass
	102	5510	18.32	18.30	23.60	Pass
	118	5550	18.96	18.84	23.60	Pass
	134	5670	18.04	18.03	23.60	Pass
	151	5755	19.38	19.16	30.00	Pass
	159	5795	19.52	19.46	30.00	Pass
802.11ac(20MHz)	36	5180	18.84	18.80	23.98	Pass
	44	5220	17.79	17.63	23.98	Pass
	48	5240	18.73	18.49	23.98	Pass
	52	5260	18.78	18.76	23.60	Pass
	60	5300	18.85	18.62	23.60	Pass
	64	5320	18.51	18.24	23.60	Pass
	100	5500	17.50	17.25	23.60	Pass
	116	5580	17.80	17.58	23.60	Pass
	140	5700	14.12	14.11	23.60	Pass

	149	5745	18.20	17.91	30.00	Pass
	157	5785	18.21	17.94	30.00	Pass
	165	5825	18.18	17.90	30.00	Pass
802.11ac(40MHz)	38	5190	19.15	19.11	23.98	Pass
	46	5230	19.33	19.12	23.98	Pass
	54	5270	19.31	19.16	23.60	Pass
	62	5310	18.87	18.62	23.60	Pass
	102	5510	18.57	18.43	23.60	Pass
	118	5550	18.48	18.45	23.60	Pass
	134	5670	17.44	17.30	23.60	Pass
	151	5755	19.53	19.44	30.00	Pass
802.11ac(80MHz)	159	5795	19.50	19.36	30.00	Pass
	42	5210	18.82	18.67	23.98	Pass
	58	5290	17.70	17.67	23.60	Pass
	106	5530	14.42	14.31	23.60	Pass
	112	5610	18.74	18.47	23.60	Pass
802.11ax(20MHz)	155	5775	19.86	19.67	30.00	Pass
	36	5180	19.16	18.89	23.98	Pass
	44	5220	19.09	19.05	23.98	Pass
	48	5240	19.15	18.94	23.98	Pass
	52	5260	18.82	18.79	23.60	Pass
	60	5300	18.92	18.87	23.60	Pass
	64	5320	18.81	18.58	23.60	Pass
	100	5500	18.77	18.59	23.60	Pass
	116	5580	18.18	17.97	23.60	Pass
	140	5700	13.94	13.67	23.60	Pass
	149	5745	19.47	19.38	30.00	Pass
	157	5785	19.55	19.35	30.00	Pass
802.11ax(40MHz)	165	5825	19.14	19.06	30.00	Pass
	38	5190	18.69	18.66	23.98	Pass
	46	5230	18.37	18.29	23.98	Pass
	54	5270	18.63	18.37	23.60	Pass
	62	5310	18.98	18.96	23.60	Pass
	102	5510	18.10	17.84	23.60	Pass
	118	5550	18.63	18.38	23.60	Pass
	134	5670	18.86	18.86	23.60	Pass
802.11ax(80MHz)	151	5755	17.28	17.25	30.00	Pass
	159	5795	17.26	17.24	30.00	Pass
	42	5210	19.12	18.91	23.98	Pass
	58	5290	18.41	18.38	23.60	Pass
	106	5530	14.87	14.58	23.60	Pass
	112	5610	18.61	18.42	23.60	Pass
	155	5775	19.11	18.88	30.00	Pass

MIMO:							
Mode	Channel	Frequency (MHz)	Conducted Power(dBm)			Limit(dBm)	Verdict
			Ant1	Ant2	Ant1+2		
802.11n(20MHz)	36	5180	14.68	14.72	17.71	23.98	Pass
	44	5220	14.83	14.80	17.83	23.98	Pass
	48	5240	14.57	14.55	17.57	23.98	Pass
	52	5260	14.12	14.06	17.10	23.60	Pass
	60	5300	14.47	14.25	17.37	23.60	Pass
	64	5320	14.65	14.37	17.52	23.60	Pass
	100	5500	14.52	14.40	17.47	23.60	Pass
	116	5580	14.60	14.48	17.55	23.60	Pass
	140	5700	11.81	11.67	14.75	23.60	Pass
	149	5745	14.86	14.90	17.89	30.00	Pass
	157	5785	15.37	15.20	18.30	30.00	Pass
	165	5825	15.67	15.72	18.71	30.00	Pass
802.11n(40MHz)	38	5190	15.52	15.50	18.52	23.98	Pass
	46	5230	15.76	15.53	18.66	23.98	Pass
	54	5270	16.82	16.75	19.80	23.60	Pass
	62	5310	15.83	15.59	18.72	23.60	Pass
	102	5510	15.09	15.17	18.14	23.60	Pass
	118	5550	15.67	15.68	18.69	23.60	Pass
	134	5670	14.80	14.85	17.84	23.60	Pass
	151	5755	16.24	16.04	19.15	30.00	Pass
	159	5795	16.22	16.32	19.28	30.00	Pass
802.11ac(20MHz)	36	5180	14.60	14.54	17.58	23.98	Pass
	44	5220	14.63	14.48	17.57	23.98	Pass
	48	5240	14.85	14.73	17.80	23.98	Pass
	52	5260	14.64	14.58	17.62	23.60	Pass
	60	5300	14.70	14.82	17.77	23.60	Pass
	64	5320	15.02	15.01	18.03	23.60	Pass
	100	5500	14.28	14.12	17.21	23.60	Pass
	116	5580	14.68	14.31	17.51	23.60	Pass
	140	5700	10.87	10.99	13.94	23.60	Pass
	149	5745	14.94	14.65	17.81	30.00	Pass
	157	5785	14.97	14.76	17.88	30.00	Pass
	165	5825	14.99	14.78	17.90	30.00	Pass
802.11ac(40MHz)	38	5190	15.85	15.94	18.91	23.98	Pass
	46	5230	16.18	15.85	19.03	23.98	Pass
	54	5270	16.09	15.97	19.04	23.60	Pass
	62	5310	15.68	15.32	18.51	23.60	Pass
	102	5510	15.30	15.20	18.26	23.60	Pass
	118	5550	15.25	15.31	18.29	23.60	Pass
	134	5670	14.14	14.02	17.09	23.60	Pass
	151	5755	16.39	16.22	19.32	30.00	Pass
	159	5795	16.29	16.16	19.24	30.00	Pass
802.11ac(80MHz)	42	5210	15.69	15.52	18.62	23.98	Pass
	58	5290	14.55	14.50	17.54	23.60	Pass

	106	5530	11.14	11.02	14.09	23.60	Pass
	112	5610	15.60	15.35	18.49	23.60	Pass
	155	5775	16.75	16.41	19.59	30.00	Pass
802.11ax(20MHz)	36	5180	14.87	14.73	17.81	23.98	Pass
	44	5220	14.90	14.78	17.85	23.98	Pass
	48	5240	14.97	14.65	17.82	23.98	Pass
	52	5260	14.60	14.53	17.58	23.60	Pass
	60	5300	14.75	14.65	17.71	23.60	Pass
	64	5320	14.70	14.35	17.54	23.60	Pass
	100	5500	15.46	15.39	18.44	23.60	Pass
	116	5580	15.06	14.83	17.96	23.60	Pass
	140	5700	10.70	10.51	13.62	23.60	Pass
	149	5745	16.27	16.15	19.22	30.00	Pass
	157	5785	16.36	16.14	19.26	30.00	Pass
	165	5825	15.84	15.80	18.83	30.00	Pass
802.11ax(40MHz)	38	5190	15.50	15.55	18.54	23.98	Pass
	46	5230	15.24	14.99	18.13	23.98	Pass
	54	5270	15.47	15.23	18.36	23.60	Pass
	62	5310	15.68	15.72	18.71	23.60	Pass
	102	5510	14.83	14.64	17.75	23.60	Pass
	118	5550	15.39	15.24	18.33	23.60	Pass
	134	5670	15.66	15.70	18.69	23.60	Pass
	151	5755	14.06	13.99	17.04	30.00	Pass
	159	5795	13.99	13.93	16.97	30.00	Pass
802.11ax(80MHz)	42	5210	15.91	15.73	18.83	23.98	Pass
	58	5290	15.20	15.27	18.25	23.60	Pass
	106	5530	11.71	11.30	14.52	23.60	Pass
	112	5610	15.40	15.31	18.37	23.60	Pass
	155	5775	16.00	15.59	18.81	30.00	Pass

Appendix F: Maximum Power Spectral Density

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	7.54	≤11.00	PASS
11A	Ant1	5220	6.62	≤11.00	PASS
11A	Ant1	5240	6.71	≤11.00	PASS
11A	Ant1	5260	6.30	≤11.00	PASS
11A	Ant1	5300	6.17	≤11.00	PASS
11A	Ant1	5320	6.19	≤11.00	PASS
11A	Ant1	5500	5.34	≤11.00	PASS
11A	Ant1	5580	6.77	≤11.00	PASS
11A	Ant1	5700	3.24	≤11.00	PASS
11A	Ant1	5745	4.01	≤30.00	PASS
11A	Ant1	5785	4.74	≤30.00	PASS
11A	Ant1	5825	4.16	≤30.00	PASS
11N20SISO	Ant1	5180	7.08	≤11.00	PASS
11N20SISO	Ant1	5220	6.17	≤11.00	PASS
11N20SISO	Ant1	5240	6.42	≤11.00	PASS
11N20SISO	Ant1	5260	5.81	≤11.00	PASS
11N20SISO	Ant1	5300	7.17	≤11.00	PASS
11N20SISO	Ant1	5320	6.09	≤11.00	PASS
11N20SISO	Ant1	5500	5.05	≤11.00	PASS
11N20SISO	Ant1	5580	5.33	≤11.00	PASS
11N20SISO	Ant1	5700	3.58	≤11.00	PASS
11N20SISO	Ant1	5745	4.46	≤30.00	PASS
11N20SISO	Ant1	5785	3.69	≤30.00	PASS
11N20SISO	Ant1	5825	4.05	≤30.00	PASS
11N40SISO	Ant1	5190	2.82	≤11.00	PASS
11N40SISO	Ant1	5230	2.26	≤11.00	PASS
11N40SISO	Ant1	5270	1.86	≤11.00	PASS
11N40SISO	Ant1	5310	5.40	≤11.00	PASS
11N40SISO	Ant1	5510	3.15	≤11.00	PASS
11N40SISO	Ant1	5550	4.05	≤11.00	PASS
11N40SISO	Ant1	5670	4.58	≤11.00	PASS
11N40SISO	Ant1	5755	3.08	≤30.00	PASS
11N40SISO	Ant1	5795	3.64	≤30.00	PASS
11AC20SISO	Ant1	5180	8.30	≤11.00	PASS
11AC20SISO	Ant1	5220	7.29	≤11.00	PASS
11AC20SISO	Ant1	5240	8.10	≤11.00	PASS
11AC20SISO	Ant1	5260	8.62	≤11.00	PASS
11AC20SISO	Ant1	5300	8.05	≤11.00	PASS
11AC20SISO	Ant1	5320	8.19	≤11.00	PASS
11AC20SISO	Ant1	5500	5.89	≤11.00	PASS
11AC20SISO	Ant1	5580	6.50	≤11.00	PASS
11AC20SISO	Ant1	5700	3.40	≤11.00	PASS
11AC20SISO	Ant1	5745	3.52	≤30.00	PASS
11AC20SISO	Ant1	5785	4.18	≤30.00	PASS
11AC20SISO	Ant1	5825	4.41	≤30.00	PASS
11AC40SISO	Ant1	5190	2.49	≤11.00	PASS
11AC40SISO	Ant1	5230	1.89	≤11.00	PASS
11AC40SISO	Ant1	5270	1.86	≤11.00	PASS
11AC40SISO	Ant1	5310	5.52	≤11.00	PASS

11AC40SISO	Ant1	5510	3.78	≤11.00	PASS
11AC40SISO	Ant1	5550	3.00	≤11.00	PASS
11AC40SISO	Ant1	5670	3.24	≤11.00	PASS
11AC40SISO	Ant1	5755	3.17	≤30.00	PASS
11AC40SISO	Ant1	5795	2.80	≤30.00	PASS
11AC80SISO	Ant1	5210	2.55	≤11.00	PASS
11AC80SISO	Ant1	5290	2.04	≤11.00	PASS
11AC80SISO	Ant1	5530	-2.09	≤11.00	PASS
11AC80SISO	Ant1	5610	0.89	≤11.00	PASS
11AC80SISO	Ant1	5775	-0.46	≤30.00	PASS
11AX20SISO	Ant1	5180	8.02	≤11.00	PASS
11AX20SISO	Ant1	5220	7.96	≤11.00	PASS
11AX20SISO	Ant1	5240	7.98	≤11.00	PASS
11AX20SISO	Ant1	5260	7.93	≤11.00	PASS
11AX20SISO	Ant1	5300	7.78	≤11.00	PASS
11AX20SISO	Ant1	5320	8.03	≤11.00	PASS
11AX20SISO	Ant1	5500	5.20	≤11.00	PASS
11AX20SISO	Ant1	5580	5.53	≤11.00	PASS
11AX20SISO	Ant1	5700	1.05	≤11.00	PASS
11AX20SISO	Ant1	5745	3.35	≤30.00	PASS
11AX20SISO	Ant1	5785	4.16	≤30.00	PASS
11AX20SISO	Ant1	5825	4.31	≤30.00	PASS
11AX40SISO	Ant1	5190	6.12	≤11.00	PASS
11AX40SISO	Ant1	5230	5.53	≤11.00	PASS
11AX40SISO	Ant1	5270	5.56	≤11.00	PASS
11AX40SISO	Ant1	5310	5.22	≤11.00	PASS
11AX40SISO	Ant1	5510	1.73	≤11.00	PASS
11AX40SISO	Ant1	5550	2.90	≤11.00	PASS
11AX40SISO	Ant1	5670	3.53	≤11.00	PASS
11AX40SISO	Ant1	5755	-0.97	≤30.00	PASS
11AX40SISO	Ant1	5795	-0.73	≤30.00	PASS
11AX80SISO	Ant1	5210	3.58	≤11.00	PASS
11AX80SISO	Ant1	5290	2.75	≤11.00	PASS
11AX80SISO	Ant1	5530	-1.83	≤11.00	PASS
11AX80SISO	Ant1	5610	0.87	≤11.00	PASS
11AX80SISO	Ant1	5775	-1.40	≤30.00	PASS
TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11N20MIMO	Ant1	5180	3.70	≤6.99	PASS
11N20MIMO	Ant1	5220	3.68	≤6.99	PASS
11N20MIMO	Ant1	5240	3.98	≤6.99	PASS
11N20MIMO	Ant1	5260	3.31	≤6.99	PASS
11N20MIMO	Ant1	5300	4.54	≤6.99	PASS
11N20MIMO	Ant1	5320	3.22	≤6.99	PASS
11N20MIMO	Ant1	5500	2.62	≤6.47	PASS
11N20MIMO	Ant1	5580	3.40	≤6.47	PASS
11N20MIMO	Ant1	5700	0.23	≤6.47	PASS
11N20MIMO	Ant1	5745	0.17	≤26.14	PASS
11N20MIMO	Ant1	5785	2.15	≤26.14	PASS
11N20MIMO	Ant1	5825	2.16	≤26.14	PASS
11N40MIMO	Ant1	5190	3.14	≤6.99	PASS
11N40MIMO	Ant1	5230	3.78	≤6.99	PASS

11N40MIMO	Ant1	5270	2.73	≤6.99	PASS
11N40MIMO	Ant1	5310	1.88	≤6.99	PASS
11N40MIMO	Ant1	5510	-0.16	≤6.47	PASS
11N40MIMO	Ant1	5550	0.60	≤6.47	PASS
11N40MIMO	Ant1	5670	0.59	≤6.47	PASS
11N40MIMO	Ant1	5755	0.22	≤26.14	PASS
11N40MIMO	Ant1	5795	0.72	≤26.14	PASS
11AC20MIMO	Ant1	5180	4.02	≤6.99	PASS
11AC20MIMO	Ant1	5220	3.96	≤6.99	PASS
11AC20MIMO	Ant1	5240	4.18	≤6.99	PASS
11AC20MIMO	Ant1	5260	3.60	≤6.99	PASS
11AC20MIMO	Ant1	5300	3.54	≤6.99	PASS
11AC20MIMO	Ant1	5320	3.61	≤6.99	PASS
11AC20MIMO	Ant1	5500	2.78	≤6.47	PASS
11AC20MIMO	Ant1	5580	4.16	≤6.47	PASS
11AC20MIMO	Ant1	5700	0.28	≤6.47	PASS
11AC20MIMO	Ant1	5745	0.67	≤26.14	PASS
11AC20MIMO	Ant1	5785	1.21	≤26.14	PASS
11AC20MIMO	Ant1	5825	0.88	≤26.14	PASS
11AC40MIMO	Ant1	5190	3.00	≤6.99	PASS
11AC40MIMO	Ant1	5230	3.41	≤6.99	PASS
11AC40MIMO	Ant1	5270	3.04	≤6.99	PASS
11AC40MIMO	Ant1	5310	1.55	≤6.99	PASS
11AC40MIMO	Ant1	5510	0.50	≤6.47	PASS
11AC40MIMO	Ant1	5550	-0.83	≤6.47	PASS
11AC40MIMO	Ant1	5670	-0.92	≤6.47	PASS
11AC40MIMO	Ant1	5755	-0.18	≤26.14	PASS
11AC40MIMO	Ant1	5795	0.38	≤26.14	PASS
11AC80MIMO	Ant1	5210	0.92	≤6.99	PASS
11AC80MIMO	Ant1	5290	-0.86	≤6.99	PASS
11AC80MIMO	Ant1	5530	-4.01	≤6.47	PASS
11AC80MIMO	Ant1	5610	-1.14	≤6.47	PASS
11AC80MIMO	Ant1	5775	-3.12	≤26.14	PASS
11AX20MIMO	Ant1	5180	3.72	≤6.99	PASS
11AX20MIMO	Ant1	5220	3.75	≤6.99	PASS
11AX20MIMO	Ant1	5240	3.99	≤6.99	PASS
11AX20MIMO	Ant1	5260	3.61	≤6.99	PASS
11AX20MIMO	Ant1	5300	3.63	≤6.99	PASS
11AX20MIMO	Ant1	5320	3.59	≤6.99	PASS
11AX20MIMO	Ant1	5500	2.72	≤6.47	PASS
11AX20MIMO	Ant1	5580	3.60	≤6.47	PASS
11AX20MIMO	Ant1	5700	-0.76	≤6.47	PASS
11AX20MIMO	Ant1	5745	1.70	≤26.14	PASS
11AX20MIMO	Ant1	5785	2.22	≤26.14	PASS
11AX20MIMO	Ant1	5825	2.26	≤26.14	PASS

11AX40MIMO	Ant1	5190	2.91	≤6.99	PASS
11AX40MIMO	Ant1	5230	1.92	≤6.99	PASS
11AX40MIMO	Ant1	5270	2.96	≤6.99	PASS
11AX40MIMO	Ant1	5310	2.43	≤6.99	PASS
11AX40MIMO	Ant1	5510	-0.10	≤6.47	PASS
11AX40MIMO	Ant1	5550	0.59	≤6.47	PASS
11AX40MIMO	Ant1	5670	1.45	≤6.47	PASS
11AX40MIMO	Ant1	5755	-2.52	≤26.14	PASS
11AX40MIMO	Ant1	5795	-2.12	≤26.14	PASS
11AX80MIMO	Ant1	5210	-0.39	≤6.99	PASS
11AX80MIMO	Ant1	5290	-0.60	≤6.99	PASS
11AX80MIMO	Ant1	5530	-4.69	≤6.47	PASS
11AX80MIMO	Ant1	5610	0.04	≤6.47	PASS
11AX80MIMO	Ant1	5775	-3.70	≤26.14	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

3. 5150-5250MHz MIMO PSD Limit = 11dBm/MHz - 10*Log(N), N = Number of antennas.


4. 5250-5350MHz MIMO PSD Limit = 11dBm/MHz - 10*Log(N), N = Number of antennas.

5. 5470-5725MHz MIMO PSD Limit = 11dBm/MHz + 6dBi - 3.52dBi - 10*Log(N) - 10*Log(N), N = Number of antennas.


6. 5725-5850MHz MIMO PSD Limit = 30dBm/500kHz + 6dBi - 3.82dBi - 10*Log(N) - 10*Log(N), N = Number of antennas.



11A-Ant1-5180-PASS




11A-Ant1-5220-PASS



11A-Ant1-5240-PASS




11A-Ant1-5260-PASS



11A-Ant1-5300-PASS




11A-Ant1-5320-PASS




11A-Ant1-5500-PASS




11A-Ant1-5580-PASS




11A-Ant1-5700-PASS




11A-Ant1-5745-PASS




11A-Ant1-5785-PASS




11A-Ant1-5825-PASS



11N20SISO-Ant1-5180-PASS



11N20SISO-Ant1-5220-PASS



11N20SISO-Ant1-5240-PASS