





Profile: 23A0637R	Page No.: 264
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10620.000	46.033	49.249	-7.967	54.000	-3.217	AV
2		10639.000	55.587	58.955	-18.413	74.000	-3.368	PK
3		15930.000	49.598	48.407	-24.402	74.000	1.191	PK




Profile: 23A0637R	Page No.: 265
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	46.848	48.950	-27.152	74.000	-2.102	PK
2	*	16530.000	52.219	47.941	-21.781	74.000	4.278	PK




Profile: 23A0637R	Page No.: 266
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.432	49.534	-26.568	74.000	-2.102	PK
2	*	16530.000	52.934	48.656	-21.066	74.000	4.278	PK


Profile: 23A0637R	Page No.: 267
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	48.186	50.419	-25.814	74.000	-2.234	PK
2	*	16770.000	53.194	48.189	-20.806	74.000	5.005	PK




Profile: 23A0637R	Page No.: 268
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	47.816	50.049	-26.184	74.000	-2.234	PK
2	*	16770.000	53.449	48.444	-20.551	74.000	5.005	PK




Profile: 23A0637R	Page No.: 269
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	47.713	49.084	-26.287	74.000	-1.371	PK
2	*	17010.000	52.299	48.134	-21.701	74.000	4.165	PK


Profile: 23A0637R	Page No.: 270
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	48.701	50.072	-25.299	74.000	-1.371	PK
2	*	17010.000	52.200	48.035	-21.800	74.000	4.165	PK




Profile: 23A0637R	Page No.: 271
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	48.651	49.929	-25.349	74.000	-1.278	PK
2	*	17265.000	53.545	50.132	-20.455	74.000	3.412	PK


Profile: 23A0637R	Page No.: 272
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	48.617	49.895	-25.383	74.000	-1.278	PK
2	*	17265.000	53.549	50.136	-20.451	74.000	3.412	PK




Profile: 23A0637R	Page No.: 273
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	49.563	49.462	-24.437	74.000	0.101	PK
2	*	17385.000	52.768	49.436	-21.232	74.000	3.332	PK




Profile: 23A0637R	Page No.: 274
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	51.104	51.003	-22.896	74.000	0.101	PK
2	*	17385.000	52.247	48.915	-21.753	74.000	3.332	PK




Profile: 23A0637R	Page No.: 275
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10384.000	53.467	55.551	-20.533	74.000	-2.084	PK
2		15630.000	52.905	50.092	-21.095	74.000	2.814	PK




Profile: 23A0637R	Page No.: 276
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.509	48.394	-7.491	54.000	-1.884	AV
2		10452.000	55.747	56.522	-18.253	74.000	-0.775	PK
3		15630.000	52.822	50.009	-21.178	74.000	2.814	PK




Profile: 23A0637R	Page No.: 277
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10588.000	53.326	54.457	-20.674	74.000	-1.131	PK
2		15870.000	51.586	48.780	-22.414	74.000	2.805	PK




Profile: 23A0637R	Page No.: 278
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10580.000	46.846	48.916	-7.154	54.000	-2.070	AV
2		10605.000	55.046	57.313	-18.954	74.000	-2.267	PK
3		15870.000	51.451	48.645	-22.549	74.000	2.805	PK




Profile: 23A0637R	Page No.: 279
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.628	48.773	-27.372	74.000	-2.145	PK
2	*	16590.000	52.197	48.009	-21.803	74.000	4.189	PK


Profile: 23A0637R	Page No.: 280
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	46.669	48.814	-27.331	74.000	-2.145	PK
2	*	16590.000	52.837	48.649	-21.163	74.000	4.189	PK




Profile: 23A0637R	Page No.: 281
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.563	49.IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	-26.437	74.000	-1.560	PK
2	*	17325.000	53.041	49.491	-20.959	74.000	3.549	PK




Profile: 23A0637R	Page No.: 282
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.662	48.222	-27.338	74.000	-1.560	PK
2	*	17325.000	52.237	48.687	-21.763	74.000	3.549	PK




Profile: 23A0637R	Page No.: 283
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	45.288	48.694	-8.712	54.000	-3.406	AV
2		10367.000	57.502	60.674	-16.498	74.000	-3.172	PK
3		15540.000	51.899	50.856	-22.101	74.000	1.043	PK




Profile: 23A0637R	Page No.: 284
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10350.000	58.205	61.945	-15.795	74.000	-3.740	PK
2	*	10360.000	45.862	49.268	-8.138	54.000	-3.406	AV
3		15540.000	52.364	51.321	-21.636	74.000	1.043	PK




Profile: 23A0637R	Page No.: 285
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5220MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	47.055	50.349	-6.945	54.000	-3.294	AV
2		10452.000	56.544	59.877	-17.456	74.000	-3.333	PK
3		15660.000	51.679	50.668	-22.321	74.000	1.011	PK




Profile: 23A0637R	Page No.: 286
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5220MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10435.000	58.987	62.265	-15.013	74.000	-3.278	PK
2	*	10440.000	47.908	51.202	-6.092	54.000	-3.294	AV
3		15660.000	52.346	51.335	-21.654	74.000	1.011	PK




Profile: 23A0637R	Page No.: 287
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10469.000	56.497	59.846	-17.503	74.000	-3.349	PK
2	*	10480.000	47.663	50.942	-6.337	54.000	-3.279	AV
3		15720.000	52.232	50.712	-21.768	74.000	1.520	PK




Profile: 23A0637R	Page No.: 288
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10469.000	56.754	60.103	-17.246	74.000	-3.349	PK
2	*	10480.000	48.624	51.903	-5.376	54.000	-3.279	AV
3		15720.000	53.659	52.139	-20.341	74.000	1.520	PK




Profile: 23A0637R	Page No.: 289
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	53.384	56.623	-20.616	74.000	-3.239	PK
2		15780.000	51.075	49.817	-22.925	74.000	1.257	PK




Profile: 23A0637R	Page No.: 290
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	57.572	60.811	-16.428	74.000	-3.239	PK
2	*	10520.000	45.712	48.951	-8.288	54.000	-3.239	AV
3		15780.000	53.477	52.219	-20.523	74.000	1.257	PK




Profile: 23A0637R	Page No.: 291
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5300MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10605.000	53.349	55.907	-20.651	74.000	-2.558	PK
2		15900.000	52.015	49.948	-21.985	74.000	2.067	PK

Profile: 23A0637R	Page No.: 292
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5300MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	46.932	49.634	-7.068	54.000	-2.702	AV
2		10605.000	56.600	59.158	-17.400	74.000	-2.558	PK
3		15900.000	53.103	51.036	-20.897	74.000	2.067	PK


Profile: 23A0637R	Page No.: 293
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10639.000	53.109	56.477	-20.891	74.000	-3.368	PK
2		15960.000	51.389	50.256	-22.611	74.000	1.133	PK




Profile: 23A0637R	Page No.: 294
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	55.314	58.682	-18.686	74.000	-3.368	PK
2	*	10640.000	45.278	48.642	-8.722	54.000	-3.364	AV
3		15960.000	51.730	50.597	-22.270	74.000	1.133	PK




Profile: 23A0637R	Page No.: 295
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	47.763	49.651	-26.237	74.000	-1.888	PK
2	*	16500.000	52.834	47.901	-21.166	74.000	4.933	PK


Profile: 23A0637R	Page No.: 296
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	48.502	50.390	-25.498	74.000	-1.888	PK
2	*	16500.000	53.370	48.437	-20.630	74.000	4.933	PK




Profile: 23A0637R	Page No.: 297
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	49.349	50.534	-24.651	74.000	-1.185	PK
2	*	16740.000	53.392	49.334	-20.608	74.000	4.058	PK




Profile: 23A0637R	Page No.: 298
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	48.537	49.722	-25.463	74.000	-1.185	PK
2	*	16740.000	53.706	49.648	-20.294	74.000	4.058	PK


Profile: 23A0637R	Page No.: 299
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	48.946	49.988	-25.054	74.000	-1.042	PK
2	*	17100.000	53.907	49.120	-20.093	74.000	4.787	PK




Profile: 23A0637R	Page No.: 300
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	48.145	49.187	-25.855	74.000	-1.042	PK
2	*	17100.000	53.822	49.035	-20.178	74.000	4.787	PK




Profile: 23A0637R	Page No.: 301
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.343	47.867	-26.657	74.000	-0.524	PK
2	*	17235.000	53.122	47.685	-20.878	74.000	5.437	PK




Profile: 23A0637R	Page No.: 302
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.172	48.696	-25.828	74.000	-0.524	PK
2	*	17235.000	53.849	48.412	-20.151	74.000	5.437	PK


Profile: 23A0637R	Page No.: 303
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11571.000	46.848	47.992	-27.152	74.000	-1.144	PK
2	*	17355.000	53.126	48.664	-20.874	74.000	4.461	PK




Profile: 23A0637R	Page No.: 304
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.637	48.826	-26.363	74.000	-1.189	PK
2	*	17355.000	53.132	48.670	-20.868	74.000	4.461	PK


Profile: 23A0637R	Page No.: 305
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.899	48.575	-27.101	74.000	-1.676	PK
2	*	17475.000	53.861	49.667	-20.139	74.000	4.195	PK




Profile: 23A0637R	Page No.: 306
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.701	48.377	-27.299	74.000	-1.676	PK
2	*	17475.000	53.003	48.809	-20.997	74.000	4.195	PK




Profile: 23A0637R	Page No.: 307
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	45.449	48.654	-8.551	54.000	-3.205	AV
2		10384.000	56.641	59.856	-17.359	74.000	-3.215	PK
3		15570.000	51.093	50.799	-22.907	74.000	0.294	PK




Profile: 23A0637R	Page No.: 308
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10380.000	47.003	50.208	-6.997	54.000	-3.205	AV
2		10384.000	59.182	62.397	-14.818	74.000	-3.215	PK
3		15570.000	51.571	51.277	-22.429	74.000	0.294	PK




Profile: 23A0637R	Page No.: 309
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10452.000	57.513	60.846	-16.487	74.000	-3.333	PK
2	*	10460.000	47.666	51.006	-6.334	54.000	-3.341	AV
3		15690.000	50.841	50.565	-23.159	74.000	0.276	PK




Profile: 23A0637R	Page No.: 310
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10460.000	45.199	48.539	-8.801	54.000	-3.341	AV
2		10469.000	57.759	61.108	-16.241	74.000	-3.349	PK
3		15690.000	51.969	51.693	-22.031	74.000	0.276	PK




Profile: 23A0637R	Page No.: 311
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10537.000	56.234	59.472	-17.766	74.000	-3.238	PK
2	*	10540.000	45.441	48.651	-8.559	54.000	-3.210	AV
3		15810.000	51.097	50.031	-22.903	74.000	1.066	PK




Profile: 23A0637R	Page No.: 312
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10537.000	56.963	60.201	-17.037	74.000	-3.238	PK
2	*	10540.000	46.437	49.647	-7.563	54.000	-3.210	AV
3		15810.000	52.314	51.248	-21.686	74.000	1.066	PK




Profile: 23A0637R	Page No.: 313
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10622.000	53.753	57.057	-20.247	74.000	-3.304	PK
2		15930.000	49.855	48.664	-24.145	74.000	1.191	PK




Profile: 23A0637R	Page No.: 314
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10605.000	56.348	58.906	-17.652	74.000	-2.558	PK
2	*	10620.000	45.429	48.645	-8.571	54.000	-3.217	AV
3		15930.000	51.381	50.190	-22.619	74.000	1.191	PK




Profile: 23A0637R	Page No.: 315
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	48.084	50.186	-25.916	74.000	-2.102	PK
2	*	16530.000	53.325	49.047	-20.675	74.000	4.278	PK




Profile: 23A0637R	Page No.: 316
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	47.015	49.117	-26.985	74.000	-2.102	PK
2	*	16530.000	53.969	49.691	-20.031	74.000	4.278	PK




Profile: 23A0637R	Page No.: 317
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	47.937	50.170	-26.063	74.000	-2.234	PK
2	*	16770.000	53.380	48.375	-20.620	74.000	5.005	PK




Profile: 23A0637R	Page No.: 318
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11180.000	48.765	50.998	-25.235	74.000	-2.234	PK
2	*	16770.000	52.751	47.746	-21.249	74.000	5.005	PK




Profile: 23A0637R	Page No.: 319
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	47.668	49.039	-26.332	74.000	-1.371	PK
2	*	17010.000	52.153	47.988	-21.847	74.000	4.165	PK




Profile: 23A0637R	Page No.: 320
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	48.294	49.665	-25.706	74.000	-1.371	PK
2	*	17010.000	52.938	48.773	-21.062	74.000	4.165	PK

Profile: 23A0637R	Page No.: 321
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	49.238	50.516	-24.762	74.000	-1.278	PK
2	*	17265.000	53.911	50.498	-20.089	74.000	3.412	PK

Profile: 23A0637R	Page No.: 322
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	48.871	50.149	-25.129	74.000	-1.278	PK
2	*	17265.000	53.030	49.617	-20.970	74.000	3.412	PK


Profile: 23A0637R	Page No.: 323
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	49.633	49.532	-24.367	74.000	0.101	PK
2	*	17385.000	53.323	49.991	-20.677	74.000	3.332	PK




Profile: 23A0637R	Page No.: 324
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	50.133	50.032	-23.867	74.000	0.101	PK
2	*	17385.000	52.479	49.147	-21.521	74.000	3.332	PK




Profile: 23A0637R	Page No.: 325
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10452.000	52.922	56.255	-21.078	74.000	-3.333	PK
2		15630.000	51.286	50.054	-22.714	74.000	1.232	PK




Profile: 23A0637R	Page No.: 326
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.950	49.946	-7.050	54.000	-2.996	AV
2		10435.000	57.564	60.842	-16.436	74.000	-3.278	PK
3		15630.000	52.903	51.671	-21.097	74.000	1.232	PK




Profile: 23A0637R	Page No.: 327
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 03:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10605.000	52.396	54.954	-21.604	74.000	-2.558	PK
2		15870.000	52.089	50.234	-21.911	74.000	1.855	PK




Profile: 23A0637R	Page No.: 328
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10580.000	48.608	51.624	-5.392	54.000	-3.015	AV
2		10605.000	57.487	60.045	-16.513	74.000	-2.558	PK
3		15870.000	51.994	50.139	-22.006	74.000	1.855	PK




Profile: 23A0637R	Page No.: 329
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	47.997	50.142	-26.003	74.000	-2.145	PK
2	*	16590.000	52.441	48.253	-21.559	74.000	4.189	PK




Profile: 23A0637R	Page No.: 330
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	47.383	49.528	-26.617	74.000	-2.145	PK
2	*	16590.000	52.610	48.422	-21.390	74.000	4.189	PK




Profile: 23A0637R	Page No.: 331
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.484	49.044	-26.516	74.000	-1.560	PK
2	*	17355.000	53.777	49.315	-20.223	74.000	4.461	PK




Profile: 23A0637R	Page No.: 332
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/30 - 04:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	47.824	49.384	-26.176	74.000	-1.560	PK
2	*	17325.000	53.445	49.895	-20.555	74.000	3.549	PK


Profile: 23A0637R	Page No.: 167
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10350.000	59.780	63.520	-14.220	74.000	-3.740	PK
2	*	10360.000	48.204	51.610	-5.796	54.000	-3.406	AV
3		15540.000	53.193	52.150	-20.807	74.000	1.043	PK




Profile: 23A0637R	Page No.: 168
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5180MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	48.904	52.310	-5.096	54.000	-3.406	AV
2		10367.000	62.434	65.606	-11.566	74.000	-3.172	PK
3		15540.000	54.062	53.019	-19.938	74.000	1.043	PK




Profile: 23A0637R	Page No.: 169
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5220MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10440.000	48.856	52.150	-5.144	54.000	-3.294	AV
2		10452.000	62.892	66.225	-11.108	74.000	-3.333	PK
3		15660.000	54.323	53.312	-19.677	74.000	1.011	PK




Profile: 23A0637R	Page No.: 170
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5220MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10435.000	60.430	63.708	-13.570	74.000	-3.278	PK
2	*	10440.000	51.286	54.580	-2.714	54.000	-3.294	AV
3		15660.000	53.830	52.819	-20.170	74.000	1.011	PK




Profile: 23A0637R	Page No.: 171
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5240MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10469.000	59.725	63.074	-14.275	74.000	-3.349	PK
2	*	10480.000	51.781	55.060	-2.219	54.000	-3.279	AV
3		15720.000	53.572	52.052	-20.428	74.000	1.520	PK




Profile: 23A0637R	Page No.: 172
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5240MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	51.291	54.570	-2.709	54.000	-3.279	AV
2		10486.000	59.791	63.032	-14.209	74.000	-3.241	PK
3		15720.000	55.172	53.652	-18.828	74.000	1.520	PK




Profile: 23A0637R	Page No.: 173
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5260MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10503.000	58.579	61.581	-15.421	74.000	-3.002	PK
2	*	10520.000	51.901	55.140	-2.099	54.000	-3.239	AV
3		15780.000	53.546	52.288	-20.454	74.000	1.257	PK




Profile: 23A0637R	Page No.: 174
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5260MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	60.451	63.690	-13.549	74.000	-3.239	PK
2	*	10520.000	50.921	54.160	-3.079	54.000	-3.239	AV
3		15780.000	53.804	52.546	-20.196	74.000	1.257	PK




Profile: 23A0637R	Page No.: 175
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5300MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	52.138	54.840	-1.862	54.000	-2.702	AV
2		10605.000	56.882	59.440	-17.118	74.000	-2.558	PK
3		15900.000	58.948	56.881	-15.052	74.000	2.067	PK
4		15900.000	50.639	48.572	-3.361	54.000	2.067	AV




Profile: 23A0637R	Page No.: 176
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5300MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10605.000	58.709	61.267	-15.291	74.000	-2.558	PK
2	*	10640.000	48.985	52.349	-5.015	54.000	-3.364	AV
3		15960.000	53.087	51.954	-20.913	74.000	1.133	PK




Profile: 23A0637R	Page No.: 177
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	56.517	59.885	-17.483	74.000	-3.368	PK
2	*	10640.000	50.460	53.824	-3.540	54.000	-3.364	AV
3		15960.000	52.057	50.924	-21.943	74.000	1.133	PK




Profile: 23A0637R	Page No.: 178
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5320MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	61.762	65.130	-12.238	74.000	-3.368	PK
2	*	10640.000	50.154	53.518	-3.846	54.000	-3.364	AV
3		15960.000	53.070	51.937	-20.930	74.000	1.133	PK


Profile: 23A0637R	Page No.: 179
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.675	48.563	-27.325	74.000	-1.888	PK
2	*	16500.000	53.515	48.582	-20.485	74.000	4.933	PK




Profile: 23A0637R	Page No.: 180
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5500MHz by 802.11a with Ant1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.092	47.980	-27.908	74.000	-1.888	PK
2	*	16500.000	51.898	46.965	-22.102	74.000	4.933	PK

Profile: 23A0637R	Page No.: 181
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5580MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	48.608	49.793	-25.392	74.000	-1.185	PK
2	*	16740.000	51.419	47.361	-22.581	74.000	4.058	PK


Profile: 23A0637R	Page No.: 182
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5580MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	50.990	52.175	-23.010	74.000	-1.185	PK
2	*	16740.000	52.591	48.533	-21.409	74.000	4.058	PK




Profile: 23A0637R	Page No.: 183
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5700MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.388	48.430	-26.612	74.000	-1.042	PK
2	*	17100.000	53.248	48.461	-20.752	74.000	4.787	PK




Profile: 23A0637R	Page No.: 184
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5700MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.526	48.568	-26.474	74.000	-1.042	PK
2	*	17100.000	53.694	48.907	-20.306	74.000	4.787	PK




Profile: 23A0637R	Page No.: 185
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5745MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	49.359	49.883	-24.641	74.000	-0.524	PK
2	*	17235.000	53.713	48.276	-20.287	74.000	5.437	PK




Profile: 23A0637R	Page No.: 186
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5745MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	47.609	48.133	-26.391	74.000	-0.524	PK
2	*	17235.000	52.389	46.952	-21.611	74.000	5.437	PK


Profile: 23A0637R	Page No.: 187
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5785MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.259	49.448	-25.741	74.000	-1.189	PK
2	*	17355.000	53.834	49.372	-20.166	74.000	4.461	PK




Profile: 23A0637R	Page No.: 188
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5785MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.171	49.360	-25.829	74.000	-1.189	PK
2	*	17355.000	53.811	49.349	-20.189	74.000	4.461	PK




Profile: 23A0637R	Page No.: 189
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5825MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.187	49.376	-25.813	74.000	-1.189	PK
2	*	17355.000	54.575	50.113	-19.425	74.000	4.461	PK


Profile: 23A0637R	Page No.: 190
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5825MHz by 802.11a with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	48.573	50.249	-25.427	74.000	-1.676	PK
2	*	17475.000	53.089	48.895	-20.911	74.000	4.195	PK




Profile: 23A0637R	Page No.: 191
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	48.942	52.348	-5.058	54.000	-3.406	AV
2		10367.000	59.756	62.928	-14.244	74.000	-3.172	PK
3		15540.000	51.378	50.335	-22.622	74.000	1.043	PK




Profile: 23A0637R	Page No.: 192
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10350.000	60.765	64.505	-13.235	74.000	-3.740	PK
2	*	10360.000	50.112	53.518	-3.888	54.000	-3.406	AV
3		15540.000	51.641	50.598	-22.359	74.000	1.043	PK




Profile: 23A0637R	Page No.: 193
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10435.000	57.340	60.618	-16.660	74.000	-3.278	PK
2	*	10440.000	49.397	52.691	-4.603	54.000	-3.294	AV
3		15660.000	51.287	50.276	-22.713	74.000	1.011	PK




Profile: 23A0637R	Page No.: 194
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5220MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10435.000	61.658	64.936	-12.342	74.000	-3.278	PK
2	*	10440.000	50.970	54.264	-3.030	54.000	-3.294	AV
3		15660.000	51.610	50.599	-22.390	74.000	1.011	PK




Profile: 23A0637R	Page No.: 195
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10469.000	58.590	61.939	-15.410	74.000	-3.349	PK
2	*	10480.000	49.358	52.637	-4.642	54.000	-3.279	AV
3		15720.000	52.345	50.825	-21.655	74.000	1.520	PK




Profile: 23A0637R	Page No.: 196
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	50.370	53.649	-3.630	54.000	-3.279	AV
2		10486.000	56.946	60.187	-17.054	74.000	-3.241	PK
3		15720.000	53.169	51.649	-20.831	74.000	1.520	PK




Profile: 23A0637R	Page No.: 197
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	55.015	58.254	-18.985	74.000	-3.239	PK
2	*	10520.000	48.125	51.364	-5.875	54.000	-3.239	AV
3		15780.000	49.865	48.607	-24.135	74.000	1.257	PK




Profile: 23A0637R	Page No.: 198
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	58.296	61.535	-15.704	74.000	-3.239	PK
2	*	10520.000	49.872	53.111	-4.128	54.000	-3.239	AV
3		15780.000	53.627	52.369	-20.373	74.000	1.257	PK




Profile: 23A0637R	Page No.: 199
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	48.503	51.205	-5.497	54.000	-2.702	AV
2		10605.000	54.307	56.865	-19.693	74.000	-2.558	PK
3		15900.000	52.155	50.088	-21.845	74.000	2.067	PK




Profile: 23A0637R	Page No.: 200
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5300MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10600.000	47.947	50.649	-6.053	54.000	-2.702	AV
2		10605.000	56.293	58.851	-17.707	74.000	-2.558	PK
3		15900.000	52.151	50.084	-21.849	74.000	2.067	PK




Profile: 23A0637R	Page No.: 201
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10639.000	51.913	55.281	-22.087	74.000	-3.368	PK
2		15960.000	50.575	49.442	-23.425	74.000	1.133	PK




Profile: 23A0637R	Page No.: 202
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10639.000	56.129	59.497	-17.871	74.000	-3.368	PK
2	*	10640.000	48.747	52.111	-5.253	54.000	-3.364	AV
3		15960.000	51.113	49.980	-22.887	74.000	1.133	PK




Profile: 23A0637R	Page No.: 203
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.933	48.821	-27.067	74.000	-1.888	PK
2	*	16500.000	53.118	48.185	-20.882	74.000	4.933	PK




Profile: 23A0637R	Page No.: 204
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	46.774	48.662	-27.226	74.000	-1.888	PK
2	*	16500.000	53.903	48.970	-20.097	74.000	4.933	PK




Profile: 23A0637R	Page No.: 205
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	50.281	51.466	-23.719	74.000	-1.185	PK
2	*	16740.000	52.033	47.975	-21.967	74.000	4.058	PK




Profile: 23A0637R	Page No.: 206
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	49.972	51.157	-24.028	74.000	-1.185	PK
2	*	16740.000	52.752	48.694	-21.248	74.000	4.058	PK




Profile: 23A0637R	Page No.: 207
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.759	48.801	-26.241	74.000	-1.042	PK
2	*	17100.000	53.748	48.961	-20.252	74.000	4.787	PK




Profile: 23A0637R	Page No.: 208
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	47.366	48.408	-26.634	74.000	-1.042	PK
2	*	16740.000	52.711	48.653	-21.289	74.000	4.058	PK

Profile: 23A0637R	Page No.: 209
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/29 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	48.539	49.063	-25.461	74.000	-0.524	PK
2	*	17235.000	53.471	48.034	-20.529	74.000	5.437	PK