



Profile: 23A0637R	Page No.: 16
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	34.638	0.461	-19.362	54.000	34.177	AV

Profile: 23A0637R	Page No.: 17
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	62.490	28.112	-11.510	74.000	34.378	PK
2		5350.800	65.698	31.319	-8.302	74.000	34.379	PK
3	*	5352.000	66.061	31.681	-7.939	74.000	34.380	PK
4		5353.650	65.652	31.270	-8.348	74.000	34.382	PK

Profile: 23A0637R	Page No.: 18
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.679	4.301	-15.321	54.000	34.378	AV

Profile: 23A0637R	Page No.: 19
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	55.609	21.231	-18.391	74.000	34.378	PK
2		5350.800	58.597	24.218	-15.403	74.000	34.379	PK
3	*	5355.150	58.620	24.237	-15.380	74.000	34.383	PK

Profile: 23A0637R	Page No.: 20
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	33.373	-1.005	-20.627	54.000	34.378	AV

Profile: 23A0637R	Page No.: 21
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5457.680	58.074	23.583	-15.926	74.000	34.491	PK
2	*	5459.600	60.203	25.710	-13.797	74.000	34.493	PK
3		5460.000	57.333	22.840	-16.667	74.000	34.493	PK

Profile: 23A0637R	Page No.: 22
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	38.975	4.482	-15.025	54.000	34.493	AV

Profile: 23A0637R	Page No.: 23
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5455.920	52.167	17.678	-21.833	74.000	34.489	PK
2	*	5459.280	52.629	18.136	-21.371	74.000	34.493	PK
3		5460.000	49.163	14.670	-24.837	74.000	34.493	PK

Profile: 23A0637R	Page No.: 24
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	33.689	-0.804	-20.311	54.000	34.493	AV

Profile: 23A0637R	Page No.: 25
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5146.100	63.149	28.976	-10.851	74.000	34.173	PK
2	*	5150.000	63.408	29.231	-10.592	74.000	34.177	PK

Profile: 23A0637R	Page No.: 26
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.314	6.137	-13.686	54.000	34.177	AV

Profile: 23A0637R	Page No.: 27
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	54.893	20.716	-19.107	74.000	34.177	PK

Profile: 23A0637R	Page No.: 28
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	35.246	1.069	-18.754	54.000	34.177	AV

Profile: 23A0637R	Page No.: 29
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	63.447	29.069	-10.553	74.000	34.378	PK
2	*	5351.540	66.604	32.224	-7.396	74.000	34.380	PK
3		5355.280	65.310	30.927	-8.690	74.000	34.383	PK

Profile: 23A0637R	Page No.: 30
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	41.342	6.964	-12.658	54.000	34.378	AV

Profile: 23A0637R	Page No.: 31
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	55.552	21.174	-18.448	74.000	34.378	PK
2	*	5353.580	57.551	23.169	-16.449	74.000	34.382	PK
3		5353.920	57.517	23.135	-16.483	74.000	34.382	PK

Profile: 23A0637R	Page No.: 32
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	35.960	1.582	-18.040	54.000	34.378	AV

Profile: 23A0637R	Page No.: 33
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5445.760	62.996	28.518	-11.004	74.000	34.478	PK
2		5451.880	62.678	28.193	-11.322	74.000	34.485	PK
3	*	5460.000	63.293	28.800	-10.707	74.000	34.493	PK

Profile: 23A0637R	Page No.: 34
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	44.418	9.925	-9.582	54.000	34.493	AV

Profile: 23A0637R	Page No.: 35
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5459.080	54.994	20.502	-19.006	74.000	34.492	PK
2	*	5459.620	57.415	22.922	-16.585	74.000	34.493	PK

Profile: 23A0637R	Page No.: 36
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	39.394	4.901	-14.606	54.000	34.493	AV

Profile: 23A0637R	Page No.: 37
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5145.150	63.343	29.171	-10.657	74.000	34.172	PK
2	*	5150.000	64.025	29.848	-9.975	74.000	34.177	PK

Profile: 23A0637R	Page No.: 38
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	45.519	11.342	-8.481	54.000	34.177	AV

Profile: 23A0637R	Page No.: 39
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5147.220	54.213	20.039	-19.787	74.000	34.174	PK
2	*	5150.000	54.882	20.705	-19.118	74.000	34.177	PK

Profile: 23A0637R	Page No.: 40
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	37.805	3.628	-16.195	54.000	34.177	AV

Profile: 23A0637R	Page No.: 41
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	66.387	32.009	-7.613	74.000	34.378	PK
2	*	5350.800	68.609	34.230	-5.391	74.000	34.379	PK
3		5352.000	68.403	34.023	-5.597	74.000	34.380	PK

Profile: 23A0637R	Page No.: 42
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.648	15.270	-4.352	54.000	34.378	AV
2	*	5350.950	50.381	16.002	-3.619	54.000	34.379	AV

Profile: 23A0637R	Page No.: 43
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	58.986	24.608	-15.014	74.000	34.378	PK
2	*	5351.250	61.560	27.181	-12.440	74.000	34.379	PK

Profile: 23A0637R	Page No.: 44
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	42.021	7.643	-11.979	54.000	34.378	AV

Profile: 23A0637R	Page No.: 45
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5453.040	62.293	27.807	-11.707	74.000	34.486	PK
2		5455.600	62.221	27.732	-11.779	74.000	34.489	PK
3	*	5459.600	63.605	29.112	-10.395	74.000	34.493	PK
4		5460.000	60.517	26.024	-13.483	74.000	34.493	PK

Profile: 23A0637R	Page No.: 46
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	46.134	11.641	-7.866	54.000	34.493	AV

Profile: 23A0637R	Page No.: 47
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5422.960	50.635	16.181	-23.365	74.000	34.454	PK
2	*	5459.440	54.029	19.536	-19.971	74.000	34.493	PK
3		5460.000	53.598	19.105	-20.402	74.000	34.493	PK

Profile: 23A0637R	Page No.: 48
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5456.400	39.181	4.691	-14.819	54.000	34.490	AV
2		5460.000	39.032	4.539	-14.968	54.000	34.493	AV

Profile: 23A0637R	Page No.: 49
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5143.970	68.474	34.303	-5.526	74.000	34.171	PK
2	*	5150.000	69.551	35.374	-4.449	74.000	34.177	PK

Profile: 23A0637R	Page No.: 50
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	50.381	16.204	-3.619	54.000	34.177	AV

Profile: 23A0637R	Page No.: 51
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	59.203	25.026	-14.797	74.000	34.177	PK

Profile: 23A0637R	Page No.: 52
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	40.933	6.756	-13.067	54.000	34.177	AV

Profile: 23A0637R	Page No.: 53
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	65.417	31.039	-8.583	74.000	34.378	PK
2		5351.540	67.924	33.544	-6.076	74.000	34.380	PK
3	*	5355.790	68.289	33.905	-5.711	74.000	34.384	PK

Profile: 23A0637R	Page No.: 54
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	48.669	14.291	-5.331	54.000	34.378	AV
2	*	5352.050	49.157	14.777	-4.843	54.000	34.380	AV

Profile: 23A0637R	Page No.: 55
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	58.877	24.499	-15.123	74.000	34.378	PK
2	*	5354.260	59.641	25.259	-14.359	74.000	34.382	PK

Profile: 23A0637R	Page No.: 56
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	40.360	5.982	-13.640	54.000	34.378	AV

Profile: 23A0637R	Page No.: 57
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5455.840	64.139	29.650	-9.861	74.000	34.489	PK
2		5460.000	62.137	27.644	-11.863	74.000	34.493	PK

Profile: 23A0637R	Page No.: 58
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	49.415	14.922	-4.585	54.000	34.493	AV




Profile: 23A0637R	Page No.: 59
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5457.100	57.051	22.561	-16.949	74.000	34.490	PK
2		5458.720	56.879	22.387	-17.121	74.000	34.492	PK
3		5460.000	53.792	19.299	-20.208	74.000	34.493	PK

Profile: 23A0637R	Page No.: 60
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	40.741	6.248	-13.259	54.000	34.493	AV

Profile: 23A0637R	Page No.: 61
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5136.750	66.195	32.030	-7.805	74.000	34.165	PK
2	*	5145.000	67.962	33.790	-6.038	74.000	34.172	PK
3		5150.000	64.475	30.298	-9.525	74.000	34.177	PK

Profile: 23A0637R	Page No.: 62
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5142.750	51.017	16.847	-2.983	54.000	34.170	AV
2		5150.000	50.683	16.506	-3.317	54.000	34.177	AV

Profile: 23A0637R	Page No.: 63
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5144.250	57.869	23.697	-16.131	74.000	34.172	PK
2		5150.000	55.844	21.667	-18.156	74.000	34.177	PK

Profile: 23A0637R	Page No.: 64
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5121.000	40.523	6.372	-13.477	54.000	34.151	AV
2		5147.250	41.286	7.112	-12.714	54.000	34.174	AV
3	*	5150.000	41.348	7.171	-12.652	54.000	34.177	AV

Profile: 23A0637R	Page No.: 65
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	61.732	27.354	-12.268	74.000	34.378	PK
2	*	5353.320	64.873	30.492	-9.127	74.000	34.381	PK
3		5357.310	64.369	29.984	-9.631	74.000	34.385	PK
4		5366.130	64.004	29.610	-9.996	74.000	34.394	PK
5		5373.270	63.946	29.544	-10.054	74.000	34.402	PK
6		5375.160	63.669	29.265	-10.331	74.000	34.404	PK
7		5378.730	63.751	29.344	-10.249	74.000	34.407	PK
8		5385.870	62.741	28.326	-11.259	74.000	34.415	PK

Profile: 23A0637R	Page No.: 66
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	49.935	15.557	-4.065	54.000	34.378	AV
2	*	5352.060	50.027	15.647	-3.973	54.000	34.380	AV
3		5354.790	49.569	15.186	-4.431	54.000	34.383	AV

Profile: 23A0637R	Page No.: 67
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	56.423	22.045	-17.577	74.000	34.378	PK
2	*	5353.320	57.697	23.316	-16.303	74.000	34.381	PK
3		5375.160	57.186	22.782	-16.814	74.000	34.404	PK

Profile: 23A0637R	Page No.: 68
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	43.954	9.576	-10.046	54.000	34.378	AV
2	*	5352.900	44.261	9.880	-9.739	54.000	34.381	AV
3		5356.050	44.139	9.755	-9.861	54.000	34.384	AV

Profile: 23A0637R	Page No.: 69
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5443.500	67.003	32.527	-6.997	74.000	34.476	PK
2		5445.920	66.678	32.200	-7.322	74.000	34.478	PK
3		5460.000	63.129	28.636	-10.871	74.000	34.493	PK

Profile: 23A0637R	Page No.: 70
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	51.379	16.886	-2.621	54.000	34.493	AV

Profile: 23A0637R	Page No.: 71
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5445.920	59.606	25.128	-14.394	74.000	34.478	PK
2		5460.000	56.365	21.872	-17.635	74.000	34.493	PK

Profile: 23A0637R	Page No.: 72
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	43.944	9.451	-10.056	54.000	34.493	AV

Profile: 23A0637R	Page No.: 73
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5148.600	63.009	28.834	-10.991	74.000	34.175	PK
2		5150.000	60.024	25.847	-13.976	74.000	34.177	PK

Profile: 23A0637R	Page No.: 74
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	43.610	9.433	-10.390	54.000	34.177	AV

Profile: 23A0637R	Page No.: 75
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5145.840	52.673	18.500	-21.327	74.000	34.173	PK
2	*	5150.000	52.907	18.730	-21.093	74.000	34.177	PK

Profile: 23A0637R	Page No.: 76
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5131.350	34.533	0.373	-19.467	54.000	34.160	AV
2	*	5150.000	35.808	1.631	-18.192	54.000	34.177	AV

Profile: 23A0637R	Page No.: 77
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	63.460	29.082	-10.540	74.000	34.378	PK
2	*	5350.500	65.586	31.208	-8.414	74.000	34.378	PK

Profile: 23A0637R	Page No.: 78
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	44.728	10.350	-9.272	54.000	34.378	AV

Profile: 23A0637R	Page No.: 79
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	54.525	20.147	-19.475	74.000	34.378	PK
2	*	5351.250	57.393	23.014	-16.607	74.000	34.379	PK
3		5352.300	56.865	22.485	-17.135	74.000	34.380	PK


Profile: 23A0637R	Page No.: 80
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	36.935	2.557	-17.065	54.000	34.378	AV




Profile: 23A0637R	Page No.: 81
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5437.840	56.462	21.992	-17.538	74.000	34.470	PK
2		5454.800	60.405	25.917	-13.595	74.000	34.488	PK
3	*	5460.000	60.520	26.027	-13.480	74.000	34.493	PK

Profile: 23A0637R	Page No.: 82
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	45.526	11.033	-8.474	54.000	34.493	AV

Profile: 23A0637R	Page No.: 83
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5450.960	53.108	18.624	-20.892	74.000	34.484	PK
2		5460.000	51.676	17.183	-22.324	74.000	34.493	PK

Profile: 23A0637R	Page No.: 84
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	37.238	2.745	-16.762	54.000	34.493	AV

Profile: 23A0637R	Page No.: 85
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	66.551	32.374	-7.449	74.000	34.177	PK

Profile: 23A0637R	Page No.: 86
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	46.702	12.525	-7.298	54.000	34.177	AV

Profile: 23A0637R	Page No.: 87
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5095.690	48.840	14.711	-25.160	74.000	34.129	PK
2		5131.900	52.799	18.638	-21.201	74.000	34.161	PK
3	*	5150.000	59.318	25.141	-14.682	74.000	34.177	PK

Profile: 23A0637R	Page No.: 88
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	39.079	4.902	-14.921	54.000	34.177	AV

Profile: 23A0637R	Page No.: 89
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	63.142	28.764	-10.858	74.000	34.378	PK
2	*	5352.050	66.057	31.677	-7.943	74.000	34.380	PK
3		5359.530	65.008	30.620	-8.992	74.000	34.388	PK
4		5364.120	65.202	30.810	-8.798	74.000	34.392	PK

Profile: 23A0637R	Page No.: 90
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	46.790	12.412	-7.210	54.000	34.378	AV

Profile: 23A0637R	Page No.: 91
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	54.375	19.997	-19.625	74.000	34.378	PK
2	*	5352.390	57.984	23.604	-16.016	74.000	34.380	PK
3		5359.190	57.488	23.101	-16.512	74.000	34.387	PK

Profile: 23A0637R	Page No.: 92
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	38.309	3.931	-15.691	54.000	34.378	AV

Profile: 23A0637R	Page No.: 93
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5431.180	59.598	25.135	-14.402	74.000	34.463	PK
2		5450.620	63.436	28.953	-10.564	74.000	34.483	PK
3	*	5459.980	65.245	30.752	-8.755	74.000	34.493	PK
4		5460.000	64.789	30.296	-9.211	74.000	34.493	PK

Profile: 23A0637R	Page No.: 94
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	47.821	13.328	-6.179	54.000	34.493	AV

Profile: 23A0637R	Page No.: 95
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5414.980	52.365	17.919	-21.635	74.000	34.446	PK
2		5428.480	52.742	18.282	-21.258	74.000	34.460	PK
3		5439.820	54.249	19.777	-19.751	74.000	34.472	PK
4		5452.420	54.957	20.472	-19.043	74.000	34.485	PK
5		5458.000	55.925	21.434	-18.075	74.000	34.491	PK
6	*	5459.620	56.318	21.825	-17.682	74.000	34.493	PK
7		5460.000	53.642	19.149	-20.358	74.000	34.493	PK

Profile: 23A0637R	Page No.: 96
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	39.870	5.377	-14.130	54.000	34.493	AV

Profile: 23A0637R	Page No.: 97
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5113.500	60.677	26.532	-13.323	74.000	34.145	PK
2		5139.000	60.841	26.674	-13.159	74.000	34.167	PK
3	*	5147.250	62.285	28.111	-11.715	74.000	34.174	PK
4		5150.000	59.854	25.677	-14.146	74.000	34.177	PK

Profile: 23A0637R	Page No.: 98
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5150.000	48.616	14.439	-5.384	54.000	34.177	AV

Profile: 23A0637R	Page No.: 99
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5119.500	51.576	17.426	-22.424	74.000	34.150	PK
2	*	5133.750	52.310	18.148	-21.690	74.000	34.162	PK
3		5139.000	52.188	18.021	-21.812	74.000	34.167	PK
4		5150.000	51.200	17.023	-22.800	74.000	34.177	PK

Profile: 23A0637R	Page No.: 100
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 22:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5142.000	39.791	5.621	-14.209	54.000	34.170	AV
2	*	5150.000	39.998	5.821	-14.002	54.000	34.177	AV

Profile: 23A0637R	Page No.: 101
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5349.330	67.279	32.902	-6.721	74.000	34.377	PK
2		5350.000	61.051	26.673	-12.949	74.000	34.378	PK
3		5352.690	64.040	29.659	-9.960	74.000	34.381	PK
4		5373.480	63.868	29.466	-10.132	74.000	34.402	PK
5		5378.940	63.862	29.454	-10.138	74.000	34.408	PK

Profile: 23A0637R	Page No.: 102
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5350.000	51.384	17.006	-2.616	54.000	34.378	AV

Profile: 23A0637R	Page No.: 103
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	55.668	21.290	-18.332	74.000	34.378	PK
2	*	5351.010	57.399	23.020	-16.601	74.000	34.379	PK
3		5361.510	56.907	22.517	-17.093	74.000	34.390	PK
4		5373.690	56.404	22.002	-17.596	74.000	34.402	PK

Profile: 23A0637R	Page No.: 104
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5350.000	42.578	8.200	-11.422	54.000	34.378	AV
2	*	5355.210	43.292	8.909	-10.708	54.000	34.383	AV
3		5358.360	43.048	8.662	-10.952	54.000	34.386	AV

Profile: 23A0637R	Page No.: 105
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 23:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5447.900	65.602	31.121	-8.398	74.000	34.481	PK
2		5460.000	62.587	28.094	-11.413	74.000	34.493	PK

Profile: 23A0637R	Page No.: 106
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5458.240	51.532	17.041	-2.468	54.000	34.491	AV
2		5460.000	50.492	15.999	-3.508	54.000	34.493	AV

Profile: 23A0637R	Page No.: 107
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5439.100	58.506	24.035	-15.494	74.000	34.471	PK
2		5460.000	56.092	21.599	-17.908	74.000	34.493	PK


Profile: 23A0637R	Page No.: 108
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5460.000	43.970	9.477	-10.030	54.000	34.493	AV


_ :5725-5850

Profile: 23A0637R	Page No.: 1
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 20:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5745MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.710	61.285	26.516	-37.803	99.088	34.769	PK
2		5712.610	70.243	35.445	-38.490	108.733	34.798	PK
3		5723.610	74.793	39.980	-44.239	119.032	34.813	PK
4		5730.210	83.383	48.561	-38.817	122.200	34.822	PK

Profile: 23A0637R	Page No.: 2
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:33
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5745MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.700	61.578	26.808	-38.240	99.818	34.770	PK
2		5716.680	65.330	30.527	-44.541	109.872	34.803	PK
3		5722.620	67.471	32.660	-49.303	116.775	34.811	PK
4		5730.320	75.874	41.052	-46.326	122.200	34.822	PK

Profile: 23A0637R	Page No.: 3
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:35
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5785MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.045	61.237	26.464	-40.311	101.548	34.773	PK
2		5712.060	61.385	26.588	-47.194	108.579	34.797	PK
3		5722.720	61.601	26.789	-55.402	117.003	34.812	PK
4		5852.280	61.559	26.566	-55.441	117.000	34.993	PK
5		5866.630	61.845	26.831	-45.697	107.541	35.014	PK
6	*	5884.465	62.209	27.171	-35.962	98.172	35.038	PK

Profile: 23A0637R	Page No.: 4
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:37
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5785MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5693.610	61.235	26.464	-39.254	100.490	34.771	PK
2		5708.985	61.003	26.210	-46.715	107.718	34.793	PK
3		5721.900	61.412	26.602	-53.721	115.133	34.810	PK
4		5853.510	61.194	26.199	-53.002	114.196	34.995	PK
5		5865.400	61.893	26.881	-45.993	107.886	35.012	PK
6	*	5880.775	62.512	27.479	-38.398	100.910	35.033	PK

Profile: 23A0637R	Page No.: 5
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:39
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5825MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5841.120	80.893	45.915	-41.307	122.200	34.978	PK
2		5852.720	71.724	36.730	-44.273	115.997	34.994	PK
3		5860.400	67.509	32.504	-41.777	109.286	35.005	PK
4	*	5878.400	63.967	28.937	-38.707	102.674	35.030	PK

Profile: 23A0637R	Page No.: 6
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:41
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 1 : Transmit at 5825MHz by 802.11a with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5842.320	72.962	37.983	-49.238	122.200	34.979	PK
2		5854.080	65.506	30.510	-47.391	112.897	34.996	PK
3		5863.840	61.999	26.989	-46.324	108.322	35.010	PK
4	*	5884.080	61.582	26.544	-36.876	98.457	35.038	PK

Profile: 23A0637R	Page No.: 7
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:42
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5745MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5696.990	63.633	28.857	-39.349	102.982	34.776	PK
2		5709.750	67.496	32.702	-40.436	107.932	34.794	PK
3		5724.380	78.640	43.826	-42.147	120.787	34.814	PK
4	*	5734.390	92.621	57.793	-29.579	122.200	34.828	PK

Profile: 23A0637R	Page No.: 8
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:45
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5745MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.050	61.522	26.754	-37.079	98.601	34.768	PK
2		5713.600	65.056	30.257	-43.954	109.010	34.799	PK
3		5723.830	69.951	35.138	-49.582	119.533	34.813	PK
4		5733.950	82.336	47.509	-39.864	122.200	34.827	PK

Profile: 23A0637R	Page No.: 9
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:48
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5785MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5691.765	62.408	27.639	-36.721	99.128	34.769	PK
2		5709.395	61.555	26.761	-46.279	107.833	34.794	PK
3		5722.925	61.217	26.405	-56.253	117.470	34.812	PK
4		5852.485	62.217	27.223	-54.316	116.533	34.994	PK
5		5867.040	62.436	27.422	-44.990	107.427	35.014	PK
6	*	5885.285	62.560	27.520	-35.004	97.563	35.040	PK

Profile: 23A0637R	Page No.: 10
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:52
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5785MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.455	61.757	26.983	-40.093	101.850	34.774	PK
2		5709.190	61.958	27.165	-45.817	107.776	34.793	PK
3		5722.515	61.384	26.573	-55.151	116.535	34.811	PK
4		5853.510	62.361	27.366	-51.835	114.196	34.995	PK
5		5863.965	63.275	28.265	-45.013	108.287	35.010	PK
6	*	5879.955	62.775	27.743	-38.744	101.519	35.032	PK

Profile: 23A0637R	Page No.: 11
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:54
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5825MHz by 802.11n (20MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5843.200	82.304	47.324	-39.896	122.200	34.980	PK
2		5853.200	70.889	35.894	-44.014	114.903	34.995	PK
3		5860.800	67.284	32.279	-41.890	109.174	35.005	PK
4	*	5880.400	62.888	27.855	-38.301	101.189	35.033	PK

Profile: 23A0637R	Page No.: 12
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/27 - 23:57
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 2 : Transmit at 5825MHz by 802.11n (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5842.800	72.418	37.438	-49.782	122.200	34.980	PK
2		5850.960	66.075	31.084	-53.935	120.010	34.991	PK
3		5857.280	64.655	29.655	-45.505	110.161	35.000	PK
4	*	5883.680	62.327	27.290	-36.427	98.754	35.037	PK

Profile: 23A0637R	Page No.: 13
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:05
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5755MHz by 802.11n (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.830	67.406	32.630	-35.458	102.864	34.776	PK
2		5715.290	72.474	37.672	-37.009	109.483	34.802	PK
3		5722.960	76.637	41.825	-40.913	117.550	34.812	PK
4		5779.510	77.198	42.306	-45.002	122.200	34.892	PK

Profile: 23A0637R	Page No.: 14
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:07
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5755MHz by 802.11n (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.270	63.383	28.609	-38.331	101.714	34.774	PK
2		5713.210	65.269	30.470	-43.632	108.901	34.799	PK
3		5722.440	73.775	38.964	-42.589	116.364	34.811	PK
4		5778.990	70.288	35.397	-51.912	122.200	34.891	PK

Profile: 23A0637R	Page No.: 15
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:09
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5795MHz by 802.11n (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5827.495	75.853	40.895	-46.347	122.200	34.958	PK
2		5832.760	72.273	37.307	-49.927	122.200	34.966	PK
3		5852.875	61.884	26.890	-53.760	115.644	34.994	PK
4		5863.405	62.591	27.582	-45.853	108.444	35.009	PK
5	*	5875.825	62.476	27.449	-42.111	104.587	35.027	PK

Profile: 23A0637R	Page No.: 16
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:10
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 3 : Transmit at 5795MHz by 802.11n (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5823.985	71.030	36.077	-51.170	122.200	34.953	PK
2		5830.735	69.119	34.156	-53.081	122.200	34.963	PK
3		5852.875	60.751	25.757	-54.893	115.644	34.994	PK
4		5870.695	62.846	27.827	-43.558	106.404	35.019	PK
5	*	5884.060	62.151	27.113	-36.321	98.472	35.038	PK

Profile: 23A0637R	Page No.: 17
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:17
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5745MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5694.460	62.460	27.688	-38.656	101.116	34.772	PK
2		5707.440	68.080	33.289	-39.206	107.285	34.791	PK
3		5723.170	76.900	42.088	-41.129	118.029	34.812	PK
4	*	5733.730	89.913	55.086	-32.287	122.200	34.827	PK

Profile: 23A0637R	Page No.: 18
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:19
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5745MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.810	60.867	26.097	-39.032	99.899	34.770	PK
2		5718.220	67.496	32.691	-42.806	110.302	34.805	PK
3		5723.940	71.184	36.371	-48.600	119.784	34.813	PK
4		5732.300	81.799	46.974	-40.401	122.200	34.825	PK

Profile: 23A0637R	Page No.: 19
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:20
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5785MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.585	61.902	27.132	-37.832	99.733	34.770	PK
2		5707.960	61.240	26.448	-46.192	107.431	34.792	PK
3		5722.515	61.914	27.103	-54.621	116.535	34.811	PK
4		5749.165	66.110	31.261	-56.090	122.200	34.849	PK
5		5825.425	63.824	28.869	-58.376	122.200	34.955	PK
6		5853.305	62.144	27.149	-52.520	114.664	34.995	PK
7		5868.680	62.362	27.346	-44.605	106.968	35.016	PK
8		5882.210	61.909	26.874	-37.936	99.845	35.035	PK

Profile: 23A0637R	Page No.: 20
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:22
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5785MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5695.660	59.932	25.158	-42.069	102.001	34.774	PK
2		5712.880	60.275	25.477	-48.533	108.809	34.798	PK
3		5723.130	61.459	26.647	-56.478	117.938	34.812	PK
4		5853.100	62.096	27.102	-53.034	115.131	34.994	PK
5		5867.040	62.948	27.934	-44.478	107.427	35.014	PK
6	*	5884.670	63.048	28.009	-34.972	98.020	35.039	PK

Profile: 23A0637R	Page No.: 21
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:23
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5825MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5844.720	79.909	44.926	-42.291	122.200	34.983	PK
2		5851.280	71.435	36.443	-47.846	119.281	34.992	PK
3		5864.720	66.236	31.225	-41.840	108.076	35.011	PK
4	*	5877.360	62.835	27.806	-40.612	103.447	35.029	PK

Profile: 23A0637R	Page No.: 22
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:27
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 4 : Transmit at 5825MHz by 802.11ac (20MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5843.360	70.997	36.016	-51.203	122.200	34.981	PK
2		5852.800	65.417	30.423	-50.398	115.815	34.994	PK
3		5860.320	65.968	30.963	-43.341	109.309	35.005	PK
4	*	5878.000	63.203	28.173	-39.769	102.971	35.030	PK

Profile: 23A0637R	Page No.: 23
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:28
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5755MHz by 802.11ac (40MHz) with Ant2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.700	67.130	32.354	-35.638	102.768	34.776	PK
2		5703.330	69.377	34.592	-36.757	106.134	34.785	PK
3		5722.570	79.252	44.441	-37.408	116.661	34.811	PK
4		5787.570	76.095	41.192	-46.105	122.200	34.903	PK

Profile: 23A0637R	Page No.: 24
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:30
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5755MHz by 802.11ac (40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.750	61.834	27.061	-39.496	101.330	34.773	PK
2		5700.080	64.622	29.842	-40.600	105.222	34.780	PK
3		5711.520	64.954	30.158	-43.474	108.428	34.796	PK
4		5721.530	73.714	38.904	-40.576	114.289	34.810	PK
5		5787.440	70.218	35.315	-51.982	122.200	34.903	PK

Profile: 23A0637R	Page No.: 25
Engineer: Pengcheng Yang	
Site: AC5	Time: 2023/11/28 - 00:32
Limit: FCC-15.407 new new	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: IEEE 802.11 a/b/g/n/ac/ax 2T/2R+ Bluetooth V2.1/4.2/5.2	Power: 5 Vdc
Note: Mode 5 : Transmit at 5795MHz by 802.11ac (40MHz) with Ant2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5765.935	78.189	43.317	-44.011	122.200	34.872	PK
2		5849.095	64.956	29.967	-57.244	122.200	34.989	PK
3		5852.740	62.079	27.085	-53.873	115.952	34.994	PK
4		5865.160	61.521	26.510	-46.431	107.953	35.011	PK
5	*	5877.040	63.049	28.021	-40.635	103.684	35.028	PK