

Report No.: SEWM2311000457RG05

Rev.: 01 Page: 1 of 12

TEST REPORT

Application No.: SEWM2311000457RG

Applicant: Intelbras Industria de Telecomunicacao Eletronica Brasileira

Address of Applicant: Rodovia BR 101 KM 210 - Area Industrial, Sao Jose, Brazil

Manufacturer: MeiG Smart Technology Co., Ltd

Address of Manufacturer: 2nd Floor,Office Building,No.5 Lingxia Road,Fenghuang,Fuyong

Street, Bao'an District, Shenzhen

EUT Description: 5G Router with Wi-Fi 6

Model No.: GX 1001 LT Trade Mark: GX 1001

FCC ID: 2A76R-GX1001LT **Standards:** 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2023/06/08 (for original report SEWM2306000193RG05)


2023/11/13 (for new report SEWM2311000457RG05)

Date of Issue: 2023/11/14

Test Result: PASS*

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

5000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2311000457RG05

Rev.: 01 Page: 2 of 12

1 Version

Revision Record								
Version	Chapter	Modifier	Remark					
01		2023/11/14		Original				

Prepared By	(Nick Hu) / Test Engineer
Checked By	(Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Ploti Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2311000457RG05

Rev.: 01 Page: 3 of 12

Remark for report SEWM2311000457RG05 issue on 2023/11/14:

This test report (Report No.: SEWM2311000457RG05 issue on 2023/11/14) is based on the original test report (Report No.: SEWM2306000193RG05 issue on 2023/06/30).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Therefore in this report all items do not need to recalculated and all test data in this report are based on the previous report with report number SEWM2306000193RG05 (FCC ID: 2APJ4-SR838IPRO) issue on 2023/06/30.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

5000 t (86–512) 62992980 5000 t (86–512) 62992980



Report No.: SEWM2311000457RG05

Rev.: 01 Page: 4 of 12

Contents

1 Version		2
2 General Information		5
2.1 Client Information		5
2.2 Test Facility		5
2.3 General Description of	of EUT	6
3 RF Exposure Evaluation		8
3.1 RF Exposure Complia	ance Requirement	8
3.1.1 Limits		8
3.1.2 Test Procedure		9
3.1.3 EUT RF Exposure	Evaluation	9
3.1.4 Exposure calculation	ons for multiple sources	12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Jängsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湾胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWM2311000457RG05

Rev.: 01 Page: 5 of 12

2 General Information

2.1 Client Information

Applicant:	Intelbras Industria de Telecomunicacao Eletronica Brasileira
Address of Applicant:	Rodovia BR 101 KM 210 - Area Industrial, Sao Jose, Brazil
Manufacturer:	MeiG Smart Technology Co., Ltd
Address of Manufacturer:	2nd Floor,Office Building,No.5 Lingxia Road,Fenghuang,Fuyong Street,Bao'an District,Shenzhen

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWM2311000457RG05

Rev.: 01 Page: 6 of 12

2.3 General Description of EUT

	ESCRIPTION O										
EUT Description:	5G Router with Wi-Fi 6										
Model No.:	GX 1001 LT GX 1001										
Trade Mark:											
Hardware Version:	SRT838PRO_BOARD_V1.00_PCB										
Software Version:	SRT838PRO-S	A_6.0.6_EQ100									
Power Supply:	12VDC										
Antenna Type:	☐ External, 🖂	Integrated									
	LTE Band 2:	-0.34dBi(Ant0)	0.89dBi(Ant1)	1.15dBi(Ant3)							
	LTE Band 4:	-0.60dBi(Ant0)	0.55dBi(Ant1)	-0.29dBi(Ant3)							
	LTE Band 5:	-2.08dBi(Ant0)	-1.19dBi(Ant1)								
	LTE Band 7:	2.00dBi(Ant0)	0.86dBi(Ant1)	0.75dBi(Ant3)							
	LTE Band 25:	-0.34dBi(Ant0)	0.89dBi(Ant1)	1.15dBi(Ant3)							
	LTE Band 26:	-2.08dBi(Ant0)	-1.19dBi(Ant1)								
	LTE Band 38:	1.84dBi(Ant0)	0.66dBi(Ant1)	-0.54dBi(Ant3)							
	LTE Band 41:	2.00dBi(Ant0)	0.90dBi(Ant1)	0.75dBi(Ant3)							
	LTE Band 42:	2.23dBi(Ant2)	2.25dBi(Ant3)	2.23dBi(Ant4)	2.24dBi(Ant5)						
	LTE Band 43:	2.26dBi(Ant2)	2.22dBi(Ant3)	2.18dBi(Ant4)	2.19dBi(Ant5)						
	LTE Band 66:	-0.60dBi(Ant0)	0.90dBi(Ant1)	-0.13dBi(Ant3)							
	LTE CA_2C:	-0.34dBi(Ant0)	0.89dBi(Ant1)	1.15dBi(Ant3)							
Antenna Gain:	LTE CA_5B:	-2.08dBi(Ant0)	-1.19dBi(Ant1)								
Antenna Gam.	LTE CA_7C:	2.00dBi(Ant0)	0.86dBi(Ant1)	0.75dBi(Ant3)							
	LTE CA_41C:	2.00dBi(Ant0)	0.90dBi(Ant1)	0.75dBi(Ant3)							
	LTE CA_42C:	2.23dBi(Ant2)	2.25dBi(Ant3)	2.23dBi(Ant4)	2.24dBi(Ant5)						
	LTE CA_66B:	-0.60dBi(Ant0)	0.90dBi(Ant1)	-0.13dBi(Ant3)							
	LTE CA_66C:	-0.60dBi(Ant0)	0.90dBi(Ant1)	-0.13dBi(Ant3)							
	NR Band n2:	-0.34dBi(Ant0)	0.89dBi(Ant1)	1.15dBi(Ant3)							
	NR Band n5:	-2.08dBi(Ant0)	-1.19dBi(Ant1)								
	NR Band n7:	2.00dBi(Ant0)	0.86dBi(Ant1)	0.75dBi(Ant3)							
	NR Band n25:	-0.34dBi(Ant0)	0.89dBi(Ant1)	1.15dBi(Ant3)							
	NR Band n26:	-2.08dBi(Ant0)	-1.19dBi(Ant1)								
	NR Band n38:	1.84dBi(Ant0)	0.66dBi(Ant1)	-0.54dBi(Ant3)							
	NR Band n41:	2.00dBi(Ant0)	0.90dBi(Ant1)	0.75dBi(Ant3)							
	NR Band n66:	-0.60dBi(Ant0)	0.90dBi(Ant1)	-0.13dBi(Ant3)							



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SEWM2311000457RG05

Rev.: 01 Page: 7 of 12

NR Band n77:	2.26dBi(Ant2)	2.25dBi(Ant3)	2.23dBi(Ant4)	2.28dBi(Ant5)
NR Band n78:	2.26dBi(Ant2)	2.25dBi(Ant3)	2.23dBi(Ant4)	2.27dBi(Ant5)

LTE CA:

LTE UL CA_2C; LTE UL CA_5B; LTE UL CA_7C;LTE UL CA_41C;

LTE UL CA_42C; LTE UL CA_66B; LTE UL CA_66C;

LTE UL CA_2A-4A; LTE UL CA_2A-5A; LTE UL CA_2A-7A;

LTE UL CA_2A-26A; LTE UL CA_2A-66A; LTE UL CA_4A-5A;

LTE UL CA_4A-7A; LTE UL CA_5A-7A; LTE UL CA_5A-66A;

LTE UL CA_7A-66A; LTE UL CA_25A-66A; LTE UL CA_41A-42A;

LTE UL CA_26A-66A; LTE UL CA_7A-26A;

ENDC:

DC_4A_n2A;DC_5A_n2A;DC_7A_n2A;DC_66A_n2A;

DC_2A_n5A;DC_7A_n5A;DC_66A_n5A;

DC_2A_n7A;DC_4A_n7A;DC_5A_n7A;DC_66A_n7A;

DC_2A_n38A;DC_66A_n38A;

DC_2A_n41A;DC_4A_n41A;DC_5A_n41A;DC_25A_n41A;DC_66A_n41A;

DC_2A_n66A;DC_5A_n66A;DC_7A_n66A;

DC_2A_n77A;DC_5A_n77A;DC_7A_n77A; DC_41A_n77A;DC_66A_n77A;

DC_2A_n78A;DC_4A_n78A;DC_5A_n78A;DC_7A_n78A;DC_26A_n78A;

DC_41A_n78A;DC_66A_n78A.

WIFI 2.4G:	0.88dBi(Ant0)	0.88dBi(Ant1)
5G WIFI(U-NII-I):	1.75dBi(Ant0);	1.88dBi(Ant1);
5G WIFI(U-NII-IIA):	1.81dBi(Ant0);	1.27dBi(Ant1);
5G WIFI(U-NII-IIC):	1.62dBi(Ant0);	1.59dBi(Ant1);
5G WIFI(U-NII-III);	1.53dBi(Ant0);	1.95dBi(Ant1);

Note:

The antenna gain are derived from the gain information report provided by the manufacturer.

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-a

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2311000457RG05

Rev.: 01 Page: 8 of 12

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Electric field strength (V/m) Magnetic field strength		Averaging time (minutes)						
(A) Limits for Occupational/Controlled Exposures										
0.3-3.0	614	1.63	*(100)	6						
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	1	1	f/300	6						
1500-100,000	1	1	5	6						
(B) Limits for General P	opulation/Uncontrolled I	Exposure							
0.3-1.34	614	1.63	*(100)	30						
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	1	1	f/1500	30						
1500-100,000	/	1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: $Pd = (Pout*G)/(4*Pi*R^2)$

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer worleral, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx tkention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content on ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the esults shown in this test report refer only to the sample(s) setzed and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

^{*=}Plane-wave equivalent power density



Report No.: SEWM2311000457RG05

Rev.: 01 Page: 9 of 12

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
LTE/CA Band 2	1850.7	1.15	24.50	25.65	33.00	0.0731	1.0000	8.50	12.51	8.50	Pass
LTE Band 4	1710.7	0.55	24.50	25.05	30.00	0.0636	1.0000	5.50	12.51	5.50	Pass
LTE/CA Band 5	824.7	-1.19	24.50	21.16	38.45	0.0426	0.5498	16.10	9.91	9.91	Pass
LTE/CA Band 7	2502.5	2.00	24.50	26.50	33.00	0.0889	1.0000	8.50	12.51	8.50	Pass
LTE Band 25	1850.7	1.15	24.50	25.65	33.00	0.0731	1.0000	8.50	12.51	8.50	Pass
LTE Band 26 (814-824)	814.7	-1.19	24.50	21.16	NA	0.0426	0.5431	NA	9.86	9.86	Pass
LTE Band 26 (824-849)	824.7	-1.19	24.50	21.16	38.45	0.0426	0.5498	16.10	9.91	9.91	Pass
LTE Band 38	2572.5	1.84	24.50	26.34	33.00	0.0857	1.0000	8.50	12.51	8.50	Pass
LTE/CA Band 41	2498.5	2.00	24.50	26.50	33.00	0.0889	1.0000	8.50	12.51	8.50	Pass
LTE/CA Band 42	3452.5	2.25	24.50	26.75	30.00	0.0941	1.0000	5.50	12.51	5.50	Pass
LTE Band 43	3702.5	2.26	24.50	26.76	30.00	0.0943	1.0000	5.50	12.51	5.50	Pass
LTE Band 66/CA Band 66B/CA Band 66C	1710.7	0.90	24.50	25.40	30.00	0.0690	1.0000	5.50	12.51	5.50	Pass
NR Band n2	1852.5	1.15	24.50	25.65	33.00	0.0731	1.0000	8.50	12.51	8.50	Pass
NR Band n5	826.5	-1.19	24.50	21.16	38.45	0.0426	0.5510	16.10	9.92	9.92	Pass
NR Band n7	2502.5	2.00	24.50	26.50	33.00	0.0889	1.0000	8.50	12.51	8.50	Pass
NR Band n25	1852.5	1.15	24.50	25.65	33.00	0.0731	1.0000	8.50	12.51	8.50	Pass
NR Band n26 (814-824)	816.5	-1.19	24.50	21.16	NA	0.0426	0.5443	NA	9.87	9.87	Pass
NR Band n26 (824-849)	826.5	-1.19	24.50	21.16	38.45	0.0426	0.5510	16.10	9.92	9.92	Pass
NR Band n66	1712.5	0.90	24.50	25.40	30.00	0.0690	1.0000	5.50	12.51	5.50	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SEWM2311000457RG05

Rev.: 01

Page: 10 of 12

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
NR Band n38	2575.0	1.84	NA	24.50	26.34	33.00	0.0857	1.0000	8.50	12.51	8.50	Pass
NR Band n38(PC2)	2575.0	1.84	NA	27.50	29.34	33.00	0.1709	1.0000	5.50	9.51	5.50	Pass
NR Band n38(MIMO)	2575.0	1.84	0.81	27.50	29.34	33.00	0.1709	1.0000	5.50	9.51	5.50	Pass
NR Band n41	2506.0	2.00	NA	24.50	26.50	33.00	0.0889	1.0000	8.50	12.51	8.50	Pass
NR Band n41(PC2)	2506.0	2.00	NA	27.50	29.50	33.00	0.1773	1.0000	5.50	9.51	5.50	Pass
NR Band n41(MIMO)	2506.0	2.00	1.42	27.50	29.50	33.00	0.1773	1.0000	5.50	9.51	5.50	Pass
NR Band n77 (3450-3550)	3455.0	2.28	NA	25.50	27.78	30.00	0.1193	1.0000	4.50	11.51	4.50	Pass
NR Band n77 (3450-3550)(PC2)	3455.0	2.28	NA	27.50	29.78	30.00	0.1891	1.0000	2.50	9.51	2.50	Pass
NR Band n77 (3450-3550)(MIMO)	3455.0	2.28	2.25	27.50	29.78	30.00	0.1891	1.0000	2.50	9.51	2.50	Pass
NR Band n77 (3700-3980)	3707.5	2.28	NA	25.50	27.78	30.00	0.1193	1.0000	4.50	11.51	4.50	Pass
NR Band n77 (3700-3980)(PC2)	3707.5	2.28	NA	27.50	29.78	30.00	0.1891	1.0000	2.50	9.51	2.50	Pass
NR Band n77 (3700-3980)(MIMO)	3707.5	2.28	2.25	27.50	29.78	30.00	0.1891	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3450-3550)	3455.0	2.27	NA	27.50	29.77	30.00	0.1887	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3450-3550)(PC2)	3455.0	2.27	NA	27.50	29.77	30.00	0.1887	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3450-3550)(MIMO)	3455.0	2.27	2.25	27.50	29.77	30.00	0.1887	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3700-3800)	3705.0	2.27	NA	27.50	29.77	30.00	0.1887	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3700-3800)(PC2)	3705.0	2.27	NA	27.50	29.77	30.00	0.1887	1.0000	2.50	9.51	2.50	Pass
NR Band n78 (3700-3800)(MIMO)	3705.0	2.27	2.25	27.50	29.77	30.00	0.1887	1.0000	2.50	9.51	2.50	Pass
2.4GWIFI(MIMO)	2412.0	0.88	0.88	23.00	23.88	30.00	0.0486	1.0000	NA	NA	NA	Pass
5GWIFI(MIMO)	5320.0	1.95	1.95	23.00	24.95	30.00	0.0622	1.0000	NA	NA	NA	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspt.) at the first of the strength of t

South of No. 6 Plant, No. 1, Punsteing Rosal, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000457RG05

Rev.: 01

Page: 11 of 12

Due to the EUT support NR ENDC and CA:

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is:

$$\sum_{i=1}^{n} \frac{S_{E_{i}}(dutyfactor)}{MPE_{E_{i}}} < 1$$

NOTE The corresponding MEs must be expressed in terms of power density in the above summation Therefore, the worst-case(DC_7A_n77A) situation is 0.089+0.189=0.278, which is less than "1", this confirmed that the device comply with MPE limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000457RG05

Rev.: 01 Page: 12 of 12

3.1.4 Exposure calculations for multiple sources

When a number of sources at different frequencies, and/or broadband sources, contribute to the total exposure, it becomes necessary to weigh each contribution relative to the MPE in accordance with the provisions of Table(A) and Table(B). To comply with the MPE, the fraction of the MPE in terms of E2, H2 (or power density) incurred within each frequency interval should be determined and the sum of all such fractions should not exceed unity.

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \le 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration		
1	WWAN + WiFi 2.4G + WiFi 5G		

No.	Mode	Power Density (mW/cm²)	MPE Limit (mW/cm²)	Result Ratio	Total Ratio	Limit	Result
	NR Band n77(MIMO)	0.1891	1.0000	0.1891			
1	WiFi 2.4G	0.0486	1.0000	0.0486	0.2999	1.0000	Pass
	WiFi 5G	0.0622	1.0000	0.0622			

Remark: This WWAN Band was recalculated on worst Band.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.