



# **LED folding table lamp**

## **Features**

- 1、The shape makes the lamp Adjustment conveniently;**
- 2、Intelligent touch switch Light (10%-100%) color (3000K-6000K) brightness memory;**
- 3、5W usb charging, 15W wireless charging;**
- 4、12V low voltage work, high safety.**



# Product Size



## Use Happening

- Desk, workbench, etc.

## A:Technical parameter

Product number	TD01003
Product Size	Φ110*H315mm
Adapter parameters	enter: AC100-240V/50 60Hz 0.9A output: DC12V 2.5A
Power	illumination:7W;USBA:DC5V 1A (maximum5W) ;wireless charging:DC5-12V (maximum15W)
Lamp bead model	SMD2835
Number of lamp beads	/
Color temperature	Luminous flux
Warm White2800-3500K	/
Natural White3800-4500K	/
Cold white5500-6500K	/
Beam angle	100°
Color rendering index	Ra90
Power Efficiency	/
Luminous effect of lamps	/
Power factor	/
Harmonic	/
Protection class	IP20
Product Weight	0.8KGS
Certified product	CE

## Technical Specifications

## B:Mechanical parameters

Shell processing	Plastic/Metal
Material	ABS/Aluminum

## C:Environmental parameters

Operating temperature range	-20~40
Operating humidity range	10%~90%
Storage temperature range	-40~70
Storage humidity range	10%~90%

# Package

---

Packing number 5\*2\*1 layer

Model	Package dimensions		Packaging Quantity	Gross weight
TD01002	Inner box	L450*W150*H50mm	1pcs	1.1Kgs
	Outer box	L620*W260*H250mm	10pcs	6.7Kgs

# Precautions

---

1. Read the instruction manual carefully before use for correct use.
2. It should be checked carefully before use, if any abnormal phenomenon is found during use, please contact our company.
3. When using, the surface of the lamp will heat up to a certain extent, which is a normal phenomenon.
4. Please do not disassemble the lamp without permission, otherwise it will be regarded as automatically giving up the warranty service.
5. For products with customized special functions, the corresponding parts in this manual are for reference only

# Warning

---

## FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

## Radiation Exposure Statement

This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. During the operation of device a distance of 15 cm surrounding the device and 20 cm above the top surface of the device must be respected.