

Dongguan Kaili mould Co., Ltd

No. 5, Tiantou Village East Road, Hengli Town, Dongguan City, China

Product Photos:



图 (一)

图 (二)

Specifications:

1	Working environment	-20~40°C
2	Storage condition	-20~40°C
4	Rated voltage	5V DC
5	Rated input current	60 mA
6	Rated Input power	7. 2W

Us
ag
e:
1,S

MD high brightness hard light bar is suitable for hotels, ultra-thin light boxes, KTV entertainment places and other interior decoration.

2, for advertising signs and other boutique decoration field.

3, holiday decoration lighting, display and exhibition.

4, shopping mall counters, jewelry, jewelry and precious watch counters.



Dongguan Kaili mould Co., Ltd

No. 5, Tiantou Village East Road, Hengli Town, Dongguan City, China

Caution:

1. Before using the product, please read the specification carefully, download the TWO-DIMENSIONAL code on the controller , download the software icon , and then connect the Bluetooth after downloading;
- 2, the power supply must be 5VDC output
3. Live work is strictly prohibited
- 4, do not use any acidic or alkaline adhesive glue to contact with the product
5. Do not press the LED surface forcibly
6. Installation, repair and maintenance must be operated by professional personnel and non-professional personnel are prohibited
7. Make sure the connection line is free of errors before powering on

Product Effect display:



FCC Requirement

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Dongguan Kaili mould Co., Ltd

No. 5, Tiantou Village East Road, Hengli Town, Dongguan City, China

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.