

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 Band5_ERP

Conducted Power

ENV	Mode		Conducted Power (dBm)		
	Network	Subset	Frequency (MHz)		
			826.4	836.6	846.6
NTNV	RMC	12.2kbps RMC	24.04	24.00	24.14
	HSDPA	Subtest 1	21.97	21.97	22.10
		Subtest 2	22.00	22.00	22.12
		Subtest 3	21.99	22.01	22.12
		Subtest 4	22.02	21.99	22.10
	HSUPA	Subtest 1	19.74	19.72	19.64
		Subtest 2	19.72	19.55	19.62
		Subtest 3	19.25	19.48	19.28
		Subtest 4	19.18	19.73	19.29
		Subtest 5	19.23	19.53	19.80

ERP

ENV	Mode		ERP/EIRP(dBm)			ERP/EIRP(W)			Limit (W)	Verdict
	Network	Subset	Frequency (MHz)			Frequency (MHz)				
			826.4	836.6	846.6	826.4	836.6	846.6		
NTNV	RMC	12.2kbps RMC	21.69	21.65	21.79	0.148	0.146	0.151	7.0	Pass
	HSDPA	Subtest 1	19.62	19.62	19.75	0.092	0.092	0.094		Pass
		Subtest 2	19.65	19.65	19.77	0.092	0.092	0.095		Pass
		Subtest 3	19.64	19.66	19.77	0.092	0.092	0.095		Pass
		Subtest 4	19.67	19.64	19.75	0.093	0.092	0.094		Pass
	HSUPA	Subtest 1	17.39	17.37	17.29	0.055	0.055	0.054		Pass
		Subtest 2	17.37	17.20	17.27	0.055	0.052	0.053		Pass
		Subtest 3	16.90	17.13	16.93	0.049	0.052	0.049		Pass
		Subtest 4	16.83	17.38	16.94	0.048	0.055	0.049		Pass
		Subtest 5	16.88	17.18	17.45	0.049	0.052	0.056		Pass

Note1: EIRP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 Band5

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.27	-1.030	-0.0012	-2.5 to 2.5	Pass
			3.85	-1.523	-0.0018	-2.5 to 2.5	Pass
			4.43	-2.789	-0.0034	-2.5 to 2.5	Pass
		-30	3.85	-2.003	-0.0024	-2.5 to 2.5	Pass
		-20	3.85	-2.167	-0.0026	-2.5 to 2.5	Pass
		-10	3.85	-2.038	-0.0025	-2.5 to 2.5	Pass
		0	3.85	-1.731	-0.0021	-2.5 to 2.5	Pass
		10	3.85	-1.366	-0.0017	-2.5 to 2.5	Pass
		30	3.85	-3.068	-0.0037	-2.5 to 2.5	Pass
		40	3.85	0.272	0.0003	-2.5 to 2.5	Pass
		50	3.85	-2.131	-0.0026	-2.5 to 2.5	Pass
	836.6	20	3.27	-1.767	-0.0021	-2.5 to 2.5	Pass
			3.85	-1.566	-0.0019	-2.5 to 2.5	Pass
			4.43	-1.252	-0.0015	-2.5 to 2.5	Pass
		-30	3.85	-2.725	-0.0033	-2.5 to 2.5	Pass
		-20	3.85	-2.210	-0.0026	-2.5 to 2.5	Pass
		-10	3.85	-0.250	-0.0003	-2.5 to 2.5	Pass
		0	3.85	-1.538	-0.0018	-2.5 to 2.5	Pass
		10	3.85	-1.338	-0.0016	-2.5 to 2.5	Pass
		30	3.85	-2.053	-0.0025	-2.5 to 2.5	Pass
		40	3.85	-2.103	-0.0025	-2.5 to 2.5	Pass
		50	3.85	-0.422	-0.0005	-2.5 to 2.5	Pass
	846.6	20	3.27	-0.243	-0.0003	-2.5 to 2.5	Pass
			3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
			4.43	1.209	0.0014	-2.5 to 2.5	Pass
		-30	3.85	-0.436	-0.0005	-2.5 to 2.5	Pass
		-20	3.85	0.937	0.0011	-2.5 to 2.5	Pass
		-10	3.85	-0.257	-0.0003	-2.5 to 2.5	Pass
		0	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
		10	3.85	1.030	0.0012	-2.5 to 2.5	Pass
		30	3.85	0.257	0.0003	-2.5 to 2.5	Pass
		40	3.85	2.375	0.0028	-2.5 to 2.5	Pass
		50	3.85	0.751	0.0009	-2.5 to 2.5	Pass
HSDPA	826.4	20	3.27	-0.808	-0.0010	-2.5 to 2.5	Pass
			3.85	-2.575	-0.0031	-2.5 to 2.5	Pass
			4.43	-1.516	-0.0018	-2.5 to 2.5	Pass
		-30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
		-20	3.85	-2.797	-0.0034	-2.5 to 2.5	Pass
		-10	3.85	-1.988	-0.0024	-2.5 to 2.5	Pass
		0	3.85	-3.555	-0.0043	-2.5 to 2.5	Pass
		10	3.85	-1.988	-0.0024	-2.5 to 2.5	Pass
		30	3.85	-0.851	-0.0010	-2.5 to 2.5	Pass
		40	3.85	-2.067	-0.0025	-2.5 to 2.5	Pass
		50	3.85	-2.346	-0.0028	-2.5 to 2.5	Pass
	836.6	20	3.27	-1.137	-0.0014	-2.5 to 2.5	Pass
			3.85	-2.418	-0.0029	-2.5 to 2.5	Pass
			4.43	-1.481	-0.0018	-2.5 to 2.5	Pass
		-30	3.85	-0.701	-0.0008	-2.5 to 2.5	Pass
		-20	3.85	-1.688	-0.0020	-2.5 to 2.5	Pass
		-10	3.85	-1.552	-0.0019	-2.5 to 2.5	Pass

		0	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
		10	3.85	-2.217	-0.0027	-2.5 to 2.5	Pass
		30	3.85	-1.860	-0.0022	-2.5 to 2.5	Pass
		40	3.85	-2.024	-0.0024	-2.5 to 2.5	Pass
		50	3.85	-1.273	-0.0015	-2.5 to 2.5	Pass
	846.6	20	3.27	0.901	0.0011	-2.5 to 2.5	Pass
			3.85	-0.744	-0.0009	-2.5 to 2.5	Pass
			4.43	1.516	0.0018	-2.5 to 2.5	Pass
		-30	3.85	-0.236	-0.0003	-2.5 to 2.5	Pass
		-20	3.85	0.365	0.0004	-2.5 to 2.5	Pass
		-10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
		0	3.85	-0.422	-0.0005	-2.5 to 2.5	Pass
		10	3.85	1.023	0.0012	-2.5 to 2.5	Pass
		30	3.85	0.608	0.0007	-2.5 to 2.5	Pass
		40	3.85	0.730	0.0009	-2.5 to 2.5	Pass
		50	3.85	-0.980	-0.0012	-2.5 to 2.5	Pass
HSUPA	826.4	20	3.27	0.858	0.0010	-2.5 to 2.5	Pass
			3.85	0.443	0.0005	-2.5 to 2.5	Pass
			4.43	-1.402	-0.0017	-2.5 to 2.5	Pass
		-30	3.85	0.179	0.0002	-2.5 to 2.5	Pass
		-20	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
		-10	3.85	-0.651	-0.0008	-2.5 to 2.5	Pass
		0	3.85	0.186	0.0002	-2.5 to 2.5	Pass
		10	3.85	1.266	0.0015	-2.5 to 2.5	Pass
		30	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
		40	3.85	-2.403	-0.0029	-2.5 to 2.5	Pass
		50	3.85	1.438	0.0017	-2.5 to 2.5	Pass
	836.6	20	3.27	1.574	0.0019	-2.5 to 2.5	Pass
			3.85	1.767	0.0021	-2.5 to 2.5	Pass
			4.43	2.339	0.0028	-2.5 to 2.5	Pass
		-30	3.85	2.282	0.0027	-2.5 to 2.5	Pass
		-20	3.85	-0.207	-0.0002	-2.5 to 2.5	Pass
		-10	3.85	0.916	0.0011	-2.5 to 2.5	Pass
		0	3.85	0.007	0.0000	-2.5 to 2.5	Pass
		10	3.85	1.981	0.0024	-2.5 to 2.5	Pass
		30	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
		40	3.85	1.767	0.0021	-2.5 to 2.5	Pass
		50	3.85	1.094	0.0013	-2.5 to 2.5	Pass
	846.6	20	3.27	2.003	0.0024	-2.5 to 2.5	Pass
			3.85	2.375	0.0028	-2.5 to 2.5	Pass
			4.43	2.425	0.0029	-2.5 to 2.5	Pass
		-30	3.85	2.117	0.0025	-2.5 to 2.5	Pass
		-20	3.85	2.260	0.0027	-2.5 to 2.5	Pass
		-10	3.85	1.552	0.0018	-2.5 to 2.5	Pass
		0	3.85	3.276	0.0039	-2.5 to 2.5	Pass
		10	3.85	3.197	0.0038	-2.5 to 2.5	Pass
		30	3.85	1.452	0.0017	-2.5 to 2.5	Pass
		40	3.85	2.153	0.0025	-2.5 to 2.5	Pass
		50	3.85	1.473	0.0017	-2.5 to 2.5	Pass

3. Modulation Characteristics


3.1 Test Result

3.1.1 Band5


Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

3.2 Test Graph

3.2.1 Band5



Band5 HSUPA MCH_836.6MHz_Subtest 1_NTNV



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band5_OBW


Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.160	/	Pass
			836.6	4.167	/	Pass
			846.6	4.156	/	Pass
	HSDPA	Subtest 1	826.4	4.158	/	Pass
			836.6	4.154	/	Pass
			846.6	4.135	/	Pass
	HSUPA	Subtest 1	826.4	4.162	/	Pass
			836.6	4.164	/	Pass
			846.6	4.139	/	Pass

4.1.2 Band5_XDB


Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.725	/	Pass
			836.6	4.747	/	Pass
			846.6	4.728	/	Pass
	HSDPA	Subtest 1	826.4	4.742	/	Pass
			836.6	4.718	/	Pass
			846.6	4.710	/	Pass
	HSUPA	Subtest 1	826.4	4.721	/	Pass
			836.6	4.724	/	Pass
			846.6	4.727	/	Pass

4.2 Test Graph


4.2.1 Band5_OBW




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1 NTN




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV




4.2.2 Band5_XDB




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1 NTN




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



5. Peak-Average Ratio


5.1 Test Result

5.1.1 Band5


Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.96	<=13	Pass
			836.6	2.97	<=13	Pass
			846.6	2.98	<=13	Pass
	HSDPA	Subtest 1	826.4	5.88	<=13	Pass
			836.6	5.91	<=13	Pass
			846.6	5.98	<=13	Pass
	HSUPA	Subtest 1	826.4	5.80	<=13	Pass
			836.6	5.93	<=13	Pass
			846.6	5.91	<=13	Pass

5.2 Test Graph


5.2.1 Band5




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1 NTN




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



6. Spurious Emission


6.1 Test Result

6.1.1 Band5


Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	
	HSDPA	Subtest 1	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	
	HSUPA	Subtest 1	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	

6.2 Test Graph


6.2.1 Band5




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.2594	0.0043	ppm	4M17F9W	22H	24.14

7.1.2 Form731_ERP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1510	0.0043	ppm	4M17F9W	22H	21.79