



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 151 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 30 | DFT-QPSK | L | Outer_Full | NV | 40  | 4  | 0.001593 | PASS |
| n41 | 30 | 30 | DFT-QPSK | L | Outer_Full | NV | 50  | 10 | 0.003982 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | -30 | 5  | 0.001928 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | -20 | 10 | 0.003857 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | -10 | 4  | 0.001543 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | 0   | 19 | 0.007327 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | 10  | 13 | 0.005014 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | 20  | 6  | 0.002314 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | 30  | 15 | 0.005785 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | 40  | 12 | 0.004628 | PASS |
| n41 | 30 | 30 | DFT-BPSK | M | Outer_Full | NV | 50  | 5  | 0.001928 | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | -30 | 13 | 0.005014 | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | -20 | 10 | 0.003857 | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | -10 | 3  | 0.001157 | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | 0   | 13 | 0.005014 | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | 10  | 16 | 0.00617  | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | 20  | 3  | 0.001157 | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | 30  | 18 | 0.006942 | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | 40  | 5  | 0.001928 | PASS |
| n41 | 30 | 30 | DFT-QPSK | M | Outer_Full | NV | 50  | 18 | 0.006942 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | -30 | 16 | 0.005981 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | -20 | 10 | 0.003738 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | -10 | 16 | 0.005981 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | 0   | 12 | 0.004486 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | 10  | 18 | 0.006729 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | 20  | 15 | 0.005608 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | 30  | 15 | 0.005608 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | 40  | 5  | 0.001869 | PASS |
| n41 | 30 | 30 | DFT-BPSK | H | Outer_Full | NV | 50  | 17 | 0.006355 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | -30 | 6  | 0.002243 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | -20 | 2  | 0.000748 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | -10 | 15 | 0.005608 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | 0   | 2  | 0.000748 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | 10  | 14 | 0.005234 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | 20  | 11 | 0.004112 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | 30  | 17 | 0.006355 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | 40  | 17 | 0.006355 | PASS |
| n41 | 30 | 30 | DFT-QPSK | H | Outer_Full | NV | 50  | 10 | 0.003738 | PASS |
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | -30 | 8  | 0.00318  | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 152 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | -20 | 5  | 0.001987 | PASS |
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | -10 | 10 | 0.003975 | PASS |
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | 0   | 4  | 0.00159  | PASS |
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | 10  | 16 | 0.006359 | PASS |
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | 20  | 1  | 0.000397 | PASS |
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | 30  | 13 | 0.005167 | PASS |
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | 40  | 4  | 0.00159  | PASS |
| n41 | 30 | 40 | DFT-BPSK | L | Outer_Full | NV | 50  | 19 | 0.007552 | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | -30 | 4  | 0.00159  | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | -20 | 13 | 0.005167 | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | -10 | 7  | 0.002782 | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | 0   | 3  | 0.001192 | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | 10  | 16 | 0.006359 | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | 20  | 6  | 0.002385 | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | 30  | 11 | 0.004372 | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | 40  | 5  | 0.001987 | PASS |
| n41 | 30 | 40 | DFT-QPSK | L | Outer_Full | NV | 50  | 17 | 0.006757 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | -30 | 6  | 0.002314 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | -20 | 18 | 0.006942 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | -10 | 12 | 0.004628 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | 0   | 5  | 0.001928 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | 10  | 2  | 0.000771 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | 20  | 8  | 0.003085 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | 30  | 11 | 0.004242 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | 40  | 17 | 0.006556 | PASS |
| n41 | 30 | 40 | DFT-BPSK | M | Outer_Full | NV | 50  | 13 | 0.005014 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | -30 | 3  | 0.001157 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | -20 | 9  | 0.003471 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | -10 | 2  | 0.000771 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | 0   | 18 | 0.006942 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | 10  | 4  | 0.001543 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | 20  | 17 | 0.006556 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | 30  | 11 | 0.004242 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | 40  | 14 | 0.005399 | PASS |
| n41 | 30 | 40 | DFT-QPSK | M | Outer_Full | NV | 50  | 1  | 0.000386 | PASS |
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | -30 | 7  | 0.002622 | PASS |
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | -20 | 4  | 0.001498 | PASS |
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | -10 | 16 | 0.005993 | PASS |
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | 0   | 16 | 0.005993 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 153 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | 10  | 3  | 0.001124 | PASS |
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | 20  | 19 | 0.007116 | PASS |
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | 30  | 4  | 0.001498 | PASS |
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | 40  | 16 | 0.005993 | PASS |
| n41 | 30 | 40 | DFT-BPSK | H | Outer_Full | NV | 50  | 3  | 0.001124 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | -30 | 7  | 0.002622 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | -20 | 19 | 0.007116 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | -10 | 8  | 0.002996 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | 0   | 1  | 0.000375 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | 10  | 14 | 0.005243 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | 20  | 7  | 0.002622 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | 30  | 4  | 0.001498 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | 40  | 16 | 0.005993 | PASS |
| n41 | 30 | 40 | DFT-QPSK | H | Outer_Full | NV | 50  | 17 | 0.006367 | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | -30 | 9  | 0.00357  | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | -20 | 13 | 0.005157 | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | -10 | 3  | 0.00119  | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | 0   | 19 | 0.007537 | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | 10  | 12 | 0.00476  | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | 20  | 12 | 0.00476  | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | 30  | 18 | 0.00714  | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | 40  | 12 | 0.00476  | PASS |
| n41 | 30 | 50 | DFT-BPSK | L | Outer_Full | NV | 50  | 8  | 0.003173 | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | -30 | 2  | 0.000793 | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | -20 | 14 | 0.005553 | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | -10 | 11 | 0.004363 | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | 0   | 17 | 0.006743 | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | 10  | 10 | 0.003967 | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | 20  | 7  | 0.002777 | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | 30  | 12 | 0.00476  | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | 40  | 9  | 0.00357  | PASS |
| n41 | 30 | 50 | DFT-QPSK | L | Outer_Full | NV | 50  | 15 | 0.00595  | PASS |
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | -30 | 5  | 0.001928 | PASS |
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | -20 | 14 | 0.005399 | PASS |
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | -10 | 7  | 0.0027   | PASS |
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | 0   | 13 | 0.005014 | PASS |
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | 10  | 7  | 0.0027   | PASS |
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | 20  | 10 | 0.003857 | PASS |
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | 30  | 19 | 0.007327 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 154 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | 40  | 13 | 0.005014 | PASS |
| n41 | 30 | 50 | DFT-BPSK | M | Outer_Full | NV | 50  | 16 | 0.00617  | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | -30 | 17 | 0.006556 | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | -20 | 7  | 0.0027   | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | -10 | 7  | 0.0027   | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | 0   | 13 | 0.005014 | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | 10  | 10 | 0.003857 | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | 20  | 15 | 0.005785 | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | 30  | 19 | 0.007327 | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | 40  | 5  | 0.001928 | PASS |
| n41 | 30 | 50 | DFT-QPSK | M | Outer_Full | NV | 50  | 2  | 0.000771 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | -30 | 6  | 0.002251 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | -20 | 19 | 0.007129 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | -10 | 12 | 0.004503 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | 0   | 13 | 0.004878 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | 10  | 13 | 0.004878 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | 20  | 19 | 0.007129 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | 30  | 15 | 0.005629 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | 40  | 9  | 0.003377 | PASS |
| n41 | 30 | 50 | DFT-BPSK | H | Outer_Full | NV | 50  | 14 | 0.005253 | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | -30 | 18 | 0.006754 | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | -20 | 15 | 0.005629 | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | -10 | 2  | 0.00075  | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | 0   | 2  | 0.00075  | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | 10  | 18 | 0.006754 | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | 20  | 11 | 0.004128 | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | 30  | 17 | 0.006379 | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | 40  | 14 | 0.005253 | PASS |
| n41 | 30 | 50 | DFT-QPSK | H | Outer_Full | NV | 50  | 19 | 0.007129 | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | -30 | 14 | 0.005542 | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | -20 | 11 | 0.004355 | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | -10 | 17 | 0.00673  | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | 0   | 13 | 0.005146 | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | 10  | 7  | 0.002771 | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | 20  | 19 | 0.007522 | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | 30  | 6  | 0.002375 | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | 40  | 9  | 0.003563 | PASS |
| n41 | 30 | 60 | DFT-BPSK | L | Outer_Full | NV | 50  | 3  | 0.001188 | PASS |
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | -30 | 3  | 0.001188 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 155 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | -20 | 16 | 0.006334 | PASS |
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | -10 | 9  | 0.003563 | PASS |
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | 0   | 15 | 0.005938 | PASS |
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | 10  | 8  | 0.003167 | PASS |
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | 20  | 12 | 0.004751 | PASS |
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | 30  | 5  | 0.001979 | PASS |
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | 40  | 18 | 0.007126 | PASS |
| n41 | 30 | 60 | DFT-QPSK | L | Outer_Full | NV | 50  | 11 | 0.004355 | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | -30 | 10 | 0.003857 | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | -20 | 16 | 0.00617  | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | -10 | 12 | 0.004628 | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | 0   | 6  | 0.002314 | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | 10  | 19 | 0.007327 | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | 20  | 5  | 0.001928 | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | 30  | 18 | 0.006942 | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | 40  | 14 | 0.005399 | PASS |
| n41 | 30 | 60 | DFT-BPSK | M | Outer_Full | NV | 50  | 1  | 0.000386 | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | -30 | 14 | 0.005399 | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | -20 | 14 | 0.005399 | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | -10 | 5  | 0.001928 | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | 0   | 8  | 0.003085 | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | 10  | 2  | 0.000771 | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | 20  | 7  | 0.0027   | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | 30  | 1  | 0.000386 | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | 40  | 1  | 0.000386 | PASS |
| n41 | 30 | 60 | DFT-QPSK | M | Outer_Full | NV | 50  | 14 | 0.005399 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | -30 | 14 | 0.005263 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | -20 | 8  | 0.003008 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | -10 | 1  | 0.000376 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | 0   | 14 | 0.005263 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | 10  | 14 | 0.005263 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | 20  | 8  | 0.003008 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | 30  | 14 | 0.005263 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | 40  | 10 | 0.003759 | PASS |
| n41 | 30 | 60 | DFT-BPSK | H | Outer_Full | NV | 50  | 16 | 0.006015 | PASS |
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | -30 | 1  | 0.000376 | PASS |
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | -20 | 4  | 0.001504 | PASS |
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | -10 | 10 | 0.003759 | PASS |
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | 0   | 7  | 0.002632 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 156 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | 10  | 12 | 0.004511 | PASS |
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | 20  | 9  | 0.003383 | PASS |
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | 30  | 15 | 0.005639 | PASS |
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | 40  | 8  | 0.003008 | PASS |
| n41 | 30 | 60 | DFT-QPSK | H | Outer_Full | NV | 50  | 8  | 0.003008 | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | -30 | 8  | 0.003161 | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | -20 | 4  | 0.00158  | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | -10 | 17 | 0.006717 | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | 0   | 10 | 0.003951 | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | 10  | 4  | 0.00158  | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | 20  | 1  | 0.000395 | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | 30  | 6  | 0.002371 | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | 40  | 3  | 0.001185 | PASS |
| n41 | 30 | 70 | DFT-BPSK | L | Outer_Full | NV | 50  | 3  | 0.001185 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | -30 | 19 | 0.007507 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | -20 | 13 | 0.005136 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | -10 | 9  | 0.003556 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | 0   | 3  | 0.001185 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | 10  | 16 | 0.006322 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | 20  | 9  | 0.003556 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | 30  | 9  | 0.003556 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | 40  | 15 | 0.005926 | PASS |
| n41 | 30 | 70 | DFT-QPSK | L | Outer_Full | NV | 50  | 12 | 0.004741 | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | -30 | 1  | 0.000386 | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | -20 | 8  | 0.003085 | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | -10 | 13 | 0.005014 | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | 0   | 7  | 0.0027   | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | 10  | 4  | 0.001543 | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | 20  | 4  | 0.001543 | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | 30  | 16 | 0.00617  | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | 40  | 3  | 0.001157 | PASS |
| n41 | 30 | 70 | DFT-BPSK | M | Outer_Full | NV | 50  | 16 | 0.00617  | PASS |
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | -30 | 14 | 0.005399 | PASS |
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | -20 | 15 | 0.005785 | PASS |
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | -10 | 8  | 0.003085 | PASS |
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | 0   | 2  | 0.000771 | PASS |
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | 10  | 14 | 0.005399 | PASS |
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | 20  | 1  | 0.000386 | PASS |
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | 30  | 8  | 0.003085 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 157 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | 40  | 1  | 0.000386 | PASS |
| n41 | 30 | 70 | DFT-QPSK | M | Outer_Full | NV | 50  | 14 | 0.005399 | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | -30 | 15 | 0.00565  | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | -20 | 9  | 0.00339  | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | -10 | 12 | 0.00452  | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | 0   | 18 | 0.00678  | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | 10  | 15 | 0.00565  | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | 20  | 1  | 0.000377 | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | 30  | 2  | 0.000753 | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | 40  | 14 | 0.005273 | PASS |
| n41 | 30 | 70 | DFT-BPSK | H | Outer_Full | NV | 50  | 1  | 0.000377 | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | -30 | 9  | 0.00339  | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | -20 | 2  | 0.000753 | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | -10 | 3  | 0.00113  | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | 0   | 3  | 0.00113  | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | 10  | 16 | 0.006026 | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | 20  | 9  | 0.00339  | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | 30  | 3  | 0.00113  | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | 40  | 15 | 0.00565  | PASS |
| n41 | 30 | 70 | DFT-QPSK | H | Outer_Full | NV | 50  | 9  | 0.00339  | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | -30 | 17 | 0.006703 | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | -20 | 10 | 0.003943 | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | -10 | 7  | 0.00276  | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | 0   | 1  | 0.000394 | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | 10  | 13 | 0.005126 | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | 20  | 7  | 0.00276  | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | 30  | 19 | 0.007492 | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | 40  | 13 | 0.005126 | PASS |
| n41 | 30 | 80 | DFT-BPSK | L | Outer_Full | NV | 50  | 16 | 0.006309 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | -30 | 11 | 0.004338 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | -20 | 16 | 0.006309 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | -10 | 17 | 0.006703 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | 0   | 10 | 0.003943 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | 10  | 4  | 0.001577 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | 20  | 4  | 0.001577 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | 30  | 16 | 0.006309 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | 40  | 17 | 0.006703 | PASS |
| n41 | 30 | 80 | DFT-QPSK | L | Outer_Full | NV | 50  | 10 | 0.003943 | PASS |
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | -30 | 1  | 0.000386 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 158 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | -20 | 13 | 0.005014 | PASS |
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | -10 | 19 | 0.007327 | PASS |
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | 0   | 19 | 0.007327 | PASS |
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | 10  | 16 | 0.00617  | PASS |
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | 20  | 6  | 0.002314 | PASS |
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | 30  | 13 | 0.005014 | PASS |
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | 40  | 19 | 0.007327 | PASS |
| n41 | 30 | 80 | DFT-BPSK | M | Outer_Full | NV | 50  | 16 | 0.00617  | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | -30 | 19 | 0.007327 | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | -20 | 12 | 0.004628 | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | -10 | 6  | 0.002314 | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | 0   | 9  | 0.003471 | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | 10  | 3  | 0.001157 | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | 20  | 15 | 0.005785 | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | 30  | 9  | 0.003471 | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | 40  | 2  | 0.000771 | PASS |
| n41 | 30 | 80 | DFT-QPSK | M | Outer_Full | NV | 50  | 15 | 0.005785 | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | -30 | 17 | 0.006415 | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | -20 | 14 | 0.005283 | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | -10 | 7  | 0.002642 | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | 0   | 1  | 0.000377 | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | 10  | 6  | 0.002264 | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | 20  | 7  | 0.002642 | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | 30  | 19 | 0.00717  | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | 40  | 16 | 0.006038 | PASS |
| n41 | 30 | 80 | DFT-BPSK | H | Outer_Full | NV | 50  | 6  | 0.002264 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | -30 | 2  | 0.000755 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | -20 | 2  | 0.000755 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | -10 | 18 | 0.006792 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | 0   | 8  | 0.003019 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | 10  | 5  | 0.001887 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | 20  | 17 | 0.006415 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | 30  | 11 | 0.004151 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | 40  | 4  | 0.001509 | PASS |
| n41 | 30 | 80 | DFT-QPSK | H | Outer_Full | NV | 50  | 1  | 0.000377 | PASS |
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | -30 | 7  | 0.002755 | PASS |
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | -20 | 7  | 0.002755 | PASS |
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | -10 | 13 | 0.005116 | PASS |
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | 0   | 10 | 0.003935 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 159 of 161

|     |    |    |          |   |            |    |     |    |          |      |
|-----|----|----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | 10  | 3  | 0.001181 | PASS |
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | 20  | 4  | 0.001574 | PASS |
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | 30  | 9  | 0.003542 | PASS |
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | 40  | 3  | 0.001181 | PASS |
| n41 | 30 | 90 | DFT-BPSK | L | Outer_Full | NV | 50  | 15 | 0.005903 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | -30 | 19 | 0.007477 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | -20 | 16 | 0.006297 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | -10 | 9  | 0.003542 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | 0   | 10 | 0.003935 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | 10  | 3  | 0.001181 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | 20  | 16 | 0.006297 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | 30  | 16 | 0.006297 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | 40  | 10 | 0.003935 | PASS |
| n41 | 30 | 90 | DFT-QPSK | L | Outer_Full | NV | 50  | 10 | 0.003935 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | -30 | 6  | 0.002314 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | -20 | 11 | 0.004242 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | -10 | 15 | 0.005785 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | 0   | 19 | 0.007327 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | 10  | 12 | 0.004628 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | 20  | 6  | 0.002314 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | 30  | 18 | 0.006942 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | 40  | 12 | 0.004628 | PASS |
| n41 | 30 | 90 | DFT-BPSK | M | Outer_Full | NV | 50  | 5  | 0.001928 | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | -30 | 16 | 0.00617  | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | -20 | 10 | 0.003857 | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | -10 | 10 | 0.003857 | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | 0   | 4  | 0.001543 | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | 10  | 4  | 0.001543 | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | 20  | 16 | 0.00617  | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | 30  | 10 | 0.003857 | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | 40  | 16 | 0.00617  | PASS |
| n41 | 30 | 90 | DFT-QPSK | M | Outer_Full | NV | 50  | 19 | 0.007327 | PASS |
| n41 | 30 | 90 | DFT-BPSK | H | Outer_Full | NV | -30 | 10 | 0.003781 | PASS |
| n41 | 30 | 90 | DFT-BPSK | H | Outer_Full | NV | -20 | 3  | 0.001134 | PASS |
| n41 | 30 | 90 | DFT-BPSK | H | Outer_Full | NV | -10 | 4  | 0.001512 | PASS |
| n41 | 30 | 90 | DFT-BPSK | H | Outer_Full | NV | 0   | 4  | 0.001512 | PASS |
| n41 | 30 | 90 | DFT-BPSK | H | Outer_Full | NV | 10  | 17 | 0.006427 | PASS |
| n41 | 30 | 90 | DFT-BPSK | H | Outer_Full | NV | 20  | 3  | 0.001134 | PASS |
| n41 | 30 | 90 | DFT-BPSK | H | Outer_Full | NV | 30  | 4  | 0.001512 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 160 of 161

|     |    |     |          |   |            |    |     |    |          |      |
|-----|----|-----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 90  | DFT-BPSK | H | Outer_Full | NV | 40  | 16 | 0.006049 | PASS |
| n41 | 30 | 90  | DFT-BPSK | H | Outer_Full | NV | 50  | 17 | 0.006427 | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | -30 | 9  | 0.003403 | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | -20 | 9  | 0.003403 | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | -10 | 10 | 0.003781 | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | 0   | 3  | 0.001134 | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | 10  | 19 | 0.007183 | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | 20  | 5  | 0.00189  | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | 30  | 18 | 0.006805 | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | 40  | 18 | 0.006805 | PASS |
| n41 | 30 | 90  | DFT-QPSK | H | Outer_Full | NV | 50  | 5  | 0.00189  | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | -30 | 10 | 0.003928 | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | -20 | 3  | 0.001178 | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | -10 | 3  | 0.001178 | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | 0   | 9  | 0.003535 | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | 10  | 9  | 0.003535 | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | 20  | 10 | 0.003928 | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | 30  | 3  | 0.001178 | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | 40  | 19 | 0.007463 | PASS |
| n41 | 30 | 100 | DFT-BPSK | L | Outer_Full | NV | 50  | 16 | 0.006284 | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | -30 | 5  | 0.001964 | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | -20 | 18 | 0.00707  | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | -10 | 11 | 0.00432  | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | 0   | 5  | 0.001964 | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | 10  | 17 | 0.006677 | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | 20  | 17 | 0.006677 | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | 30  | 18 | 0.00707  | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | 40  | 11 | 0.00432  | PASS |
| n41 | 30 | 100 | DFT-QPSK | L | Outer_Full | NV | 50  | 2  | 0.000786 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | -30 | 18 | 0.006942 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | -20 | 19 | 0.007327 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | -10 | 12 | 0.004628 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | 0   | 13 | 0.005014 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | 10  | 6  | 0.002314 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | 20  | 19 | 0.007327 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | 30  | 15 | 0.005785 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | 40  | 2  | 0.000771 | PASS |
| n41 | 30 | 100 | DFT-BPSK | M | Outer_Full | NV | 50  | 2  | 0.000771 | PASS |
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | -30 | 4  | 0.001543 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A4

Page 161 of 161

|     |    |     |          |   |            |    |     |    |          |      |
|-----|----|-----|----------|---|------------|----|-----|----|----------|------|
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | -20 | 16 | 0.00617  | PASS |
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | -10 | 10 | 0.003857 | PASS |
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | 0   | 10 | 0.003857 | PASS |
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | 10  | 10 | 0.003857 | PASS |
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | 20  | 11 | 0.004242 | PASS |
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | 30  | 1  | 0.000386 | PASS |
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | 40  | 17 | 0.006556 | PASS |
| n41 | 30 | 100 | DFT-QPSK | M | Outer_Full | NV | 50  | 17 | 0.006556 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | -30 | 14 | 0.005303 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | -20 | 19 | 0.007197 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | -10 | 4  | 0.001515 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | 0   | 13 | 0.004924 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | 10  | 7  | 0.002652 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | 20  | 7  | 0.002652 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | 30  | 7  | 0.002652 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | 40  | 1  | 0.000379 | PASS |
| n41 | 30 | 100 | DFT-BPSK | H | Outer_Full | NV | 50  | 1  | 0.000379 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | -30 | 16 | 0.006061 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | -20 | 16 | 0.006061 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | -10 | 10 | 0.003788 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | 0   | 3  | 0.001136 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | 10  | 16 | 0.006061 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | 20  | 16 | 0.006061 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | 30  | 9  | 0.003409 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | 40  | 3  | 0.001136 | PASS |
| n41 | 30 | 100 | DFT-QPSK | H | Outer_Full | NV | 50  | 3  | 0.001136 | PASS |

-----END-----