







NTNV-n66-PC3-15-20-H-DFT-QPSK-Edge_1RB_Left-0.009-0.15-
PASS




NTNV-n66-PC3-15-20-H-DFT-QPSK-Edge_1RB_Left-0.15-30-PA
SS




NTNV-n66-PC3-15-20-H-DFT-QPSK-Edge_1RB_Left-30-1000-P
ASS



NTNV-n66-PC3-15-20-H-DFT-QPSK-Edge_1RB_Left-1000-3000-
PASS



NTNV-n66-PC3-15-20-H-DFT-QPSK-Edge_1RB_Left-3000-1200
0-PASS



NTNV-n66-PC3-15-20-H-DFT-QPSK-Edge_1RB_Left-12000-2000
0-PASS



Appendix F: Frequency Stability

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	VL	NT	11	0.006423	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	VN	NT	7	0.004088	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	VH	NT	1	0.000584	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	VL	NT	13	0.007591	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	VN	NT	6	0.003504	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	VH	NT	7	0.004088	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	VL	NT	8	0.004585	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	VN	NT	1	0.000573	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	VH	NT	14	0.008023	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	VL	NT	15	0.008596	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	VN	NT	12	0.006877	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	VH	NT	5	0.002865	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	VL	NT	9	0.005063	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	VN	NT	2	0.001125	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	VH	NT	15	0.008439	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	VL	NT	19	0.010689	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	VN	NT	13	0.007314	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	VH	NT	13	0.007314	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	VL	NT	17	0.009913	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	VN	NT	14	0.008163	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	VH	NT	7	0.004082	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	VL	NT	2	0.001166	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	VN	NT	2	0.001166	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	VH	NT	15	0.008746	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	VL	NT	14	0.008023	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	VN	NT	17	0.009742	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	VH	NT	11	0.006304	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	VL	NT	14	0.008023	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	VN	NT	8	0.004585	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	VH	NT	1	0.000573	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	VL	NT	14	0.007887	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A5

Page 63 of 69

n66	15	10	DFT-BPSK	H	Outer_Full	VN	NT	14	0.007887	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	VH	NT	1	0.000563	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	VL	NT	15	0.008451	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	VN	NT	11	0.006197	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	VH	NT	5	0.002817	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	VL	NT	14	0.008151	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	VN	NT	8	0.004658	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	VH	NT	4	0.002329	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	VL	NT	10	0.005822	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	VN	NT	3	0.001747	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	VH	NT	16	0.009316	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	VL	NT	18	0.010315	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	VN	NT	5	0.002865	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	VH	NT	5	0.002865	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	VL	NT	2	0.001146	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	VN	NT	18	0.010315	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	VH	NT	12	0.006877	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	VL	NT	11	0.006206	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	VN	NT	4	0.002257	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	VH	NT	17	0.009591	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	VL	NT	11	0.006206	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	VN	NT	4	0.002257	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	VH	NT	17	0.009591	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	VL	NT	14	0.00814	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	VN	NT	8	0.004651	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	VH	NT	13	0.007558	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	VL	NT	8	0.004651	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	VN	NT	12	0.006977	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	VH	NT	5	0.002907	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	VL	NT	8	0.004585	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	VN	NT	4	0.002292	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	VH	NT	17	0.009742	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	VL	NT	17	0.009742	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	VN	NT	10	0.005731	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	VH	NT	4	0.002292	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	VL	NT	4	0.00226	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	VN	NT	10	0.00565	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	VH	NT	10	0.00565	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	VL	NT	15	0.008475	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A5

Page 64 of 69

n66	15	20	DFT-QPSK	H	Outer_Full	VN	NT	19	0.010734	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	VH	NT	9	0.005085	PASS

Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	NV	-30	14	0.008175	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	NV	-20	7	0.004088	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	NV	-10	13	0.007591	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	NV	0	16	0.009343	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	NV	10	13	0.007591	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	NV	20	14	0.008175	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	NV	30	4	0.002336	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	NV	40	8	0.004672	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	NV	50	17	0.009927	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	-30	12	0.007007	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	-20	13	0.007591	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	-10	6	0.003504	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	0	19	0.011095	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	10	19	0.011095	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	20	16	0.009343	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	30	6	0.003504	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	40	3	0.001752	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	NV	50	15	0.008759	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	-30	19	0.010888	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	-20	1	0.000573	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	-10	13	0.00745	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	0	14	0.008023	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	10	19	0.010888	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	20	1	0.000573	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	30	13	0.00745	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	40	7	0.004011	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	NV	50	10	0.005731	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	NV	-30	18	0.010315	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	NV	-20	11	0.006304	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	NV	-10	5	0.002865	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	NV	0	5	0.002865	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A5

Page 65 of 69

n66	15	5	DFT-QPSK	M	Outer_Full	NV	10	18	0.010315	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	NV	20	11	0.006304	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	NV	30	11	0.006304	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	NV	40	5	0.002865	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	NV	50	5	0.002865	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	-30	18	0.010127	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	-20	9	0.005063	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	-10	2	0.001125	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	0	3	0.001688	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	10	15	0.008439	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	20	12	0.006751	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	30	12	0.006751	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	40	18	0.010127	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	NV	50	11	0.006188	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	-30	10	0.005626	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	-20	3	0.001688	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	-10	16	0.009001	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	0	16	0.009001	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	10	7	0.003938	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	20	14	0.007876	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	30	7	0.003938	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	40	8	0.004501	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	NV	50	17	0.009564	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	-30	1	0.000583	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	-20	1	0.000583	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	-10	13	0.00758	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	0	14	0.008163	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	10	7	0.004082	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	20	1	0.000583	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	30	1	0.000583	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	40	1	0.000583	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	NV	50	11	0.006414	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	NV	-30	8	0.004665	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	NV	-20	5	0.002915	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	NV	-10	14	0.008163	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	NV	0	15	0.008746	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	NV	10	8	0.004665	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	NV	20	2	0.001166	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	NV	30	6	0.003499	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A5

Page 66 of 69

n66	15	10	DFT-QPSK	L	Outer_Full	NV	40	18	0.010496	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	NV	50	19	0.011079	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	-30	4	0.002292	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	-20	17	0.009742	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	-10	17	0.009742	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	0	11	0.006304	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	10	11	0.006304	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	20	1	0.000573	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	30	2	0.001146	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	40	18	0.010315	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	NV	50	2	0.001146	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	-30	14	0.008023	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	-20	7	0.004011	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	-10	1	0.000573	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	0	1	0.000573	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	10	14	0.008023	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	20	7	0.004011	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	30	7	0.004011	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	40	1	0.000573	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	NV	50	13	0.00745	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	-30	1	0.000563	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	-20	14	0.007887	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	-10	14	0.007887	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	0	7	0.003944	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	10	8	0.004507	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	20	17	0.009577	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	30	17	0.009577	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	40	15	0.008451	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	NV	50	15	0.008451	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	-30	17	0.009577	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	-20	11	0.006197	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	-10	4	0.002254	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	0	5	0.002817	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	10	17	0.009577	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	20	17	0.009577	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	30	8	0.004507	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	40	8	0.004507	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	NV	50	9	0.00507	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	NV	-30	17	0.009898	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A5

Page 67 of 69

n66	15	15	DFT-BPSK	L	Outer_Full	NV	-20	17	0.009898	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	NV	-10	8	0.004658	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	NV	0	8	0.004658	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	NV	10	5	0.002911	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	NV	20	14	0.008151	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	NV	30	14	0.008151	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	NV	40	18	0.01048	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	NV	50	19	0.011063	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	-30	2	0.001164	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	-20	10	0.005822	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	-10	19	0.011063	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	0	19	0.011063	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	10	1	0.000582	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	20	1	0.000582	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	30	7	0.004076	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	40	7	0.004076	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	NV	50	1	0.000582	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	-30	17	0.009742	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	-20	11	0.006304	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	-10	4	0.002292	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	0	5	0.002865	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	10	17	0.009742	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	20	18	0.010315	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	30	18	0.010315	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	40	8	0.004585	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	NV	50	12	0.006877	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	-30	2	0.001146	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	-20	5	0.002865	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	-10	18	0.010315	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	0	11	0.006304	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	10	9	0.005158	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	20	5	0.002865	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	30	15	0.008596	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	40	15	0.008596	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	NV	50	15	0.008596	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	NV	-30	17	0.009591	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	NV	-20	17	0.009591	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	NV	-10	18	0.010155	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	NV	0	4	0.002257	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A5

Page 68 of 69

n66	15	15	DFT-BPSK	H	Outer_Full	NV	10	5	0.002821	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	NV	20	5	0.002821	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	NV	30	17	0.009591	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	NV	40	18	0.010155	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	NV	50	8	0.004513	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	-30	10	0.005642	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	-20	4	0.002257	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	-10	8	0.004513	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	0	1	0.000564	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	10	9	0.005078	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	20	2	0.001128	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	30	12	0.00677	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	40	12	0.00677	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	NV	50	12	0.00677	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	-30	17	0.009884	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	-20	7	0.00407	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	-10	8	0.004651	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	0	1	0.000581	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	10	14	0.00814	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	20	14	0.00814	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	30	14	0.00814	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	40	15	0.008721	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	NV	50	5	0.002907	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	-30	18	0.010465	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	-20	18	0.010465	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	-10	8	0.004651	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	0	9	0.005233	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	10	9	0.005233	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	20	9	0.005233	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	30	19	0.011047	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	40	12	0.006977	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	NV	50	13	0.007558	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	NV	-30	11	0.006304	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	NV	-20	11	0.006304	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	NV	-10	11	0.006304	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	NV	0	2	0.001146	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	NV	10	2	0.001146	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	NV	20	2	0.001146	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	NV	30	15	0.008596	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A5

Page 69 of 69

n66	15	20	DFT-BPSK	M	Outer_Full	NV	40	15	0.008596	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	NV	50	15	0.008596	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	-30	16	0.009169	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	-20	10	0.005731	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	-10	10	0.005731	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	0	10	0.005731	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	10	8	0.004585	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	20	8	0.004585	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	30	8	0.004585	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	40	9	0.005158	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	NV	50	13	0.00745	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	-30	4	0.00226	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	-20	4	0.00226	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	-10	13	0.007345	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	0	1	0.000565	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	10	14	0.00791	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	20	14	0.00791	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	30	8	0.00452	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	40	8	0.00452	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	NV	50	18	0.010169	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	-30	3	0.001695	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	-20	3	0.001695	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	-10	3	0.001695	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	0	4	0.00226	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	10	13	0.007345	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	20	1	0.000565	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	30	1	0.000565	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	40	18	0.010169	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	NV	50	18	0.010169	PASS

-----END-----