



Appendix F: Frequency Stability

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	VL	NT	16	0.019477	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	VN	NT	10	0.012173	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	VH	NT	6	0.007304	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	VL	NT	13	0.015825	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	VN	NT	9	0.010956	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	VH	NT	15	0.018259	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	VL	NT	13	0.015541	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	VN	NT	9	0.010759	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	VH	NT	15	0.017932	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	VL	NT	3	0.003586	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	VN	NT	19	0.022714	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	VH	NT	12	0.014345	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	VL	NT	18	0.021264	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	VN	NT	5	0.005907	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	VH	NT	17	0.020083	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	VL	NT	14	0.016539	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	VN	NT	11	0.012995	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	VH	NT	16	0.018901	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	VL	NT	15	0.018094	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	VN	NT	9	0.010856	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	VH	NT	18	0.021713	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	VL	NT	14	0.016888	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	VN	NT	8	0.00965	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	VH	NT	4	0.004825	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	VL	NT	19	0.022714	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	VN	NT	16	0.019127	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	VH	NT	3	0.003586	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	VL	NT	19	0.022714	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	VN	NT	5	0.005977	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	VH	NT	18	0.021518	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	VL	NT	4	0.004739	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A7

Page 62 of 68

n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	VN	NT	19	0.022512	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	VH	NT	9	0.010664	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	VL	NT	13	0.015403	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	VN	NT	10	0.011848	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	VH	NT	3	0.003555	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	VL	NT	18	0.021648	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	VN	NT	15	0.01804	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	VH	NT	15	0.01804	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	VL	NT	9	0.010824	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	VN	NT	5	0.006013	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	VH	NT	11	0.013229	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	VL	NT	18	0.021518	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	VN	NT	14	0.016736	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	VH	NT	1	0.001195	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	VL	NT	15	0.017932	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	VN	NT	9	0.010759	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	VH	NT	2	0.002391	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	VL	NT	5	0.005942	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	VN	NT	1	0.001188	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	VH	NT	7	0.008318	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	VL	NT	3	0.003565	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	VN	NT	12	0.01426	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	VH	NT	16	0.019014	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	VL	NT	19	0.022782	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	VN	NT	12	0.014388	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	VH	NT	18	0.021583	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	VL	NT	4	0.004796	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	VN	NT	13	0.015588	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	VH	NT	3	0.003597	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	VL	NT	16	0.019127	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	VN	NT	3	0.003586	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	VH	NT	12	0.014345	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	VL	NT	10	0.011955	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	VN	NT	16	0.019127	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	VH	NT	13	0.015541	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	VL	NT	5	0.005959	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	VN	NT	1	0.001192	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	VH	NT	11	0.013111	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	VL	NT	7	0.008343	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A7

Page 63 of 68

n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	VN	NT	16	0.01907	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	VH	NT	13	0.015495	PASS

Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	-30	12	0.014607	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	-20	6	0.007304	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	-10	14	0.017042	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	0	11	0.01339	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	10	17	0.020694	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	20	13	0.015825	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	30	19	0.023128	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	40	16	0.019477	PASS
n26(824-849)	15	5	DFT-BPSK	L	Outer_Full	NV	50	2	0.002435	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	-30	12	0.014607	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	-20	10	0.012173	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	-10	7	0.008521	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	0	13	0.015825	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	10	9	0.010956	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	20	18	0.021911	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	30	5	0.006086	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	40	1	0.001217	PASS
n26(824-849)	15	5	DFT-QPSK	L	Outer_Full	NV	50	2	0.002435	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	-30	12	0.014345	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	-20	17	0.020323	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	-10	2	0.002391	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	0	1	0.001195	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	10	16	0.019127	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	20	10	0.011955	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	30	7	0.008368	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	40	12	0.014345	PASS
n26(824-849)	15	5	DFT-BPSK	M	Outer_Full	NV	50	9	0.010759	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	-30	18	0.021518	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	-20	15	0.017932	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	-10	1	0.001195	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	0	17	0.020323	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A7

Page 64 of 68

n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	10	4	0.004782	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	20	19	0.022714	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	30	6	0.007173	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	40	3	0.003586	PASS
n26(824-849)	15	5	DFT-QPSK	M	Outer_Full	NV	50	8	0.009564	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	-30	14	0.016539	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	-20	1	0.001181	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	-10	16	0.018901	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	0	3	0.003544	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	10	12	0.014176	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	20	9	0.010632	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	30	14	0.016539	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	40	8	0.009451	PASS
n26(824-849)	15	5	DFT-BPSK	H	Outer_Full	NV	50	4	0.004725	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	-30	13	0.015357	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	-20	19	0.022445	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	-10	15	0.01772	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	0	2	0.002363	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	10	18	0.021264	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	20	4	0.004725	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	30	1	0.001181	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	40	7	0.008269	PASS
n26(824-849)	15	5	DFT-QPSK	H	Outer_Full	NV	50	16	0.018901	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	-30	14	0.016888	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	-20	1	0.001206	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	-10	17	0.020507	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	0	3	0.003619	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	10	19	0.022919	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	20	9	0.010856	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	30	14	0.016888	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	40	11	0.013269	PASS
n26(824-849)	15	10	DFT-BPSK	L	Outer_Full	NV	50	17	0.020507	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	-30	10	0.012063	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	-20	4	0.004825	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	-10	19	0.022919	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	0	6	0.007238	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	10	9	0.010856	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	20	15	0.018094	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	30	12	0.014475	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A7

Page 65 of 68

n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	40	17	0.020507	PASS
n26(824-849)	15	10	DFT-QPSK	L	Outer_Full	NV	50	14	0.016888	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	-30	18	0.021518	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	-20	5	0.005977	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	-10	2	0.002391	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	0	10	0.011955	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	10	16	0.019127	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	20	13	0.015541	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	30	18	0.021518	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	40	12	0.014345	PASS
n26(824-849)	15	10	DFT-BPSK	M	Outer_Full	NV	50	9	0.010759	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	-30	8	0.009564	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	-20	4	0.004782	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	-10	10	0.011955	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	0	7	0.008368	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	10	19	0.022714	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	20	9	0.010759	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	30	15	0.017932	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	40	11	0.01315	PASS
n26(824-849)	15	10	DFT-QPSK	M	Outer_Full	NV	50	17	0.020323	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	-30	15	0.017773	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	-20	8	0.009479	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	-10	5	0.005924	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	0	11	0.013033	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	10	7	0.008294	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	20	13	0.015403	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	30	10	0.011848	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	40	3	0.003555	PASS
n26(824-849)	15	10	DFT-BPSK	H	Outer_Full	NV	50	9	0.010664	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	-30	16	0.018957	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	-20	2	0.00237	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	-10	18	0.021327	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	0	5	0.005924	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	10	1	0.001185	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	20	7	0.008294	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	30	4	0.004739	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	40	9	0.010664	PASS
n26(824-849)	15	10	DFT-QPSK	H	Outer_Full	NV	50	6	0.007109	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	-30	5	0.006013	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A7

Page 66 of 68

n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	-20	17	0.020445	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	-10	7	0.008419	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	0	13	0.015634	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	10	10	0.012026	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	20	15	0.01804	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	30	12	0.014432	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	40	18	0.021648	PASS
n26(824-849)	15	15	DFT-BPSK	L	Outer_Full	NV	50	14	0.016837	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	-30	8	0.009621	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	-20	13	0.015634	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	-10	10	0.012026	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	0	16	0.019242	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	10	12	0.014432	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	20	18	0.021648	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	30	11	0.013229	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	40	8	0.009621	PASS
n26(824-849)	15	15	DFT-QPSK	L	Outer_Full	NV	50	2	0.002405	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	-30	17	0.020323	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	-20	3	0.003586	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	-10	19	0.022714	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	0	12	0.014345	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	10	2	0.002391	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	20	15	0.017932	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	30	8	0.009564	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	40	14	0.016736	PASS
n26(824-849)	15	15	DFT-BPSK	M	Outer_Full	NV	50	11	0.01315	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	-30	8	0.009564	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	-20	4	0.004782	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	-10	10	0.011955	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	0	7	0.008368	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	10	12	0.014345	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	20	9	0.010759	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	30	18	0.021518	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	40	5	0.005977	PASS
n26(824-849)	15	15	DFT-QPSK	M	Outer_Full	NV	50	13	0.015541	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	-30	4	0.004753	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	-20	9	0.010695	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	-10	6	0.00713	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	0	12	0.01426	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A7

Page 67 of 68

n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	10	12	0.01426	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	20	12	0.01426	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	30	18	0.02139	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	40	12	0.01426	PASS
n26(824-849)	15	15	DFT-BPSK	H	Outer_Full	NV	50	8	0.009507	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	-30	3	0.003565	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	-20	3	0.003565	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	-10	9	0.010695	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	0	2	0.002377	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	10	2	0.002377	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	20	18	0.02139	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	30	12	0.01426	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	40	17	0.020202	PASS
n26(824-849)	15	15	DFT-QPSK	H	Outer_Full	NV	50	14	0.016637	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	-30	8	0.009592	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	-20	1	0.001199	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	-10	17	0.020384	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	0	10	0.01199	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	10	4	0.004796	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	20	16	0.019185	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	30	10	0.01199	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	40	19	0.022782	PASS
n26(824-849)	15	20	DFT-BPSK	L	Outer_Full	NV	50	12	0.014388	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	-30	19	0.022782	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	-20	9	0.010791	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	-10	2	0.002398	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	0	15	0.017986	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	10	5	0.005995	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	20	10	0.01199	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	30	7	0.008393	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	40	1	0.001199	PASS
n26(824-849)	15	20	DFT-QPSK	L	Outer_Full	NV	50	16	0.019185	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	-30	5	0.005977	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	-20	18	0.021518	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	-10	14	0.016736	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	0	1	0.001195	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	10	17	0.020323	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	20	3	0.003586	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	30	4	0.004782	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A7

Page 68 of 68

n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	40	12	0.014345	PASS
n26(824-849)	15	20	DFT-BPSK	M	Outer_Full	NV	50	18	0.021518	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	-30	18	0.021518	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	-20	8	0.009564	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	-10	5	0.005977	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	0	10	0.011955	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	10	7	0.008368	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	20	13	0.015541	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	30	9	0.010759	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	40	15	0.017932	PASS
n26(824-849)	15	20	DFT-QPSK	M	Outer_Full	NV	50	9	0.010759	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	-30	7	0.008343	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	-20	13	0.015495	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	-10	10	0.011919	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	0	15	0.017878	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	10	12	0.014303	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	20	18	0.021454	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	30	14	0.016687	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	40	1	0.001192	PASS
n26(824-849)	15	20	DFT-BPSK	H	Outer_Full	NV	50	17	0.020262	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	-30	6	0.007151	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	-20	12	0.014303	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	-10	9	0.010727	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	0	14	0.016687	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	10	11	0.013111	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	20	17	0.020262	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	30	13	0.015495	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	40	3	0.003576	PASS
n26(824-849)	15	20	DFT-QPSK	H	Outer_Full	NV	50	9	0.010727	PASS

-----END-----