



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 191 of 198

n77(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	50	11	0.003143	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	-30	4	0.001133	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	-20	1	0.000283	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	-10	2	0.000567	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	0	2	0.000567	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	10	18	0.005099	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	20	6	0.0017	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	30	4	0.001133	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	40	4	0.001133	PASS
n77(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	50	17	0.004816	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	-30	3	0.00085	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	-20	13	0.003683	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	-10	5	0.001416	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	0	5	0.001416	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	10	5	0.001416	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	20	3	0.00085	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	30	3	0.00085	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	40	12	0.003399	PASS
n77(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	50	13	0.003683	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	-30	19	0.005468	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	-20	13	0.003741	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	-10	17	0.004892	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	0	10	0.002878	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	10	8	0.002302	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	20	8	0.002302	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	30	5	0.001439	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	40	6	0.001727	PASS
n77(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	50	6	0.001727	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	-30	19	0.005468	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	-20	13	0.003741	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	-10	13	0.003741	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	0	10	0.002878	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	10	11	0.003165	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	20	11	0.003165	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	30	11	0.003165	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	40	15	0.004317	PASS
n77(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	50	13	0.003741	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	-30	4	0.001143	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	-20	1	0.000286	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	-10	17	0.004857	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	0	18	0.005143	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 192 of 198

n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	10	18	0.005143	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	20	18	0.005143	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	30	9	0.002571	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	40	16	0.004571	PASS
n77(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	50	16	0.004571	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	-30	19	0.005429	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	-20	19	0.005429	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	-10	17	0.004857	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	0	17	0.004857	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	10	17	0.004857	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	20	8	0.002286	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	30	8	0.002286	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	40	15	0.004286	PASS
n77(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	50	6	0.001714	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	-30	3	0.000851	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	-20	4	0.001135	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	-10	4	0.001135	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	0	1	0.000284	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	10	2	0.000567	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	20	18	0.005106	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	30	18	0.005106	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	40	18	0.005106	PASS
n77(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	50	19	0.00539	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	-30	3	0.000851	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	-20	3	0.000851	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	-10	3	0.000851	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	0	13	0.003688	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	10	13	0.003688	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	20	13	0.003688	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	30	14	0.003972	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	40	11	0.003121	PASS
n77(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	50	11	0.003121	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	-30	12	0.003448	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	-20	12	0.003448	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	-10	4	0.001149	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	0	13	0.003736	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	10	17	0.004885	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	20	7	0.002011	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	30	7	0.002011	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	40	5	0.001437	PASS
n77(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	50	5	0.001437	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 193 of 198

n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	-30	15	0.00431	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	-20	15	0.00431	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	-10	15	0.00431	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	0	13	0.003736	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	10	13	0.003736	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	20	13	0.003736	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	30	4	0.001149	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	40	4	0.001149	PASS
n77(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	50	4	0.001149	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	-30	16	0.004571	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	-20	14	0.004	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	-10	14	0.004	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	0	2	0.000571	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	10	11	0.003143	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	20	12	0.003429	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	30	12	0.003429	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	40	12	0.003429	PASS
n77(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	50	3	0.000857	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	-30	16	0.004571	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	-20	13	0.003714	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	-10	6	0.001714	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	0	7	0.002	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	10	4	0.001143	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	20	4	0.001143	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	30	5	0.001429	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	40	5	0.001429	PASS
n77(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	50	14	0.004	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	-30	19	0.005398	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	-20	19	0.005398	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	-10	1	0.000284	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	0	10	0.002841	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	10	17	0.00483	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	20	8	0.002273	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	30	11	0.003125	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	40	8	0.002273	PASS
n77(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	50	9	0.002557	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	-30	16	0.004545	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	-20	1	0.000284	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	-10	2	0.000568	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	0	18	0.005114	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	10	18	0.005114	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 194 of 198

n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	20	18	0.005114	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	30	16	0.004545	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	40	16	0.004545	PASS
n77(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	50	13	0.003693	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	-30	15	0.004304	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	-20	15	0.004304	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	-10	3	0.000861	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	0	13	0.00373	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	10	13	0.00373	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	20	13	0.00373	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	30	14	0.004017	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	40	4	0.001148	PASS
n77(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	50	4	0.001148	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	-30	17	0.004878	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	-20	7	0.002009	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	-10	8	0.002296	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	0	8	0.002296	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	10	8	0.002296	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	20	13	0.00373	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	30	3	0.000861	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	40	3	0.000861	PASS
n77(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	50	4	0.001148	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	-30	3	0.000857	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	-20	3	0.000857	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	-10	4	0.001143	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	0	4	0.001143	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	10	13	0.003714	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	20	14	0.004	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	30	14	0.004	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	40	14	0.004	PASS
n77(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	50	5	0.001429	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	-30	1	0.000286	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	-20	17	0.004857	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	-10	17	0.004857	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	0	8	0.002286	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	10	8	0.002286	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	20	8	0.002286	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	30	5	0.001429	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	40	13	0.003714	PASS
n77(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	50	10	0.002857	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	-30	19	0.005405	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 195 of 198

n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	-20	16	0.004552	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	-10	17	0.004836	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	0	7	0.001991	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	10	11	0.003129	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	20	1	0.000284	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	30	8	0.002276	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	40	9	0.00256	PASS
n77(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	50	16	0.004552	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	-30	3	0.000853	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	-20	19	0.005405	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	-10	1	0.000284	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	0	10	0.002845	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	10	14	0.003983	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	20	18	0.005121	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	30	15	0.004267	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	40	15	0.004267	PASS
n77(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	50	6	0.001707	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	-30	2	0.000573	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	-20	2	0.000573	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	-10	3	0.00086	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	0	3	0.00086	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	10	1	0.000287	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	20	8	0.002292	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	30	5	0.001433	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	40	5	0.001433	PASS
n77(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	50	18	0.005158	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	-30	8	0.002292	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	-20	16	0.004585	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	-10	6	0.001719	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	0	6	0.001719	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	10	7	0.002006	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	20	7	0.002006	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	30	4	0.001146	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	40	5	0.001433	PASS
n77(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	50	2	0.000573	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	-30	2	0.000571	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	-20	18	0.005143	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	-10	6	0.001714	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	0	15	0.004286	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	10	16	0.004571	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	20	16	0.004571	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 196 of 198

n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	30	16	0.004571	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	40	14	0.004	PASS
n77(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	50	14	0.004	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	-30	17	0.004857	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	-20	17	0.004857	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	-10	17	0.004857	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	0	15	0.004286	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	10	19	0.005429	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	20	16	0.004571	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	30	16	0.004571	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	40	17	0.004857	PASS
n77(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	50	17	0.004857	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	-30	6	0.001709	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	-20	16	0.004558	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	-10	4	0.00114	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	0	13	0.003704	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	10	1	0.000285	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	20	18	0.005128	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	30	18	0.005128	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	40	15	0.004274	PASS
n77(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	50	3	0.000855	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	-30	15	0.004274	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	-20	5	0.001425	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	-10	6	0.001709	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	0	18	0.005128	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	10	6	0.001709	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	20	16	0.004558	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	30	4	0.00114	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	40	13	0.003704	PASS
n77(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	50	14	0.003989	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	-30	2	0.000572	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	-20	2	0.000572	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	-10	3	0.000858	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	0	19	0.005436	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	10	19	0.005436	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	20	19	0.005436	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	30	13	0.00372	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	40	13	0.00372	PASS
n77(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	50	4	0.001144	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	-30	10	0.002861	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	-20	10	0.002861	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 197 of 198

n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	-10	10	0.002861	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	0	4	0.001144	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	10	4	0.001144	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	20	1	0.000286	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	30	14	0.004006	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	40	14	0.004006	PASS
n77(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	50	11	0.003147	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	-30	6	0.001714	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	-20	3	0.000857	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	-10	7	0.002	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	0	7	0.002	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	10	14	0.004	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	20	12	0.003429	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	30	12	0.003429	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	40	9	0.002571	PASS
n77(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	50	9	0.002571	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	-30	19	0.005429	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	-20	19	0.005429	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	-10	17	0.004857	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	0	17	0.004857	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	10	17	0.004857	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	20	8	0.002286	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	30	15	0.004286	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	40	5	0.001429	PASS
n77(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	50	12	0.003429	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	-30	12	0.003424	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	-20	19	0.005421	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	-10	9	0.002568	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	0	10	0.002853	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	10	17	0.00485	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	20	7	0.001997	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	30	14	0.003994	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	40	5	0.001427	PASS
n77(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	50	12	0.003424	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	-30	17	0.00485	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	-20	2	0.000571	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	-10	2	0.000571	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	0	3	0.000856	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	10	12	0.003424	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	20	19	0.005421	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	30	10	0.002853	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0044-RF5-A8

Page 198 of 198

n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	40	17	0.00485	PASS
n77(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	50	17	0.00485	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	-30	6	0.001714	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	-20	7	0.002	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	-10	7	0.002	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	0	7	0.002	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	10	19	0.005429	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	20	19	0.005429	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	30	19	0.005429	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	40	10	0.002857	PASS
n77(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	50	14	0.004	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	-30	15	0.004286	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	-20	15	0.004286	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	-10	3	0.000857	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	0	13	0.003714	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	10	13	0.003714	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	20	14	0.004	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	30	14	0.004	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	40	11	0.003143	PASS
n77(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	50	11	0.003143	PASS

-----END-----