

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 Band5\_ERP

| Band: 5 |         |              |                 |                       |            |           |         |         |
|---------|---------|--------------|-----------------|-----------------------|------------|-----------|---------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|         | Network | Subset       |                 |                       |            | Result    | Limit   |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 23.79                 | -0.71      | 20.93     | <=38.45 | Pass    |
|         |         |              | 836.6           | 23.70                 | -0.71      | 20.84     | <=38.45 | Pass    |
|         |         |              | 846.6           | 23.61                 | -0.71      | 20.75     | <=38.45 | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 21.46                 | -0.71      | 18.60     | <=38.45 | Pass    |
|         |         | Subtest 2    | 826.4           | 21.23                 | -0.71      | 18.37     | <=38.45 | Pass    |
|         |         | Subtest 3    | 826.4           | 21.46                 | -0.71      | 18.60     | <=38.45 | Pass    |
|         |         | Subtest 4    | 826.4           | 21.44                 | -0.71      | 18.58     | <=38.45 | Pass    |
|         |         | Subtest 1    | 836.6           | 21.46                 | -0.71      | 18.60     | <=38.45 | Pass    |
|         |         | Subtest 2    | 836.6           | 21.46                 | -0.71      | 18.60     | <=38.45 | Pass    |
|         |         | Subtest 3    | 836.6           | 21.50                 | -0.71      | 18.64     | <=38.45 | Pass    |
|         |         | Subtest 4    | 836.6           | 21.48                 | -0.71      | 18.62     | <=38.45 | Pass    |
|         |         | Subtest 1    | 846.6           | 21.49                 | -0.71      | 18.63     | <=38.45 | Pass    |
|         |         | Subtest 2    | 846.6           | 21.51                 | -0.71      | 18.65     | <=38.45 | Pass    |
|         |         | Subtest 3    | 846.6           | 21.53                 | -0.71      | 18.67     | <=38.45 | Pass    |
|         |         | Subtest 4    | 846.6           | 21.49                 | -0.71      | 18.63     | <=38.45 | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 19.50                 | -0.71      | 16.64     | <=38.45 | Pass    |
|         |         | Subtest 2    | 826.4           | 19.56                 | -0.71      | 16.70     | <=38.45 | Pass    |
|         |         | Subtest 3    | 826.4           | 19.30                 | -0.71      | 16.44     | <=38.45 | Pass    |
|         |         | Subtest 4    | 826.4           | 19.00                 | -0.71      | 16.14     | <=38.45 | Pass    |
|         |         | Subtest 5    | 826.4           | 19.29                 | -0.71      | 16.43     | <=38.45 | Pass    |
|         |         | Subtest 1    | 836.6           | 19.43                 | -0.71      | 16.57     | <=38.45 | Pass    |
|         |         | Subtest 2    | 836.6           | 19.45                 | -0.71      | 16.59     | <=38.45 | Pass    |
|         |         | Subtest 3    | 836.6           | 18.97                 | -0.71      | 16.11     | <=38.45 | Pass    |
|         |         | Subtest 4    | 836.6           | 18.91                 | -0.71      | 16.05     | <=38.45 | Pass    |
|         |         | Subtest 5    | 836.6           | 18.92                 | -0.71      | 16.06     | <=38.45 | Pass    |
|         |         | Subtest 1    | 846.6           | 19.48                 | -0.71      | 16.62     | <=38.45 | Pass    |
|         |         | Subtest 2    | 846.6           | 19.47                 | -0.71      | 16.61     | <=38.45 | Pass    |
|         |         | Subtest 3    | 846.6           | 18.98                 | -0.71      | 16.12     | <=38.45 | Pass    |
|         |         | Subtest 4    | 846.6           | 18.89                 | -0.71      | 16.03     | <=38.45 | Pass    |
|         |         | Subtest 5    | 846.6           | 18.81                 | -0.71      | 15.95     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 Band5

| Band: 5 |                 |            |               |                  |                       |             |         |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|         |                 |            |               |                  | Result                | Limit       |         |
| RMC     | 826.4           | 20         | 3.27          | -2.217           | -0.0027               | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | -3.462           | -0.0042               | -2.5 to 2.5 | Pass    |
|         |                 |            | 4.43          | -4.077           | -0.0049               | -2.5 to 2.5 | Pass    |
|         |                 | -30        | 3.85          | -3.941           | -0.0048               | -2.5 to 2.5 | Pass    |
|         |                 | -20        | 3.85          | -4.113           | -0.0050               | -2.5 to 2.5 | Pass    |

|       |       |     |      |         |         |             |      |
|-------|-------|-----|------|---------|---------|-------------|------|
|       |       | -10 | 3.85 | -6.008  | -0.0073 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -4.013  | -0.0049 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -2.854  | -0.0035 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -3.211  | -0.0039 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -5.307  | -0.0064 | -2.5 to 2.5 | Pass |
|       | 836.6 | 50  | 3.85 | -5.758  | -0.0070 | -2.5 to 2.5 | Pass |
|       |       | 20  | 3.27 | -6.437  | -0.0077 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -2.947  | -0.0035 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -6.845  | -0.0082 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -5.872  | -0.0070 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -4.821  | -0.0058 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -6.223  | -0.0074 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -4.749  | -0.0057 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -6.802  | -0.0081 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -7.982  | -0.0095 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -3.405  | -0.0041 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -4.835  | -0.0058 | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | -8.934  | -0.0106 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -3.362  | -0.0040 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -4.020  | -0.0047 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -3.748  | -0.0044 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -4.385  | -0.0052 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -6.173  | -0.0073 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -3.691  | -0.0044 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -6.258  | -0.0074 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -4.041  | -0.0048 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -5.679  | -0.0067 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -3.526  | -0.0042 | -2.5 to 2.5 | Pass |
| HSDPA | 826.4 | 20  | 3.27 | -2.217  | -0.0027 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -3.469  | -0.0042 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -8.605  | -0.0104 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -13.239 | -0.0160 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -7.167  | -0.0087 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -4.971  | -0.0060 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -5.229  | -0.0063 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -6.044  | -0.0073 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 5.400   | 0.0065  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -5.937  | -0.0072 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -12.088 | -0.0146 | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.27 | -4.900  | -0.0059 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -5.500  | -0.0066 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -7.560  | -0.0090 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -5.121  | -0.0061 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -4.721  | -0.0056 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -6.609  | -0.0079 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -5.629  | -0.0067 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -1.059  | -0.0013 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -1.338  | -0.0016 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -2.897  | -0.0035 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -1.888  | -0.0023 | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | -4.127  | -0.0049 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -4.227  | -0.0050 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -2.453  | -0.0029 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -7.052  | -0.0083 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -5.486  | -0.0065 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -4.141  | -0.0049 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -4.513  | -0.0053 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -6.173  | -0.0073 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -3.333  | -0.0039 | -2.5 to 2.5 | Pass |

|       |       |       |      |        |         |             |             |
|-------|-------|-------|------|--------|---------|-------------|-------------|
|       |       | 40    | 3.85 | -6.881 | -0.0081 | -2.5 to 2.5 | Pass        |
|       |       | 50    | 3.85 | -4.699 | -0.0056 | -2.5 to 2.5 | Pass        |
| HSUPA | 826.4 | 20    | 3.27 | -5.779 | -0.0070 | -2.5 to 2.5 | Pass        |
|       |       |       | 3.85 | -2.103 | -0.0025 | -2.5 to 2.5 | Pass        |
|       |       |       | 4.43 | -8.118 | -0.0098 | -2.5 to 2.5 | Pass        |
|       |       |       | -30  | 3.85   | -8.311  | -0.0101     | -2.5 to 2.5 |
|       |       | -20   | 3.85 | -4.764 | -0.0058 | -2.5 to 2.5 | Pass        |
|       |       | -10   | 3.85 | -2.925 | -0.0035 | -2.5 to 2.5 | Pass        |
|       |       | 0     | 3.85 | -2.332 | -0.0028 | -2.5 to 2.5 | Pass        |
|       |       | 10    | 3.85 | -2.604 | -0.0032 | -2.5 to 2.5 | Pass        |
|       |       | 30    | 3.85 | -3.498 | -0.0042 | -2.5 to 2.5 | Pass        |
|       |       | 40    | 3.85 | -3.355 | -0.0041 | -2.5 to 2.5 | Pass        |
|       |       | 50    | 3.85 | -4.828 | -0.0058 | -2.5 to 2.5 | Pass        |
|       |       | 836.6 | 20   | 3.27   | -5.686  | -0.0068     | -2.5 to 2.5 |
|       | 3.85  |       |      | -3.383 | -0.0040 | -2.5 to 2.5 | Pass        |
|       | 4.43  |       |      | -3.848 | -0.0046 | -2.5 to 2.5 | Pass        |
|       | -30   |       |      | 3.85   | -1.531  | -0.0018     | -2.5 to 2.5 |
|       | -20   |       | 3.85 | -0.923 | -0.0011 | -2.5 to 2.5 | Pass        |
|       | -10   |       | 3.85 | -4.306 | -0.0051 | -2.5 to 2.5 | Pass        |
|       | 0     |       | 3.85 | -2.239 | -0.0027 | -2.5 to 2.5 | Pass        |
|       | 10    |       | 3.85 | -4.392 | -0.0052 | -2.5 to 2.5 | Pass        |
|       | 30    |       | 3.85 | -4.706 | -0.0056 | -2.5 to 2.5 | Pass        |
|       | 40    |       | 3.85 | -4.263 | -0.0051 | -2.5 to 2.5 | Pass        |
|       | 50    |       | 3.85 | -4.885 | -0.0058 | -2.5 to 2.5 | Pass        |
|       | 846.6 |       | 20   | 3.27   | -2.847  | -0.0034     | -2.5 to 2.5 |
|       |       | 3.85  |      | -4.492 | -0.0053 | -2.5 to 2.5 | Pass        |
|       |       | 4.43  |      | -4.091 | -0.0048 | -2.5 to 2.5 | Pass        |
|       |       | -30   |      | 3.85   | -2.389  | -0.0028     | -2.5 to 2.5 |
|       |       | -20   | 3.85 | -2.410 | -0.0028 | -2.5 to 2.5 | Pass        |
|       |       | -10   | 3.85 | -2.704 | -0.0032 | -2.5 to 2.5 | Pass        |
|       |       | 0     | 3.85 | -2.897 | -0.0034 | -2.5 to 2.5 | Pass        |
|       |       | 10    | 3.85 | -3.140 | -0.0037 | -2.5 to 2.5 | Pass        |
|       |       | 30    | 3.85 | -1.910 | -0.0023 | -2.5 to 2.5 | Pass        |
|       |       | 40    | 3.85 | -3.490 | -0.0041 | -2.5 to 2.5 | Pass        |
|       |       | 50    | 3.85 | -4.513 | -0.0053 | -2.5 to 2.5 | Pass        |

### 3. Modulation Characteristics


#### 3.1 Test Result


##### 3.1.1 Band5

| Band: 5 |         |              |                    |                            |       |         |
|---------|---------|--------------|--------------------|----------------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | Modulation Characteristics |       | Verdict |
|         | Network | Subset       |                    | Result                     | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 836.6              | Refer To Test Graph        |       | Pass    |
|         | HSDPA   | Subtest 1    | 836.6              | Refer To Test Graph        |       | Pass    |
|         | HSUPA   | Subtest 1    | 836.6              | Refer To Test Graph        |       | Pass    |

## 3.2 Test Graph

### 3.2.1 Band5





## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band5\_OBW


| Band: 5 |         |              |                 |                              |       |         |
|---------|---------|--------------|-----------------|------------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 99% Occupied Bandwidth (MHz) |       | Verdict |
|         | Network | Subset       |                 | Result                       | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 4.167                        | /     | Pass    |
|         |         |              | 836.6           | 4.164                        | /     | Pass    |
|         |         |              | 846.6           | 4.181                        | /     | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 4.185                        | /     | Pass    |
|         |         |              | 836.6           | 4.181                        | /     | Pass    |
|         |         |              | 846.6           | 4.200                        | /     | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 4.210                        | /     | Pass    |
|         |         |              | 836.6           | 4.182                        | /     | Pass    |
|         |         |              | 846.6           | 4.201                        | /     | Pass    |

#### 4.1.2 Band5\_XDB


| Band: 5 |         |              |                 |                      |       |         |
|---------|---------|--------------|-----------------|----------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | 26dB Bandwidth (MHz) |       | Verdict |
|         | Network | Subset       |                 | Result               | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 4.727                | /     | Pass    |
|         |         |              | 836.6           | 4.728                | /     | Pass    |
|         |         |              | 846.6           | 4.748                | /     | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 5.007                | /     | Pass    |
|         |         |              | 836.6           | 4.719                | /     | Pass    |
|         |         |              | 846.6           | 4.753                | /     | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 4.728                | /     | Pass    |
|         |         |              | 836.6           | 4.726                | /     | Pass    |
|         |         |              | 846.6           | 4.740                | /     | Pass    |

## 4.2 Test Graph


### 4.2.1 Band5\_OBW




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1 NTN




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




## 4.2.2 Band5\_XDB




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1 NTN




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




### Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



### Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



# Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



## 5. Peak-Average Ratio


### 5.1 Test Result

#### 5.1.1 Band5


| Band: 5 |         |              |                 |                         |       |         |
|---------|---------|--------------|-----------------|-------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Peak-Average Ratio (dB) |       | Verdict |
|         | Network | Subset       |                 | Result                  | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | 2.80                    | <=13  | Pass    |
|         |         |              | 836.6           | 3.11                    | <=13  | Pass    |
|         |         |              | 846.6           | 3.07                    | <=13  | Pass    |
|         | HSDPA   | Subtest 1    | 826.4           | 5.91                    | <=13  | Pass    |
|         |         |              | 836.6           | 5.97                    | <=13  | Pass    |
|         |         |              | 846.6           | 6.02                    | <=13  | Pass    |
|         | HSUPA   | Subtest 1    | 826.4           | 5.94                    | <=13  | Pass    |
|         |         |              | 836.6           | 5.94                    | <=13  | Pass    |
|         |         |              | 846.6           | 6.06                    | <=13  | Pass    |

## 5.2 Test Graph


### 5.2.1 Band5




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1 NTN




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



## 6. Spurious Emission


### 6.1 Test Result

#### 6.1.1 Band5


| Band: 5 |         |              |                 |                     |       |         |
|---------|---------|--------------|-----------------|---------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Spurious Emission   |       | Verdict |
|         | Network | Subset       |                 | Result              | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4           | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6           | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6           | Refer To Test Graph | Pass  |         |
|         | HSDPA   | Subtest 1    | 826.4           | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6           | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6           | Refer To Test Graph | Pass  |         |
|         | HSUPA   | Subtest 1    | 826.4           | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6           | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6           | Refer To Test Graph | Pass  |         |

## 6.2 Test Graph


### 6.2.1 Band5




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSDPA\_HCH\_846.6MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




### Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV




### Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_HCH\_846.6MHz\_Subtest 1\_NTNV



## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5    | 3.84 | 826.4      | 846.6     | 0.2393        | 0.0160 | ppm    | 4M21F9W             | 22H        | 23.79           |

#### 7.1.2 Form731\_ERP

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5    | 3.84 | 826.4      | 846.6     | 0.1239        | 0.0160 | ppm    | 4M21F9W             | 22H        | 20.93           |