

VANTRUE®

VANTRUE



FCC

CE

✓



www.vantrue.net Made in China

胶装说明书


单页尺寸: 125mmX140mm

封面: 157G双铜纸过哑胶

内页:70g 双胶纸

2024112更改走线图

橙色以
1655C为准



轮廓线
不需印刷



Hey, find us here:



VANTRUE

www.vantrue.net/contact



facebook

facebook.com/vantrue.live

CONTENTS

VERZEICHNIS

CONTENU

SPIS TREŚCI

ÍNDICE

目次


目录

1. Introduction	1
Übersicht über das Gerät	11
Introduction	21
Wstęp	31
Introducción	41
概要	51
认识车载智慧屏	61
2. Installation	3
Installation des Geräts	13
Installation	23
Instalacja	33
Instalación	43
取り付け方法	53
安装车载智慧屏	63
3. Product Function	7
Funktionen	17
Fonction	27
Funkcje produktu	37
Funciones del producto	47
機能	57
车载智慧屏功能	67
4. Specification	9
Produktspezifikationen	19
Paramètres	29
Dane techniczne	39
Especificaciones	49
製品仕様	59
产品参数	69
5. Warranty & Support	10
Herstellergarantie & Kundendienst	20
Service et Garantie	30
Gwarancja & wsparcie	40
Garantía y soporte	50
アフターサービス	60
售后服务	70

1. Introduction

1.1 General Introduction

EN



1. Power Button
5. Audio Output

2. Screen
6. Reset

3. Loudspeaker
7. Reverse Interface


4. USB Port
8. Charging Port

1.2 Accessories

EN



1. P1 Rear camera




2. P1 Rear camera
cable (20ft)



3. Car Charger with
Built-in Type-C Cable
(11.4 ft)



4. Aux audio cable
(3.3ft)



5. 3M adhesive sticker
for P1 Host (1pc)



6. 3M adhesive sticker for
rear camera (1pc)



7. Anti-skid pad (1pc)

2. Installation

2.1 **Installing a memory card:** Insert the sd card into slot, then you can play music and videos from the memory card on the screen.

EN



2.2 Insert the applied car charger cable into the type c power port.



2.3 Flip the body over and place it in a suitable position on the center console (wipe this position clean).

EN



2.4 Tear off the 3M adhesive protective film below the P1 body, attach the body base to the appropriate position on the center console. If the center console is not firmly attached, please lay the provided anti-skid pad on it, and then attach P1 to the anti-skid pad.



2.5 Lock the screen base clockwise after adjusting the screen to the appropriate height.



EN

2.6 Insert the car charger into the cigarette lighter and power on the car to start P1.



2.7 Carefully store the car charger cable in the direction shown in the picture.

EN



2.8 Installing the rear camera above the license plate.



2.9 The recommended installation and wiring method for the rear camera cable is as follows.



3. Product Function



- 1. Music interface:** select play/pause music
- 2. Rear view preview:** Click to quickly enter the rear view camera display interface
- 3. Function card:** Click to enter with more function options
- 4. Return icon:** Click to return to the previous page
- 5. Home icon:** Click to enter the main page
- 6. Settings icon:** Click to quickly enter the settings interface

More Product Function Setting

Click on the settings icon  in the right corner of the screen to configure more settings.

Language: Click to enter optional other languages

WiFi: Click to enter the WiFi interface and connect to WiFi

Bluetooth: Click to enter the Bluetooth interface and connect to Bluetooth

AUX output: select on/off

Date and time: Click to enter and adjust date & time manually

Brightness: Click to enter and adjust screen brightness

Sound: Click to enter and adjust multimedia volume and call volume

Reverse video format: select PAL or NTSC

Restore factory settings: Click to restore the machine to the factory state

Product information: Click to view product model and software version

* If there is a difference between the product function and the User Manual, it is due to product upgrade reasons. The actual version shall prevail. Thank you for your understanding.

4. Specification

EN

Screen	7inch IPS touch screen
Resolution	1024*600
CPU	A7 dual core processor
Multimedia	Support MP3&MP4 playback
Carplay	Support (wired&wireless transmission)
Android auto	Support (wired&wireless transmission)
AirPlay	Support (wireless transmission)
Miracast	Support (wireless transmission)
Bluetooth	Support
FM Transmiter	Support
AUX Output	Support
Rear View Camera	Support
Input voltage/current	DC 9V~12V, 12V 1A
Working temperature	-20°C~70°C(-4°F~158°F)
Storage temperature	-30°C~80°C(-22°F~176°F)

5. Warranty & Support

EN

Warranty

The Vantrue Pilot 1 Wireless Carplay comes with a full 12 months warranty. If you register your product on our official site (www.vantrue.net/register), you can extend the warranty to 18 months.

Support

If you have any questions regarding the product, please do not hesitate to contact the customer service staff of your purchase channel, or drop us an email at support@vantrue.net. Queries are typically answered within 12-24 hours.

Your opinion matters

VANTRUE is firmly committed to keep improving our products, services, and user experience. If you have any thoughts on how we can do even better, we welcome your constructive feedback and suggestions. Connect with us today at support@vantrue.net.

Thank You for Choosing Vantrue!

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.