



天线承认书

Parts Approval Sheet

Customer	优创亿	Project	S6
Band	BT	Color	Black
PN	X1649	Version	V0
Customer material number			

DATE: 2022/11/24

R&D			QC
Issued by	Checked by	Confirmed by	Checked by
伍海沅	冯少辉	韦永斌	文孝群
Customer Confirm			

Environmental requirements: ☒ ROHS

☐ REACH

☐ 无

Contents

Contents	2
1.Summary	3
2.General Description	3
2.1Antenna Components/Part revisions	3
2.2Definitions	3
3.Electrical Performance	4
3.1 Matching Circuit Description	4
3.2 VSWR(Test in free space)	4
3.3 Gain&Efficiency	5
4. Antenna Engineer drawing	6

1. Summary

This report summarizes the electrical results of the our antenna to support the project S6. The test fixture is made for further testing, which is show below:



2. General Description

2.1Antenna Components/Part revisions

The antenna part number is T: A

2.2Definitions


VSWR: Voltage Standing Wave Rate

TRP: total radiated power


TIS: total isotropic sensitivity

3. Electrical Performance

3.1 Matching Circuit Description



3.2 VSWR(Test in free space)



3.3 Gain&Efficiency

Frequency (MHz)	Gain(dB)	Efficiency(%)
2400	-4.21	15.73
2410	-4.04	16.14
2420	-4.84	17.01
2430	-4.75	18.48
2440	-4.68	18.33
2450	-4.32	19.95
2460	-4.54	18.07
2470	-3.96	16.52
2480	-4.56	17.89
2490	-4.75	16.44
2500	-4.85	16.24

Frequency (MHz)	Gain(dB)	Efficiency(%)
2400	-7.62	4.86
2410	-8.05	4.8
2420	-7.82	4.86
2430	-8.07	4.94
2440	-8.07	5.15
2450	-7.87	5.16
2460	-7.87	5.41
2470	-7.95	5.54
2480	-7.83	5.78
2490	-7.81	5.84
2500	-7.7	5.86



Ø0.6mm黑色电子线

$$*21 \pm 2$$

注:

1. 標“*”表示重點檢驗尺寸;
2. 包裝採用PE袋包裝
3. 此產品為全環保, 所有制程採用環保制程;

深圳市和鸣微科技有限公司									
未注公差标准				机种	X1649-S6	品名	BT-蓝牙线	日期	2022.11.23
0-10	±0.05		0.02	料号	X1649-S6-BT-E00			MD	
10-18	±0.06		0.03						
18-30	±0.08		0.02	材料	特殊工艺			RF	
30-40	±0.09		0.04	共 1 页 第 1 页				审核	
40-	±0.10	Angle	±0.5°	第一视角			单位	mm	比例 FR 版本 T4.0
4				5				6	