




# Appendix F: Bandedge

Condition	Antenna	Modulation	TX Mode	Ref_level(dBm)	Bandedge MAX.Value	Limit	Result
NVNT	ANT1	1-DH5	2402.00	0.629	-52.661	-19.371	Pass
NVNT	ANT1	1-DH5	Hopping_LCH	0.316	-58.932	-19.684	Pass
NVNT	ANT1	1-DH5	2480.00	-0.957	-56.053	-20.957	Pass
NVNT	ANT1	1-DH5	Hopping_HCH	-2.850	-63.982	-22.850	Pass
NVNT	ANT1	2-DH5	2402.00	-2.430	-52.080	-22.430	Pass
NVNT	ANT1	2-DH5	Hopping_LCH	-2.821	-60.030	-22.821	Pass
NVNT	ANT1	2-DH5	2480.00	-0.783	-56.003	-20.783	Pass
NVNT	ANT1	2-DH5	Hopping_HCH	-0.031	-57.695	-20.031	Pass
NVNT	ANT1	3-DH5	2402.00	0.674	-49.979	-19.326	Pass
NVNT	ANT1	3-DH5	Hopping_LCH	0.587	-51.524	-19.413	Pass
NVNT	ANT1	3-DH5	2480.00	-0.744	-62.018	-20.744	Pass
NVNT	ANT1	3-DH5	Hopping_HCH	-0.359	-58.998	-20.359	Pass


Remark:1. Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose have been set in the 'offset' of the Spectrum Analyzer during the test.



### **Shenzhen Anbotek Compliance Laboratory Limited**






















































































# **Appendix G: Carrier Frequencies Separation (Hopping)**


Condition	Antenna	Modulation	Frequency(MHz)	Hopping NO.0 (MHz)	Hopping NO.1 (MHz)	Carrier Frequencies Separation(MHz)	Limit(MHz)	Result
NVNT	ANT1	1-DH5	2441.00	2440.801	2441.803	1.00	0.682	Pass
NVNT	ANT1	2-DH5	2441.00	2440.780	2441.785	1.00	0.875	Pass
NVNT	ANT1	3-DH5	2441.00	2440.948	2442.115	1.17	0.869	Pass



Carrier\_Frequencies\_Separation\_(Hopping)\_NVNT\_ANT1\_2-DH5\_Hopping











# **Appendix H: Number of Hopping Channel (Hopping)**


Condition	Antenna	Modulation	Hopping Num	Limit	Result	
NVNT	ANT1	1-DH5	79	15	Pass	
NVNT	ANT1	2-DH5	79	15	Pass	
NVNT	ANT1	3-DH5	79	15	Pass	





### **Shenzhen Anbotek Compliance Laboratory Limited**









# **Appendix I: Dwell Time (Hopping)**


Condition	Antenna	Packet Type	Pulse Time(ms)	Hops	Dwell Time(ms)	Limit(s)	Result
NVNT	ANT1	1-DH5	2.900	123.00	356.700	0.40	Pass
NVNT	ANT1	2-DH5	2.900	118.00	342.200	0.40	Pass
NVNT	ANT1	3-DH5	2.910	103.00	299.730	0.40	Pass
NVNT	ANT1	1-DH1	0.390	320.00	124.800	0.40	Pass
NVNT	ANT1	1-DH3	1.650	155.00	255.750	0.40	Pass
NVNT	ANT1	2-DH1	0.400	319.00	127.600	0.40	Pass
NVNT	ANT1	2-DH3	1.660	161.00	267.260	0.40	Pass
NVNT	ANT1	3-DH1	0.400	305.00	122.000	0.40	Pass
NVNT	ANT1	3-DH3	1.650	158.00	260.700	0.40	Pass




### **Shenzhen Anbotek Compliance Laboratory Limited**

































































#### ---END---

### **Shenzhen Anbotek Compliance Laboratory Limited**