

# Galaxy keeper2.0 installation manual

wireless security solution

# Install GK2.0 Controller

---

## Install GK2.0 Controller


1. Check the number of controllers assigned per store (one per kit)
2. Installed by connecting to a power source inside a table that is close to the product




# Install GK2.0 App

## Install GK2.0 App

1. Check APK (check 1.33e\_PRD in file name) and run






2. Allow installation of unknown apps



# Install GK2.0 App

## Install GK2.0 App

### 3. Install and open








# Install GK2.0 App

## Install GK2.0 App

### 4. Allow permission


(If permission is not granted, the app will not be used)




# Install GK2.0 App

## Install GK2.0 App


5. Enter the app  
(initial password '2580')



6. store settings



7. After entering store information,  
click 'SET'



\* Requires a network connection (WiFi/LTE/5G)

# Install GK2.0 App

## Install GK2.0 App

8. Approval request

9. Settings

After completing step 7,  
approval request process is required

The screenshot shows the 'Galaxy keeper 2.0' app interface. At the top, there's a dark blue header with the app name and four tabs: SETTING, WIRELESS, CALIBRATION, and INFO. Below the header, there's a text input field for 'Please input device name.' with a 'Set' button. The main content area is divided into several sections. The 'Security Setting' section has two options: 'Wired' (checked) and 'Wireless' (unchecked). The 'Operation Time' section shows a time range from 09:00 to 18:00 with a 'Set' button. Below this is a row of seven circular buttons representing days of the week (S, M, T, W, T, F, S). The 'Alarm Volume' section has two sliders for '1st Alarm Volume (%)' and '2nd Alarm Volume (%)', both set to 70%, with 'Set' buttons. The 'KnoxGuard Setting' section has a toggle for 'Knox Guard Registration' and an 'Enroll' button for 'Knox Guard Enroll'. Red boxes highlight the 'Wireless' option, the 'Set' button for Operation Time, and the 'Set' buttons for Alarm Volume.

1. Select Wireless

2. Set operating hours and  
days of the week


3. Alarm volume setting

\* Requires a network connection (WiFi/LTE/5G)


# Install GK2.0 App

# Install GK2.0 App

## 10. Setting the alarm range



## 11. Start Security Features



a. Rule Part 15.19(a)(3): This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

b. Rule Part 15.21: The users manual or instruction manual for an intentional or unintentional radiator shall caution the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.
- This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

When you turn on Galaxy Keep 2.0, the security function works. It is not possible to use the initial password 2580, and you can use it by receiving a new password every time you enter the app.



**Thank you**