

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

WIFI2.4G- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-02_14.14.59

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23

Load: full load

Hum.: 54%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.000	24.94	-29.82	40.0	-15.06	Peak	49.20	150	Horizontal	Pass
2	95.216	34.08	-27.32	43.5	-9.42	Peak	248.00	150	Horizontal	Pass
3	143.947	31.56	-30.00	43.5	-11.94	Peak	16.80	150	Horizontal	Pass
4	287.956	35.93	-24.10	46.0	-10.07	Peak	360.00	150	Horizontal	Pass
5	575.731	26.01	-16.82	46.0	-19.99	Peak	164.30	150	Horizontal	Pass
6	823.262	34.13	-11.84	46.0	-11.87	Peak	214.40	100	Horizontal	Pass

WIFI2.4G-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-02_13.50.40

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23

Hum.: 54%

Test Engineer: CJY


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	34.606	32.09	-28.20	40.0	-7.91	Peak	360.00	150	Vertical	Pass
2	86.488	33.72	-29.92	40.0	-6.28	Peak	88.20	150	Vertical	Pass
3	103.702	33.47	-26.56	43.5	-10.03	Peak	360.00	150	Vertical	Pass
4	114.126	32.77	-27.44	43.5	-10.73	Peak	94.30	100	Vertical	Pass
5	143.947	33.56	-30.00	43.5	-9.94	Peak	292.40	100	Vertical	Pass
6	590.277	27.23	-15.78	46.0	-18.77	Peak	360.00	150	Vertical	Pass

1-18G

WIFI2.4G-B- Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.50.50

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.1

Hum.: 47%

Test Engineer: CJY


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.177	42.37	-13.07	74.0	-31.63	Peak	358.90	100	Horizontal	Pass
1**	1587.177	29.43	-13.07	54.0	-24.57	AV	358.90	100	Horizontal	Pass
2	2391.826	49.45	-4.42	74.0	-24.55	Peak	315.30	100	Horizontal	Pass
2**	2391.826	40.54	-4.42	54.0	-13.46	AV	315.30	100	Horizontal	Pass
3	2473.316	50.27	-2.19	74.0	-23.73	Peak	330.20	100	Horizontal	Pass
3**	2473.316	39.18	-2.19	54.0	-14.82	AV	330.20	100	Horizontal	Pass
4	2958.505	46.71	-3.44	74.0	-27.29	Peak	2.90	100	Horizontal	Pass
4**	2958.505	36.36	-3.44	54.0	-17.64	AV	2.90	100	Horizontal	Pass
5	4197.350	49.03	-1.62	74.0	-24.97	Peak	64.60	100	Horizontal	Pass
5**	4197.350	37.47	-1.62	54.0	-16.53	AV	64.60	100	Horizontal	Pass
6	6551.556	54.63	4.20	74.0	-19.37	Peak	359.10	100	Horizontal	Pass
6**	6551.556	43.98	4.20	54.0	-10.02	AV	359.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.22.51

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9303.924	38.18	6.86	74.0	-35.82	Peak	359.30	100	Horizontal	Pass
1**	9303.924	27.51	6.86	54.0	-26.49	AV	359.30	100	Horizontal	Pass
2	9955.511	40.98	9.64	74.0	-33.02	Peak	357.00	100	Horizontal	Pass
2**	9955.511	29.49	9.64	54.0	-24.51	AV	357.00	100	Horizontal	Pass
3	11143.214	42.93	10.79	74.0	-31.07	Peak	0.90	100	Horizontal	Pass
3**	11143.214	32.74	10.79	54.0	-21.26	AV	0.90	100	Horizontal	Pass
4	13180.455	46.02	14.04	74.0	-27.98	Peak	14.20	100	Horizontal	Pass
4**	13180.455	35.65	14.04	54.0	-18.35	AV	14.20	100	Horizontal	Pass
5	14161.960	51.18	18.93	74.0	-22.82	Peak	160.10	100	Horizontal	Pass
5**	14161.960	40.03	18.93	54.0	-13.97	AV	160.10	100	Horizontal	Pass
6	18000.000	58.94	27.92	74.0	-15.06	Peak	183.90	100	Horizontal	Pass
6**	18000.000	49.72	27.92	54.0	-4.28	AV	183.90	100	Horizontal	Pass

WIFI2.4G-B-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_13.07.41

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1077.740	41.80	-14.22	74.0	-32.20	Peak	338.30	100	Vertical	Pass
1**	1077.740	29.25	-14.22	54.0	-24.75	AV	338.30	100	Vertical	Pass
2	1467.692	41.33	-12.90	74.0	-32.67	Peak	250.50	100	Vertical	Pass
2**	1467.692	30.36	-12.90	54.0	-23.64	AV	250.50	100	Vertical	Pass
3	2392.826	48.79	-4.14	74.0	-25.21	Peak	356.00	100	Vertical	Pass
3**	2392.826	40.70	-4.14	54.0	-13.30	AV	356.00	100	Vertical	Pass
4	2989.001	46.67	-3.10	74.0	-27.33	Peak	131.40	100	Vertical	Pass
4**	2989.001	36.71	-3.10	54.0	-17.29	AV	131.40	100	Vertical	Pass
5	5103.737	51.47	1.30	74.0	-22.53	Peak	358.80	100	Vertical	Pass
5**	5103.737	40.50	1.30	54.0	-13.50	AV	358.80	100	Vertical	Pass
6	6765.529	56.04	5.01	74.0	-17.96	Peak	81.00	100	Vertical	Pass
6**	6765.529	45.24	5.01	54.0	-8.76	AV	81.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.00.21

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8960.260	38.15	7.49	74.0	-35.85	Peak	102.80	100	Vertical	Pass
1**	8960.260	26.67	7.49	54.0	-27.33	AV	102.80	100	Vertical	Pass
2	10136.966	40.56	9.35	74.0	-33.44	Peak	321.60	100	Vertical	Pass
2**	10136.966	30.40	9.35	54.0	-23.60	AV	321.60	100	Vertical	Pass
3	12443.639	44.46	12.47	74.0	-29.54	Peak	233.50	100	Vertical	Pass
3**	12443.639	34.56	12.47	54.0	-19.44	AV	233.50	100	Vertical	Pass
4	13166.708	46.96	14.01	74.0	-27.04	Peak	18.70	100	Vertical	Pass
4**	13166.708	35.60	14.01	54.0	-18.40	AV	18.70	100	Vertical	Pass
5	14203.199	50.79	19.42	74.0	-23.21	Peak	0.60	100	Vertical	Pass
5**	14203.199	40.40	19.42	54.0	-13.60	AV	0.60	100	Vertical	Pass
6	18000.000	58.79	27.92	74.0	-15.21	Peak	34.30	100	Vertical	Pass
6**	18000.000	49.78	27.92	54.0	-4.22	AV	34.30	100	Vertical	Pass

WIFI2.4G-B-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.55.04

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1109.486	40.01	-14.09	74.0	-33.99	Peak	44.40	100	Horizontal	Pass
1**	1109.486	28.70	-14.09	54.0	-25.30	AV	44.40	100	Horizontal	Pass
2	1445.694	40.49	-12.81	74.0	-33.51	Peak	19.40	100	Horizontal	Pass
2**	1445.694	29.09	-12.81	54.0	-24.91	AV	19.40	100	Horizontal	Pass
3	2434.821	50.68	-3.17	74.0	-23.32	Peak	326.80	100	Horizontal	Pass
3**	2434.821	43.12	-3.17	54.0	-10.88	AV	326.80	100	Horizontal	Pass
4	3766.404	48.18	-1.79	74.0	-25.82	Peak	328.10	100	Horizontal	Pass
4**	3766.404	37.18	-1.79	54.0	-16.82	AV	328.10	100	Horizontal	Pass
5	5541.182	52.14	1.34	74.0	-21.86	Peak	99.20	100	Horizontal	Pass
5**	5541.182	40.53	1.34	54.0	-13.47	AV	99.20	100	Horizontal	Pass
6	6381.077	55.15	3.60	74.0	-18.85	Peak	289.40	100	Horizontal	Pass
6**	6381.077	44.13	3.60	54.0	-9.87	AV	289.40	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.41.19

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%

Test Engineer: CJY


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	10098.475	41.28	9.47	74.0	-32.72	Peak	0.30	100	Horizontal	Pass
1**	10098.475	30.08	9.47	54.0	-23.92	AV	0.30	100	Horizontal	Pass
2	11242.189	43.26	11.79	74.0	-30.74	Peak	2.40	100	Horizontal	Pass
2**	11242.189	33.02	11.79	54.0	-20.98	AV	2.40	100	Horizontal	Pass
3	13122.719	46.10	13.85	74.0	-27.90	Peak	48.30	100	Horizontal	Pass
3**	13122.719	35.77	13.85	54.0	-18.23	AV	48.30	100	Horizontal	Pass
4	14183.954	51.79	19.63	74.0	-22.21	Peak	292.90	100	Horizontal	Pass
4**	14183.954	40.93	19.63	54.0	-13.07	AV	292.90	100	Horizontal	Pass
5	14502.874	50.79	17.69	74.0	-23.21	Peak	359.30	100	Horizontal	Pass
5**	14502.874	40.22	17.69	54.0	-13.78	AV	359.30	100	Horizontal	Pass
6	17994.501	58.84	27.58	74.0	-15.16	Peak	111.20	100	Horizontal	Pass
6**	17994.501	49.17	27.58	54.0	-4.83	AV	111.20	100	Horizontal	Pass

WIFI2.4G-B-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_13.14.29

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1092.738	42.49	-14.22	74.0	-31.51	Peak	338.50	100	Vertical	Pass
1**	1092.738	29.69	-14.22	54.0	-24.31	AV	338.50	100	Vertical	Pass
2	2438.570	52.39	-3.08	74.0	-21.61	Peak	44.10	100	Vertical	Pass
2**	2438.570	46.49	-3.08	54.0	-7.51	AV	44.10	100	Vertical	Pass
3	2488.064	50.50	-1.88	74.0	-23.50	Peak	222.40	100	Vertical	Pass
3**	2488.064	40.07	-1.88	54.0	-13.93	AV	222.40	100	Vertical	Pass
4	4268.841	49.18	-1.50	74.0	-24.82	Peak	345.20	100	Vertical	Pass
4**	4268.841	38.12	-1.50	54.0	-15.88	AV	345.20	100	Vertical	Pass
5	6043.620	53.17	2.86	74.0	-20.83	Peak	0.00	100	Vertical	Pass
5**	6043.620	43.12	2.86	54.0	-10.88	AV	0.00	100	Vertical	Pass
6	6750.031	55.94	4.85	74.0	-18.06	Peak	207.50	100	Vertical	Pass
6**	6750.031	45.00	4.85	54.0	-9.00	AV	207.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.37.29

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	10464.134	41.07	9.61	74.0	-32.93	Peak	279.20	100	Vertical	Pass
1**	10464.134	30.12	9.61	54.0	-23.88	AV	279.20	100	Vertical	Pass
2	11184.454	43.60	11.13	74.0	-30.40	Peak	225.20	100	Vertical	Pass
2**	11184.454	32.82	11.13	54.0	-21.18	AV	225.20	100	Vertical	Pass
3	12495.876	44.44	11.84	74.0	-29.56	Peak	328.70	100	Vertical	Pass
3**	12495.876	33.63	11.84	54.0	-20.37	AV	328.70	100	Vertical	Pass
4	14189.453	50.60	19.73	74.0	-23.40	Peak	0.70	100	Vertical	Pass
4**	14189.453	40.61	19.73	54.0	-13.39	AV	0.70	100	Vertical	Pass
5	14794.301	50.42	18.40	74.0	-23.58	Peak	47.70	100	Vertical	Pass
5**	14794.301	39.89	18.40	54.0	-14.11	AV	47.70	100	Vertical	Pass
6	17994.501	59.23	27.58	74.0	-14.77	Peak	234.50	100	Vertical	Pass
6**	17994.501	49.10	27.58	54.0	-4.90	AV	234.50	100	Vertical	Pass

WIFI2.4G-B-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.59.32

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1097.238	39.36	-14.22	74.0	-34.64	Peak	48.90	100	Horizontal	Pass
1**	1097.238	27.65	-14.22	54.0	-26.35	AV	48.90	100	Horizontal	Pass
2	1586.177	40.55	-13.07	74.0	-33.45	Peak	0.00	100	Horizontal	Pass
2**	1586.177	29.16	-13.07	54.0	-24.84	AV	0.00	100	Horizontal	Pass
3	2460.317	50.20	-2.53	74.0	-23.80	Peak	96.20	100	Horizontal	Pass
3**	2460.317	41.92	-2.53	54.0	-12.08	AV	96.20	100	Horizontal	Pass
4	2966.004	46.78	-3.34	74.0	-27.22	Peak	205.90	100	Horizontal	Pass
4**	2966.004	36.77	-3.34	54.0	-17.23	AV	205.90	100	Horizontal	Pass
5	4589.301	49.67	-0.66	74.0	-24.33	Peak	15.50	100	Horizontal	Pass
5**	4589.301	38.86	-0.66	54.0	-15.14	AV	15.50	100	Horizontal	Pass
6	6309.086	53.87	3.41	74.0	-20.13	Peak	89.50	100	Horizontal	Pass
6**	6309.086	44.37	3.41	54.0	-9.63	AV	89.50	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.52.24

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9972.007	40.26	9.49	74.0	-33.74	Peak	283.40	100	Horizontal	Pass
1**	9972.007	29.99	9.49	54.0	-24.01	AV	283.40	100	Horizontal	Pass
2	11250.437	44.22	11.90	74.0	-29.78	Peak	327.70	100	Horizontal	Pass
2**	11250.437	33.13	11.90	54.0	-20.87	AV	327.70	100	Horizontal	Pass
3	12468.383	45.19	12.50	74.0	-28.81	Peak	273.30	100	Horizontal	Pass
3**	12468.383	34.46	12.50	54.0	-19.54	AV	273.30	100	Horizontal	Pass
4	14164.709	50.16	19.02	74.0	-23.84	Peak	14.20	100	Horizontal	Pass
4**	14164.709	39.88	19.02	54.0	-14.12	AV	14.20	100	Horizontal	Pass
5	14780.555	50.87	18.61	74.0	-23.13	Peak	201.50	100	Horizontal	Pass
5**	14780.555	40.13	18.61	54.0	-13.87	AV	201.50	100	Horizontal	Pass
6	17980.755	58.28	26.73	74.0	-15.72	Peak	303.10	100	Horizontal	Pass
6**	17980.755	48.77	26.73	54.0	-5.23	AV	303.10	100	Horizontal	Pass

WIFI2.4G-B-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_13.19.09

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.238	41.59	-14.21	74.0	-32.41	Peak	338.50	100	Vertical	Pass
1**	1099.238	29.33	-14.21	54.0	-24.67	AV	338.50	100	Vertical	Pass
2	2459.568	52.07	-2.55	74.0	-21.93	Peak	338.50	100	Vertical	Pass
2**	2459.568	45.35	-2.55	54.0	-8.65	AV	338.50	100	Vertical	Pass
3	2864.017	47.08	-3.81	74.0	-26.92	Peak	164.40	100	Vertical	Pass
3**	2864.017	37.87	-3.81	54.0	-16.13	AV	164.40	100	Vertical	Pass
4	3764.904	47.83	-1.79	74.0	-26.17	Peak	45.60	100	Vertical	Pass
4**	3764.904	38.02	-1.79	54.0	-15.98	AV	45.60	100	Vertical	Pass
5	5366.204	51.19	0.58	74.0	-22.81	Peak	21.00	100	Vertical	Pass
5**	5366.204	40.33	0.58	54.0	-13.67	AV	21.00	100	Vertical	Pass
6	6813.523	55.26	5.13	74.0	-18.74	Peak	152.80	100	Vertical	Pass
6**	6813.523	45.77	5.13	54.0	-8.23	AV	152.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.25.27

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%


Test Engineer: CJY

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9892.277	40.03	9.57	74.0	-33.97	Peak	89.40	100	Vertical	Pass
1**	9892.277	29.65	9.57	54.0	-24.35	AV	89.40	100	Vertical	Pass
2	12413.397	44.27	12.32	74.0	-29.73	Peak	341.70	100	Vertical	Pass
2**	12413.397	34.42	12.32	54.0	-19.58	AV	341.70	100	Vertical	Pass
3	13199.700	46.08	14.08	74.0	-27.92	Peak	341.70	100	Vertical	Pass
3**	13199.700	35.67	14.08	54.0	-18.33	AV	341.70	100	Vertical	Pass
4	14183.954	51.09	19.63	74.0	-22.91	Peak	358.70	100	Vertical	Pass
4**	14183.954	40.97	19.63	54.0	-13.03	AV	358.70	100	Vertical	Pass
5	14475.381	51.50	17.88	74.0	-22.50	Peak	46.20	100	Vertical	Pass
5**	14475.381	40.00	17.88	54.0	-14.00	AV	46.20	100	Vertical	Pass
6	17989.003	58.59	27.24	74.0	-15.41	Peak	245.30	100	Vertical	Pass
6**	17989.003	48.90	27.24	54.0	-5.10	AV	245.30	100	Vertical	Pass

WIFI2.4G-G-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.29.51

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.740	40.21	-14.23	74.0	-33.79	Peak	89.40	100	Horizontal	Pass
1**	1080.740	28.02	-14.23	54.0	-25.98	AV	89.40	100	Horizontal	Pass
2	1708.661	40.64	-12.79	74.0	-33.36	Peak	190.20	100	Horizontal	Pass
2**	1708.661	29.06	-12.79	54.0	-24.94	AV	190.20	100	Horizontal	Pass
3	2391.326	62.04	-5.19	74.0	-11.96	Peak	47.30	100	Horizontal	Pass
3**	2391.326	50.91	-5.19	54.0	-3.09	AV	47.30	100	Horizontal	Pass
4	2486.064	49.86	-1.91	74.0	-24.14	Peak	360.00	100	Horizontal	Pass
4**	2486.064	40.03	-1.91	54.0	-13.97	AV	360.00	100	Horizontal	Pass
5	5451.194	52.46	0.86	74.0	-21.54	Peak	74.30	100	Horizontal	Pass
5**	5451.194	41.07	0.86	54.0	-12.93	AV	74.30	100	Horizontal	Pass
6	6595.051	55.17	4.30	74.0	-18.83	Peak	229.80	100	Horizontal	Pass
6**	6595.051	44.60	4.30	54.0	-9.40	AV	229.80	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.30.27

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%

Test Engineer: CJY


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9180.205	37.65	7.15	74.0	-36.35	Peak	7.50	100	Horizontal	Pass
1**	9180.205	27.26	7.15	54.0	-26.74	AV	7.50	100	Horizontal	Pass
2	10158.960	40.84	9.19	74.0	-33.16	Peak	26.50	100	Horizontal	Pass
2**	10158.960	30.16	9.19	54.0	-23.84	AV	26.50	100	Horizontal	Pass
3	11283.429	43.18	12.33	74.0	-30.82	Peak	84.60	100	Horizontal	Pass
3**	11283.429	32.85	12.33	54.0	-21.15	AV	84.60	100	Horizontal	Pass
4	12465.634	45.09	12.56	74.0	-28.91	Peak	209.60	100	Horizontal	Pass
4**	12465.634	34.63	12.56	54.0	-19.37	AV	209.60	100	Horizontal	Pass
5	14230.692	50.89	18.80	74.0	-23.11	Peak	21.70	100	Horizontal	Pass
5**	14230.692	39.36	18.80	54.0	-14.64	AV	21.70	100	Horizontal	Pass
6	17969.758	58.16	26.06	74.0	-15.84	Peak	247.60	100	Horizontal	Pass
6**	17969.758	47.93	26.06	54.0	-6.07	AV	247.60	100	Horizontal	Pass

WIFI2.4G-G-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.13.27

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1077.490	42.80	-14.22	74.0	-31.20	Peak	323.80	100	Vertical	Pass
1**	1077.490	30.12	-14.22	54.0	-23.88	AV	323.80	100	Vertical	Pass
2	1421.697	42.09	-12.67	74.0	-31.91	Peak	270.40	100	Vertical	Pass
2**	1421.697	29.56	-12.67	54.0	-24.44	AV	270.40	100	Vertical	Pass
3	2391.826	62.70	-4.42	74.0	-11.30	Peak	338.70	100	Vertical	Pass
3**	2391.826	51.74	-4.42	54.0	-2.26	AV	338.70	100	Vertical	Pass
4	2489.314	50.31	-1.86	74.0	-23.69	Peak	343.60	100	Vertical	Pass
4**	2489.314	40.00	-1.86	54.0	-14.00	AV	343.60	100	Vertical	Pass
5	5179.228	50.84	1.13	74.0	-23.16	Peak	71.80	100	Vertical	Pass
5**	5179.228	40.62	1.13	54.0	-13.38	AV	71.80	100	Vertical	Pass
6	6749.531	56.26	4.85	74.0	-17.74	Peak	340.50	100	Vertical	Pass
6**	6749.531	45.40	4.85	54.0	-8.60	AV	340.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.45.10

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9875.781	40.17	9.30	74.0	-33.83	Peak	191.30	100	Vertical	Pass
1**	9875.781	29.39	9.30	54.0	-24.61	AV	191.30	100	Vertical	Pass
2	10846.288	43.14	11.11	74.0	-30.86	Peak	17.70	100	Vertical	Pass
2**	10846.288	31.71	11.11	54.0	-22.29	AV	17.70	100	Vertical	Pass
3	13246.438	46.31	14.03	74.0	-27.69	Peak	85.60	100	Vertical	Pass
3**	13246.438	35.33	14.03	54.0	-18.67	AV	85.60	100	Vertical	Pass
4	14178.455	50.71	19.46	74.0	-23.29	Peak	321.60	100	Vertical	Pass
4**	14178.455	40.37	19.46	54.0	-13.63	AV	321.60	100	Vertical	Pass
5	14805.299	50.53	18.23	74.0	-23.47	Peak	341.00	100	Vertical	Pass
5**	14805.299	39.61	18.23	54.0	-14.39	AV	341.00	100	Vertical	Pass
6	17989.003	58.62	27.24	74.0	-15.38	Peak	75.90	100	Vertical	Pass
6**	17989.003	48.84	27.24	54.0	-5.16	AV	75.90	100	Vertical	Pass

WIFI2.4G-G-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.34.50

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.992	39.95	-14.30	74.0	-34.05	Peak	67.50	100	Horizontal	Pass
1**	1066.992	28.43	-14.30	54.0	-25.57	AV	67.50	100	Horizontal	Pass
2	2390.826	49.60	-5.75	74.0	-24.40	Peak	323.10	100	Horizontal	Pass
2**	2390.826	39.88	-5.75	54.0	-14.12	AV	323.10	100	Horizontal	Pass
3	2486.564	49.71	-1.90	74.0	-24.29	Peak	352.20	100	Horizontal	Pass
3**	2486.564	40.35	-1.90	54.0	-13.65	AV	352.20	100	Horizontal	Pass
4	3661.417	47.98	-1.64	74.0	-26.02	Peak	299.00	100	Horizontal	Pass
4**	3661.417	38.17	-1.64	54.0	-15.83	AV	299.00	100	Horizontal	Pass
5	5127.734	51.02	1.22	74.0	-22.98	Peak	116.30	100	Horizontal	Pass
5**	5127.734	40.84	1.22	54.0	-13.16	AV	116.30	100	Horizontal	Pass
6	6787.027	55.93	5.20	74.0	-18.07	Peak	92.10	100	Horizontal	Pass
6**	6787.027	45.38	5.20	54.0	-8.62	AV	92.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.42.39

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%

Test Engineer: CJY

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9411.147	38.96	7.64	74.0	-35.04	Peak	52.20	100	Horizontal	Pass
1**	9411.147	27.72	7.64	54.0	-26.28	AV	52.20	100	Horizontal	Pass
2	10125.969	41.30	9.44	74.0	-32.70	Peak	192.10	100	Horizontal	Pass
2**	10125.969	30.38	9.44	54.0	-23.62	AV	192.10	100	Horizontal	Pass
3	12435.391	44.77	12.43	74.0	-29.23	Peak	168.60	100	Horizontal	Pass
3**	12435.391	34.50	12.43	54.0	-19.50	AV	168.60	100	Horizontal	Pass
4	13180.455	46.22	14.04	74.0	-27.78	Peak	19.40	100	Horizontal	Pass
4**	13180.455	35.55	14.04	54.0	-18.45	AV	19.40	100	Horizontal	Pass
5	14200.450	50.35	19.49	74.0	-23.65	Peak	19.40	100	Horizontal	Pass
5**	14200.450	40.77	19.49	54.0	-13.23	AV	19.40	100	Horizontal	Pass
6	18000.000	61.27	27.92	74.0	-12.73	Peak	313.80	100	Horizontal	Pass
6**	18000.000	49.57	27.92	54.0	-4.43	AV	313.80	100	Horizontal	Pass

WIFI2.4G-G-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.17.42

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.492	42.20	-14.31	74.0	-31.80	Peak	314.20	100	Vertical	Pass
1**	1066.492	28.82	-14.31	54.0	-25.18	AV	314.20	100	Vertical	Pass
2	2388.826	49.51	-6.38	74.0	-24.49	Peak	3.50	100	Vertical	Pass
2**	2388.826	40.21	-6.38	54.0	-13.79	AV	3.50	100	Vertical	Pass
3	2438.570	51.56	-3.08	74.0	-22.44	Peak	0.10	100	Vertical	Pass
3**	2438.570	42.95	-3.08	54.0	-11.05	AV	0.10	100	Vertical	Pass
4	2490.064	49.97	-2.01	74.0	-24.03	Peak	41.70	100	Vertical	Pass
4**	2490.064	41.40	-2.01	54.0	-12.60	AV	41.70	100	Vertical	Pass
5	3745.907	47.74	-1.88	74.0	-26.26	Peak	30.10	100	Vertical	Pass
5**	3745.907	36.61	-1.88	54.0	-17.39	AV	30.10	100	Vertical	Pass
6	6667.042	55.65	4.52	74.0	-18.35	Peak	308.10	100	Vertical	Pass
6**	6667.042	44.82	4.52	54.0	-9.18	AV	308.10	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.36.05

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%

Test Engineer: CJY


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9548.613	38.94	7.78	74.0	-35.06	Peak	184.60	100	Vertical	Pass
1**	9548.613	27.28	7.78	54.0	-26.72	AV	184.60	100	Vertical	Pass
2	10513.622	41.80	10.12	74.0	-32.20	Peak	233.00	100	Vertical	Pass
2**	10513.622	31.13	10.12	54.0	-22.87	AV	233.00	100	Vertical	Pass
3	12465.634	44.96	12.56	74.0	-29.04	Peak	268.00	100	Vertical	Pass
3**	12465.634	35.12	12.56	54.0	-18.88	AV	268.00	100	Vertical	Pass
4	13202.449	47.33	14.09	74.0	-26.67	Peak	54.10	100	Vertical	Pass
4**	13202.449	35.64	14.09	54.0	-18.36	AV	54.10	100	Vertical	Pass
5	14192.202	51.05	19.67	74.0	-22.95	Peak	155.80	100	Vertical	Pass
5**	14192.202	40.64	19.67	54.0	-13.36	AV	155.80	100	Vertical	Pass
6	17991.752	59.24	27.41	74.0	-14.76	Peak	136.90	100	Vertical	Pass
6**	17991.752	49.30	27.41	54.0	-4.70	AV	136.90	100	Vertical	Pass

WIFI2.4G-G-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.39.34

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1057.993	40.15	-14.32	74.0	-33.85	Peak	96.80	100	Horizontal	Pass
1**	1057.993	27.32	-14.32	54.0	-26.68	AV	96.80	100	Horizontal	Pass
2	2392.076	47.54	-4.15	74.0	-26.46	Peak	334.60	100	Horizontal	Pass
2**	2392.076	37.98	-4.15	54.0	-16.02	AV	334.60	100	Horizontal	Pass
3	2487.064	49.75	-1.89	74.0	-24.25	Peak	28.70	100	Horizontal	Pass
3**	2487.064	40.29	-1.89	54.0	-13.71	AV	28.70	100	Horizontal	Pass
4	3632.921	47.67	-1.57	74.0	-26.33	Peak	328.80	100	Horizontal	Pass
4**	3632.921	37.76	-1.57	54.0	-16.24	AV	328.80	100	Horizontal	Pass
5	5838.645	52.83	2.31	74.0	-21.17	Peak	358.10	100	Horizontal	Pass
5**	5838.645	42.79	2.31	54.0	-11.21	AV	358.10	100	Horizontal	Pass
6	6894.513	55.94	5.10	74.0	-18.06	Peak	180.30	100	Horizontal	Pass
6**	6894.513	45.21	5.10	54.0	-8.79	AV	180.30	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.54.41

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9917.021	41.09	9.93	74.0	-32.91	Peak	205.30	100	Horizontal	Pass
1**	9917.021	30.85	9.93	54.0	-23.15	AV	205.30	100	Horizontal	Pass
2	12460.135	44.62	12.54	74.0	-29.38	Peak	137.50	100	Horizontal	Pass
2**	12460.135	34.57	12.54	54.0	-19.43	AV	137.50	100	Horizontal	Pass
3	13133.717	46.20	13.90	74.0	-27.80	Peak	326.40	100	Horizontal	Pass
3**	13133.717	35.58	13.90	54.0	-18.42	AV	326.40	100	Horizontal	Pass
4	14208.698	50.30	19.30	74.0	-23.70	Peak	224.70	100	Horizontal	Pass
4**	14208.698	40.64	19.30	54.0	-13.36	AV	224.70	100	Horizontal	Pass
5	14783.304	49.98	18.57	74.0	-24.02	Peak	102.90	100	Horizontal	Pass
5**	14783.304	40.27	18.57	54.0	-13.73	AV	102.90	100	Horizontal	Pass
6	18000.000	58.79	27.92	74.0	-15.21	Peak	146.80	100	Horizontal	Pass
6**	18000.000	49.07	27.92	54.0	-4.93	AV	146.80	100	Horizontal	Pass

WIFI2.4G-G-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.22.07

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1101.487	41.85	-14.19	74.0	-32.15	Peak	336.90	100	Vertical	Pass
1**	1101.487	29.06	-14.19	54.0	-24.94	AV	336.90	100	Vertical	Pass
2	2421.822	51.16	-3.51	74.0	-22.84	Peak	274.30	100	Vertical	Pass
2**	2421.822	45.20	-3.51	54.0	-8.80	AV	274.30	100	Vertical	Pass
3	2489.314	50.82	-1.86	74.0	-23.18	Peak	336.90	100	Vertical	Pass
3**	2489.314	41.71	-1.86	54.0	-12.29	AV	336.90	100	Vertical	Pass
4	3665.917	47.66	-1.72	74.0	-26.34	Peak	358.80	100	Vertical	Pass
4**	3665.917	38.11	-1.72	54.0	-15.89	AV	358.80	100	Vertical	Pass
5	6055.618	53.82	2.86	74.0	-20.18	Peak	74.00	100	Vertical	Pass
5**	6055.618	42.99	2.86	54.0	-11.01	AV	74.00	100	Vertical	Pass
6	6741.532	56.09	4.76	74.0	-17.91	Peak	64.30	100	Vertical	Pass
6**	6741.532	45.20	4.76	54.0	-8.80	AV	64.30	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.16.51

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9452.387	40.00	7.67	74.0	-34.00	Peak	302.90	100	Vertical	Pass
1**	9452.387	28.28	7.67	54.0	-25.72	AV	302.90	100	Vertical	Pass
2	9906.023	41.09	9.79	74.0	-32.91	Peak	85.30	100	Vertical	Pass
2**	9906.023	30.04	9.79	54.0	-23.96	AV	85.30	100	Vertical	Pass
3	11211.947	43.36	11.40	74.0	-30.64	Peak	4.90	100	Vertical	Pass
3**	11211.947	32.81	11.40	54.0	-21.19	AV	4.90	100	Vertical	Pass
4	12449.138	44.44	12.50	74.0	-29.56	Peak	205.80	100	Vertical	Pass
4**	12449.138	34.53	12.50	54.0	-19.47	AV	205.80	100	Vertical	Pass
5	14181.205	50.58	19.55	74.0	-23.42	Peak	234.50	100	Vertical	Pass
5**	14181.205	40.65	19.55	54.0	-13.35	AV	234.50	100	Vertical	Pass
6	18000.000	58.62	27.92	74.0	-15.38	Peak	163.00	100	Vertical	Pass
6**	18000.000	49.41	27.92	54.0	-4.59	AV	163.00	100	Vertical	Pass

WIFI2.4G-N-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.10.19

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.742	39.48	-14.30	74.0	-34.52	Peak	146.00	100	Horizontal	Pass
1**	1066.742	27.21	-14.30	54.0	-26.79	AV	146.00	100	Horizontal	Pass
2	1860.892	41.17	-12.10	74.0	-32.83	Peak	297.10	100	Horizontal	Pass
2**	1860.892	29.95	-12.10	54.0	-24.05	AV	297.10	100	Horizontal	Pass
3	2390.576	62.65	-5.83	74.0	-11.35	Peak	327.20	100	Horizontal	Pass
3**	2390.576	48.27	-5.83	54.0	-5.73	AV	327.20	100	Horizontal	Pass
4	2474.816	49.62	-2.14	74.0	-24.38	Peak	42.10	100	Horizontal	Pass
4**	2474.816	39.91	-2.14	54.0	-14.09	AV	42.10	100	Horizontal	Pass
5	5815.148	53.57	2.34	74.0	-20.43	Peak	333.60	100	Horizontal	Pass
5**	5815.148	41.92	2.34	54.0	-12.08	AV	333.60	100	Horizontal	Pass
6	6757.530	55.91	4.93	74.0	-18.09	Peak	359.20	100	Horizontal	Pass
6**	6757.530	45.39	4.93	54.0	-8.61	AV	359.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.31.52

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	10156.211	40.84	9.20	74.0	-33.16	Peak	121.90	100	Horizontal	Pass
1**	10156.211	29.94	9.20	54.0	-24.06	AV	121.90	100	Horizontal	Pass
2	11214.696	42.95	11.43	74.0	-31.05	Peak	141.60	100	Horizontal	Pass
2**	11214.696	32.81	11.43	54.0	-21.19	AV	141.60	100	Horizontal	Pass
3	12424.394	45.10	12.38	74.0	-28.90	Peak	267.40	100	Horizontal	Pass
3**	12424.394	34.33	12.38	54.0	-19.67	AV	267.40	100	Horizontal	Pass
4	14197.701	50.44	19.55	74.0	-23.56	Peak	310.90	100	Horizontal	Pass
4**	14197.701	40.47	19.55	54.0	-13.53	AV	310.90	100	Horizontal	Pass
5	14794.301	51.12	18.40	74.0	-22.88	Peak	112.20	100	Horizontal	Pass
5**	14794.301	40.09	18.40	54.0	-13.91	AV	112.20	100	Horizontal	Pass
6	17994.501	59.83	27.58	74.0	-14.17	Peak	357.40	100	Horizontal	Pass
6**	17994.501	49.37	27.58	54.0	-4.63	AV	357.40	100	Horizontal	Pass

WIFI2.4G-N-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.40.28

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1072.491	42.23	-14.21	74.0	-31.77	Peak	331.20	100	Vertical	Pass
1**	1072.491	29.25	-14.21	54.0	-24.75	AV	331.20	100	Vertical	Pass
2	1484.689	41.74	-13.02	74.0	-32.26	Peak	345.40	100	Vertical	Pass
2**	1484.689	29.36	-13.02	54.0	-24.64	AV	345.40	100	Vertical	Pass
3	2391.076	62.56	-5.58	74.0	-11.44	Peak	4.00	100	Vertical	Pass
3**	2391.076	47.42	-5.58	54.0	-6.58	AV	4.00	100	Vertical	Pass
4	2486.814	49.49	-1.90	74.0	-24.51	Peak	134.80	100	Vertical	Pass
4**	2486.814	40.22	-1.90	54.0	-13.78	AV	134.80	100	Vertical	Pass
5	6403.575	54.88	3.71	74.0	-19.12	Peak	172.90	100	Vertical	Pass
5**	6403.575	44.49	3.71	54.0	-9.51	AV	172.90	100	Vertical	Pass
6	6750.531	56.59	4.86	74.0	-17.41	Peak	325.50	100	Vertical	Pass
6**	6750.531	45.91	4.86	54.0	-8.09	AV	325.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.42.22

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9925.269	41.36	9.87	74.0	-32.64	Peak	319.10	100	Vertical	Pass
1**	9925.269	29.93	9.87	54.0	-24.07	AV	319.10	100	Vertical	Pass
2	11239.440	43.23	11.75	74.0	-30.77	Peak	203.70	100	Vertical	Pass
2**	11239.440	33.69	11.75	54.0	-20.31	AV	203.70	100	Vertical	Pass
3	12421.645	44.70	12.36	74.0	-29.30	Peak	319.10	100	Vertical	Pass
3**	12421.645	34.58	12.36	54.0	-19.42	AV	319.10	100	Vertical	Pass
4	14186.703	50.42	19.72	74.0	-23.58	Peak	52.60	100	Vertical	Pass
4**	14186.703	41.24	19.72	54.0	-12.76	AV	52.60	100	Vertical	Pass
5	14753.062	50.42	18.75	74.0	-23.58	Peak	252.80	100	Vertical	Pass
5**	14753.062	40.31	18.75	54.0	-13.69	AV	252.80	100	Vertical	Pass
6	17994.501	58.69	27.58	74.0	-15.31	Peak	146.00	100	Vertical	Pass
6**	17994.501	49.29	27.58	54.0	-4.71	AV	146.00	100	Vertical	Pass

WIFI2.4G-N-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.16.49

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1081.490	39.73	-14.23	74.0	-34.27	Peak	86.10	100	Horizontal	Pass
1**	1081.490	27.36	-14.23	54.0	-26.64	AV	86.10	100	Horizontal	Pass
2	2391.576	49.72	-4.80	74.0	-24.28	Peak	38.40	100	Horizontal	Pass
2**	2391.576	40.02	-4.80	54.0	-13.98	AV	38.40	100	Horizontal	Pass
3	2487.314	49.30	-1.89	74.0	-24.70	Peak	188.80	100	Horizontal	Pass
3**	2487.314	40.63	-1.89	54.0	-13.37	AV	188.80	100	Horizontal	Pass
4	4423.822	50.37	-1.01	74.0	-23.63	Peak	309.50	100	Horizontal	Pass
4**	4423.822	39.12	-1.01	54.0	-14.88	AV	309.50	100	Horizontal	Pass
5	5228.721	51.94	0.53	74.0	-22.06	Peak	191.90	100	Horizontal	Pass
5**	5228.721	40.31	0.53	54.0	-13.69	AV	191.90	100	Horizontal	Pass
6	6466.067	55.50	3.83	74.0	-18.50	Peak	0.00	100	Horizontal	Pass
6**	6466.067	44.26	3.83	54.0	-9.74	AV	0.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.44.13

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8844.789	37.72	5.28	74.0	-36.28	Peak	37.60	100	Horizontal	Pass
1**	8844.789	26.10	5.28	54.0	-27.90	AV	37.60	100	Horizontal	Pass
2	9963.759	40.03	9.57	74.0	-33.97	Peak	329.00	100	Horizontal	Pass
2**	9963.759	29.79	9.57	54.0	-24.21	AV	329.00	100	Horizontal	Pass
3	12440.890	44.60	12.46	74.0	-29.40	Peak	291.40	100	Horizontal	Pass
3**	12440.890	34.13	12.46	54.0	-19.87	AV	291.40	100	Horizontal	Pass
4	13163.959	46.09	14.00	74.0	-27.91	Peak	194.60	100	Horizontal	Pass
4**	13163.959	35.67	14.00	54.0	-18.33	AV	194.60	100	Horizontal	Pass
5	14192.202	51.41	19.67	74.0	-22.59	Peak	131.40	100	Horizontal	Pass
5**	14192.202	40.82	19.67	54.0	-13.18	AV	131.40	100	Horizontal	Pass
6	17980.755	58.27	26.73	74.0	-15.73	Peak	334.60	100	Horizontal	Pass
6**	17980.755	48.42	26.73	54.0	-5.58	AV	334.60	100	Horizontal	Pass

WIFI2.4G-N-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.45.16

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1103.487	42.40	-14.17	74.0	-31.60	Peak	339.40	100	Vertical	Pass
1**	1103.487	28.79	-14.17	54.0	-25.21	AV	339.40	100	Vertical	Pass
2	2386.827	52.13	-6.87	74.0	-21.87	Peak	4.20	100	Vertical	Pass
2**	2386.827	39.93	-6.87	54.0	-14.07	AV	4.20	100	Vertical	Pass
3	2438.570	52.22	-3.08	74.0	-21.78	Peak	334.90	100	Vertical	Pass
3**	2438.570	42.96	-3.08	54.0	-11.04	AV	334.90	100	Vertical	Pass
4	2489.564	50.24	-1.86	74.0	-23.76	Peak	360.00	100	Vertical	Pass
4**	2489.564	41.14	-1.86	54.0	-12.86	AV	360.00	100	Vertical	Pass
5	5113.736	51.37	1.31	74.0	-22.63	Peak	349.30	100	Vertical	Pass
5**	5113.736	41.45	1.31	54.0	-12.55	AV	349.30	100	Vertical	Pass
6	6631.046	55.58	4.46	74.0	-18.42	Peak	72.80	100	Vertical	Pass
6**	6631.046	44.89	4.46	54.0	-9.11	AV	72.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.32.18

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9980.255	40.55	9.40	74.0	-33.45	Peak	145.20	100	Vertical	Pass
1**	9980.255	29.41	9.40	54.0	-24.59	AV	145.20	100	Vertical	Pass
2	11148.713	42.94	10.85	74.0	-31.06	Peak	285.10	100	Vertical	Pass
2**	11148.713	32.59	10.85	54.0	-21.41	AV	285.10	100	Vertical	Pass
3	12451.887	44.81	12.51	74.0	-29.19	Peak	360.00	100	Vertical	Pass
3**	12451.887	34.83	12.51	54.0	-19.17	AV	360.00	100	Vertical	Pass
4	13221.695	46.73	14.16	74.0	-27.27	Peak	0.00	100	Vertical	Pass
4**	13221.695	35.81	14.16	54.0	-18.19	AV	0.00	100	Vertical	Pass
5	14197.701	50.29	19.55	74.0	-23.71	Peak	164.20	100	Vertical	Pass
5**	14197.701	40.57	19.55	54.0	-13.43	AV	164.20	100	Vertical	Pass
6	17989.003	58.58	27.24	74.0	-15.42	Peak	82.70	100	Vertical	Pass
6**	17989.003	48.65	27.24	54.0	-5.35	AV	82.70	100	Vertical	Pass

WIFI2.4G-N-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.21.53

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1068.241	39.93	-14.28	74.0	-34.07	Peak	82.70	100	Horizontal	Pass
1**	1068.241	27.51	-14.28	54.0	-26.49	AV	82.70	100	Horizontal	Pass
2	2488.564	49.82	-1.87	74.0	-24.18	Peak	38.50	100	Horizontal	Pass
2**	2488.564	40.03	-1.87	54.0	-13.97	AV	38.50	100	Horizontal	Pass
3	3656.918	48.64	-1.61	74.0	-25.36	Peak	29.20	100	Horizontal	Pass
3**	3656.918	37.82	-1.61	54.0	-16.18	AV	29.20	100	Horizontal	Pass
4	4254.843	49.20	-1.57	74.0	-24.80	Peak	19.60	100	Horizontal	Pass
4**	4254.843	38.17	-1.57	54.0	-15.83	AV	19.60	100	Horizontal	Pass
5	5837.145	53.15	2.31	74.0	-20.85	Peak	19.60	100	Horizontal	Pass
5**	5837.145	42.46	2.31	54.0	-11.54	AV	19.60	100	Horizontal	Pass
6	6758.530	55.58	4.94	74.0	-18.42	Peak	112.60	100	Horizontal	Pass
6**	6758.530	45.32	4.94	54.0	-8.68	AV	112.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.57.39

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%

Test Engineer: CJY


Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9914.271	40.36	9.91	74.0	-33.64	Peak	348.60	100	Horizontal	Pass
1**	9914.271	30.07	9.91	54.0	-23.93	AV	348.60	100	Horizontal	Pass
2	10840.790	42.46	11.05	74.0	-31.54	Peak	270.80	100	Horizontal	Pass
2**	10840.790	31.65	11.05	54.0	-22.35	AV	270.80	100	Horizontal	Pass
3	12465.634	44.65	12.56	74.0	-29.35	Peak	188.10	100	Horizontal	Pass
3**	12465.634	34.95	12.56	54.0	-19.05	AV	188.10	100	Horizontal	Pass
4	13191.452	46.55	14.07	74.0	-27.45	Peak	29.50	100	Horizontal	Pass
4**	13191.452	36.00	14.07	54.0	-18.00	AV	29.50	100	Horizontal	Pass
5	14181.205	50.63	19.55	74.0	-23.37	Peak	300.60	100	Horizontal	Pass
5**	14181.205	40.76	19.55	54.0	-13.24	AV	300.60	100	Horizontal	Pass
6	18000.000	58.96	27.92	74.0	-15.04	Peak	158.30	100	Horizontal	Pass
6**	18000.000	49.41	27.92	54.0	-4.59	AV	158.30	100	Horizontal	Pass

WIFI2.4G-N-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.59.47

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1077.490	43.17	-14.22	74.0	-30.83	Peak	307.80	100	Vertical	Pass
1**	1077.490	29.84	-14.22	54.0	-24.16	AV	307.80	100	Vertical	Pass
2	1584.927	44.64	-13.07	74.0	-29.36	Peak	307.80	100	Vertical	Pass
2**	1584.927	30.46	-13.07	54.0	-23.54	AV	307.80	100	Vertical	Pass
3	2437.320	51.28	-3.11	74.0	-22.72	Peak	217.40	100	Vertical	Pass
3**	2437.320	40.03	-3.11	54.0	-13.97	AV	217.40	100	Vertical	Pass
4	2489.564	50.16	-1.86	74.0	-23.84	Peak	48.40	100	Vertical	Pass
4**	2489.564	41.25	-1.86	54.0	-12.75	AV	48.40	100	Vertical	Pass
5	4709.286	50.39	-0.06	74.0	-23.61	Peak	356.30	100	Vertical	Pass
5**	4709.286	39.53	-0.06	54.0	-14.47	AV	356.30	100	Vertical	Pass
6	5838.145	52.97	2.31	74.0	-21.03	Peak	224.70	100	Vertical	Pass
6**	5838.145	42.26	2.31	54.0	-11.74	AV	224.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.12.51

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9515.621	38.27	8.02	74.0	-35.73	Peak	313.90	100	Vertical	Pass
1**	9515.621	28.05	8.02	54.0	-25.95	AV	313.90	100	Vertical	Pass
2	11151.462	42.83	10.87	74.0	-31.17	Peak	322.80	100	Vertical	Pass
2**	11151.462	32.62	10.87	54.0	-21.38	AV	322.80	100	Vertical	Pass
3	12528.868	44.44	11.16	74.0	-29.56	Peak	103.50	100	Vertical	Pass
3**	12528.868	32.97	11.16	54.0	-21.03	AV	103.50	100	Vertical	Pass
4	14205.949	50.56	19.36	74.0	-23.44	Peak	196.50	100	Vertical	Pass
4**	14205.949	40.46	19.36	54.0	-13.54	AV	196.50	100	Vertical	Pass
5	14508.373	50.44	17.64	74.0	-23.56	Peak	166.40	100	Vertical	Pass
5**	14508.373	40.06	17.64	54.0	-13.94	AV	166.40	100	Vertical	Pass
6	17980.755	58.72	26.73	74.0	-15.28	Peak	309.00	100	Vertical	Pass
6**	17980.755	48.36	26.73	54.0	-5.64	AV	309.00	100	Vertical	Pass

WIFI2.4G-N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.01.21

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1361.455	41.12	-12.60	74.0	-32.88	Peak	12.40	100	Horizontal	Pass
1**	1361.455	29.88	-12.60	54.0	-24.12	AV	12.40	100	Horizontal	Pass
2	1945.132	41.56	-11.29	74.0	-32.44	Peak	71.30	100	Horizontal	Pass
2**	1945.132	30.80	-11.29	54.0	-23.20	AV	71.30	100	Horizontal	Pass
3	2391.826	63.86	-4.42	74.0	-10.14	Peak	47.00	100	Horizontal	Pass
3**	2391.826	49.81	-4.42	54.0	-4.19	AV	47.00	100	Horizontal	Pass
4	2490.064	50.81	-2.01	74.0	-23.19	Peak	335.60	100	Horizontal	Pass
4**	2490.064	40.80	-2.01	54.0	-13.20	AV	335.60	100	Horizontal	Pass
5	4531.809	49.91	-0.37	74.0	-24.09	Peak	269.30	100	Horizontal	Pass
5**	4531.809	38.82	-0.37	54.0	-15.18	AV	269.30	100	Horizontal	Pass
6	6426.072	54.70	3.81	74.0	-19.30	Peak	284.90	100	Horizontal	Pass
6**	6426.072	43.68	3.81	54.0	-10.32	AV	284.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.38.40

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%


Test Engineer: CJY

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9416.646	38.67	7.63	74.0	-35.33	Peak	192.10	100	Horizontal	Pass
1**	9416.646	27.99	7.63	54.0	-26.01	AV	192.10	100	Horizontal	Pass
2	10890.277	42.41	11.12	74.0	-31.59	Peak	96.10	100	Horizontal	Pass
2**	10890.277	32.32	11.12	54.0	-21.68	AV	96.10	100	Horizontal	Pass
3	11492.377	43.00	11.90	74.0	-31.00	Peak	221.90	100	Horizontal	Pass
3**	11492.377	32.69	11.90	54.0	-21.31	AV	221.90	100	Horizontal	Pass
4	12435.391	45.19	12.43	74.0	-28.81	Peak	6.20	100	Horizontal	Pass
4**	12435.391	34.67	12.43	54.0	-19.33	AV	6.20	100	Horizontal	Pass
5	14186.703	50.53	19.72	74.0	-23.47	Peak	207.70	100	Horizontal	Pass
5**	14186.703	40.77	19.72	54.0	-13.23	AV	207.70	100	Horizontal	Pass
6	17989.003	58.34	27.24	74.0	-15.66	Peak	139.60	100	Horizontal	Pass
6**	17989.003	48.97	27.24	54.0	-5.03	AV	139.60	100	Horizontal	Pass

WIFI2.4G-N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_15.13.31

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

R/Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1077.990	41.90	-14.22	74.0	-32.10	Peak	309.00	100	Vertical	Pass
1**	1077.990	28.66	-14.22	54.0	-25.34	AV	309.00	100	Vertical	Pass
2	2388.326	65.32	-6.53	74.0	-8.68	Peak	39.90	100	Vertical	Pass
2**	2388.326	51.77	-6.53	54.0	-2.23	AV	39.90	100	Vertical	Pass
3	2490.064	54.13	-2.01	74.0	-19.87	Peak	34.70	100	Vertical	Pass
3**	2490.064	41.98	-2.01	54.0	-12.02	AV	34.70	100	Vertical	Pass
4	3617.423	48.68	-1.78	74.0	-25.32	Peak	157.30	100	Vertical	Pass
4**	3617.423	37.95	-1.78	54.0	-16.05	AV	157.30	100	Vertical	Pass
5	4461.317	50.34	-0.89	74.0	-23.66	Peak	250.70	100	Vertical	Pass
5**	4461.317	38.34	-0.89	54.0	-15.66	AV	250.70	100	Vertical	Pass
6	6650.044	55.27	4.55	74.0	-18.73	Peak	3.80	100	Vertical	Pass
6**	6650.044	44.85	4.55	54.0	-9.15	AV	3.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.39.30

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9963.759	40.30	9.57	74.0	-33.70	Peak	180.60	100	Vertical	Pass
1**	9963.759	29.80	9.57	54.0	-24.20	AV	180.60	100	Vertical	Pass
2	11198.200	43.55	11.24	74.0	-30.45	Peak	186.20	100	Vertical	Pass
2**	11198.200	32.87	11.24	54.0	-21.13	AV	186.20	100	Vertical	Pass
3	12462.884	44.54	12.55	74.0	-29.46	Peak	100.60	100	Vertical	Pass
3**	12462.884	34.73	12.55	54.0	-19.27	AV	100.60	100	Vertical	Pass
4	13150.212	46.79	13.97	74.0	-27.21	Peak	229.30	100	Vertical	Pass
4**	13150.212	35.97	13.97	54.0	-18.03	AV	229.30	100	Vertical	Pass
5	14194.951	50.22	19.61	74.0	-23.78	Peak	190.60	100	Vertical	Pass
5**	14194.951	40.40	19.61	54.0	-13.60	AV	190.60	100	Vertical	Pass
6	17986.253	58.93	27.07	74.0	-15.07	Peak	28.00	100	Vertical	Pass
6**	17986.253	48.54	27.07	54.0	-5.46	AV	28.00	100	Vertical	Pass

WIFI2.4G-N40-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.05.35

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1075.491	40.31	-14.22	74.0	-33.69	Peak	83.00	100	Horizontal	Pass
1**	1075.491	27.30	-14.22	54.0	-26.70	AV	83.00	100	Horizontal	Pass
2	1586.927	40.13	-13.07	74.0	-33.87	Peak	2.60	100	Horizontal	Pass
2**	1586.927	29.04	-13.07	54.0	-24.96	AV	2.60	100	Horizontal	Pass
3	2391.326	60.84	-5.19	74.0	-13.16	Peak	44.00	100	Horizontal	Pass
3**	2391.326	48.11	-5.19	54.0	-5.89	AV	44.00	100	Horizontal	Pass
4	2490.064	56.78	-2.01	74.0	-17.22	Peak	44.00	100	Horizontal	Pass
4**	2490.064	43.49	-2.01	54.0	-10.51	AV	44.00	100	Horizontal	Pass
5	5598.175	52.49	1.58	74.0	-21.51	Peak	255.50	100	Horizontal	Pass
5**	5598.175	41.41	1.58	54.0	-12.59	AV	255.50	100	Horizontal	Pass
6	6921.010	56.55	5.07	74.0	-17.45	Peak	265.20	100	Horizontal	Pass
6**	6921.010	45.84	5.07	54.0	-8.16	AV	265.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.45.42

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%


Test Engineer: CJY

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9507.373	38.41	7.96	74.0	-35.59	Peak	206.50	100	Horizontal	Pass
1**	9507.373	27.96	7.96	54.0	-26.04	AV	206.50	100	Horizontal	Pass
2	10145.214	40.37	9.28	74.0	-33.63	Peak	114.30	100	Horizontal	Pass
2**	10145.214	30.82	9.28	54.0	-23.18	AV	114.30	100	Horizontal	Pass
3	12471.132	44.93	12.44	74.0	-29.07	Peak	19.40	100	Horizontal	Pass
3**	12471.132	34.28	12.44	54.0	-19.72	AV	19.40	100	Horizontal	Pass
4	14200.450	50.77	19.49	74.0	-23.23	Peak	245.20	100	Horizontal	Pass
4**	14200.450	40.39	19.49	54.0	-13.61	AV	245.20	100	Horizontal	Pass
5	14739.315	50.64	18.59	74.0	-23.36	Peak	114.30	100	Horizontal	Pass
5**	14739.315	40.15	18.59	54.0	-13.85	AV	114.30	100	Horizontal	Pass
6	17989.003	58.97	27.24	74.0	-15.03	Peak	192.40	100	Horizontal	Pass
6**	17989.003	48.87	27.24	54.0	-5.13	AV	192.40	100	Horizontal	Pass

WIFI2.4G-N40-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_15.17.46

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1083.490	41.68	-14.25	74.0	-32.32	Peak	331.70	100	Vertical	Pass
1**	1083.490	28.68	-14.25	54.0	-25.32	AV	331.70	100	Vertical	Pass
2	1477.440	41.65	-12.96	74.0	-32.35	Peak	326.40	100	Vertical	Pass
2**	1477.440	29.73	-12.96	54.0	-24.27	AV	326.40	100	Vertical	Pass
3	2388.326	59.63	-6.53	74.0	-14.37	Peak	357.60	100	Vertical	Pass
3**	2388.326	47.01	-6.53	54.0	-6.99	AV	357.60	100	Vertical	Pass
4	2490.064	58.98	-2.01	74.0	-15.02	Peak	42.90	100	Vertical	Pass
4**	2490.064	45.40	-2.01	54.0	-8.60	AV	42.90	100	Vertical	Pass
5	2935.008	47.44	-4.16	74.0	-26.56	Peak	331.70	100	Vertical	Pass
5**	2935.008	36.12	-4.16	54.0	-17.88	AV	331.70	100	Vertical	Pass
6	5889.139	53.35	2.11	74.0	-20.65	Peak	116.80	100	Vertical	Pass
6**	5889.139	41.90	2.11	54.0	-12.10	AV	116.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.30.02

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9347.913	37.82	7.49	74.0	-36.18	Peak	181.30	100	Vertical	Pass
1**	9347.913	27.77	7.49	54.0	-26.23	AV	181.30	100	Vertical	Pass
2	10813.297	41.74	10.66	74.0	-32.26	Peak	171.90	100	Vertical	Pass
2**	10813.297	31.66	10.66	54.0	-22.34	AV	171.90	100	Vertical	Pass
3	11250.437	43.62	11.90	74.0	-30.38	Peak	115.40	100	Vertical	Pass
3**	11250.437	32.64	11.90	54.0	-21.36	AV	115.40	100	Vertical	Pass
4	12451.887	45.15	12.51	74.0	-28.85	Peak	293.60	100	Vertical	Pass
4**	12451.887	34.43	12.51	54.0	-19.57	AV	293.60	100	Vertical	Pass
5	14200.450	50.55	19.49	74.0	-23.45	Peak	4.50	100	Vertical	Pass
5**	14200.450	40.60	19.49	54.0	-13.40	AV	4.50	100	Vertical	Pass
6	17983.504	58.30	26.90	74.0	-15.70	Peak	153.00	100	Vertical	Pass
6**	17983.504	48.78	26.90	54.0	-5.22	AV	153.00	100	Vertical	Pass

WIFI2.4G-N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_15.52.54

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.428	39.90	-13.02	74.0	-34.10	Peak	2.70	100	Horizontal	Pass
1**	1576.428	29.12	-13.02	54.0	-24.88	AV	2.70	100	Horizontal	Pass
2	2001.375	41.78	-10.93	74.0	-32.22	Peak	24.30	100	Horizontal	Pass
2**	2001.375	31.42	-10.93	54.0	-22.58	AV	24.30	100	Horizontal	Pass
3	2389.326	47.55	-6.22	74.0	-26.45	Peak	329.00	100	Horizontal	Pass
3**	2389.326	37.70	-6.22	54.0	-16.30	AV	329.00	100	Horizontal	Pass
4	2456.568	49.89	-2.64	74.0	-24.11	Peak	275.40	100	Horizontal	Pass
4**	2456.568	39.43	-2.64	54.0	-14.57	AV	275.40	100	Horizontal	Pass
5	2489.564	56.32	-1.86	74.0	-17.68	Peak	44.40	100	Horizontal	Pass
5**	2489.564	43.78	-1.86	54.0	-10.22	AV	44.40	100	Horizontal	Pass
6	6564.054	55.86	4.22	74.0	-18.14	Peak	288.20	100	Horizontal	Pass
6**	6564.054	44.37	4.22	54.0	-9.63	AV	288.20	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2022-05-31_13.49.38

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 19.8

Hum.: 50%


Test Engineer: CJY

Test Standard: FCC

Work Addition: TX

Load: full load

Remark: DR-RSE01-H22020028-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	10145.214	40.82	9.28	74.0	-33.18	Peak	169.30	100	Horizontal	Pass
1**	10145.214	30.37	9.28	54.0	-23.63	AV	169.30	100	Horizontal	Pass
2	10849.038	42.35	11.12	74.0	-31.65	Peak	8.90	100	Horizontal	Pass
2**	10849.038	31.60	11.12	54.0	-22.40	AV	8.90	100	Horizontal	Pass
3	12484.879	44.33	12.11	74.0	-29.67	Peak	130.20	100	Horizontal	Pass
3**	12484.879	33.86	12.11	54.0	-20.14	AV	130.20	100	Horizontal	Pass
4	13166.708	45.78	14.01	74.0	-28.22	Peak	82.50	100	Horizontal	Pass
4**	13166.708	36.14	14.01	54.0	-17.86	AV	82.50	100	Horizontal	Pass
5	14197.701	50.87	19.55	74.0	-23.13	Peak	310.80	100	Horizontal	Pass
5**	14197.701	40.86	19.55	54.0	-13.14	AV	310.80	100	Horizontal	Pass
6	17972.507	58.70	26.23	74.0	-15.30	Peak	247.20	100	Horizontal	Pass
6**	17972.507	47.96	26.23	54.0	-6.04	AV	247.20	100	Horizontal	Pass

WIFI2.4G-N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_15.40.31

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1087.489	41.33	-14.23	74.0	-32.67	Peak	327.50	100	Vertical	Pass
1**	1087.489	28.48	-14.23	54.0	-25.52	AV	327.50	100	Vertical	Pass
2	2460.067	55.95	-2.53	74.0	-18.05	Peak	257.90	100	Vertical	Pass
2**	2460.067	50.89	-2.53	54.0	-3.11	AV	257.90	100	Vertical	Pass
3	2490.064	59.67	-2.01	74.0	-14.33	Peak	48.10	100	Vertical	Pass
3**	2490.064	46.23	-2.01	54.0	-7.77	AV	48.10	100	Vertical	Pass
4	3993.376	48.93	-1.20	74.0	-25.07	Peak	247.30	100	Vertical	Pass
4**	3993.376	37.05	-1.20	54.0	-16.95	AV	247.30	100	Vertical	Pass
5	5156.730	51.67	1.14	74.0	-22.33	Peak	71.70	100	Vertical	Pass
5**	5156.730	41.48	1.14	54.0	-12.52	AV	71.70	100	Vertical	Pass
6	6583.552	54.89	4.23	74.0	-19.11	Peak	18.50	100	Vertical	Pass
6**	6583.552	44.74	4.23	54.0	-9.26	AV	18.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2022-05-30_18.28.04

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 19.8

Load: full load

Hum.: 50%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	10183.704	40.77	9.17	74.0	-33.23	Peak	107.60	100	Vertical	Pass
1**	10183.704	30.34	9.17	54.0	-23.66	AV	107.60	100	Vertical	Pass
2	11302.674	43.72	12.23	74.0	-30.28	Peak	131.00	100	Vertical	Pass
2**	11302.674	32.73	12.23	54.0	-21.27	AV	131.00	100	Vertical	Pass
3	13158.460	46.45	13.99	74.0	-27.55	Peak	359.50	100	Vertical	Pass
3**	13158.460	36.12	13.99	54.0	-17.88	AV	359.50	100	Vertical	Pass
4	14186.703	50.87	19.72	74.0	-23.13	Peak	87.50	100	Vertical	Pass
4**	14186.703	40.52	19.72	54.0	-13.48	AV	87.50	100	Vertical	Pass
5	14497.376	50.80	17.73	74.0	-23.20	Peak	257.50	100	Vertical	Pass
5**	14497.376	40.12	17.73	54.0	-13.88	AV	257.50	100	Vertical	Pass
6	17989.003	58.72	27.24	74.0	-15.28	Peak	271.30	100	Vertical	Pass
6**	17989.003	48.99	27.24	54.0	-5.01	AV	271.30	100	Vertical	Pass

WIFI2.4G-Bandedge -B-Low channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.48.33

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.75	-9.96	74.0	-23.25	Peak	265.88	100	H	Pass
1**	2390.000	41.78	-9.96	54.0	-12.22	AV	265.88	100	H	Pass

WIFI2.4G-Bandedge -B-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_13.10.31

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.13	-9.96	74.0	-22.87	Peak	96.51	100	V	Pass
1**	2390.000	41.94	-9.96	54.0	-12.06	AV	96.51	100	V	Pass

WiFi2.4G-Bandedge -B-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_17.01.37

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.13	-9.51	74.0	-22.87	Peak	305.67	100	H	Pass
1**	2483.500	42.56	-9.51	54.0	-11.44	AV	305.67	100	H	Pass

WIFI2.4G-Bandedge -B-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_13.20.54

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.92	-9.51	74.0	-22.08	Peak	96.85	100	V	Pass
1**	2483.500	44.60	-9.51	54.0	-9.40	AV	96.85	100	V	Pass

WiFi2.4G-Bandedge -G-Low channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.27.20

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.46	-9.96	74.0	-13.54	Peak	328.31	100	H	Pass
1**	2390.000	49.01	-9.96	54.0	-4.99	AV	328.31	100	H	Pass

WIFI2.4G-Bandedge -G-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.10.47

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 23.1

Hum.: 47%

Test Engineer: CJY

Test Standard: FCC


Work Addition:

Load: full load

Remark: DR-RSE01-H22020028-01#01

TX

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.29	-9.96	74.0	-7.71	Peak	48.80	100	V	Pass
1**	2390.000	52.05	-9.96	54.0	-1.95	AV	48.80	100	V	Pass

WIFI2.4G-Bandedge -G-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.41.15

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.67	-9.51	74.0	-16.33	Peak	330.18	100	H	Pass
1**	2483.500	45.00	-9.51	54.0	-9.00	AV	330.18	100	H	Pass

WIFI2.4G-Bandedge -G-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.29.51

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23.1

Load: full load

Results (dBuV/m) 47%

Remark: DR-RSE01-H22020028-01#01



No.	Frequency (MHz)		Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.41	-9.51	74.0	-10.59	Peak	36.35	100	V	Pass
1**	2483.500	50.19	-9.51	54.0	-3.81	AV	36.35	100	V	Pass

WIFI2.4G-Bandedge -N-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.12.54

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.07	-9.96	74.0	-12.93	Peak	226.96	100	H	Pass
1**	2390.000	47.78	-9.96	54.0	-6.22	AV	226.96	100	H	Pass

WIFI2.4G-Bandedge -N-Low channel- Vertical -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.38.04

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.57	-9.96	74.0	-11.43	Peak	43.79	100	V	Pass
1**	2390.000	49.55	-9.96	54.0	-4.45	AV	43.79	100	V	Pass

WIFI2.4G-Bandedge -N-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_16.23.23

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.72	-9.51	74.0	-19.28	Peak	88.16	100	H	Pass
1**	2483.500	44.32	-9.51	54.0	-9.68	AV	88.16	100	H	Pass

WIFI2.4G-Bandedge -N-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_14.56.28

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.43	-9.51	74.0	-10.57	Peak	358.78	100	V	Pass
1**	2483.500	50.85	-9.51	54.0	-3.15	AV	358.78	100	V	Pass

WIFI2.4G-Bandedge –N40-Low channel- Horizontal –TX

Test result

Project Number: Certification

Test Time: 2022-06-01_15.58.58

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.49	-9.96	74.0	-10.51	Peak	214.82	100	H	Pass
1**	2390.000	48.30	-9.96	54.0	-5.70	AV	214.82	100	H	Pass

WIFI2.4G-Bandedge –N40-Low channel- Vertical –TX

Test result

Project Number: Certification

Test Time: 2022-06-01_15.10.45

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	69.29	-9.96	74.0	-4.71	Peak	358.94	100	V	Pass
1**	2390.000	52.06	-9.96	54.0	-1.94	AV	358.94	100	V	Pass

WiFi2.4G-Bandedge –N40-High channel- Horizontal -TX

Test result

Project Number: Certification

Test Time: 2022-06-01_15.54.54

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.23	-9.51	74.0	-16.77	Peak	92.07	100	H	Pass
1**	2483.500	44.42	-9.51	54.0	-9.58	AV	92.07	100	H	Pass

WiFi2.4G-Bandedge –N40-High channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2022-06-01_15:37:58

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 23.1

Load: full load

Hum.: 47%

Remark: DR-RSE01-H22020028-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.82	-9.51	74.0	-8.18	Peak	355.16	100	V	Pass
1**	2483.500	50.06	-9.51	54.0	-3.94	AV	355.16	100	V	Pass