













11N40MIMO-Ant1-5795-PASS




11N40MIMO-Ant2-5795-PASS




11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS




11AC20MIMO-Ant1-5785-PASS




11AC20MIMO-Ant2-5785-PASS




11AC20MIMO-Ant1-5825-PASS




11AC20MIMO-Ant2-5825-PASS



11AC40MIMO-Ant1-5755-PASS





Appendix D: Band edge measurements

Test Result


Test Mode	Antenna	Ch. Name	Frequency [MHz]	Freq. Range [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-34.79	≤16.60	PASS
11A	Ant1	Low	5745	5700~5720	-35.77	≤10.80	PASS
11A	Ant1	Low	5745	5650~5700	-37.43	≤-26.62	PASS
11A	Ant1	Low	5745	5760~5650	-35.77	≤-27	PASS
11A	Ant2	Low	5745	5720~5725	-31.71	≤17.13	PASS
11A	Ant2	Low	5745	5700~5720	-32.68	≤10.51	PASS
11A	Ant2	Low	5745	5650~5700	-32.01	≤-26.45	PASS
11A	Ant2	Low	5745	5760~5650	-33.1	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-36.29	≤15.73	PASS
11A	Ant1	High	5825	5855~5875	-36.75	≤10.02	PASS
11A	Ant1	High	5825	5875~5925	-35.88	≤-25.81	PASS
11A	Ant1	High	5825	5925~5935	-36.11	≤-27	PASS
11A	Ant2	High	5825	5850~5855	-33.36	≤16.65	PASS
11A	Ant2	High	5825	5855~5875	-32.84	≤10.21	PASS
11A	Ant2	High	5825	5875~5925	-33.05	≤-26.31	PASS
11A	Ant2	High	5825	5925~5935	-32.79	≤-27	PASS
11N20MI MO	Ant1	Low	5745	5720~5725	-36.17	≤16.34	PASS
11N20MI MO	Ant1	Low	5745	5700~5720	-36.01	≤10.25	PASS
11N20MI MO	Ant1	Low	5745	5650~5700	-36.36	≤-26.70	PASS
11N20MI MO	Ant1	Low	5745	5760~5650	-36.46	≤-27	PASS
11N20MI MO	Ant2	Low	5745	5720~5725	-33.48	≤16.08	PASS
11N20MI MO	Ant2	Low	5745	5700~5720	-31.68	≤10.86	PASS
11N20MI MO	Ant2	Low	5745	5650~5700	-33.72	≤-26.45	PASS
11N20MI MO	Ant2	Low	5745	5760~5650	-32.73	≤-27	PASS
11N20MI MO	Ant1	High	5825	5850~5855	-36.76	≤15.73	PASS
11N20MI MO	Ant1	High	5825	5855~5875	-35.91	≤10.06	PASS
11N20MI MO	Ant1	High	5825	5875~5925	-36.83	≤-26.91	PASS
11N20MI MO	Ant1	High	5825	5925~5935	-35.57	≤-27	PASS
11N20MI	Ant2	High	5825	5850~5855	-32.39	≤16.03	PASS


MO							
11N20MI MO	Ant2	High	5825	5855~5875	-32.68	≤10.06	PASS
11N20MI MO	Ant2	High	5825	5875~5925	-32.8	≤-26.91	PASS
11N20MI MO	Ant2	High	5825	5925~5935	-33.13	≤-27	PASS
11N40MI MO	Ant1	Low	5755	5720~5725	-34.59	≤16.04	PASS
11N40MI MO	Ant1	Low	5755	5700~5720	-34.64	≤10.51	PASS
11N40MI MO	Ant1	Low	5755	5650~5700	-36.61	≤-26.80	PASS
11N40MI MO	Ant1	Low	5755	5780~5650	-36.06	≤-27	PASS
11N40MI MO	Ant2	Low	5755	5720~5725	-29.69	≤16.97	PASS
11N40MI MO	Ant2	Low	5755	5700~5720	-27.44	≤14.18	PASS
11N40MI MO	Ant2	Low	5755	5650~5700	-33.75	≤-26.30	PASS
11N40MI MO	Ant2	Low	5755	5780~5650	-32.89	≤-27	PASS
11N40MI MO	Ant1	High	5795	5850~5855	-37.65	≤15.66	PASS
11N40MI MO	Ant1	High	5795	5855~5875	-35	≤10.76	PASS
11N40MI MO	Ant1	High	5795	5875~5925	-37.24	≤-26.59	PASS
11N40MI MO	Ant1	High	5795	5925~5935	-33.84	≤-27	PASS
11N40MI MO	Ant2	High	5795	5850~5855	-33.23	≤15.66	PASS
11N40MI MO	Ant2	High	5795	5855~5875	-33.33	≤10.11	PASS
11N40MI MO	Ant2	High	5795	5875~5925	-32.23	≤-26.34	PASS
11N40MI MO	Ant2	High	5795	5925~5935	-32.81	≤-27	PASS
11AC20M IMO	Ant1	Low	5745	5720~5725	-35.78	≤16.08	PASS
11AC20M IMO	Ant1	Low	5745	5700~5720	-35.43	≤10.28	PASS
11AC20M IMO	Ant1	Low	5745	5650~5700	-37.44	≤-26.87	PASS
11AC20M IMO	Ant1	Low	5745	5760~5650	-35.91	≤-27	PASS

11AC20M IMO	Ant2	Low	5745	5720~5725	-33.1	≤16.87	PASS
11AC20M IMO	Ant2	Low	5745	5700~5720	-33.35	≤10.12	PASS
11AC20M IMO	Ant2	Low	5745	5650~5700	-33.28	≤-26.19	PASS
11AC20M IMO	Ant2	Low	5745	5760~5650	-33.36	≤-27	PASS
11AC20M IMO	Ant1	High	5825	5850~5855	-35.34	≤17.26	PASS
11AC20M IMO	Ant1	High	5825	5855~5875	-36.18	≤10.55	PASS
11AC20M IMO	Ant1	High	5825	5875~5925	-36.15	≤-26.51	PASS
11AC20M IMO	Ant1	High	5825	5925~5935	-35.97	≤-27	PASS
11AC20M IMO	Ant2	High	5825	5850~5855	-34.54	≤15.73	PASS
11AC20M IMO	Ant2	High	5825	5855~5875	-32.61	≤10.66	PASS
11AC20M IMO	Ant2	High	5825	5875~5925	-32.33	≤-25.91	PASS
11AC20M IMO	Ant2	High	5825	5925~5935	-32.9	≤-27	PASS
11AC40M IMO	Ant1	Low	5755	5720~5725	-32.85	≤15.74	PASS
11AC40M IMO	Ant1	Low	5755	5700~5720	-32.51	≤11.95	PASS
11AC40M IMO	Ant1	Low	5755	5650~5700	-36.59	≤-26.80	PASS
11AC40M IMO	Ant1	Low	5755	5780~5650	-35.54	≤-27	PASS
11AC40M IMO	Ant2	Low	5755	5720~5725	-28.5	≤16.97	PASS
11AC40M IMO	Ant2	Low	5755	5700~5720	-26.72	≤14.14	PASS
11AC40M IMO	Ant2	Low	5755	5650~5700	-32.89	≤-26.40	PASS
11AC40M IMO	Ant2	Low	5755	5780~5650	-33.37	≤-27	PASS
11AC40M IMO	Ant1	High	5795	5850~5855	-37	≤16.03	PASS
11AC40M IMO	Ant1	High	5795	5855~5875	-36.35	≤10.34	PASS
11AC40M IMO	Ant1	High	5795	5875~5925	-36.52	≤-26.59	PASS
11AC40M	Ant1	High	5795	5925~5935	-35.92	≤-27	PASS


IMO							
11AC40M IMO	Ant2	High	5795	5850~5855	-33.78	≤15.66	PASS
11AC40M IMO	Ant2	High	5795	5855~5875	-32.4	≤10.29	PASS
11AC40M IMO	Ant2	High	5795	5875~5925	-34.12	≤-26.95	PASS
11AC40M IMO	Ant2	High	5795	5925~5935	-32.56	≤-27	PASS
11AC80M IMO	Ant1	Low	5775	5720~5725	-36.36	≤16.00	PASS
11AC80M IMO	Ant1	Low	5775	5700~5720	-35.68	≤10.05	PASS
11AC80M IMO	Ant1	Low	5775	5650~5700	-34.28	≤-25.42	PASS
11AC80M IMO	Ant1	Low	5775	5800~5650	-36.15	≤-27	PASS
11AC80M IMO	Ant1	High	5775	5850~5855	-36.4	≤15.84	PASS
11AC80M IMO	Ant1	High	5775	5855~5875	-35.73	≤10.50	PASS
11AC80M IMO	Ant1	High	5775	5875~5925	-37.42	≤-26.46	PASS
11AC80M IMO	Ant1	High	5775	5925~5935	-36	≤-27	PASS
11AC80M IMO	Ant2	Low	5775	5720~5725	-32.04	≤16.00	PASS
11AC80M IMO	Ant2	Low	5775	5700~5720	-32.2	≤10.14	PASS
11AC80M IMO	Ant2	Low	5775	5650~5700	-32.8	≤-26.00	PASS
11AC80M IMO	Ant2	Low	5775	5800~5650	-32.75	≤-27	PASS
11AC80M IMO	Ant2	High	5775	5850~5855	-34.11	≤15.84	PASS
11AC80M IMO	Ant2	High	5775	5855~5875	-31.43	≤10.92	PASS
11AC80M IMO	Ant2	High	5775	5875~5925	-33.83	≤-26.87	PASS
11AC80M IMO	Ant2	High	5775	5925~5935	-32.94	≤-27	PASS

Test Graphs






11A-Ant1-5825-PASS




11A-Ant2-5825-PASS




11N20MIMO-Ant1-5745-PASS







11N40MIMO-Ant1-5755-PASS




11N40MIMO-Ant2-5755-PASS




11N40MIMO-Ant1-5795-PASS




11N40MIMO-Ant2-5795-PASS




11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS




11AC20MIMO-Ant1-5825-PASS




11AC20MIMO-Ant2-5825-PASS




11AC40MIMO-Ant1-5755-PASS




11AC40MIMO-Ant2-5755-PASS




11AC40MIMO-Ant1-5795-PASS




11AC40MIMO-Ant2-5795-PASS




11AC80MIMO-Ant1-5775-PASS



11AC80MIMO-Ant1-5775-PASS



11AC80MIMO-Ant2-5775-PASS



Appendix E: Frequency Stability

Test Result

Ant1

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5745	20	240	5744.900978	5725 – 5850	PASS
5745	20	100	5745.041039	5725 – 5850	PASS
5745	50	120	5744.933548	5725 – 5850	PASS
5745	40	120	5745.050945	5725 – 5850	PASS
5745	30	120	5745.009926	5725 – 5850	PASS
5745	20	120	5744.907202	5725 – 5850	PASS
5745	10	120	5745.076732	5725 – 5850	PASS
5745	0	120	5745.084333	5725 – 5850	PASS
5745	-10	120	5744.903159	5725 – 5850	PASS
5745	-20	120	5745.033055	5725 – 5850	PASS
5745	-30	120	5745.059729	5725 – 5850	PASS

Ant2

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5745	20	240	5744.940474	5725 – 5850	PASS
5745	20	100	5744.916013	5725 – 5850	PASS
5745	50	120	5745.005464	5725 – 5850	PASS
5745	40	120	5744.999666	5725 – 5850	PASS
5745	30	120	5744.912172	5725 – 5850	PASS
5745	20	120	5745.005382	5725 – 5850	PASS
5745	10	120	5745.021796	5725 – 5850	PASS
5745	0	120	5744.910254	5725 – 5850	PASS
5745	-10	120	5745.072852	5725 – 5850	PASS
5745	-20	120	5744.909069	5725 – 5850	PASS
5745	-30	120	5744.965065	5725 – 5850	PASS

Ant1

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5785	20	240	5784.918658	5725 – 5850	PASS
5785	20	100	5784.976167	5725 – 5850	PASS
5785	50	120	5785.027551	5725 – 5850	PASS
5785	40	120	5784.962090	5725 – 5850	PASS
5785	30	120	5784.990629	5725 – 5850	PASS
5785	20	120	5784.998354	5725 – 5850	PASS
5785	10	120	5785.012681	5725 – 5850	PASS
5785	0	120	5785.059765	5725 – 5850	PASS
5785	-10	120	5784.912339	5725 – 5850	PASS
5785	-20	120	5785.074352	5725 – 5850	PASS
5785	-30	120	5784.912952	5725 – 5850	PASS

Ant2

Frequency (MHz)	Environment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5785	20	240	5785.055904	5725 – 5850	PASS
5785	20	100	5785.023417	5725 – 5850	PASS
5785	50	120	5784.982052	5725 – 5850	PASS
5785	40	120	5785.092825	5725 – 5850	PASS
5785	30	120	5785.091799	5725 – 5850	PASS
5785	20	120	5785.069784	5725 – 5850	PASS
5785	10	120	5784.950614	5725 – 5850	PASS
5785	0	120	5785.077447	5725 – 5850	PASS
5785	-10	120	5785.042768	5725 – 5850	PASS
5785	-20	120	5784.974367	5725 – 5850	PASS
5785	-30	120	5785.003993	5725 – 5850	PASS

Ant1

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5825	20	240	5824.902968	5725 – 5850	PASS
5825	20	100	5824.910994	5725 – 5850	PASS
5825	50	120	5824.955446	5725 – 5850	PASS
5825	40	120	5824.950636	5725 – 5850	PASS
5825	30	120	5824.982370	5725 – 5850	PASS
5825	20	120	5825.085909	5725 – 5850	PASS
5825	10	120	5824.906989	5725 – 5850	PASS
5825	0	120	5825.008848	5725 – 5850	PASS
5825	-10	120	5824.975844	5725 – 5850	PASS
5825	-20	120	5824.953194	5725 – 5850	PASS
5825	-30	120	5825.032182	5725 – 5850	PASS

Ant2

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5825	20	240	5824.940325	5725 – 5850	PASS
5825	20	100	5825.074161	5725 – 5850	PASS
5825	50	120	5825.026472	5725 – 5850	PASS
5825	40	120	5824.983524	5725 – 5850	PASS
5825	30	120	5824.918209	5725 – 5850	PASS
5825	20	120	5825.060073	5725 – 5850	PASS
5825	10	120	5825.005428	5725 – 5850	PASS
5825	0	120	5824.983522	5725 – 5850	PASS
5825	-10	120	5825.083726	5725 – 5850	PASS
5825	-20	120	5824.988826	5725 – 5850	PASS
5825	-30	120	5825.095740	5725 – 5850	PASS

Ant1

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5755	20	240	5755.085781	5725 – 5850	PASS
5755	20	100	5755.018576	5725 – 5850	PASS
5755	50	120	5754.997551	5725 – 5850	PASS
5755	40	120	5755.045244	5725 – 5850	PASS
5755	30	120	5755.005085	5725 – 5850	PASS
5755	20	120	5754.993754	5725 – 5850	PASS
5755	10	120	5755.045784	5725 – 5850	PASS
5755	0	120	5754.938192	5725 – 5850	PASS
5755	-10	120	5755.050014	5725 – 5850	PASS
5755	-20	120	5754.939851	5725 – 5850	PASS
5755	-30	120	5755.084397	5725 – 5850	PASS

Ant2

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5755	20	240	5755.014028	5725 – 5850	PASS
5755	20	100	5755.015417	5725 – 5850	PASS
5755	50	120	5755.008464	5725 – 5850	PASS
5755	40	120	5755.065361	5725 – 5850	PASS
5755	30	120	5754.946955	5725 – 5850	PASS
5755	20	120	5755.040249	5725 – 5850	PASS
5755	10	120	5754.952173	5725 – 5850	PASS
5755	0	120	5754.908350	5725 – 5850	PASS
5755	-10	120	5754.970679	5725 – 5850	PASS
5755	-20	120	5754.976887	5725 – 5850	PASS
5755	-30	120	5755.079372	5725 – 5850	PASS

Ant1

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5795	20	240	5794.976560	5725 – 5850	PASS
5795	20	100	5794.980464	5725 – 5850	PASS
5795	50	120	5795.053547	5725 – 5850	PASS
5795	40	120	5795.071755	5725 – 5850	PASS
5795	30	120	5794.989789	5725 – 5850	PASS
5795	20	120	5794.909062	5725 – 5850	PASS
5795	10	120	5795.070606	5725 – 5850	PASS
5795	0	120	5794.943231	5725 – 5850	PASS
5795	-10	120	5794.943866	5725 – 5850	PASS
5795	-20	120	5795.024793	5725 – 5850	PASS
5795	-30	120	5795.006434	5725 – 5850	PASS

Ant2

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5795	20	240	5794.904908	5725 – 5850	PASS
5795	20	100	5794.998064	5725 – 5850	PASS
5795	50	120	5795.073749	5725 – 5850	PASS
5795	40	120	5794.964862	5725 – 5850	PASS
5795	30	120	5795.096738	5725 – 5850	PASS
5795	20	120	5794.966031	5725 – 5850	PASS
5795	10	120	5794.973044	5725 – 5850	PASS
5795	0	120	5795.007922	5725 – 5850	PASS
5795	-10	120	5795.091900	5725 – 5850	PASS
5795	-20	120	5795.050427	5725 – 5850	PASS
5795	-30	120	5795.051496	5725 – 5850	PASS

Ant1

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5775	20	240	5775.069852	5725 – 5850	PASS
5775	20	100	5774.910218	5725 – 5850	PASS
5775	50	120	5775.038829	5725 – 5850	PASS
5775	40	120	5774.992270	5725 – 5850	PASS
5775	30	120	5774.948452	5725 – 5850	PASS
5775	20	120	5774.953492	5725 – 5850	PASS
5775	10	120	5774.903603	5725 – 5850	PASS
5775	0	120	5774.973904	5725 – 5850	PASS
5775	-10	120	5775.010758	5725 – 5850	PASS
5775	-20	120	5774.908281	5725 – 5850	PASS
5775	-30	120	5775.090681	5725 – 5850	PASS

Ant2

Frequency (MHz)	Enviroment Temperature (Degree)	Voltage (VAC)	Measured Frequency (MHz)	Limit Range (MHz)	Test Results
5775	20	240	5774.943664	5725 – 5850	PASS
5775	20	100	5775.070948	5725 – 5850	PASS
5775	50	120	5774.948059	5725 – 5850	PASS
5775	40	120	5774.960877	5725 – 5850	PASS
5775	30	120	5774.996562	5725 – 5850	PASS
5775	20	120	5774.907191	5725 – 5850	PASS
5775	10	120	5774.979900	5725 – 5850	PASS
5775	0	120	5775.013251	5725 – 5850	PASS
5775	-10	120	5775.066229	5725 – 5850	PASS
5775	-20	120	5774.993625	5725 – 5850	PASS
5775	-30	120	5775.062617	5725 – 5850	PASS

Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5745	30~5650	3196.12	-45.88	≤-27	PASS
11A	Ant2	5745	30~5650	5268.78	-46.15	≤-27	PASS
11A	Ant1	5745	5925~40000	26837.02	-35.55	≤-27	PASS
11A	Ant2	5745	5925~40000	24976.8	-36.27	≤-27	PASS
11A	Ant1	5785	30~5650	5347.27	-45.27	≤-27	PASS
11A	Ant2	5785	30~5650	5643.63	-45.82	≤-27	PASS
11A	Ant1	5785	5925~40000	26148.57	-34.91	≤-27	PASS
11A	Ant2	5785	5925~40000	26860.91	-36.07	≤-27	PASS
11A	Ant1	5825	30~5650	5437.19	-45.83	≤-27	PASS
11A	Ant2	5825	30~5650	5446.93	-45.79	≤-27	PASS
11A	Ant1	5825	5925~40000	26851.07	-35.15	≤-27	PASS
11A	Ant2	5825	5925~40000	26849.67	-35.76	≤-27	PASS
11N20MIMO	Ant1	5745	30~5650	5331.16	-46.05	≤-27	PASS
11N20MIMO	Ant2	5745	30~5650	5594.17	-46.41	≤-27	PASS
11N20MIMO	Ant1	5745	5925~40000	25992.62	-35.59	≤-27	PASS
11N20MIMO	Ant2	5745	5925~40000	26041.79	-35.22	≤-27	PASS
11N20MIMO	Ant1	5785	30~5650	5338.09	-45.85	≤-27	PASS
11N20MIMO	Ant2	5785	30~5650	5381.74	-46.14	≤-27	PASS
11N20MIMO	Ant1	5785	5925~40000	26128.9	-35.97	≤-27	PASS
11N20MIMO	Ant2	5785	5925~40000	25048.46	-35.95	≤-27	PASS
11N20MIMO	Ant1	5825	30~5650	3458.01	-44.82	≤-27	PASS
11N20MIMO	Ant2	5825	30~5650	3304.77	-46.15	≤-27	PASS
11N20MIMO	Ant1	5825	5925~40000	26198.45	-36.16	≤-27	PASS
11N20MIMO	Ant2	5825	5925~40000	25159.45	-35.11	≤-27	PASS
11N40MIMO	Ant1	5755	30~5650	5293.5	-45.81	≤-27	PASS
11N40MIMO	Ant2	5755	30~5650	5528.98	-45.95	≤-27	PASS
11N40MIMO	Ant1	5755	5925~40000	25082.18	-35.6	≤-27	PASS
11N40MIMO	Ant2	5755	5925~40000	26893.22	-35.78	≤-27	PASS
11N40MIMO	Ant1	5795	30~5650	5540.41	-45.95	≤-27	PASS
11N40MIMO	Ant2	5795	30~5650	3144.23	-46.11	≤-27	PASS
11N40MIMO	Ant1	5795	5925~40000	26022.82	-35.69	≤-27	PASS
11N40MIMO	Ant2	5795	5925~40000	25574.63	-36.13	≤-27	PASS
11AC20MIMO	Ant1	5745	30~5650	3273.11	-46.05	≤-27	PASS
11AC20MIMO	Ant2	5745	30~5650	3157.53	-46.47	≤-27	PASS
11AC20MIMO	Ant1	5745	5925~40000	25665.95	-35.54	≤-27	PASS
11AC20MIMO	Ant2	5745	5925~40000	26038.98	-35.67	≤-27	PASS
11AC20MIMO	Ant1	5785	30~5650	5328.35	-45.31	≤-27	PASS
11AC20MIMO	Ant2	5785	30~5650	5491.14	-46.21	≤-27	PASS
11AC20MIMO	Ant1	5785	5925~40000	25521.24	-36.22	≤-27	PASS
11AC20MIMO	Ant2	5785	5925~40000	26900.25	-35.35	≤-27	PASS

11AC20MIMO	Ant1	5825	30~5650	3447.52	-45.76	≤-27	PASS
11AC20MIMO	Ant2	5825	30~5650	5424.83	-45.51	≤-27	PASS
11AC20MIMO	Ant1	5825	5925~40000	25989.1	-35.71	≤-27	PASS
11AC20MIMO	Ant2	5825	5925~40000	24570.05	-35.81	≤-27	PASS
11AC40MIMO	Ant1	5755	30~5650	5597.73	-46.48	≤-27	PASS
11AC40MIMO	Ant2	5755	30~5650	3148.73	-45.61	≤-27	PASS
11AC40MIMO	Ant1	5755	5925~40000	26794.87	-35.6	≤-27	PASS
11AC40MIMO	Ant2	5755	5925~40000	26716.19	-35.12	≤-27	PASS
11AC40MIMO	Ant1	5795	30~5650	5509.31	-46.23	≤-27	PASS
11AC40MIMO	Ant2	5795	30~5650	5378.74	-46.3	≤-27	PASS
11AC40MIMO	Ant1	5795	5925~40000	26201.96	-35.96	≤-27	PASS
11AC40MIMO	Ant2	5795	5925~40000	26104.31	-35.87	≤-27	PASS
11AC80MIMO	Ant1	5775	30~5650	5467.91	-46.26	≤-27	PASS
11AC80MIMO	Ant2	5775	30~5650	3169.89	-45.94	≤-27	PASS
11AC80MIMO	Ant1	5775	5925~40000	26096.59	-36.03	≤-27	PASS
11AC80MIMO	Ant2	5775	5925~40000	26759.75	-35.17	≤-27	PASS

Test Graphs

